

QL
354
S5
Sect. 2
pt. 18
IZ Ref.

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN
CONFECTUS

SECTIO SECUNDA

A KALENDIS IANUARIIS, MDCCCI

USQUE AD FINEM DECEMBRIS, MDCCCL.

PART XVIII. INDEX o-nigrum—pallens. pp. 4451-4690.

1801-1850

LONDON:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM,

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

THE OXFORD UNIVERSITY PRESS; AND WHELDON & WESLEY, LTD., LONDON;

ALSO BY

OLIVER & BOYD, EDINBURGH.

March, 1929.

Price—Ten Shillings.

[*All rights reserved.*]

PRINTED IN GREAT BRITAIN.

INDEX ANIMALIUM
1801—1850

PRINTED IN GREAT BRITAIN
AT THE CAMBRIDGE UNIVERSITY PRESS
BY W. LEWIS, M.A.

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN
CONFECTUS

SECTIO SECUNDA

A KALENDIS IANUARIIS, MDCCCI

USQUE AD FINEM DECEMBRIS, MDCCCL.

O, P

LONDON:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM,

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

THE OXFORD UNIVERSITY PRESS; AND WHELDON & WESLEY, LTD., LONDON;

ALSO BY

OLIVER & BOYD, EDINBURGH.

[*All rights reserved.*]

INDEX

NOMINUM ANIMALIUM

- o-nigrum** Hygrobatas, C. L. Koch, Deutsch. Crust., heft 37, 1844, tab. 14.
oahuensis Achatina, J. Green, Contrib. Maclurian Lyceum, I (2) July 1827, 49.
oahouensis Aplysia, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 461.
oahouensis Lymnaea, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 527.
oahuensis Sterna, A. Bloxam in Byron, Voy. "Blonde" Sandwich Islands, 1826, 251.
oahuensis Tringa, A. Bloxam in Byron, Voy. "Blonde" Sandwich Islands, 1826, 251.
oajacensis Helix, Koch in L. Pfeiffer, Symb. Helic. II. 1842, 35.
oarus Xylota, F. Walker, List Dipt. Coll. B. M. (3) 1849, 558.
Oaxus C. S. Rafinesque, Analyse, 1815, 160.—Coel. [*n. n.*].
obalisca *v.* **obelisca**.
Obba H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 30.—G.
obcaecatus Otiorhynchus, Schoenherr in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 220.
obconicus Anchomenus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 299.
obconicum Anthophyllum, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 107.
obconicus Apiocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 187.
obconica Belemnosepia (Muenst.), A. d'Orbigny, Moll. viv. et foss. [1846], 441.—Geo-
obconica Geoteuthis, G. v. Muenster, Beitr. zur Petref. (6) 1843, 74. [teuthis].
obconicus Millericrinus (Goldf.), A. d'Orbigny, H. N. Crinoides (3) May 1841, 80.—Apio-
 crinites. [1848, 259.—Anthophyllum].
obconica Montlivaltia (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov.
obconica Montlivaultia (Muenst.), F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 419.—
 Anthophyllum.
obconicus Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 54.
obconica Terebra, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 194.
obconicus Trochus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 532 [*n. n.*].
obconicus Trochus, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 133.
obcordatus Bolitophagus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 236.
obcordata Corticaria, T. Marsham, Coleopt. Brit., Sept. 1802, 112.
obcordata Formica, P. S. Schilling, Uebers. Arb. schles. Ges. 1829 (1830), 55 [*n. n.*].
obcordatum Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
obcordata Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 501.
obcrucis Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 714.
"Obdicpriemus Cuv.," [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A.—A. [*n. n.*].
obductella Pempelia, H. T. Stainton, The Zoologist, VII (—) 1849, 2628.
obductella Phycis, J. E. Fischer v. R., Abbild. Schmett. (17) 1841, 250.
obductus Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 201.
obductus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 23.
obeira Acraea, E. Doubleday (*ex* Boisd. MS) in D. & Westwood, Gen. diurn. Lepidopt. I
 (1848), 140 [*n. n.*].
Obelia Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 355.—Coel.
Obelia Lamouroux, Expos. méth. Polyp. 1821, 81.—Polyz. [*teste* S. F. H.].
obelina Diastopora, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 277.—Tubulipora, 1838.
obelina Tubulipora, G. Johnston, Hist. Brit. Zooph. 1838, 269. [1796].
obeliscata Chesias (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Geometra,
obeliscata Pelurga, J. Huebner, Verz. bekannt. Schmett. 1826, 335.—Geometra, 1796
Obeliscus H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 61.—G.

- Obeliscus** L. Agassiz, Nom. Zool. (Moll.) 1845, 60.—G. [*non* Charp. 1837].
- obeliscus** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 129, Mar. 1850.
- obelisca** Agrotis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 66.—Noctua,
- obelisca** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 172. [1775.]
- obeliscus** Bulimus (Moric.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 148.—Helix.
- obeliscus** Chemnitzia, C. B. Adams, Contr. to Conch. (5) Feb. 1850, 72.
- obeliscus** Helix (Cochlicella), S. Moricand, Mém. Soc. Phys. H. N. Genève, VI (2) 1834, 540.
- obeliscus** Lobocoenia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Madrepora.
- obeliscus** Madrepora, H. Michelin, Icon. Zoophyt. (9–12) 1844, 112.
- obeliscus** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 56, June 1846.
- obelisca** Metaxyja (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 223.—Noctua,
- obeliscus** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 107, Sept. 1844. [1775.]
- obeliscus** Murex (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 747.—Cerithium, 1792.
- obeliscus** Obeliscus (Moric.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 62.—Helix.
- obeliscus** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39 = 60) 1842, 176.
- obeliscus** Pleurotoma, L. Reeve, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 110.
- obalisca (sic)** Pyramidea (Mart.), W. Swainson, Treat. Malacol., May 1840, 350.
- obeliscus** Rhinoclavis (—), W. Swainson, Treat. Malacol., May 1840, 315.—? Cerithium,
- obeliscus** Turbinites, E. F. v. Schlotheim, Die Petref. 1820, 165. [Br. 1792.]
- Obelus** J. D. W. Hartmann, Erd- u. Süßw. Gast., Syst. Uebers. 1840 (5, 6), 1842, 158.—G.
- obensis** Lemmus, A. Brants, Gesl. Muizen. 1827, 55.—Mus lemmus v. obensis, Pall.
- Oberea** Megerle in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 351.—Col. [*sine typo*].
- Oberea** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 194.—Col.
- oberhäuseri** Hypsibius (Doyère), C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 381.—
Macrobiotus.
- oberhaeuser** Macrobiotus, Doyère, Ann. Sci. Nat. [2] (Zool.) XIV. Nov. 1840, 286.
- oberleitneri** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 779.
- oberleitneri** Siagona, Parreyss in Dejean & Boisduval, Icon. Coléopt. I. 1830, 191.
- oberndorferi** Aplax, H. v. Meyer, N. Jahrb. f. Min. 1843, 585.
- oberndorferi** Atoposaurus, H. v. Meyer, N. Jahrb. f. Min. 1850, 199.
- Oberopa** S. S. Haldeman, P. Amer. Phil. Soc. IV (39) Dec. 1847, 373.—Col.
- obesalis** Hypena, F. Treitschke, Schmett. Europa, VI (2) 1828, 312.
- obesatus** Bulimus (Fér.), Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833,
318.—Helix. [62 *[n. n.]*.]
- obesata** Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- obesicornis** Cyclops, R. Templeton, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 196.
- obesicostata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 265 (Pl. xxxix) Ap.
- obesina** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 16 [*n. et f.*]. [1846.]
- obesula** Didelphis, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 490.
- obesulus** Dolopius, J. L. Leconte in Agassiz, Lake Superior, 1850, 228 [*n. n.*].
- obesula** Perameles (Shaw), E. Geoffroy, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 64.—
- obesula** Porcellana, A. White, List Crustacea Coll. B. M. 1847, 130 [*n. n.*]. [Didelphis.]
- obesula** Thylacis (Shaw), C. Illiger, Prod. 1811, 76.—Didelphis.
- obesus** Acalles (Boisd.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 329.—Tylodes,
- obesus** Acinopus (Schoenh.), Dejean, Spec. gén. Coléopt. IV. 1829, 37.—Carabus. [Dej.]
- obesa** Aeolothrips (Halid.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
1840, 218.—Melanothrips. [Thereva, 1798.]
- obesa** Alophora (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 284.—
- obesa** Amara, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 428.—Feronia, 1825.
- obesa** Ampullaria, Al. Brongniart, Mém. terr. Vicentin, 1823, 58.
- obesa** Anas, Darracq, Actes Soc. Linn. Bordeaux, X (53) 1838, 239.
- obesa** Anisotoma, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 150.
- obesa** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1–3) May 1833, 21.
- obesus** Arius, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.)
1841, 174.
- obesa** Baetis, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1846, 43.
- obesus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 307.
- obesum** Buccinum, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 2.

- obesa** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832,
obesus Carabus, C. J. Schoenherr, Syn. Ins. I. 1806, 191. [52.
obesus Carcharias, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 64.
obesa Cavernularia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850,
 p. lxxxiv.
obesus Centrotus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 518.
obesum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 378.
obesa Cetonia, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 111.
obesus Chalcas, L. Fairmaire, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 409.
obesus Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 335.
obesus Cis, J. L. Leconte in Agassiz, Lake Superior, 1850, 233 [*n. n.*].
obesus Clerus, A. White in J. L. Stokes, Discov. in Australia, I. 1846, 508.
obesa Clubiona, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 450.
obesa Clymenia, R. Richter, Beitr. Pal. Thüringer Wald. 1848, 30.
obesus Colorhinus, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 171.
obesa Columbella, C. B. Adams, Contr. to Conch. (4) Jan. 1850, 55.—Buccinum, 1845.
obesus Conus, D. Solander, Catal. Portland Mus. 1786, 9, 53 & 158 [*n. n.*].
obesus Conus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*]. [III (2) 1847, 342.
oboesus Conus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
obesa Corbula, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 57.
obesus Crypticus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 331.
obesus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 304.
obesa Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 59.
obesum Cyclostoma (Menke), L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253.—Truncatella.
obesum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 143.
obesa Cypricardia, L. Reeve, Conch. Icon.—Cypricardia, no. 10, Sept. 1843.
obesa Cyrena, R. B. Hinds, Ann. Mag. N. H. X. Oct. 1842, 81.
obesa Cytherina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 56.
obesa Dentellaria, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 35.
obesum Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 361.
obesa Donax, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 541.
obesus Echinorhinus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. 1 (1838).
obesus Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 168.
obesus Elater, C. Steven, Bull. Soc. Imp. Nat. Moscou, V. 1832, 95.
obesus Elater (Dicronychus), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 138.
obesus Embrithes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 394.
obesa Epeira, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 471.
obesus Erodius, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 63.
obesa Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 68.
obesa Feronia, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 37.
obesa Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 108.
obesus Fusus, A. J. Michelotti in Sismonda, Syn. meth. Anim. 1842, 34 [*n. n.*].
oboesus Fusus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III
 (2) 1847, 275 [=obesus, 1842].
obesa Hadena (Boisd.), F. Treitschke, Schmett. Europa, X (2) 1835, 42.—Noctua.
obesa Haltica, J. Walzl, Isis (Oken), 1839, 225.
obesus Harpalus (Latr.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 32.—Zabrus,
obesus Heliophilus, J. Walzl, Reise Tyrol, etc. (2) 1835, 71. [Dej.
obesa Helix, Beck; L. Pfeiffer, Mon. Helic. I. 1848, 307.
obesa Helix (Cochlogena), *emend. pro* obesata; A. E. Férussac, H. N. g. et p. Moll.,
 Tabl. Limaçons, 1821, 74.
obesus Helops, I. Frivaldszky, K. magyar tudos Tarsasag. évkön. II. 1835, 262.
obesus Hemiaster (Leym.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847,
 17.—Spatangus.
obesus Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 782.
obesa Hyalomya (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
 II. 1830, 299.—Thereva, 1798. [Phasia.
obesa Hyalomya (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 203.—

- obesus** Hylurgus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 296.
- obesa** Iphimedia, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 85.
- obesa** Isoarca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 163.—Nucula, 1844.
- obesa** Lamia, C. J. Schoenherr (*ex Voet*), Syn. Insect. I (3) 1817, 389.
- obesa** Lamia, J. O. Westwood, Arcana Entom. II (16) Nov. 1843, 58.
- obesa** Lernaepoda, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 270.
- obesus** Leuciscus, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1845), 48.
- obesa** Litiopa, C. B. Adams, Contr. to Conch. (5) Feb. 1850, 71.
- obesa** Littorina, G. B. Sowerby, II., Gen. Shells (37) 1832.
- obesa** Lytta, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 56.
- obesa** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, *erratum index fin.*? June 1846.
- obesa** Marginella, J. H. Redfield, Ann. Lyceum N. H. New York, IV (5) *post* Feb. 1846,
- obesa** Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 397. [164.
- obesus** Mastus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 73.—Helix.
- obesa** Megalostomis, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 540.
- obesa** Melania, R. A. Philippi, Abb. Conch. II (6) 1847, 170.
- obesa** Melanthrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 450.
- obesa** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 87, Sept. 1844.
- obesa** Modiola (Lithophagus), R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 118.
- oboesus** Monoplex, G. Perry, Conchology, Ap. 1811, pl. 3.
- obesus** Mythras, J. Curtis, Guide Brit. Ins. (4) 1829–30, 108 [*n. n.*].
- obesa** Natica (Brongn.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 580.—Ampullaria.
- obesus** Nautilus, J. Sowerby, Min. Conch. II. 1816, 51.
- obesa** Neaera, S. Loven, Ofvers. K. Vet. Ac. Förh. III (6) 1846, 202.
- obesa** Noctua, J. A. Boisduval, Europ. Lepid. Index meth. 1829, Add. p. 3 [*teste* Treitschke].
- obesa** Noctua, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846, 86.
- obesus** Nucleolites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 423.
- obesa** Nucula, G. A. Goldfuss, Petref. German. II (6) 1837, 150.
- obesa** Nucula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 180.
- obesus** Nyctozoilus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 8.
- obesum** Opatrum, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 497.
- obesus** Opetiopalpus, J. O. Westwood in White, Nomen. Coleopt. Coll. B. M. (4) 1849, 63.
- obesa** Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 14.
- obesus** Pentelasmis, J. C. Chenu, Illustr. Conch. I (8–10) 1843, pl. 1 [*n. et f.*].
- obesa** Phalangogonia, H. Burmeister, Handb. Ent. IV (1) 1844, 452.
- obesa** Phasia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 194.—Thereva,
- obesa** Physa, J. E. De Kay, N. H. New York (Moll.) 1843, 78. [1798.
- obesus** Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 666.
- obesa** Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- obesa** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 191.
- obesus** Planorbis, W. B. R. H. Dunker, Proc. Zool. Soc. London, XVI (182) Nov. 14,
- obesa** Pleurotoma, L. Reeve, Conch. Syst. II. 1842, 189. [1848, 41.
- obesum** Pleurotoma, R. A. Philippi, N. Jahrb. f. Min. 1845, 449 [*n. n.*].
- obesum** Pleurotoma, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 65.
- obesa** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 134.
- obesus** Podalgus, H. Burmeister, Handb. Ent. V. 1847, 119.
- obesa** Praniza, H. Lucas, Explor. Algér. (Artic. I.) 1846, 88.
- obesus** Proscephaladeres, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 893.
- obesus** Psammomys, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Säug. (11) 1828, 58.
- obesa** Ptilodactyla, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 175.
- obesus** Ptinus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 211.
- obesa** Pupa, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 15.
- obesum** Rachidion, E. Newman, Mag. Nat. Hist., n. s. IV. Ap. 1840, 195.
- obesus** Rhizotrogus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 282.
- obesa** Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2320.

- obesa** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 89.
- obesus** Scotobius, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. July 1842, 215.
- obesus** Spartecerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 439.
- obesus** Spatangus, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 360.
- obesus** Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 675.
- obesus** Stegopterus, H. Burmeister, Handb. Ent. III. 1842, 746.
- obesa** Stelis, T. Say, Boston Journ. N. H. I (4) 1837, 398.
- obesus** Strophosomus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Curculio.
- obesa** Tachina, C. R. W. Wiedemann, Ausereurop. Zweifl. Insekt. II. 1830, 282.
- obesa** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 210.
- obesa** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 158.
- obesa** Terebratula, J. De C. Sowerby, Min. Conch. V. 1823, 54.
- obesus** Termes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 304.
- obesa** Thyllis, W. F. Erichson, Entomographien, 1840, 151.
- obesus** Thynnus, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 78.
- obesus** Triaenodon (Ruepp.), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 55.—*Car-*
charias. [[*n. n.*].
- obesus** Trichechus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 64
- obesus** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May
1848, 313.—Turbinolia.
- obesus** Trogophloeus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, V (11) Nov. 1844, 375.
- obesa** Truncatella, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 137.
- obesa** Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1839, 53.
- obesus** Tychius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 308.
- obesus** Tylodes, Dejean in Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) II. 1835, 438.
- obesus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. IV (1) 1831, 96.
- obesa** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 434.
- obesa** Volucella (Fab.), C. R. W. Wiedemann, Ausereurop. Zweifl. Insekt. II. 1830,
- obesus** Zabrus, Latr.; Dejean, Catal. Coléopt. 1821, 13. [199.—Syrphus, 1775.
- obesus** Zabrus, Dejean (*ex* Latr.), Spec. gén. Coléopt. III. 1828, 448.
- obesa** Zenithicola (Newm.), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 26.—
Clerus, 1846.
- obfirmaria** Epirranthis, J. Huebner, Verz. bekannt. Schmett. 1825, 296 [*n. n.*].
- obfirmaria** Epirrhantes, J. Huebner, Exot. Schmett. II. Tab. [219] [*n. et f.*].
- obfuscaria** Catascia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 313.—Geometra,
1796. [1796.
- obfuscaria** Elophos (Huebn.), Boisduval, Gen. Index Europ. Lepid. 1840, 199.—Geometra,
- obfuscaria** Gnophos (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Geometra,
1796. [Geometra, 1796.
- obfuscaria** Phalaena (Huebn.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1827, 88.—
- obfuscaria** Phalena Geometra, E. J. C. Esper, Die Schmett. V. pl. xlix [1800–6] [*n. et f.*].
- obfuscator** Cryptus (Vill.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 569.—Ich-
neumon, 1789.
- obfuscator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
- obfuscata** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 87.
- obfuscata** Aleochara, Gyll.; Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
- obfuscata** Aphirape, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 67.—Euophrys offus.,
- obfuscatus** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 22. [1846.
- obfuscata** Charissa (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 176.—
Geometra, 1775.
- offuscata** (*sic*) Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 218.
- obfuscata** Gnophos (D. & S.), F. Treitschke, Schmett. Europa, VI (1) 1827, 164.—
Geometra, 1775.
- obfuscata** Homalota (Grav.), O. Heer, Coleopt. Helvet. (2) 1839, 326.—Aleochara.
- obfuscata** Lasioptera, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I.
1818, 90.
- obfuscata** Lasiopteryx (Hoffm.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53.—Lasi-
optera.

- obfuscata** Oxypoda (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 486.—Aleochara.
- obfuscatus** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 37.—Bracon, 1811.
- obfuscatus** Perilitus (Meteorus), Nees; A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 31.
- obfuscata** Rhyacophila, F. J. Pictet, Rech. Phrygan. 1834, 188.
- offuscata** (*sic*) Sarcophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 26.
- offusca** (*sic*) Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 308.
- Obisium** J. C. Savigny, Mém. Anim. s. vert. I. 1816, 114.—Ar. [? Ill. 1798].
- Obisium** Illiger, *emend.* C. de Théis, Ann. Sci. Nat. XXVII (105) Sept. 1832, 63.—Ar.
- obisium** Bdella, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 158.—Scirus, 1841.
- obisium** Scirus, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) XV. Jan. 1841, 6.
- objurgator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 79.—Ichneumon, 1781.
- Oblada** G. Cuvier, R. Anim., ed. 2, II. 1829, 185.—P. [*vernac.* 1817].
- oblada** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 27.
- Oblata** Cuvier & Valenc., H. N. Poiss. VI. 1830, 366.—P.
- oblatus** Atrypa (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 9.—Spirifer.
- oblata** Lingula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 77.
- oblata** Lutraria, J. De C. Sowerby, Min. Conch. VI. 1826, 66.
- oblata** Martinia (Sow.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 140.—
- oblata** Panopaea, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 230. [Spirifer.
- oblata** Panopaea (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 374.—Lutraria.
- oblatus** Spirifer, J. Sowerby, Min. Conch. III. 1820, 123.
- oblata** Thracia (Sow.), J. Morris, Cat. Brit. Foss. 1843, 102.—Lutraria.
- oblata** Trigonotreta (Sow.), H. G. Bronn, Lethaea Geogn. I (1) 1834, 81.—Spirifer.
- oblessus** Elater, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 165.
- Oblicaria** *err. pro* Obliquaria, Rafin.; C. d'Orbigny, Dict. Univ. Hist. Nat. VIII. 1846, 709.
- Oblicia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 620.—Dipt.
- Oblicitus** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- obligator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 270.
- obligatum** Cyclostoma, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 205.
- obligata** Litorina (Say), R. A. Philippi, Abb. Conch. III (3) 1848, 67.—Turbo.
- obligatus** Turbo, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 241.
- oblineatus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- obliqualis** Anticarsia, J. Huebner, Verz. bekannt. Schmett. 1826, 340 [*n. n.*].
- obliqualis** Hypena, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 491.
- obliquana** Cochyliis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 528.
- obliquana** Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1781.
- obliquana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 421.—Pyralis, 1781.
- Obliquaria** C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 301.—L.
- obliquaris** Melania, N. Boubée, Bull. Nat. Hist. France, 1833 (5), 19.
- obliquaria** Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 215.
- obliquaria** Chesias, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 20.
- obliquaria** Phasiane (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 153.—Phalaena obliquata, 1794.
- obliquator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 303.
- obliquatulus** Cryptohypnus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 214.
- obliquatus** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1829, 265.
- obliquatus** Anorops (Fab.), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 210.—Helops, 1798.
- obliquata** Arca, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
- obliquata** Arca, C. H. v. Zieten, Pétrif. Wurt. (12) 1833, 93.
- obliquata** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liége, II (2) 1846, 638.
- obliquata** Astarte, J. Sowerby, Min. Conch. II. 1817, 173.
- obliquatus** Baculites, J. De C. Sowerby, Min. Conch. VI. 1828, 186.
- obliquatum** Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 89.
- obliquatum** Buccinum, G. Brocchi, Conch. Subap. 1814, 336.

- obliquatum Buccinum, G. Brocchi, Conch. Subap. 1814, 656.
 obliquata Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 156.
 obliquata Bursaria, Bory de St V., Ency. Méth. (Zooph.) 1824, 160.
 obliquata Cancellaria, Lamarck, An. s. vert. VII. 1822, 115.
 obliquata Cancellaria, L. C. Kiener, Spec. Coquilles (Cancellaria) 1841, 21.
 obliquatum Cardium, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 135.
 obliquatum Cardium, A. Aradas, Atti Acc. Gioenia (2) III. 1846 (-7), 244.
 obliquata Cassis, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 146 [*n. n.*].
 obliquatus Catillus, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 226.
 obliquatum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 318.
 obliquata Ceromya, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
 obliquata Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 27, Dec. 1846.
 obliquata Chemnitzia, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 137. [1796.
 obliquata Chesias (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Geometra,
 obliquata Cicindela, Dejean, Catal. Coléopt. 1821, 1 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 72.
 obliquata Cladopteryx, J. O. Westwood, Arcana Entom. II (18) Mar. 1844, 90.
 obliquata Clausilia, Megerle in C. T. Menke, Syn. meth. Moll. 1828, 16 [*n. n.*].
 obliquatus Cleonus, Schoenherr in Ménétrés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII
 (2 = Sci. Nat. VI.) (4) Nov. 1849, 257.
 obliquatus Clerus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 155.
 obliquata Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 216.
 obliquatum Cyphon, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 456.
 obliquata Cytherea, S. Hanley, Proc. Zool. Soc. London, XII (137) Dec. 1844, 109.
 obliquatus Diabasis, E. T. Bennett, Zool. Journ. V (17) Feb. 1830, 90.
 obliquata Episcapha, T. Lacordaire, Mon. Erotyl., Sept. 1842, 60.
 obliquata Eucestia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 322.—Geo-
 metra o—aria, 1775.
 obliquata Fasciolaria, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 19
 obliquatus Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 542. [[*n. n.*].
 obliquatus Fusus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 419.
 obliquata Gastropacha, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *f*.
 obliquata Gryphaea, J. Sowerby, Min. Conch. II. 1815, 24.
 obliquatus Gyrinus, Chevrolat in C. Aubé, Spec. gén. Hydroc. 1838, 661.
 obliquatus Haemulon (Benn.), D. H. Storer, Mem. Amer. Acad., n. s. II. 1846, 520.—
 Diabasis.
 obliquatus Hamites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 278.
 obliquatus Helicoceras, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 127.
 obliquata Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 219.
 obliquatus Hoplitopales, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
 obliquatus Hypomelus, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 309. [262.
 obliquata Lambis, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 12.
 obliquata Lebia, Dejean, Ann. Sci. Nat. XX (78) June 1830, 224 [*n. n.*].
 obliquata Lebia, Dejean, Spec. gén. Coléopt. V. 1831, 379.
 obliquata Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 471.
 obliquatus Leptodomus, Schoenherr in J. Sturm, Catal. Käfer Samml. 1843, 199.
 obliquata Lima (Sow.), H. G. Bronn, Index Pal. 1848, 647.—Plagiostoma.
 obliquata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 220.
 obliquata Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 677.
 obliquata Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 311.
 obliquatum Nassa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 216.—Buccinum.
 obliquata Naucoris, M. Spinola, Ess. Ins. Hémipt. 1837, 54.
 obliquata Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
 obliquata Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 149. [309.
 obliquatus Oxyops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 488.
 obliquata Penthe (Fab.), E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 374.—
 Helops, 1798.
 obliquata Perna, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 114 [*n. n.*].
 obliquata Pholadomya, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]

- obliquata** Pholas, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 17.
- obliquata** Pinna, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 24. [[*n. n.*].]
- obliquata** Plagiola, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 426
- obliquata** Plagiostoma, J. De C. Sowerby, Tr. Geol. Soc. London [2] II. 1827, 319 [*n. n.*].
- obliquata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 262, Dec. 1845.
- obliquata** Pyrrocis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 237.
- obliquatus** Raphirhinus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 415.
- obliquata** Rissoa, J. De C. Sowerby, Min. Conch. VI. 1829, 230. [Rissoa.]
- obliquata** Rissoina (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 297.—
- obliquata** Saperda (Apomecyna), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 207.
- obliquatus** Schizaster (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 329.—
Spatangus.
- obliquata** Schizorhina, J. O. Westwood, Arcana Entom. (7) May 1842, 103.
- obliquata** Siphonaria, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. vii.
- obliquatus** Spatangus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiv.
- obliquatus** Strombus, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 208.
- obliquata** Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 277.
- obliquatus** Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 486.
- obliquatus** Trichodes, I. Frivaldszky, K. magyar tudos Tarsasag. évkön. II. 1835, 257.
- obliquatum** Triton, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 126.
- obliquatus** Turbo (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.—
Trochus, 1790.
- obliquata** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 309.
- obliquata** Voluta (Mitra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 314.
- obliquebifasciata** Exoprosopa, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 411.
- obliquecinctus** Strophosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- oblique costatus** Ammonites, C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 20. [874.]
- oblique costatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 91, Dec. 1846.
- oblique-costata** Chemnitzia (Bronn), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
185.—Melania.
- obliquecostatus** Hamites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 93.
- obliquecostata** Hamulina (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 66.—
Hamites.
- oblique costata** Melania, Bronn in G. v. Muenster, Beitr. zur Petref. (4) 1841, 97.
- obliqui-costata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 168, Oct. 1845.
- obliquefasciata** Chrysops, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 161.
- oblique-fasciata** Cicindela, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817,
280.
- obliquefasciatus** Clerus (Thanasinus), A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap.
1843, 32. [(1) 1844, 349.]
- oblique fasciatus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII
- obliquefasciatus** Eumecus (Mann.), V. v. Mochulski, Kaefer Russl., post May 1850, 4.—
Cicindela, Adams.
- oblique fasciata** Myopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 269.
- oblique-fasciata** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 143.
- oblique fasciata** Urophora, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 458.
- oblique interruptus** Ammonites, Schuebler in C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 20.
- obliquilineata** Tellina, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post June 1837, 259.
- oblique-lunatus** Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
(1-3) Nov. 1844, 244.
- obliquemaculatus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 127.
- obliqueplicatum** Buccinum, W. Dunker, Zeitschr. f. Malakozool., Ap. 1847, 61.
- oblique punctata** Sapromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 332.
- oblique signatus** Catoptes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 244.
- oblique striata** Delphinula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer.
Phil. Soc., n. s. IX (3) Dec. 1846, 261.
- obliquistriata** Lima, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 154.

- obliquistriata* Natica, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 136.
obliquestriatus Polymeres, G. Sandberger, N. Jahrb. f. Min. 1842, 402 [*n. n.*].
obliquetruncata Deroplia, W. G. Rosenhauer, Beitr. Ins. Faun. Europ. 1847, 59.
obliquissima Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 337.
obliquissimus Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 258.
obliquus Abraeus, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 187; Boston Journ. N. H. V (1) 1845, 84.
obliqua Aeshna, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 15.
obliquus Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 147.
obliqua Anatifa, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 628.
obliquus Ancyloceras, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 583.
obliquus Ancylos, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833,
obliquus Ancylos, C. B. Adams, Contr. to Conch. (8) Oct. 1850, 132. [202.
obliquum Anoplotherium, G. Cuvier, Oss. Foss., ed. 2, III. 1822, 71.
obliqua Anthomyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 342.
obliqua Anthrax, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 410.
obliquus Aptychus, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (4 & 5) 1848, 312.
obliqua Arca, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 429.
obliqua Arca, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 43.
obliqua Arca, L. Reeve, Conch. Icon. II.—Arca, no. 41, Feb. 1844.
obliqua Arca, M. Tuomey, Rep. Geol. S. Carolina, 1848, 210 [*n. n.*].
obliqua Astarte (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 80.—Cypricardia.
obliqua Astarte, G. P. Deshayes, Traité Conch., expl. pl. 22 (1839).
obliqua Astarte, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 211.
obliqua Astrea, Lamarck, An. s. vert. II. 1816, 262.
obliqua Astreopora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 349.—Astrea.
obliquus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 61.—Scarab. ? Ol. 1789.
obliqua Auricula (Say), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Melampus.
obliqua Auriculina (Ald.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 159.—Odostomia.
obliqua Avicula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 635.
obliqua Avicula, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 225.
obliquus Bellerophon, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 4.
obliquum Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 160.
obliqua Bolitochara, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 298.
obliquus Bombylius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 301.
obliquus Brachinus, A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 251.
obliquus Bruchus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 40.
obliquus Bruchus, A. Allibert, Rev. Zool. (Soc. Cuv.) X. Jan. 1847, 14.
obliquum Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1841, 107.
obliqua Bulimina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 40.
obliquus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 551, Aug. 1849.
obliquus Bulimus (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 298.—Lymnea.
obliquum Callidium, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].
obliqua Calobata, J. C. Fabricius, Syst. Antliat. 1805, 261.
obliquum Calyptraea (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 102.—Infundibulum.
obliquus Capulus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 527 [*n. n.*].
obliqua Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—
obliqua Cardita, G. G. Pusch, Polens Paleont. (1) 1836, 67. [Lima.
obliquum Cardium, Lamarck, Ann. Mus. H. N. (Paris) VI (35) Sept. 1805, 344.
obliquum Cardium, S. Woodward, Geol. Norf. 1833, 43. [thecia.
obliqua Chenendopora (Ben.), H. Michelin, Icon. Zoophyt. (9-12) 1844, 132.—Polypo-
obliqua Chilomonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 295.
obliqua Chilomonas (Plagiomastix), Duj.; C. M. Diesing, Syst. Helminth. I. 1850, 42.
obliquus Chomatodus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 124.
obliqua Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 214.
obliqua Cicindela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 27.

- obliqua Cixius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
 obliqua Cleonis (Fab.), Dejean, Catal. Coléopt. 1821, 97.—Curculio, 1792.
 obliquus Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 192.—Curculio,
 obliquus Cleopus, J. Sturm, Catal. Ins. Samml. 1826, 120 [*n. n.*]. [1792.
 obliqua Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 29.
 obliquus Cnemidotus (Panz.), Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 297.—
 Dytiscus, ? Fab. 1787.
 obliqua Coccinella, J. W. Randall, Boston Journ. N. H. II (1) 1838, 33.
 obliquus Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 444.
 obliquus Corax, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 4.—Galeus, 1844.
 obliqua Coscinoptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 516.
 obliquus Crabro, W. E. Shuckard, Foss. Hymenopt. 1837, 167.
 obliqua Crassina, T. Brown, Ill. Conch. G. B. I. 1827, pl. xviii, f. 6 [*n. et f.*].
 obliqua Cribrospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 388.—
 obliqua Cristellaria, F. v. Hagenow, N. Jahrb. f. Min. 1842, 573. [Scyphia.
 obliqua Cristellaria, J. Morris, Cat. Brit. Foss. 1843, 61 [*n. n.*].
 obliquus Cryptocephalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 47.
 obliquus Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 128 [*n. n.*].
 obliquus Cryptorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 28.
 obliqua Cucullaea, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 425.
 obliqua Cupulospongia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.—
 obliqua Cyclas, Lamarck, An. s. vert. V. 1818, 559. [Chenendopora.
 obliqua Cyclus, H. E. Anton, Arch. f. Naturg. III (1) 1837, 284.
 obliqua Cypricardia, Lamarck, An. s. vert. VI (1) 1819, 29.
 obliqua Cyprina (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 385.—Cyrena.
 obliqua Cyrena, Deshayes, Dict. Class. H. N. V. 1824, 290.
 obliquum Cystiphyllum, A. Keyserling, Wiss. Beob. Petschora, 1846, 160.
 obliqua Cytherea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 136.
 obliqua Cytherea, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 167.
 obliqua Dianchora, G. A. Mantell, Foss. South Downs, May 1822, 206.
 obliquus Diaspis, O. G. Costa, Fauna Regno Napoli, Atteri, 21 (*die non det.*).
 obliquum Dichobune (Cuv.), F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 89.—Anoplo-
 obliqua Didymocantha, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 20. [therium.
 obliqua Dimorphina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 220.
 obliqua Diplodonta, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1846, 20.
 obliqua Donax, Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 139.
 obliqua Dynamena, J. V. F. Lamouroux, Hist. Polyp. 1816, 180.
 obliquus Echinorhynchus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
 obliquus Elater, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 174. [1844], 515.
 obliqua Ellipsosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 276.
 obliquus Eristalis, C. R. W. Wiedemann, Anal. Entom. 1824, 38.
 obliqua Erycina, Caillat, Mém. Soc. Sci. Nat. Seine et Oise, I. 1835, 239.
 obliquus Eucnemis, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 187.
 obliquus Eumerus (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
 112.—Milesia.
 obliqua Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 315.
 obliqua Frondicularia, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 268.
 obliqua Frondiculina, G. v. Muenster, N. Jahrb. f. Min. 1838, 382.
 obliquus Galeus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 220.
 obliqua Gasteracantha, C. L. Koch, Die Arachniden, XI (3) 1844, 64.
 obliqua Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 100.
 obliqua Goniomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) i, 1842, 18.
 obliquus Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 414.
 obliqua Gymnosoma, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 237.
 obliquus Gyraecanthus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 117.
 obliquus Gyropristis, J. L. R. Agassiz, Poiss. Foss. III., 177 (1843) [*n. n.*]. [1787.
 obliquus Haliphus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 77.—Dytiscus,

- obliquus Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 101.
obliquus Hister, T. Say, J. Acad. Nat. Sci. Philad. V. July 1825, 371.
obliqua Holopea, J. Hall, N. H. New York (Pal. I.) 1847, 170. [1787.
obliquus Hoplitus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 220.—Dytiscus,
obliqua Huronia, C. Stokes, Tr. Geol. Soc. London [2] I. 1824, expl. pl. xxviii.
obliquus Hybodus, J. L. R. Agassiz in F. A. Alberti, Beitr. Bunter, 1834, 90; Poiss. Foss.,
II (1), 174 (1835); III., 53 (1837), 192 (1843).
obliqua Ichthyosarcolithes, Deshayes, Dict. Class. H. N. VIII. 1825, 501.
obliquum Infundibulum, J. Sowerby, Min. Conch. I. 1815, 220.
obliqua Isocardia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 163.
obliquus Ixodes, C. L. Koch, Arch. f. Naturg. X (1) 1844, 232.
obliquus Jassus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 89.
obliquus Labrus, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 405.
obliqua Lamia, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
obliqua Lamna, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*].
obliqua Laomedea, Saunders in G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 106.
obliquus Leiostomus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 69.—Mugil.
obliqua Lima, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807, 464.
obliqua Lima, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 88.
obliquus Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit.
Ent. (Mand. VI.) Jan. 1837, 219.
obliqua Lingulina (Muenst.), H. Karsten, Verz. Rostock Mus. Verst. 1849, 7.—Frondic-
ulina.
obliquus Listroderes, F. Klug (*ex Dej. in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 6.
obliquus Lixus (Fab.), A. G. Olivier, Entom. V. 1807, 263.—Curculio, 1792.
obliquus Lonchophorus, A. Chevrolat, Ann. Soc. Ent. France, I (2) c. July 1832, 218.
obliqua Lucina, DeFrance, Dict. Sci. Nat. XXVII. 1823, 275.
obliqua Lucina, G. A. Goldfuss, Petref. German. II (7) 1840, 228.
obliqua Lucina, R. A. Philippi, Abb. Conch. III (7) 1850, 105.
obliqua Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 42, June 1850.
obliqua Lucina (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 386.—Donax.
obliquus Lycus, T. Say, Boston Journ. N. H. I (2) 1835, 154.
obliqua Lymnaea, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 215; Rep. trav.
Soc. stat. Marseille, VI. 287.
obliqua Macrocera, T. Say, Boston Journ. N. H. I (4) 1837, 403.
obliquus Mastostethus (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
obliquus Megalopus (Fab.), F. Klug, Entom. Mon. 1824, 83.—Clythra. [628.—Clythra.
obliqua Megathyra, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 371.
obliquus Melampus, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 377.
obliquus Melampus (Say), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—Auricula.
obliquus Melinopterus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 285.
obliqua Membracis, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 13.
obliqua Milesia, J. C. Fabricius, Syst. Antliat. 1805, 194.
obliqua Mitra, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. May 1842, 142.
obliqua Montlivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 35.
obliquus Mugil, S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 16.
obliqua Mya, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*].
obliqua Myelois, P. C. Zeller, Isis (Oken), 1847, 31.
obliquus Mytilus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 55.
obliquus Naupactus, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
obliqua Nemoraea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
obliqua Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 254. [1830, 73.
obliqua Nomada, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 366.
obliquus Notaphus (Sturm), Dejean, Catal. Coléopt. 1821, 16.—Bembidium.
obliqua Nucula, Lamarck, An. s. vert. VI (1) 1819, 59.
obliqua Nucula, T. Say, Amer. J. Sci. II (1) Ap. 1820, 40.
obliqua Nucula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 85.
obliqua Nucula, J. Hall, Amer. J. Sci. XLVIII (2) Ap. 1845, 294.

- obliquum** Obrium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
obliqua Odostomia, J. Alder, Ann. Mag. N. H. XIII. May 1844, 327.
obliquus Omalisus, T. Say, Boston Journ. N. H. I (2) 1835, 156.
obliquus Onthophagus (Ol.), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 33.—
 Scarabaeus, 1789.
obliquus Opilio, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 33.
obliqua Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 601.
obliqua Ostrea, Lamarck, An. s. vert. VI (1) 1819, 220.
obliquus Otodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 114 (1838); III., 267 (1843).
obliqua Oxytes, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 364.
obliquus Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 94.
obliqua Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 327.
obliquus Pecten, J. Sowerby, Min. Conch. IV. 1822, 95.
obliquus Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 237.
obliquus Pecten, P. M. T. de Serres, Geogn. Terr. tert. 1829, 132.
obliquus Pectunculus, DeFrance, Dict. Sci. Nat. XXXIX. 1826, 224.
obliquus Pectunculus, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 566 [*n. n.*].
obliqua Pectunculus, I. Lea, Contrib. to Geol. 1833, 78.
obliquus Pectunculus, G. v. Muenster, N. Jahrb. f. Min. 1835, 438.
obliquus Pectunculus, L. Reeve, Conch. Icon.—Pectunculus, no. 33, Ap. 1843.
obliquus Pectunculus, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 189.
obliqua Perna, Lamarck, An. s. vert. VI (1) 1819, 140.
obliquum Perteretum, C. D. E. König, Icones foss. 1825, pl. 17 [*n. et f.*].
obliquus Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
obliqua Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii, 1845, 110.
obliquum Pisidium (Lam.), C. Pfeiffer, Naturg. deutsch. land-Moll. (1) 1821, 124.—Cyclas.
obliquus Planorbis, J. E. De Kay, N. H. New York (Moll.) 1843, 62.
obliqua Planulina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 373.
obliqua Pleureterites, C. S. Rafinesque, Atlantic Journ. (4) 1832, 143.
obliqua Pleurotoma, I. Lea, Contrib. to Geol. 1833, 136.
obliqua Pleurotoma, H. E. Anton, Verz. Conch. 1839, 73. [Spondylus.
obliqua Plicatula (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 202.—
obliqua Pneumora, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXXI (1) 1810, 65.
obliquus Poecilodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [*n. n.*]; Poiss.
 Foss. III., 174 (1843) [*n. n.*].
obliqua Pollicipes (Q. & G.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, V.
 Dec. 1837, 680.—Anatifa.
obliqua Polypothecia, E. Bennett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831,
 pl. viii [*n. et f.*].
obliquum Prisodon, C. F. Schumacher, Overs. K. Danske Vid. Selsk. Forhandl. 1816,
obliquus Prisodon, C. F. Schumacher, Essai Vers test. 1817, 139. [7 [*n. n.*].
obliquus Pyrrhocoris, Herrich-S., Wanzenart. Ins. VII (2) Sept. 1843, 19.
obliqua Reticulipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 113.
obliqua Saperda, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 274.
obliqua Scaeva, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 89.
obliqua Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 89.
obliquus Scaphites, J. Sowerby, Min. Conch. I. 1813, 54.
obliqua Sciomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1070.
obliqua Sciophila, T. Say in Keating, Exp. Peter River, II. 1824, 363; & ed. London,
obliquus Scymnus, Gené in Comolli, De coleopt. Novocomi, 1837, 52. [1825 (App.), 92.
obliqua Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 9.
obliqua Sertularia (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II.
 Aug. 1836, 154.—Dynamena.
obliquus Solen, J. De C. Sowerby, Min. Conch. VII. 1844, 75.
obliquus Spondylus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 74.
obliquus Spondylus, J. C. Chenu, Illustr. Conch. II. Spondylus, 1844-5, 7.
obliquus Stenelophus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 22.
obliquus Stenus, O. Heer, Coleopt. Helvet. (2) 1839, 224.

- obliqua** Succinea, T. Say in Keating, Exp. Peter River, II. 1824, 260; & ed. London, 1825 (App.), 9.
- obliquus** Syroma[s]tes, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- obliquus** Syrphus, T. Say, Amer. Entom. I. 1824, pl. xi.—Scaeva, 1823.
- obliquus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 28.
- obliquus** Tarus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 41.
- obliqua** Tellina, W. Wood, General Conch. 1815, 152.
- obliqua** Tellina, J. Sowerby, Min. Conch. II. 1817, 137.
- obliqua** Tellina, Lamarck, An. s. vert. V. 1818, 532.
- obliqua** Tellina, G. A. Goldfuss, Petref. German. II (7) 1840, 233.
- obliqua** Tephritis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 464.
- obliqua** Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 20.—
- obliqua** Terebratula, J. Sowerby, Min. Conch. III. 1821, 137. [Buccinum, Gm. 1790.
- obliquus** Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 59 [*n. et f.*].
- obliqua** Tettigometra (Panz.), H. Burmeister, Handb. Ent. II (1) 1835, 147.—Fulgora, 1799.
- obliqua** Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 342.
- obliqua** Tetyra, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 337.
- obliquus** Toxoceras, Baugier & Sauzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 134.
- obliquus** Toxotus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 86.
- obliqua** Tragopa, E. F. Germar, Revue Entom. III (5) 1835, 251.—Membracis, 1821.
- obliquus** Trichius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 537.
- obliquus** Trichophorus, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 18.
- obliqua** Trypeta, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 186.
- obliquus** Turbo (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 6.—Holoepa.
- obliqua** Turbonilla (Alder), S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 49.—
- obliqua** Turrilites, J. Sowerby, Min. Conch. I. 1814, 172. [Odontostoma.
- obliquus** Turrites (Sow.), W. de Haan, Mon. Ammon. 1825, 78.—Turrilites.
- obliqua** Ulopa, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67 [*n. n.*].
- obliqua** Unio, Lamarck, An. s. vert. VI (1) 1819, 72.
- obliquus** Unio, W. Wood, Suppl. Index Test. 1828, 57.—Mya, 1828.
- obliqua** Venulites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 446 [*n. n.*].
- obliqua** Venus, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 131.
- obliqua** Venus, Lamarck, Ann. Mus. H. N. (Paris) VII (37) Dec. 1805, 62.
- obliqua** Venus, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 243. [396.
- oblitalis** Botys, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843],
- oblitana** Grapholitha, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 156.
- oblitterator** Arrenurus, C. L. Koch, Deutsch. Crust., heft 13, 1837, tab. 3. [1758.
- obliterata** Adalia (L.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 49.—Coccinella,
- obliteratus** Alutarius, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1335.
- oblitteratum** Amusium, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 59.
- obliterata** Anomia, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 33.
- obliterata** Antophila, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 27.
- obliteratus** Aphodius, de Heyden in G. W. F. Panzer, Ins. Germ., heft 110, 1823, tab. 3.
- obliteratus** Arthrodeis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 516.
- obliterata** Blaps, T. Say, Boston Journ. N. H. I (2) 1835, 184.
- obliterata** Blaps, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 236.
- obliteratus** Bolbocerus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 349.
- obliteratus** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 104.
- obliterata** Chemnitzia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 172.—Turritella.
- obliteratus** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 64.
- obliterata** Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 449.
- obliteratus** Copris, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 73.

- obliteratus** Doryctes (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 343.—Bracon.
- obliterata** Doryphora, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 88.
- obliterata** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 496.
- obliterata** Eubolia, De Selys, Mém. Soc. R. Sci. Liège, II (1) 1845, 27.
- obliteratum** Eurypogon, Lacord.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 329.
- obliterata** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 145.
- obliterata** Galeruca, A. G. Olivier, Entom. VI. 1808, 635.
- obliterata** Glaphyra (Ramb.), A. Guénée, Ann. Soc. Ent. France, X (3) Nov. 1841,
- obliterata** Hadenia, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 941. [233.—Antophila.
- obliterata** Helix (Helicigona), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 40.
- obliteratus** Heterocerus, H. v. Kiesenwetter in Germar, Zeitschr. f. d. Entom. IV. 1843,
- obliterata** Hormopeza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 540. [219.
- oblitterata** Hydrilla, Boisduval, Gen. Index Europ. Lepid. 1840, 138.
- obliteratus** Hypomelus, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 309.
- obliteratus** Ischiogonus (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 126.—Bracon.
- obliteratus** Melinopterus (Panz.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 288.—Aphodius.
- obliterata** Oedipoda, Germar in H. Burmeister, Handb. Ent. II (2) i, 1838, 643.
- obliterata** Paropsis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 229.
- oblitterata** Pholadomya, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 258.
- obliterata** Platyope, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 60.
- obliterata** Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 481.
- obliteratus** Prepopharus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 178.
- obliteratus** Psocus, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1052.
- obliterata** Pupa, Charpentier in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa
- oblitteratus** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 549. [(97) 1850, 112.
- obliterata** Rhyssa, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 275.
- obliteratus** Rogas (Doryctes) (Nees), A. H. Haliday, Entom. Mag. IV (1) July 1836, 44.—Bracon.
- obliterata** Rutela, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 154; & App.
- obliterata** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 205. [1817, 65.
- oblitteratus** Scyphius, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 5.
- obliterata** Spirifera, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 78.
- obliterata** Strangalia (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 328.—Stenura.
- oblitterata** Sunetta, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 148.
- obliterata** Tagenia, A. J. J. Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 30.
- obliterata** Teinodactyla, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 61.
- obliterata** Tetanocera (Fab.), C. F. Fallen, Sciomyz. Sveciae, 1820, 7.—Scatophaga.
- obliterata** Triphlyctis, C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 137.
- obliterata** Turritella, Goldfuss in F. A. Alberti, Beitr. Bunter, 1834, 237.
- oblitteratus** Xanthochilus, C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 85.
- oblitus** Acanthocinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
- oblita** Acanthoptera, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
- oblitus** Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 452.
- oblitus** Berytus, De Crist. in M. Spinola, Ess. Ins. Hémipt. 1837, 206.
- oblitus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 325.
- oblitus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 376, Dec. 1848.
- oblitus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 322.
- oblitus** Conus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*].
- oblitus** Conus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 340.
- oblitus** Conus, L. Reeve, Conch. Icon.—Conus, Emendations, p. 1, June 1849.
- oblitus** Cryptocephalus, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 10.

- oblitus** *Cryptocephalus*, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 8 [*n. n.*].
- oblita** *Dacne*, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 29 [*n. n.*].
- oblitus** *Dendarus*, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 43 [*n. n.*].
- oblita** *Donax*, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- oblita** *Donax*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 117.
- oblitum** *Elaphidion*, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 14.
- oblitus** *Elater*, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- oblitus** *Eros*, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 382.
- oblita** *Eurythyrea*, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 145.
- oblita** *Feronia*, Dejean, Spec. gén. Coléopt. V. 1831, 754.
- oblita** *Fissurella*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 141.
- oblitus** *Fusus*, L. Reeve, Conch. Icon. IV.—*Fusus*, no. 29, Nov. 1847.
- oblita** *Grillotalpa*, A. Percheron in Dict. pittoresque H. N. II. 1835, 358; N. Dict. class. H. N., ed. 2, IX. Sept. 1844, 58.
- oblitus** *Harpalus*, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*]; Spec. gén. Coléopt. IV. 1829,
- oblita** *Homalota*, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 113. [273.]
- oblitus** *Hydroporus*, Dejean, Catal. Coléopt., ed. 2 (1) 1833, 57 [*n. n.*]; C. Aubé, Spec. gén. Hydroc. 1838, 603.
- oblita** *Libellula*, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 123.
- oblita** *Lithocharis*, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 618.
- oblita** *Melolontha*, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- oblita** *Mesomphalia*, C. H. Boheman, Mon. Cassid. I. 1850, 259. [Mar. 1835, 459.]
- oblita** *Mitra*, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*].
- oblita** *Mitra*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- oblitus** *Mytilus*, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*]. [III (2) 1847, 315.]
- oblitus** *Mytilus*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- oblitus** *Nematus*, Le Peletier, Mon. Tenthred. 1823, 69. [III (2) 1847, 93.]
- oblita** *Ocalea*, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 348.
- oblita** *Orthis*, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*].
- oblitus** *Pecten*, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*]. [III (2) 1847, 90.]
- oblitus** *Pecten*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- oblita** *Pleurotoma*, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 149 [*n. n.*].
- oblita** *Pullastra*, J. Phillips, Geol. Yorksh. I. 1829, 156 [*n. et f.*].
- oblita** *Scalaria*, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 146.
- oblitus** *Stenocorus*, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 177 [*n. n.*].
- oblita** *Struthiolaria*, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xviii.
- oblita** *Tellina* (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 275.—*Pullastra*.
- oblita** *Terebratulula*, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 122.
- oblita** *Venus*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 124.
- oblivia** *Hyperia*, H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 298.
- oblongana** *Antithesia* (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—*Tortrix*.
- oblongana** *Tortrix*, A. H. Haworth, Lepidopt. Brit. (3) 1811, 433.
- oblongata** *Andrena*, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 76 [*n. n.*].
- oblongatum** *Anthidium*, P. A. Latreille, Ann. Mus. H. N. (Paris) XIII (73) Mar. 1809, 43.
- oblongata** *Anthophora*, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 118.
- oblongata** *Arca*, D. Solander, Catal. Portland Mus. 1786, 153 [*n. n.*].
- oblongata** *Astarte*, Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 5.
- oblongata** *Cellepora*, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 27.
- oblongata** *Coccinella*, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 368.
- oblongata** *Dichotomaria* (S. & E.) H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 201.—*Corallina*, 1786. [1786.]
- oblongata** *Galaxaura* (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 262.—*Corallina*,
- oblongata** *Gregarina* (Hamm.), A. de Frantzius, De Gregarinis, 1846, 27.—*Rhizinia*.
- oblongata** *Lima*, S. A. Renier, Tavole [1804] vii [*n. n.*].
- oblongata** *Mactra*, D. Solander, Catal. Portland Mus. 1786, 56, 64 & 72 [*n. n.*].

- oblongata** Mya, W. Wood, Suppl. Index Test. 1828, 2 [*n. et f.*].
- oblongata** Nuculites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841, 50.
- oblongata** Orbicula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 143.—*elongata*, Portl.
- oblongata** Ostrea, S. A. Renier, Tavole [1804] vii [*n. n.*].
- oblongata** Panopaea, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 290.
- oblongata** Pholas, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 320.
- oblongatus** Pseudomops (L.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 41.—
- oblongata** Rhizinia, K. E. Hammerschmidt, Isis (Oken), 1838, 357. [Blatta, 1758.
- oblongatus** [Symphysurus] (Boeck), Goldfuss, N. Jahrb. f. Min. 1843, 553.—Trilobites.
- oblongata** Thovana (Say), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 187.—Pholas.
- oblongata** Thyrso-cera (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 499.—Blatta, L.
- oblongatus** Trilobites, C. Boeck in Keilhau, Gaea Norvegica (1) 1838, 142. [1758.
- oblongatus** Unio, W. Wood, Suppl. Index Test. 1828, 57.—Mya, 1828.
- oblongicollis** Athous, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 155.
- oblongicollis** Cucujus, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 128.
- oblongicollis** Dolopius (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 218.—Elater.
- oblongicollis** Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- oblongifolia** Phylloptera (De G.), H. Burmeister, Handb. Ent. II (2) i, 1838, 693.—Locusta,
- oblongoguttatum** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 228. [1773.
- oblongoguttatus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 86.
- oblongo-guttata** Mysia (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 129.—Coccinella, 1758.
- oblongoguttata** Saperda, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 73 [*n. n.*].
- oblongo-guttata** Terebra, G. Fischer, Mus. Démid. III. 1807, 181.
- oblongo-maculatum** Callidium, F. E. Guérin-M., Iconographie, 1844, Ins., 234.
- oblongomaculata** Leptura, L. Buquet, Ann. Soc. Ent. France, IX (4) *post* May 1841, 396 [*err. pro* 296].
- oblongonotatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 315.
- oblongo-notata** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 425.
- oblongior** Pimelepterus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 264.
- oblongipennis** Oopsis, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Feb. 1850, 118.
- oblongipennis** Phaneroptera, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 216.
- oblongipes** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 206.
- oblongopunctata** Adelosia (Fab.), H. C. Kuester, Käfer Europas, V. 1846, 33.—Carabus, 1787.
- oblongopunctata** Agra, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 183.
- oblongopunctatum** Bothriopterus (Sturm), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 9.—Platysma. [1787.
- oblongopunctata** Feronia (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 316.—Carabus,
- oblongopunctata** Globaria, Dejean, Ann. Sci. Nat. XX (79) July 1830, 258 [*n. n.*].
- oblongo punctatus** Harpalus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 347.—Carabus, 1787.
- oblongopunctatus** Monocrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 135. [Carabus, 1787.
- oblongo-punctata** Platysma (Fab.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 51.—
- oblongo-punctatus** Pterostichus (Fab.), Dejean, Catal. Coléopt. 1821, 12.—Carabus, 1787.
- oblongosignatus** Brachysphaenus (Sternolobus), F. E. Guérin-M., Iconographie, 1844, Ins.,
- oblongosignatus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 960. [311.
- Oblongites** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- oblongiuscula** Haltica, K. Duftschmid, Fauna Austriae, III. 1825, 261.
- oblongiusculus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 198.—Ophonus, 1821.
- oblongiusculum** Omophron, L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 166.
- oblongiusculus** Ophonus, Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- oblongiusculus** Ophonus (Dej.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 70.—Harpalus,
- oblongiusculus** Philodromus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 200. [1829.

- oblongiusculus** Pseudocryobius, V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.
- oblongo**→ *v. oblongi*→.
- oblongoides** Nucula, S. V. Wood, Mag. Nat. Hist., n. s. IV. June 1840, 297.
- oblongoides** Nucula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 188.
- oblongulus** Acarus, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 20.
- oblongulus** Leiosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 316.
- oblongus** Acanus, J. L. R. Agassiz in Egerton, Phil. Mag. VIII. 1836, 375 [*n. n.*]; Poiss. Foss. IV., 5 (1838), 126 (1839).
- oblonga** Acemya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 202. [Scarabaeus, 1763.]
- oblongus** Acrossus (Scop.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 272.—
- oblongus** Agabus (Ill.), C. Aubé, Spec. gén. Hydroc. 1838, 289.—Dyticus.
- oblongus** Agonoderus, Dejean, Spec. gén. Coléopt. V. 1831, 813.
- oblongum** Agonum, Dejean, Spec. gén. Coléopt. V. 1831, 736.
- oblonga** Aleochara, Knoch; Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
- oblonga** Altica, J. Le Conte, Ann. Lyceum N. H. New York, I (6) Dec. 1824, 173.
- oblonga** Alveolina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 306.
- oblonga** Ambassis, Cuvier & Valenc., H. N. Poiss. II. 1828, 185.
- oblongum** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 229.
- oblongus** Amictus (Fab.), C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 58.—
- oblonga** Ammonites, A. Risso, H. N. Europe, IV. 1826, 13. [Bombylius.]
- oblonga** Amphibina (Fér.), W. Hartmann, N. Alpina, I. 1821, 248.—? Succinea, Drap.
- oblonga** Amphibulina (Drap.), Lamarck, Ann. Mus. H. N. (Paris) VI (34) Aug. 1805, 306.—Succinea.
- oblonga** *v. impura*, Amphibulina (Drap.), J. D. W. Hartmann in Sturm, Deutsch. Fauna (VI. Würm.) (8) 1829, sign. 9.—Succinea.
- oblonga** *v. oblonga*, Drap., Amphibulina, J. D. W. Hartmann in Sturm, Deutsch. Fauna (VI. Würm.) (8) 1829, sign. 8.
- oblonga** Ampullaria, W. Swainson, Zool. Illust. (1) III (28) Jan. 1823, pl. 136.
- oblonga** Anatina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 8.
- oblongus** Anchomenus (Fab.), Dejean, Catal. Coléopt. 1821, 10.—Carabus, 1792.
- oblonga** Ancillaria, G. B. Sowerby, I. in Broderip & S., Spec. Conch. I (1) 1830, 7.
- oblongus** Ancyclus (Lightf.), Forbes & Hanley, Hist. Brit. Moll. IV. 1852, 188.—Patella, 1786. [Gm. 1790.]
- oblongus** Angulus (L.), J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 48.—Tellina,
- oblonga** Anisotoma, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 53.
- oblongum** Anobium, Ziegler; Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
- oblonga** Anodonta, P. A. Millet, Mém. Soc. Agric. Sci. Angers, I (3) 1833, 242.
- oblonga** Anomala (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 623.—Melolontha, 1777.
- oblonga** Aphis, C. H. G. v. Heyden, Abh. Senckenb. Mus. II (3) 1837, 298.
- oblongus** Aphodius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 400.
- oblongus** Aphodius, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 215.—Scarabaeus.
- oblongum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 421.
- oblonga** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 228.
- oblonga** Aranea, J. S. Presl, Delic. Prag. 1822, 208.
- oblonga** Arca (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 147.—Cucullaea.
- oblonga** Arca, R. A. Philippi, Abb. Conch. III (6) 1849, 85.
- oblongus** Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 204.
- oblonga** Arcomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 172.
- oblonga** Asida, Dejean, Catal. Coléopt. 1821, 65 [*n. n.*].
- oblonga** Astarte, J. De C. Sowerby, Min. Conch. VI. 1826, 38.
- oblonga** Atrypa, J. De C. Sowerby, Min. Conch. VII. 1840, 16.
- oblonga** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 89.
- oblonga** Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [*n. n.*].
- oblongus** Batoscelis, Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 46.—Agonoderus,
- oblonga** Bdella, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 74. [1831.]

- oblonga** Bdella, P. Gervais in Gay, Chili, IV (Acar.) 1849, 32.
oblongus Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 322.
oblongum Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 119.
oblongus Bibio, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 227.
oblonga Biloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 163.
oblonga Biloculina (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 2.—Vermiculum.
oblonga Bolitochara (Kn.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 493.—Aleochara.
oblongus Bombylius, J. C. Fabricius, Syst. Antliat. 1805, 135.
oblongus Brachinus, Dejean, Spec. gén. Coléopt. I. 1825, 321. [Curculio, 1758.
oblongus Brachyrhinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 184.—
oblonga Brissopsis, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15.
oblongus Bronteus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 60.
oblongus Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiv.
oblongum Buccinum, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 481.
oblonga Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 577.
oblongus Byrrhus, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 97.
oblonga Calliphara (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 129.—
Tectocoris. [181.—Patella, 1786.
oblonga Calyptra (Lightf.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847,
oblonga Cancellaria, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xv.
oblongus Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 128.
oblonga Cardinia, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 228. [Isocardia.
oblonga Cardiomorpha (Sow.), L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 103.—
oblongus Carrillus, H. D. S. Goodsir, Ann. Mag. N. H. XVI. Nov. 1845, 326.
oblonga Cassida, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 112.
oblonga Cassidulina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 376.
oblongus Catops, Latr.; Dejean, Catal. Coléopt. 1821, 45 [n. n.].
oblongus Catostomus (Mitch.), C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 6, Oct. 1817, 108.—Cyprinus.
oblonga Cémoria, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [n. n.]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 247.
oblongus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 752.
oblongus Cephalus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 439.
oblonga Cepinula, Schafhäutl, Geogn. Unters. südbay. Alpengeb. 1850, 44.
oblonga Ceromya (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 516; 509 (French edit.).—Isocardia.
oblonga Cetonia, Dejean, Catal. Coléopt. 1821, 61 [n. n.].
oblongus Chelifer, T. Say, J. Acad. Nat. Sci. Philad. II. Feb. 1821, 64.
oblonga Chelodina, J. E. Gray in G. Grey, Journ. 2 Exp. Austral. II. 1841, 446.
oblongus Chernes (*sic*), Menge, N. preuss. Prov.-Blätter, VII. 1849, 331 [n. n.].
oblongus Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 344.
oblonga Choleva, P. A. Latreille, Gen. Crust. Ins. II. 1807, 27.
oblonga Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [n. n.].
oblonga Chrysomela, K. Duftschmid, Fauna Austriae, III. 1825, 188.
oblongus Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 341.
oblongus Clausilia (Strobilus), H. E. Anton, Verz. Conch. 1839, 46.
oblonga Clubiona, H. Lucas, Explor. Algér. (Artic. I.) 1846, 207.
oblongus Clypeaster, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiv.
oblonga Clythra, J. Sturm, Catal. Ins. Samml. 1826, 121 [n. n.].
oblongus Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 866.
oblonga Cobitis, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 76.
oblonga Coccinella, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 153.
oblongus Coccosteus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [n. n.]; Poiss. F. V. G. R., 28 (1844).
oblongus Cochliodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [n. n.]; Poiss. Foss. III., 174 (1843) [n. n.].

- oblonga** Columnaria (Flem.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 316.—
Lithostrotion.
- oblongus** Colymbetes (Ill.), Dejean, Catal. Coléopt. 1821, 19.—Dyticus.
- oblonga** Corticaria, T. Marsham, Coleopt. Brit., Sept. 1802, 107.—Ips, 1790.
- oblonga** Crassatella (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.—
Cyprina. [Bull. Sci. Nat. II. 1824, 376.]
- oblongus** Crossocheilus, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (35) Aug. 1823, 132;
- oblongus** Cucuius, J. C. Fabricius, Syst. Eleuth. II. 1801, 94.
- oblonga** Cucullaea, J. Sowerby, Min. Conch. III. 1818, 7.
- oblonga** Cupulospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.
- oblongus** Cydnus, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 115.
- oblonga** Cypricardia (L.), G. B. Sowerby, II., Gen. Shells (20) 1823.—Chama, 1758.
- oblonga** Cypricardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 44 (F*).
- oblonga** Cypricardia, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*];
Syn. Carb. Lst. foss. Ireland, 1844, 60.
- oblonga** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150,
- oblonga** Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 105. [1841, 52.]
- oblonga** Cyprina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 4.
- oblongus** Cyprinus, S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 23.
- oblonga** Cypris, F. A. Roemer, Verst. Norddeustch. Oolith., Nachtrag, 1839, 52.
- oblonga** Cyrena, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 517.
- oblonga** Cythere, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 167.
- oblongus** Dermestes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 365.
- oblongum** Dichelesthium (Ab.), A. White, List Brit. Anim. B. M. (Crust.) 1850, 125.—
Caligus, 1794.
- oblonga** Diffugia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 90.
- oblonga** Diffugia (Eudiffugia), Ehr.; K. M. Diesing, Sitz. k. Ak. Wiss. (Wien) I. 1848,
- oblongus** Dolomedes, C. L. Koch, Die Arachniden, XIV (3) Mar. 1847, 114. [503.]
- oblongus** Dorcus (Charp.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 592.—
Lucanus.
- oblonga** Doris, J. Alder & A. Hancock, Ann. Mag. N. H. XVI. Nov. 1845, 314.
- oblonga** Dosina, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 249.
- oblongus** Dozocolletus, A. Chevrolat, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 278.
- oblongus** Dyticus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 72.
- oblonga** Echinospaerites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 146.
- oblongus** Echinus, de Blainville, Dict. Sci. Nat. XXXVII. 1825, 95.
- oblongus** Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].
- oblonga** Elodes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 13.
- oblonga** Encope, L. Agassiz, Mon. Ech. II. 1841, 53.
- oblongus** Enhydrus (Boisd.), C. Aubé, Spec. gén. Hydroc. 1838, 653.—Gyrinus, Dej.
- oblongus** Ehippus, J. L. R. Agassiz, Poiss. Foss. IV., 34 (1835), 15 (1838), 228 (1842).
- oblonga** Epipora, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166.
- oblonga** Epuraea (Herbst), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843,
- oblonga** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 85. [270.—Nitidula, 1793.]
- oblongus** Eremaeus, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 24.
- oblongus** Erodius, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 555.
- oblongus** Erotylus, Dejean, Catal. Coléopt. 1821, 128 [*n. n.*].
- oblonga** Erycina (Turt.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 331.—
- oblonga** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 777. [Montacuta.]
- oblonga** Fissurella, C. T. Menke, Moll. N. Holl. 1843, 33.
- oblonga** Flabellina (Muenst.), A. E. Reuss, N. Jahrb. f. Min. 1849, 839.—Fron diculina.
- oblonga** Fontaria, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 142.
- oblongus** Formicinus (Walck.), F. P. Jarocki, Zoologia, V. 1825, 369.—Thomisus.
- oblonga** Fron diculina, G. v. Muenster, N. Jahrb. f. Min. 1838, 382.
- oblongus** Fusus, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero*
propius 1847], Turbinelles, pl. iii.
- oblongus** Galerites, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 149.
- oblonga** Galleruca, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 295.

- oblongus Gasteronemus, J. L. R. Agassiz, Poiss. Foss. V (1), 22 (1833).
- oblongus Gastrophysus (Bl.), J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1844 (1846), 195.—Tetrodon, 1786.
- oblonga Gemmatis (Fab.), G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 216.—
- oblongus Gerres, Cuvier & Valenc., H. N. Poiss. VI. 1830, 479. [Melolontha, 1777.]
- oblonga Globulina (Roem.), H. G. Bronn, Index Pal. 1848, 534.—Polymorphina.
- oblongus Gobius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 548.
- oblonga Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 80.
- oblonga Gregarina, L. Dufour, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 13.
- oblongum Gypidium (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (22, 23) 1844, 116.—Pentamerus.
- oblongus Gyrinus, Dejean in Boissduval in d'Urville, Voy. "Astrolabe" (Ent.) II. 1835, 52.
- oblongus Gyronchus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 119 (1839); II (2), 202 (1844).
- oblonga Hadena (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) June 1829, 182.—Noctua.
- oblonga Haliotis, W. Swainson, Anon., Manchester N. H. Soc. Catal. Shells, 1837,
- oblonga Harpa, C. F. Schumacher, Essai Vers test. 1817, 208. [58 [n. n.].]
- oblongus Harpalus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 338.—Carabus, 1792.
- oblongus Harpalus (Latr.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 48.—
- oblonga Hela, G. v. Muenster, Beitr. zur Petref. (3) 1840, 25. [Feronia, Dej.]
- oblonga Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (99) Oct. 1841, 40.
- oblonga Helix (Cochlogena), Müller; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- oblongus Helophorus, J. L. Leconte in Agassiz, Lake Superior, 1850, 217. [1821, 59.]
- oblongus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [n. n.].
- oblongus Hemicosmites (Pand.), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 511.—Echinosphaerites.
- oblongus Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- oblongus Heterotoma, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 126. [1850, 110.]
- oblonga Hiatella, W. Turton, Conch. Insul. Brit. 1822, pp. xxii & 25.
- oblongum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [n. n.].
- oblonga Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 101.
- oblonga Hoplia, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 158; & App. 1817, 68. [Hydrophilus, 1797.]
- oblongus Hydrobius (Herbst), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 207.—
- oblongus Hydroporus, Dejean, Catal. Coléopt., ed. 2 (1) 1833, 57 [n. n.]; C. Aubé, Spec. gén. Hydroc. 1838, 605.
- oblongus Hydroporus, J. F. Stephens (*ex* Power MS), Ill. Brit. Ent. (Mand. V.) Ap. 1835, 437.
- oblongus Hylobius, J. Sturm, Catal. Ins. Samml. 1826, 156 [n. n.].
- oblongus Hypsodon, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 492 [n. n.]; Poiss. Foss. V (1), 101 (1844) [n. n.].
- oblongus Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 295.
- oblongus Ischyryus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 92.—Erotylus, Dej.
- oblonga Isocardia, J. De C. Sowerby, Min. Conch. V. 1825, 148.
- oblonga Isocardia, T. A. Catullo, Sagg. Zool. foss. 1827, 251.
- oblonga Jaminia (Macq.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 130.—Odostomia.
- oblonga Kellia, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 125.
- oblongum Kinosternon, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 33.
- oblongus Labeo (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 193.—Cyprinus.
- oblongus Labeo, Cuvier & Valenc., H. N. Poiss. XVI. Aug. 1842, 357.
- oblongum Laevicardium (Wood), W. Swainson, Treat. Malacol., May 1840, 373.—? Cardium, Gm. 1790.
- oblongum Lagenia (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 38.—Vermiculum.
- oblongum Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 622.
- oblonga Lampyris, J. Sturm, Catal. Ins. Samml. 1826, 160 [n. n.].
- oblongus Latridius, J. Sturm, Catal. Ins. Samml. 1826, 161 [n. n.].

- oblongus Lepidotus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 10 (1834); II (1), 259 (1837).
 oblonga Leptaena (Pand.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 228.—Plectambonites.
- oblongus Licinus, Dejean, Spec. gén. Coléopt. II. 1826, 404.
 oblonga Ligula (Ph.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 417.—
 oblonga Lima, S. V. Wood, Mag. Nat. Hist., n. s. III. May 1839, 234. [Anatina.
 oblonga Limnesia, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 18.
 oblonga Limopsis (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310.—
 Pectunculus.
- oblonga Lingula, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 61.
 oblonga Lingula, T. A. Conrad, [3 A. Rep. N. Y. Geol. Surv.] Assembl. no. 275, 1839, 65.
 oblonga Lingulina (Muenst.), H. Karsten, Verz. Rostock Mus. Verst. 1849, 7.—Fron-
 diculina.
- oblongus Lithodomus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 289.
 oblongum Lithostrotion, J. Fleming, Hist. Brit. Anim. 1828, 508.
 oblongus Lucanus, T. v. Charpentier, Horae Ent. 1825, 214.
 oblonga Lucina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 34. [Ungulina.
 oblonga Lucina (Lam.), G. P. Deshayes, Traité élém. Conch., Atlas, 1839, 10, pl. 15.—
 oblonga Lutraria (L.), Megerle, Ges. Nat. Fr. Berlin, Mag. V. 1811, 46.—Mya, Gm. 1790.
 oblonga Lutraria (Spengl.), C. F. Schumacher, Essai Vers test. 1817, 127.—Mactra.
 oblonga Lutraria, W. Turton, Conch. Insul. Brit. 1822, 64.
 oblonga Lycoperdina, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 194 [n. n.].
 oblonga Lyctus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 208.—Ips, 1790.
 oblongus Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 232.
 oblonga Lymnea, E. Puton in Lepage & Charton, Stat. Dept. Vosges, 1847 [60].
 oblonga Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—
 Cypricardia.
- oblonga Macraspis, Dupont in H. Burmeister, Handb. Ent. IV (1) 1844, 359.
 oblonga Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 126.
 oblonga Mactra (L.), G. Brocchi, Conch. Subap. 1814, 536.—Mya, Gm. 1790.
 oblonga Mactra, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 310.
 oblonga Marginella, W. Swainson, Zool. Illust. (2) I (9) — 1829, pl. 44.
 oblonga Marica, C. L. Koch, Deutsch. Crust., heft. 12, 1837, tab. 9.
 oblonga Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 86.
 oblongus Megalodus, G. A. Goldfuss, Petref. German. II (6) 1837, 185.
 oblongus Megalonychus, C. H. Boheman, Ins. Caffr. I (1) 1848, 172.
 oblonga Melania, H. G. Bronn, Zschr. Min. 1827, II (1828), 537 [n. n.]; Ergeb. nat.
 Reisen, II. 1831, 585.
- oblonga Melania, G. Jan, Consp. meth. Testac. 1830, 8 [n. n.].
 oblonga Melanophora, C. L. Koch in Panzer, Ins. Germ., heft 120, 1833, tab. 23.
 oblongus Melyris (Fab.), Lamarck, An. s. vert. IV. 1817, 462.—Zygia, 1775.
 oblonga Mesostena, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) post June 1835, 401.
 oblonga Metallina, V. v. Mochulski, Kaefer Russl., post May 1850, 13 [n. n.].
 oblonga Metoptoma, J. Phillips, Geol. Yorksh. II. 1836, 224. [culum.
 oblonga Miliola (Mont.), J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 87.—Vermi-
 oblonga Modiola, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 34.
 oblonga Moluris, Dejean, Catal. Coléopt. 1821, 63 [n. n.].
 oblongus Monacanthus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 291.
 oblonga Monas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 283.
 oblonga Montacuta, W. Turton, Conch. Insul. Brit. 1822, pp. xxv & 61.
 oblongus Murex, S. A. Renier, Tavole [1804] ix.
 oblongus Murex, Renier; G. Brocchi, Conch. Subap. 1814, 429.
 oblongus Murex, Grateloup, Actes Soc. Linn. Bordeaux, VI (33) 1833, 100.
 oblonga Myadora, L. Reeve, Conch. Icon. II.—Myadora, no. 8, May 1844.
 oblongus Mitylus (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 53.—Modiola.
 oblonga Nebria, V. v. Mochulski, Kaefer Russl., post May 1850, 72.
 oblongus Nemoicus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 146.—
 Curculio, 1758.

- oblonga** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 188.
oblonga Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 253 [*n. n.*].
oblongus Nucleolites, H. G. Cotteau; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
oblonga Nucula, G. B. Sowerby, II., Gen. Shells (17) 1823. [319.
oblonga Nucula, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxv, f. 17 [*n. et f.*].
oblonga Nucula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 197.
oblonga Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 70.
oblonga Nyctelia, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 197.
oblonga Odostomia, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 157.
oblongus Olibrus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 121.
oblongum Omalium, Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
oblongus Omias, Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].
oblongus Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 141.
oblongum Opatrum, J. C. Fabricius, Syst. Eleuth. I. 1801, 117.
oblongus Orthagoriscus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 511.
oblongus Orthragus, C. S. Rafinesque-S., Car. n. gen. 1810, 17.
oblonga Pandora, G. B. Sowerby, I., in Broderip & S., Spec. Conch. I (1) 1830, 2.
oblonga Panopaea (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 251.—
 Arcomya.
oblonga Patella, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [*n. n.*].
oblonga Patella (Ph.), L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 329.—
oblongus Pectunculus, J. De C. Sowerby, Min. Conch. V. 1824, 114. [Metoptoma.
oblonga Peltis, Fab.; Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].
oblonga Peltis (Latr.), T. v. Charpentier, Horae Ent. 1825, 202.—Thymalus.
oblongus Pentamerus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 94.
oblongus Pentamerus, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
oblongus Pentamerus, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 70. [641.
oblonga Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 9.
oblonga Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 37.
oblonga Pentatremites, G. B. Sowerby, I., Zool. Journ. IV (13) July 1828, 90.
oblongus Pentremites, Gilbertson in J. Phillips, Geol. Yorksh. II. 1836, 207.
oblonga Petricola, G. B. Sowerby, I., Proc. Zool. Soc. London, II (18) Sept. 1834, 46.
oblonga Phasia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
 291. [Aranea, 1802.
oblongus Philodromus, C. A. Walckenaer, Faune Française (11 & 12), Aptères, 1824, 94.—
oblongus Phlyctinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 166.
oblongus Phyllobius (L.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 448.—Curculio,
oblonga Physa, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 226. [1758.
oblongus Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 369.
oblongum Pimelia (Thunb.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 137.—Sepidium,
oblonga Pincina, Schafhäutl, Geogn. Unters. südbay. Alpengeb. 1850, 42. [1787.
oblonga Planularia, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 41.
oblonga Platysma, J. Sturm, Catal. Ins. Samml. 1826, 185 [*n. n.*].
oblongus Platysoma (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Hister, 1792.
oblonga Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 92.
oblongus Plethodus, F. Dixon, Geol. Sussex, 1850, 366.
oblongus Pleurobranchus, d'Orbigny, Férussac & Audouin in Savigny, Egypte, I (4)
 (Expl. pls. Moll.) 1826, 20.
oblongus Pleurocerus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 236.
oblongus Pleuronectes, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 391.
oblonga Pleurotoma (Ren.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822],
 323.—Murex.
oblongus Polesinus, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166.
oblongus Polydrusus (Fab.), Dejean, Catal. Coléopt. 1821, 93.—Curculio, L. 1758.
oblonga Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 386.
oblonga Polymorphina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 232.
oblongus Pristonychus, Dejean, Spec. gén. Coléopt. III. 1828, 50.
oblongus Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 89.

- oblonga Pronites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 73.
 oblongus Pseudocrinites, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 499.
 oblongus Pterichthys, J. L. R. Agassiz, Poiss. Foss. V. G. R., 18 (1844).
 oblongus Pterostichus (Dej.), O. Heer, Coleopt. Helvet. (3) 1841, 561.—Feronia.
 oblonga Ptinella, Märkel in V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII.
 1845 (4) 1845, 510.
 oblonga Pulvinites, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 522.
 oblonga Purpura, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
 [vero propius 1847], Pourpres, pl. 1.
 oblongus Pygaeus, J. L. R. Agassiz, Poiss. Foss. IV., 16* (1838), 254 (1842).
 oblonga Pythia, L. Oken, Lehrb. Nat. III (1) 1815, 321.
 oblonga Quinqueloculina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840)
 [1839], 133.
 oblonga Renoidea, T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 16 [*n. et f.*].
 oblonga Rissoa, Fréminville, Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 7.
 oblonga Rissoa, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 447.
 oblonga Rutilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 92.
 oblonga Salmophasia, W. Swainson, N. H. Fishes etc. II. July 1839, 284.
 oblonga Sanguinolaria, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 434.
 oblonga Sanguinolaria, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 99.
 oblonga Saxicava, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [*n. n.*].
 oblongus Scarabaeus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 2 [*n. n.*].
 oblongus Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1807, 74.
 oblongus Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 725.
 oblongus Sciaphilus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 549.
 oblongus Scydmaenus, J. Sturm, Deutschl. Fauna (Insecten) XIII. 1838, 33.
 oblongus Scymnus, Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
 oblongus Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 997.
 oblonga Serpula (Mont.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 245.—
 Vermiculum.
 oblongus Smynthurus, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 81.
 oblonga Solen, D. Solander, Catal. Portland Mus. 1786, 167 [*n. n.*].
 oblongus Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 283.
 oblongus Spatangus, Deluc, Ann. des Mines (1) VI. 1821, 571.
 oblonga Squamella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
 oblongus Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 174. [220.
 oblonga Succinea, J. P. R. Draparnaud, Tab. Moll. France, 1801, 56.
 oblonga Succinea, Bean [*non* Drap.], J. Alder, Trans. N. H. Soc. Northumb. I (1) 1830,
 31. [1842 (1843), 145 [*n. n.*].
 oblonga Succinea, var. paludinoïdes, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte,
 oblonga Synchaeta, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 135.
 oblonga Tachina (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 146.—Acemya.
 oblonga Tectocoris, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 14.
 oblonga Tellina, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [*n. n.*]. [250.
 oblonga Tellinides, G. B. Sowerby, I. in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
 oblonga Tentyria, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 314.
 oblonga Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) post June 1835, 321.
 oblonga Terebratella (Sow.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 113.—
 Terebratula.
 oblonga Terebratula, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 21.
 oblonga Terebratula, J. De C. Sowerby, Min. Conch. VI. 1826, 68.
 oblongus Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 104.
 oblonga Textularia, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 38.
 oblongus Thanatus (Walck.), A. Menge, N. Schr. nat. Ges. Danzig, IV (3) 1850, 65.—
 Thomisus.
 oblongus Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 38.—Aranea, 1802.
 oblongus Thylacites, M. P. Graells, Rev. et Mag. de Zool. (2) I. Dec. 1849, 621.

- oblongus** Thymalus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 25.—Peltis.
oblonga Tingis, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 325.
oblongus Tmesisternus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 474.
oblongus Toxaster (Deluc), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 25.—
oblongus Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 437. [Spatangus.
oblonga Trachyteuthis, H. v. Meyer, N. Jahrb. f. Min. 1846, 598 [*n. n.*].
oblonga Trichopteryx, C. J. F. Gillmeister, Trichopterygia, 1845, 78.
oblonga Triloculina (Mont.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 300.—
oblongus Trox, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*]. [Vermiculum.
oblongus Trygon, J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xlv [*n. n.*].
oblonga Ungulina, Lamarck, An. s. vert. V. 1818, 487.
oblongum Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
oblonga Valvulina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 136.
oblonga Velella, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 364.
oblonga Venericardia, J. Sowerby, Min. Conch. III. 1821, 162.
oblonga Venus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 380.—Cypri-
oblongum Vermiculum, G. Montagu, Test. Brit. II. 1803, 522. [cardia.
oblonga Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850,
 246 [*n. n.*].
oblonga Volutella, W. Swainson, Treat. Malacol., May 1840, 323.
oblonga Xylophila (Fab.), Lamarck, An. s. vert. IV. 1817, 333.—Lyctus; Ips, Ol. 1790.
oblongus Zophosis, J. Sturm, Catal. Ins. Samml. 1826, 207 [*n. n.*].
oblonga Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 625.
obniger Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 205.
obnoxius Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 88.
obnoxius Mesostenus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 763.
obnubila Pleurotoma, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 24.
obodas Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 428.
oboesus v. *obesus*.
Obolarius Steller in Tilesius, Mém. Ac. Imp. Sci. St Pétersb. III. 1811, 225.—P.
obolarius Gasterosteus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 500.
obolina Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 40.—Terebratula.
obolina Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 404.
Obolus E. Eichwald, Zool. Spec. I. 1829, 274.—Br.
obolus Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 175.
oborinia Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1041.
obotritica Triloculina, E. Boll, Geogn. Ostseeländer, 1846, 177.
obovale Amphidesma, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
obovalis Carabus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 54.
obovale Cardium, G. B. Sowerby, I., Proc. Zool. Soc. London, I (7) Sept. 1833, 84.
obovalis Fissurella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 413. [[*n. n.*].
obovalis Obovaria, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 426
obovalis Obovaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 311.
obovalis Spongia, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 170.
obovalis Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 311.
Obovaria C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 426.—L.
obovator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 262.
obovata Arcopagia (Edw.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 376.—Tellina.
obovata Astarte, J. Sowerby, Min. Conch. IV. 1822, 73.
obovata Atrypa, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 618.
obovata Avicula, J. C. Zenker, Taschenbuch von Jena, 1836, 204 & 225.
obovata Bulla, C. T. Menke, Syn. meth. Moll. 1828, 75.
obovata Cassida, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 48.
obovatus Catopygus, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 136.
obovatus Caturus, G. v. Muenster, N. Jahrb. f. Min. 1842, 44.
obovata Ceromya (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 48.—Isocardia.
obovata Chelone, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 170. [Melania.
obovata Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.—

- obovata** Corbis (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 78.—Astarte.
obovata Cyclas, J. Sowerby, Min. Conch. II. 1817, 140.
obovata Cyrena (Sow.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 52 (G*).—Cyclas.
obovata Dombeya, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 211.
obovatus Dytiscus, W. Kirby, Introd. Ent. III. 1826, 695.
obovatus Echinorhynchus, C. A. Rudolphi, Entoz. II (1) 1809, 290 [*teste* S. & H.].
obovatus Eusomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 939.
obovatus Halictus (Kirby), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Melitta.
obovatus Hylaeus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 56.—Melitta.
obovatus Inoceramus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 49.
obovata Isocardia, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 106.
obovata Melania, T. Say, Dissem. Useful Knowledge, Sept. 1829, 276.
obovata Melania, G. v. Muenster, Beitr. zur Petref. (4) 1841, 96.
obovata Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 75.
obovata Mya, D. Solander, Catal. Portland Mus. 1786, 100 [*n. n.*].
obovata Natica, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 178.
obovata Nucleolites (Ag.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 208.—Catopygus.
obovata Orthis, J. De C. Sowerby, Tr. Geol. Soc. London [2] VI. 1842, 409.
obovata Pandora, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 132.
obovatus Pectunculus, Lamarck, An. s. vert. VI (1) 1819, 55.
obovatus Phyllobius, Gebler in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 445.
obovata Posidonomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 83.—Sanguinolaria.
obovata Pteropsis, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166.
obovatus Pygorhynchus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 55.—Catopygus, 1836.
obovatus Pygurus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 163.—Catopygus, 1836.
obovata Sanguinolaria, G. v. Muenster, Beitr. zur Petref. (3) 1840, 73.
obovata Scutellina, L. Agassiz, Mon. Ech. II. 1841, 103.
obovata Tellina, F. E. Edwards, London Geol. Journ. (2) 1847, 49.
obovata Terebratula, J. Sowerby, Min. Conch. I. 1815, 228.
obovata Terebratula (Murch.), G. v. Muenster, Beitr. zur Petref. (3) 1840, 78.—Atrypa.
Obovites Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 7.—Br. [*sine typo*].
Obrida A. White in Stokes, Disc. Austral. I. 1846, 510.—Col.
obrinus Brassolis (—), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—Papilio,
obrina Najas, J. Huebner, Exot. Schmett., Tab. Najas [*n. et f.*]. [? L. 1758.]
obrinus Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 373.
Obrium Megerle in Dejean, Catal. Coléopt. 1821, 110.—Col.
Obrium J. Le Conte, Ann. Lyceum N. H. New York, I (6) Dec. 1824, 172.—Col.
obruissus Lymneus, T. Say, J. Acad. Nat. Sci. Philad. V. Aug. 1825, 123.
obrutaria Eupithecia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 119.
obrutor Necrophorus, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 225.
obruta Astarte, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 150.
obrutus Fornax, F. E. Guérin-M., Ann. Soc. Ent. France [2] I (2) Sept. 1843, 183.
obruta Tellina, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 432.
obruta Turritella, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 45.
obscoenus Dolichopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 651.
obscoena Musca, J. F. Eschscholtz, Entomographien, I (1) 1822, 113.
obsculus Dysopes, Temm.: *v. obscurus*.
obscuralis Hydrocampa, de Selys, Mém. Soc. R. Sci. Liège, II (1) 1845, 28.
obscurana Phalaena, E. Donovan, Brit. Ins. XI. 1806, 40.
obscurana Pseudotomia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46 [*n. n.*]; & Ill. Brit. Ent. (Haust. IV.) June 1834, 98.
obscurana Tortrix, F. v. P. Schrank, F. Boica, II (2) 1802, 85.
obscurana Tortrix, F. Froelich, Enum. Tortric. Wuert. 1828, 91.
obscuraria Charissa (Huebn.), J. Curtis, Brit. Entom. III (26) Feb. 1826, no. 105.

- obscuraria** Gnophos (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Geometra, 1796.
- obscuraria** Scotopterix (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 313.—
- obscurator** Aphidius, P. F. Bouché, Nat. Ins. 1834, 162. [Geometra obscurata, 1775.]
- obscurator** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 10.
- obscurator** Coreus, J. C. Fabricius, Syst. Rhyng. 1803, 200. [Microdus.]
- obscurator** Helcon (Orgilus) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 145.—
- obscurator** Ischius (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 21.—Microdus.
- obscurator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 291.
- obscurator** Microdus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 186.
- obscurator** Orgilus (Nees), A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.—Microdus.
- obscurator** Rogas, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 65.
- obscuratorius** Ichneumon, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 255.
- obscuratorius** Ichneumon, G. W. F. Panzer, Ins. Germ., heft 102, 1806–9, tab. 14.
- obscuratus** Acercus, C. L. Koch, Uebers. Arachnidensyst. III (1) 1842, 24.—Tiphys, 1837.
- obscurata** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 137. [1843, 763.]
- obscuratus** Anchomenus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4)
- obscurata** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 89.
- obscurata** Aricia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 314.—Anthomyia, 1826.
- obscuratus** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, no. 22.
- obscurata** Cicindela, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 686. [Ent. (Mand. V.) May 1832, 190.]
- obscuratus** Conurus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit.
- obscuratus** Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 367.
- obscurata** Flata (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 47.—Fulgora, 1775. [Geometra, 1775.]
- obscurata** Gnophos (D. & S.), F. Treitschke, Schmett. Europa, VI (1) 1827, 168.—
- obscurata** Gryllus (Tettigonia), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 11.
- obscurata** Helix, C. Porro in A. & J. B. Villa, Syst. Conch. 1841, 56.
- obscurata** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 59.
- obscurata** Ithomia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 57.—Papilio, 1793.
- obscurata** Lepyrionia, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 567.
- obscuratus** Lophyrus, T. Hartig, Adelfl. Deutschl. I. 1837, 172. [1844, 454.]
- obscurata** Megacephala, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- obscurata** Nerita (Clithon), C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. June 1842, 183.
- obscuratus** Pachycoris, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 86.
- obscurata** Pleurotoma, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 184.
- obscuratus** Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 55.
- obscuratus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 493.
- obscuratus** Pyrophorus, Klug in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 23.
- obscurata** Pyrops (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839,
- obscurata** Stomatia, Lamarck, An. s. vert. VI (2) 1822, 212. [237.—Fulgora, 1775.]
- obscuratus** Tiphys, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 19.
- obscuratus** Xystus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 200. [1848, 81.]
- [**obscurate**→.]
- obsкуроaenea** Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- obsкуроocincta** Coccinella, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 10.
- obsкуро cincta** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 849.
- obsкуроecyaneus** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 556.
- obsкуро-guttatus** Dromius (Dufts.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 32.—
- obsкуроoguttatus** Dromius, H. Lucas, Explor. Algér. (Artic. II.) 1846, 16. [Lebia.]
- obsкуро-guttata** Lebia, Andersch in K. Duftschmid, Fauna Austriae, II. 1812, 249.
- obsкуро-guttatus** Metabletus (Dufts.), H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 38.—Lebia.

- obscurella Adela (Fab.), J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1007 (sign. 64).—Tinea,
obscurella Agromyza, C. F. Fallen, Agromyzides Sveciae, 1823, 6. [1787.
obscurella Aleochara, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 159.
obscurella Aleochara, Gyll.; Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
obscurella Anthocoris, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 265.
obscurella Argyromiges (Steph.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—
Tinea, D. & S. 1775.
obscurella Argyromyges, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49 [*n. n.*]; & Ill.
Brit. Ent. (Haust. IV.) Nov. 1834, 259.
obscurellus Asilus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 399.
obscurella Astyages (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 281.—
Tinea, 1787.
obscurella Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 63; (11) 1836, 270.
obscurella Chromatomyia (Fall.), J. Hardy, Ann. Mag. N. H. (2) IV. Dec. 1849, 390.—
Phytomyza.
obscurella Cicindela, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 3.
obscurella Clasiopa (Fall.), C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 159.—
obscurella Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2043. [Notiphila.
obscurella Delphax, C. H. Boheman, K. Vet. Ac. Handl. 1847 (1849), 53.
obscurellus Diaphorus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 706. [Geomyza.
obscurella Diastata (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 96.—
obscurella Discocerina (Fall.), A. H. Haliday, Ann. Nat. Hist. III. June 1839, 224.—
obscurellus Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (2) 1823, 13. [Notophila.
obscurellus Dromius, Klug in Dejean, Spec. gén. Coléopt. V. 1831, 362.
obscurella Elachista, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1849, 26.
obscurella Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 809.
obscurellus Gastrancistrus, F. Walker, Entom. Mag. II (2) Ap. 1834, 175.
obscurella Geomyza, C. F. Fallen, Geomyzides Sveciae, 1823, 4.
obscurella Haemylis (Huebn.), F. Treitschke, Schmett. Europa, IX (1) 1832, 240.—
Tinea, ? D. & S. 1775.
obscurella Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 154.
obscurellus Helcon (Triaspis) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 126.—
Sigalphus.
obscurella Lithocharis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 624.
obscurella Mycetophila, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 866.
obscurella Nothris, J. Huebner, Verz. bekannt. Schmett. 1826, 412.—Tinea, ? D. & S.
obscurella Notiphila, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 251. [1775.
obscurella Oscinis, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 779.
obscurellus Peryphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
obscurellus Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 108. [1845, 27.
obscurella Phytomyza, C. F. Fallen, Phytomyzides Sveciae, 1823, 4.
obscurella Protaetia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 487.—Cetonia.
obscurellus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 22.
obscurella Rhamphomyia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 432.
obscurellus Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 252.
obscurellus Tachyporus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 54.
obscurellus Xylocoris (Zett.), R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 81.—Anthocoris.
obscura Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 536.—Tinea obscurella,
Fab. 1787. [II. 1830, 354.
obscuricauda Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
obscuricollis Aleochara, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 468.
obscuricollis Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
obscuricollis Calathus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 22.
obscuricollis Colymbetes, C. Aubé, Spec. gén. Hydroc. 1838, 251.
obscuricollis Homalops, V. v. Mochulski, Kaefer Russl., post May 1850, 42.
obscuricollis Omalomorpha, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
(1-3) Nov. 1844, 44. [1850 (3) 1850, 100.—Omalomorpha.
obscuricollis Rhopalostyla (Motsh.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.

- obscuricornis** Amblygnathus, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 22.
- obscuricornis** Brachinus, Godet in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 101.
- obscuricornis** Brachinus, A. Brullé, Revue Entom. II (3) 1834, 110.
- obscuricornis** Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxii.
- obscuricornis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].
- obscuricornis** Haplonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 108.
- obscuricornis** Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 67.
- obscuricornis** Harpalus, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 205.
- obscuricornis** Panagaeus, Laferté-S., Rev. et Mag. de Zool. (2) II. July 1850, 395.
- obscuricornis** Physomerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 9.
- obscuricorne** Ptenidium, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Trichopt. 1845.
- obscuricornis** Saperda, Ullr.; J. Sturm, Catal. Ins. Samml. 1826, 192.
- obscuricornis** Scydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 49 [*n. n.*]. [(4) 1845, 519.
- obscuricornis** Trichopteryx, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
- obscurimanus** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 248.
- obscurior** Carabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 465.
- obscurior** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 187.
- obscurior** Collurio, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
- obscurior** Elaphrus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 63.
- obscurior** Phyllobius, Kirby in J. Walton, Entom. Mag. V (1) Oct. 1837, 20 [*n. n.*].
- obscurior** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 27.
- obscuripennis** Aeschna, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 217.
- obscuripennis** Agrilus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 82 [*n. n.*].
- obscuripennis** Agrilus, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 260.
- obscuripennis** Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 609.
- obscuripennis** Aleochara, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 351.
- obscuripennis** Alophora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 289.
- obscuripennis** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 672.
- obscuripennis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1439.—Anthomyza, 1838.
- obscuripennis** Aulacus, J. O. Westwood, Ann. Mag. Nat. Hist. VII (Suppl.) Sept. 1841, 537.
- obscuripennis** Baccha, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 199.
- obscuripennis** Bracon, J. Curtis, Guide Brit. Ins. (4) 1829-30, 104 [*n. n.*].
- obscuripennis** Buprestis, F. Klug (*Dej. in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 3.
- obscuripennis** Chlaenius, L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 169.
- obscuripennis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 39.
- obscuripennis** Conurus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 191.
- obscuripennis** Dasypogon, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 434.
- obscuripennis** Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 97.
- obscuripennis** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 575.
- obscuripennis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].
- obscuripennis** Feronia, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 236.
- obscuripennis** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 247.
- obscuripennis** Hydrotaea, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 304.
- obscuripennis** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 30.—Miscogaster, 1833.
- obscuripennis** Leptoma, J. Curtis, Guide Brit. Ins. (4) 1829-30, 118 [*n. n.*].
- obscuripennis** Leucostoma, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 212.
- obscuripennis** Mintho, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 219.
- obscuripennis** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 460.
- obscuripennis** Mycetomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- obscuripennis** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 359.

- obscuripennis Oligodranes, H. Loew, Entom. Zeitung, Stettin, V (5) May 1844, 160.
- obscuripennis Phania, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 219.
- obscuripennis Phasia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 293.
- obscuripennis Philonthus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) July 1832, 236.
- obscuripennis Phylax, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 212.
- obscuripennis Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 119.
- obscuripennis Rhamphomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 340.
- obscuripennis Rhinophora, H. Loew, Entom. Zeitung, Stettin, VIII (9) Sept. 1847, 264.
- obscuripennis Sapromyza, H. Loew, Dipterologische Beiträge, III. 1847, 39.
- obscuripennis Stigmodera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 32.
- obscuripennis Tetanocera, H. Loew, Dipterologische Beiträge, I. 1845, 38.
- obscuripennis Thynnus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 227.
- obscuripennis Tipula, F. Walker, List Dipt. Coll. B. M. (1) 1848, 71 [*n. n.*].
- obscuripennis Trigonoderus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 140.—Leptoma, 1829-30.
- obscuripennis Trypeta, H. Loew, Entom. Zeitung, Stettin, XI (2) Feb. 1850, 56.
- obscuripes Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1678.
- obscuripes Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 21.
- obscuripes Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 244.
- obscuripes Chrysotus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 705.
- obscuripes Cryptus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 369.
- obscuripes Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1839, 163.
- obscuripes Elachestus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 173.
- obscuripes Elater, Gyllenhal in C. J. Schoenherr, Syn. Inscet. I (3) 1817, 279; & App. 1817,
- obscuripes Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 165. [131.
- obscuripes Ophonus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 32.
- obscuripes Rhaphium, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3061.
- obscuripes Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 122.
- obscuripes Torymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32.
- obscuripunctella Apheloseitia, H. T. Stainton, The Zoologist, VI (7) 1848, 2164.
- obscuritarsis Ophonus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 228.
- obscuriuscula Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 132.
- obscuriventris Helomyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2447
- obscuroviridis Catascopus, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 186.
- obscurō→ *v.* obscure→.
- obscurus Abrothrix, G. R. Waterhouse, Arch. f. Naturg. VI (1) 1840, 180.—Mus, 1837.
- obscura Acheta, P. Afzelius, Achetae Guin. 1804, 25.
- obscurum Achilleum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 27.
- obscura Acoura, W. Swainson, N. H. Fishes etc. II. July 1839, 310.
- obscurum Acridium, J. W. Zetterstedt, Orth. Suec. 1821, 123.
- obscurus Acephalus, J. Curtis, Brit. Entom. XIII (155) Nov. 1836, no. 620.
- obscurus Adoretus (Fab.), H. Burmeister, Handb. Ent. IV (1) 1844, 472.—Melolontha,
- obscurus Aegus, W. S. Macleay, Horae Entom. I (1) 1819, 113. [1781.
- obscurus Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—Goniatites.
- obscura Agelena, C. J. Sundevall, K. Vet. Ac. Handl. 1831 (1832), 128.
- obscurum Agonum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 822.
- obscurus Agriotes (L.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, 1758.
- obscura Agrotis, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-51, 336.
- obscura Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 74.
- obscura Aleochara, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 351.
- obscurus Allantus, G. W. F. Panzer, Ins. Germ., heft 91, 1804, tab. 19.
- obscura Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].

- obscurus Alydus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 19.
 obscura Amara, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 188.
 obscura Amasis (Fab.), W. E. Leach, Zool. Miscell. III. 1817, 114.—Tenthredo, 1775.
 obscurus Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 144.—Goniatites.
 obscurus Ammophorus, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 32.
 obscura Anaspis (Gyll.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 89.—Mordella, ? Marsh.
 obscurus Anastrus, J. Huebner, Exot. Schmett. II. Tab. [149] [*n. et f.*].
 obscurus Anchomenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 223.
 obscurus Ancyclus, S. S. Haldeman, Mon. f.-w. univ. Moll. U. S. (7) Jan. 1844, Ancyclus, 9.
 obscurus Anisodactylus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 386.
 obscura Anisomera, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
 obscura Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 489. [210.
 obscurus Anomalon (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 116.—Ophion.
 obscurus Anser, C. L. Brehm, Isis, 1830, 996 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
 obscurus Anthicus, J. Sturm, Catal. Ins. Samml. 1826, 93 [*n. n.*]. [839.
 obscurus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 15 ["Mon. Anth." *poster. edit.*].
 obscurus Anthocoris (Hahn), H. Burmeister, Handb. Ent. II (1) 1835, 289.—Rhynarius.
 obscura Anthomyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 336.
 obscurus Anthonomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & III. Brit. Ent. (Mand. IV.) Mar. 1831, 75.
 obscurus Anthophagus (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 122.—Staphy-
 obscura Anthrax, F. Weber, Obs. Ent. 1801, 115. [linus, 1800.
 obscura Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 240.
 obscurus Anthrenus, F. V. Melsheimer, Ins. Pennsylv. 1806, 8 [*n. n.*].
 obscurus Anthrenus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 152.
 obscurus Anthribus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 94.
 obscurus Anthus (Gm.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 45.—Alauda, 1788.
 obscura Apate, J. Sturm, Catal. Ins. Samml. 1826, 95 [*n. n.*].
 obscurus Aphelinus (Westw.), F. Walker, Mon. Chalcid. I. 1839, 7.—Coccophagus.
 obscurus Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 71.—Scarab. 1792.
 obscura Aphrodes, J. Curtis, Guide Brit. Ins. (7) 1831, 193 [*n. n.*].
 obscurus Apiocrinites, G. v. Muenster, N. Jahrb. f. Min. 1835, 434.
 obscurus Apiocrinites, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 6.
 obscurum Apion (Marsh.), W. Kirby, Tr. Linn. Soc. London, IX. 1808, 33.—Curculio.
 obscura Apis, G. C. Reich, Mag. Thierreichs (3) 1795, 132.
 obscurus Aplonis (Dub.), G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 191.—Lampro-
 protornis.
 obscura Apogonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 229.
 obscura Araba, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
 obscurus Aradus, E. F. Germar, F. Ins. Europ. (22) 1842, 11. [130.
 obscura Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 209.
 obscura Arca, L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 114.
 obscura Argia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 256.
 obscura Arina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 696.
 obscurus Aristus (Stev.), G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 132.—Ditomus.
 obscurus Ascalaphus (Haplogenus), J. O. Westwood, Cab. Orient. Entom. 1847, 69.
 obscura Asida, Dejean, Catal. Coléopt. 1821, 65 [*n. n.*].
 obscurus Asilus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 315.
 obscurus Asilus (Macq.), F. Walker, List Dipt. Coll. B. M. (2) 1849, 401.—Erax.
 obscurus Aspistes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [*n. n.*].

- obscurus Aspongopus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 352.—Edessa.
- obscura Atherix (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Inskt. II. 1820, 111.—
- obscurus Axinus, J. Sowerby, Min. Conch. IV. 1821, 12. [Leptis.
- obscura Azelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 593.
- obscura Baetis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 65.
- obscurus Barynotus (—), E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Curculio,
- obscura Belyta, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 344. [Fab. 1775.
- obscurum Bembidium, L. Redtenbacher, F. Austr., Käfer, 1849, 111.
- obscura Beris, J. W. Meigen, Syst. Besch. Zweifl. Inskt. II. 1820, 4.
- obscurus Berosus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 56.
- obscura Blaps, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 259.
- obscurus Blennius, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 117.
- obscurus Boletobius, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 272.
- obscurus Bombus, W. B. Seidl, Beitr. ges. Nat. Heilwiss. II (1) 1837, 68.
- obscurus Bombylius, W. Turton, Linnaeus, Syst. Nat. III. 1802, 684.
- obscurus Borborus, J. Walzl, Isis (Oken), 1837, 283. [Coleopt., 6.
- obscurus Brachinus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 10 [*n. n.*]; *ibid.*
- obscura Brachyphylla, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 466.
- obscurus Brachyrhinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 172.—
- obscura Brachys, Dejean, Catal. Coléopt., ed. 3, 1837, 94 [*n. n.*]. [Curculio, 1775.
- obscura Brachys, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 336.
- obscurus Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*].
- obscurus Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 67.
- obscurum Buccinum, D. Solander, Catal. Portland Mus. 1786, 102 [*n. n.*].
- obscurum Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1841, 106.
- obscurum Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 68, Dec. 1846.
- obscurus Buceros, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 125.
- obscurus Buliminus (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 71.—Helix, 1774.
- obscurus Bulimus (Müll.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 65.—Helix,
- obscurus Bulimus, J. L. M. Poiret, Coq. Aisne, 1801, 35. [1774.
- obscurus Bulimus, Müll., *var.* albinos; J. de Charpentier, N. D. Allg. Schweiz. Gesellsch.
- obscura Buprestis, F. V. Melsheimer, Ins. Pennsylv. 1806, 46 [*n. n.*]. [I. 1837, 14.
- obscura Calandra, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 448.
- obscura Calleida, Dejean, Spec. gén. Coléopt. V. 1831, 331.
- obscurus Callicerus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 66.
- obscura Callimorpha (Fab.), P. A. Latreille, Gen. Crust. Ins. IV. 1809, 221.—Bombyx, 1781. [Tectocoris.
- obscura Calliphara (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 130.—
- obscura Camaria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 183.
- obscurus Camptodes (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 338.—Sphaeridium. [Trypeta.
- obscura Camptonevra (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 359.—
- obscurus Campylopterus, J. Gould, Proc. Zool. Soc. London, XVI (180) Ap. 18, 1848, 13.
- obscurus Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 437.
- obscurus Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
- obscurus Carcharias (Prionodon) (Les.), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 46.—Squalus.
- obscurum Cardium, G. v. Muenster, Beitr. zur Petref. (1) 1839, 108 [*n. n.*].
- obscurus Carpalimus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 326.
- obscurus Cataphagus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 250.—
- obscura Cavia, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 3. [Elater, 1758.
- obscura Cecidomyia, J. W. Meigen, Syst. Besch. Zweifl. Inskt. VII. 1838, 22.
- obscura Cenchroma, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 446.

- obscurus Centrarchus, J. E. De Kay, N. H. New York (Fish) 1842, 30.
 obscurus Centrotus, E. F. Germar, Revue Entom. III (5) 1835, 258.
 obscura Ceraspis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850.
 obscurus Ceratopogon, F. Walker, List Dipt. Coll. B. M. (1) 1848, 26. [94.
 obscurum Cercyon (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 149.—
 Dermestes.
 obscurum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 408.
 obscurus Cestrinus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 173.
 obscura Cethosia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 111.
 obscura Cetonia, [F. Roth v. S.], Verz. d. Kaefer Donau...Neckars, etc. 1801, 46.
 obscura Cetonia, Dufts.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
 obscura Cetonia, Don.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
 obscurus Chaenon, J. Curtis, Brit. Entom. VI (72) Dec. 1829, no. 289.
 obscurus Chalcolepidius, Laporte, Revue Entom. IV (1) 1836, 13.
 obscura Cheilosa, H. Loew, Isis (Oken), 1840, 570.
 obscura Cheilosia, H. Loew, Posener Zweiflügler, 1840, 33.
 obscura Chenesia, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3452.
 obscurus Chironomus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 18.
 obscurus Chlaenius, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *e*.
 obscura Chlamys, F. Klug, Entom. Mon. 1824, 103.
 obscurus Chlorops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
 obscura Chresmoda, Muenster in Germar, N. Acta Ac. Caes. XIX (1) 1839, 201.
 obscura Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 4
 (=40).—Tettigonia.
 obscura Cicindela, F. V. Melsheimer, Ins. Pennsylv. 1806, 46 [*n. n.*].
 obscurus Cillaeus, F. L. de Laporte, Etudes Entom. (2) 1835, 134.
 obscura Cinnerys (J. & S.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 407.—Nec-
 obscura Cistela, F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [*n. n.*]. [tarinia.
 obscura Cistela, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 242.
 obscura Cleigastrea (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 385.—Cordylura.
 obscurus Cleonymus, F. Walker, Entom. Mag. IV (4) Ap. 1837, 352.
 obscurus Clerus, E. Newman, Entomologist (1) Nov. 1840, 16.
 obscura Clivina, Sahlb.; J. Sturm, Catal. Ins. Samml. 1826, 120.
 obscura Clivina, L. Gyllenhal, Ins. Suecica, I (4) 1827, 456.
 obscura Cloe, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 297.
 obscura Cloeon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
 obscurum Cloeon, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser. IV (20) Feb. 1834, 121.
 obscurus Clypeaster, Dejean, Catal. Coléopt. 1821, 129 [*n. n.*].
 obscurus Cnemaanthus, A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 377.
 obscurus Cnemalobus (Br.), A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 193.—Cnema-
 canthus.
 obscurus Cneorhinus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 544.
 obscurus Coccophagus, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. III (17)
 Nov. 1833, 344.
 obscura Coenia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 530.—
 obscura Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 414. [Ephydra.
 obscurus Colastus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 244.
 obscura Colliuris, F. L. de Laporte, Etudes Entom. (1) 1834, 40.
 obscura Colombella, P. L. Duclos in Chenu, Illustr. Conch. (63) 1846, pl. 5 [*n. et f.*].
 obscurus Coluber, F. M. Daudin; Sonnini's Buffon, Rept. VI (1803), 363.
 obscurus Coluber (Natrix), Daudin; B. Merrem, Tent. Syst. Amph. 1820, 102.
 obscura Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 121.
 obscurus Colymbetes (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 82.—
 Dytiscus.
 obscurus Conotelus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 252.
 obscurus Conus, L. Reeve, Conch. Icon.—Conus, no. 82, June 1843.
 obscura Coptodera, F. L. de Laporte, Etudes Entom. (1) 1834, 51;

- obscura Corbula, J. De C. Sowerby, Min. Conch. VI. 1827, 140.
 obscura Cordylura, C. F. Fallen, Scatomyz. Sveciae, 1819, 9.
 obscura Corethrura (Gm.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—? Rallus, 1788.
 obscurus Cormocephalus, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 421.
 obscurus Cossyphus, C. R. Sahlberg, Ins. Fenn. I. 1834, 474.
 obscurus Criocephalus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 36.
 obscura Crioceris, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 281.
 obscurus Crossarchus, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III. (47) Feb. 1825, Mangue, p. 3.
 obscurum Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 573.
 obscurus Cryptophagus, Schuepp.; J. Sturm, Catal. Ins. Samml. 1826, 127.
 obscurus Cryptus (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 548.—Ichneumon, 1790.
 obscura Ctenodactyla, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 6 [*n. n.*].
 obscura Cucullaea (Kon.), H. G. Bronn, Index Pal. 1848, 359.—Arca.
 obscurus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 244.
 obscurus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*]. [1831, 353.
 obscura Cyanecula, C. L. Brehm, Isis, 1828, 1280 [*n. n.*]; Handb. Nat. Vögel Deutschl.
 obscura Cyclopelta (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 173.—Tessaratoma.
 obscurum Cyclostoma, J. P. R. Draparnaud, H. N. Moll. France, 1805, 39.
 obscurum Cyclostoma, G. B. Sowerby, I. (*ex* Gray MS.), Thes. Conch. I (3) *ante* 23 June
 obscurus Cydnus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 19. [1843, 147.
 obscurus Cynips, O. G. Costa, Atti R. Ist. Incoragg. Napoli, IV. 1828, 211.
 obscurus Cyphon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 285.
 obscurum Cyphon, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 458.
 obscura Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, XVI (186) Mar. 13, 1849, 94.
 obscura Cyrtogaster, F. Walker, Entom. Mag. I (4) July 1833, 383.
 obscura Dasineura, C. Rondani, Sopra n. gen. Ditteri, 1840, 18.
 obscurus Dasytes, L. Gyllenhal, Ins. Suecica, I (3) 1813, 685.
 obscurus Dasytes, E. F. Germar, Reise Dalm. 1817, 209.
 obscurus Dasytes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 419.
 obscura Decatoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 26.
 obscurus Delphax, J. Curtis, Guide Brit. Ins. (7) 1831, 194 [*n. n.*].
 obscurus Delphinus (Grampus), J. E. Gray, Spec. Zool. 1828, 2.
 obscurus Demetrias, Newman in J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 1 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 366.
 obscurus Dendrobates, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
 obscurus Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 72. [655.
 obscurus Dermestes, F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [*n. n.*].
 obscura Diaperis, Say; J. Sturm, Catal. Ins. Samml. 1826, 131.
 obscurum Diastatomma, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 170.
 obscurus Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
 obscura Dicera, E. F. Germar, Mag. Entom. II. 1817, 298. [1847, 429.
 obscura Diopsis, J. O. Westwood, Tr. Linn. Soc. London, XVII (2) 1835, 307.
 obscura Discocerina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 373.—Notiphila, 1830.
 obscurus Ditomus, Steven; Dejean, Spec. gén. Coléopt. I. 1825, 445.
 obscura Dixia, H. Loew, Entom. Zeitung, Stettin, X (11) Nov. 1849, 348.
 obscurus Dolichopus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 85.
 obscura Dolomedes (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 96.—Aranea, 1793.
 obscura Donacia, F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*] & *var. atra*, Knoch
 obscura Donacia, L. Gyllenhal, Ins. Suecica, I (3) 1813, 654. [[*n. n.*].
 obscura Donax, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 98 (N*);
 obscurus Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 214.

- obscura** Drepanis (—) C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvi.—
obscura Drosophila, C. F. Fallen, Geomyzides Sveciae, 1823, 6. [Certhia, ? Gm. 1788.
obscura Drymeia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 204.
obscura Drymoica, C. J. Sundevall, Ofvers, K. Vet. Ac. Förh. VII (4) 1850, 103.
obscura Drypta, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 23.
obscura Duberria (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 55.—Coluber.
obscura Duomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 800.
obscurus Dyschirius (Gyll.), J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1842],
obscurus Dysides, M. Perty, Del. anim. artic. Brasil. (2) 1832, 113. [573.—Clivina.
obscurus Dysopes (Geoffr.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811
 (1815), 109.—Molossus.
obsculus (*sic*) Dysopes (Geoffr.), C. J. Temminck, Mon. Mamm. I. 1826, 212 & 236.—
obscurus Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 414. [Molossus obscurus.
obscura Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 151.—Cimex, 1794.
obscurus Elachestus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 40.
obscura Elaenia (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 274.—Muscipeta, 1837.
obscura Elania (Vieill.), G. R. Gray, Gen. Birds, I. May 1847, 251.—Muscicapa.
obscura Elaphocera, J. Gené, Mem. R. Acc. Sci. Torino, XXXIX. 1836, 189.
obscura Elaphocera, Gené, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. iii.
obscura Eleale, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 364.—Clerus, 1840.
obscura Eleodes, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 245.
obscura Eleotris, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 149.
obscurus Elmis (Muell.), J. Sturm, Catal. Ins. Samml. 1826, 138.—Limnius.
obscura Elodes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 4.
obscura Emberiza, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 Zool. VII. 1837, 81.
obscurus Empis, J. Macquart, Ins. dipt. N. France (3) 1827, 126.
obscura Ena (Müll.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix, 1774.
obscurus Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 164.
obscurus Enicocerus, J. Curtis, Mag. Nat. Hist. V. July 1832, 556.
obscura Epeira, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 265.
obscura Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 115.
obscurus Epimachus, J. Wagler, Syst. Avium, I. 1827, sign. 86.
obscurus Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 228.
obscura Erioptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 113.
obscura Erycina, Lamarck, Ann. Mus. H. N. (Paris) VII (37) Dec. 1805, 54.
obscura Euglena, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 362.
obscurus Eulophus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 157.
obscura Eumenotes, J. O. Westwood, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 67.
obscurus Euplectus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 1845, 46 [*n. n.*].
obscura Eupsilocera (Walk.), J. O. Westwood, Introd. class. Insect. II. 1840, Syn., 69.—
obscura Euryotis, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 10. [Psilocera.
obscura Euryptera, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, Ins.,
 pl. 3, f. 6; *vide* Ricania.
obscura Eurytoma, C. H. Boheman, K. Vet. Ac. Handl. 1835 (1836), 247.
obscurus Exocentrus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 50.
obscura Falagria (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20.—Aleochara.
obscura Felis, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 230.
obscura Feronia, Dejean (*ex* Steven MS), Spec. gén. Coléopt. III. 1828, 348.
obscura Feronia, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 425.
obscura Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835, 125.
obscura Flata, J. C. Fabricius, Syst. Rhyng. 1803, 49.
obscura Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 119.
obscurus Fusus, R. A. Philippi, Abb. Conch. I (5) 1844, 108.
obscura Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 480.
obscura Gallinula, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 412.
obscura Gebia, H. v. Meyer, Abh. Senckenb. Mus. I (3) 1834, 288.

- obscura Gematis (Fab.), Dejean, Catal. Coléopt. 1821, 58.—Melolontha.
 obscurus Geotrupes, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 365.
 obscurus Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 31.
 obscurum Goniosoma, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
 obscurus Grampus, J. E. Gray, List Mamm. Coll. B. M. 1843, 106.—Delphinus, 1828.
 obscurus Graphipterus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 207.
 obscurus Gyropleurus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [*n. n.*].
 obscura Hadenia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.), June 1829, 184.—
 Noctua.
 obscurus Halesus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [*n. n.*].
 obscura Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 281.
 obscura Halys, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 22.
 obscura Halys, Herrich-S., Wanzenart. Ins. V (4) Jan. 1840, 68.
 obscura Halys (Dichelops), W. S. Dallas, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 188.
 obscurus Harpactor, W. S. Dallas, Tr. Entom. Soc. Lond., n. s. I (1) Feb. 1850, 7.
 obscurus Helcon (Triaspis) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 127.—
 Sigalphus.
 obscurus Heliomanes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 21.
 obscura Helix (Cochlogena), Müller; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 60.
 obscura Hellwigia, J. L. C. Gravenhorst, N. A. Ac. Caes. Leop. Car. XI (2) 1823, 321.
 obscura Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 57.
 obscurus Helophorus, E. Mulsant, H. N. Coléopt. France (Palp.) May 1844, 36.
 obscurus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
 obscurus Hemerobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. VI.) June 1836, 108.
 obscurus Hemerobius, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1049. [[1839], 449.
 obscurus Hemignathus, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840)
 obscurus Hemipus (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 305.—Muscicapa,
 ? Horsf.
 obscurus Hemirhipus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Elater, 1758.
 obscurus Hesperomys (Waterh.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843,
 520.—Mus.
 obscurus Heteronyx, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 224.
 obscura Hilara, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 11.
 obscura Hirmonura, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II.
 1820, 132.
 obscurus Hister, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 300.
 obscura Holothuria, C. A. Lesueur, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 156.
 obscura Homalota (Grav.), O. Heer, Coleopt. Helvet. (2) 1839, 342.—Callicerus.
 obscurus Homalotrichus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 324.
 obscura Houlema, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 38.
 obscura Hydrochelidon (L.), C. L. Brehm, Isis, 1830, 995.—Sterna, Gm. 1788.
 obscura Hydrogallina, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
 1799 [1802], 337.
 obscurus Hydrophis, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 375.
 obscura Hydrophoria, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 302.
 obscurus Hydrophorus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 701.
 obscurus Hydroporus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 14 [*n. n.*].
 obscurus Hydroporus, J. Sturm, Deutschl. Fauna (Insecten) IX. 1835, 65.
 obscurus Hydroporus, C. C. Babington, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 14.
 obscura Hydroptila, F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 22.
 obscurus Hydrus (Pelamis) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 139.—Hydro-
 obscurus Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 395. [phis.
 obscura Hypolais (Smith), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 289.—Sylvia.
 obscurus Hypomochlius, J. Gistel, Nat. Thierr. 1848, 128.
 obscurus Hypudaeus, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1841 (1) 1841, 156.
 obscurus Hypudaeus, E. Eversmann, Add. ad Pallasii Zoogr. II. 1841, 5.

- obscura Iatrobdella, de Blainville, Dict. Sci. Nat. LVII. 1828, 562.
 obscurus Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 57.
 obscurus Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 355.
 obscurus Ixos, C. J. Temminck, Man. Orn., ed. 2, IV. Dec. 1839, 608.
 obscura Joppa, J. C. Fabricius, Syst. Piezat. 1804, 123.
 obscurum Lamprosoma, J. Sturm, Catal. Ins. Samml. 1826, 159 [*n. n.*]. [gaster, 1833.
 obscurus Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 29.—Misco-
 obscurus Lamprotornis, B. Dubus, Bull. Ac. Roy. Brux. VI (1) 1839, 297.
 obscura Leioselasma (Daud.), L. J. Fitzinger, Isis (Oken), 1827, 738.—Hydrophis.
 obscura Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 476.
 obscurus Lepeoptheirus, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 277.
 obscura Leptis, C. F. Fallen, Anthrac. Svec. (2) 1814, 14.
 obscura Lesteva (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 368.—
 obscurus Lestris, C. T. Wood, Orn. Guide, 1835, 213. [Staphylinus, 1800.
 obscura Leucopis, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 173.
 obscura Leucosia, A. White, List Crustacea Coll. B. M. 1847, 48 [*n. n.*]. [stoma.
 obscura Lima (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 341.—Plagio-
 obscura Limnephila, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 483.
 obscurus Limnephilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [*n. n.*].
 obscurus Limnius, P. W. J. Mueller, Mag. f. Insektenk. (Illiger) V. 1806, 204.
 obscura Limnobia (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 12.—Tipula.
 obscurus Limnophilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser. IV (20) Feb. 1834,
 124. [1830, 519.
 obscura Limnophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 obscura Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 539.
 obscura Linyphia, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 665.
 obscurus Liogenys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
 [ineunte 1851], 167. [Bombyx, 1781.
 obscura Lithosia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 197.—
 obscura Littorina, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
 obscura Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].
 obscura Locusta (L.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 87.—Gryllus,
 obscura Loncheres, A. Wagner, Abh. K. bayer. Ak. Wiss. III (1) 1840, 196. [1758.
 obscura Lonchoea, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 357.
 obscura Loxonema, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 415.
 obscura Lycosa, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 611.
 obscurus Lyctus, J. C. Fabricius, Syst. Eleuth. II. 1801, 562.
 obscura Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 59.
 obscurus Macrocephalus, J. O. Westwood, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 24.
 obscura Macrocera, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 333.
 obscurus Macronychus (Fab.), Dejean, Catal. Coléopt. 1821, 49.—Parnus, 1794.
 obscurus Malthinus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 36.
 obscura Manorhina (Gould), G. R. Gray, Gen. Birds, I. Nov. 1846, 127.—Myzantha.
 obscura Margarita (Couth.), A. A. Gould, Rep. Invert. Massach. 1841, 253.—Turbo.
 obscurus Margus, W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 17.
 obscura Masicera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 120.—
 Sarcophaga. [1830, 716.
 obscura Melieria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 obscurus Meligethes, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 203.
 obscurus Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 322.—
 Certhia, Gm. 1788.
 obscura Melolontha, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 61.
 obscurus Merdigera (Drap.), F. Held, Isis (Oken), 1837, 917.—Bulimus.
 obscurus Merionus (Fab.), Dejean, Catal. Coléopt. 1821, 90.—Curculio, 1775.
 obscurus Merismus (Walk.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
 1840, 267.—Psilocera.
 obscurus Meroncidius, J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 150.

- obscura Merula, A. Smith, Rpt. Exp. C. Afr. 1836, 45.
 obscurus Mesagroicus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 282.
 obscurus Metapodius, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 15.
 obscurus Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 182.
 obscura Miliola, DeFrance, Dict. Sci. Nat. XXXI. 1824, 69.
 obscura Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 459.
 obscura Molobrus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
 obscurus Molossus, E. Geoffroy, Ann. Mus. H. N. (Paris) VI (32) May 1805, 155.
 obscura Monanthia, Herrich-S., Wanzenart. Ins. IV (2) Nov. 1837, 23.
 obscura Monodonta, W. Wood, Suppl. Index Test. 1828, 44.—Trochus, 1828.
 obscurus Monodontomerus, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. II (12)
 obscura Mordella, T. Marsham, Coleopt. Brit., Sept. 1802, 492. [June 1833, 443.
 obscura Morinia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 275.—Sarco-
 phaga, 1826.
 obscurus Mucropalpus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 423.
 obscura Mulio (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 428.—Cytherea,
 1794.
 abscurus Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V. (50) Nov. 1837, 16.—
 Mus (Abrothrix), p. 21.
 obscura Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 451.
 obscura Muscicapa, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 146.
 obscura Muscicapa (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
 117.—Todus, Gm. 1788.
 obscura Muscipeta, Drapiez, Dict. Class. H. N. XI. 1827, 228. [Zool. VII. 1837, 48.
 obscura Muscipeta, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 obscura Mutilla, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 11.
 obscurus Myadestes, de Lafresnaye, Rev. Zool. (Soc. Cuv.) Ap. 1839, 98.
 obscura Mycetophagus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 162.
 obscura Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 101. [Ptilogonys.
 obscurus Myiadestes (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 336.—
 obscurus Myiarchus (Gould), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 248.—Pyro-
 cephalus. [Muscicapa.
 obscurus Myiolestes (Horsf.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 67.—
 obscura Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 357. [Linus.
 obscura Myrmedonia (Fab.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 41.—Staphy-
 obscurus Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 403.
 obscura Myzantha, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 159.
 obscura Myzomela, J. Gould, Proc. Zool. Soc. London, X (117) Feb. 1843, 136.
 obscura Natica, G. v. Muenster, Beitr. zur Petref. (1) 1839, 109 [*n. n.*].
 obscura Natica, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
 obscurus Nautilus, S. Nilsson, Petrif. Suec. 1827, 7.
 obscurus Necrophorus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 97.
 obscurus Nectarinia, W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 253.
 obscurus Nematopus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 14.
 obscurus Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 427.
 obscura Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 189.
 obscura Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 253.—Phalaena,
 obscura Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 26. [1780.
 obscura Nomada, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 470.
 obscurus Notaspis, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 5.
 obscura Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 67.
 obscura Nuttainia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 274.
 obscurus Ochodaeus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 86.
 obscura Odontomyia, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 433.
 obscura Oedipoda (L.), H. Burmeister, Handb. Ent. II (2) i, 1838, 642.—Gryllus, 1758.
 obscura Oeneis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 500. [Silpha, 1758.
 obscura Oiceoptoma (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 89.—

- obscurum** Omalium, J. Sturm, Catal. Ins. Samml. 1826, 176 [*n. n.*].
- obscura** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- obscurus** Onitis, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*]. [1850, 79.]
- obscurus** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 178 [*n. n.*].
- obscurus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 144.
- obscurum (sic)** Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 31.
- obscurus** Ophion, J. C. Fabricius, Syst. Piezat. 1804, 132.—obscuratus, 1798.
- obscurus** Ophonus, Sturm; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- obscurus** Ophonus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 160.—Carabus, 1792.
- obscurus** Opilus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 323.
- obscura** Orgya, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 927.
- obscura** Orsodacna, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 180.
- obscura** Orthosteira (Schiff.), F. X. Fieber, Entom. Monogr. 1844, 54.—Monanthia.
- obscura** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 25.
- obscura** Ostrea, J. De C. Sowerby, Min. Conch. V. 1825, 143.
- obscurus** Othius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 256.
- obscurus** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 607.
- obscurus** Otiorhynchus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 363.
- obscurus** Oxoides, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 148.
- obscura** Pachylis, M. Spinola, Ess. Ins. Hémipt. 1837, 137.
- obscura** Pachyscelis, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 65.
- obscura** Pallosoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 495.
- obscurus** Palmon, J. O. Westwood, Ann. Mag. Nat. Hist. XVI (105) Oct. 1845, 278.
- obscurus** Paragus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 183.
- obscura** Parastasia, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 39.
- obscurus** Parnus, Dufts.; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*].
- obscura** Paropsis, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 48.
- obscura** Patella, Hombron & Jacquinet, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 191.
- obscura** Pecten, J. Sowerby, Min. Conch. III. 1818, 3.
- obscurum** Pelor, Cuvier & Valenc., H. N. Poiss. IV. 1829, 436.
- obscura** Pempelia, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 4.
- obscura** Penelope, Illiger in Temminck, Pig. et Gall. III. 1815, 68 & 693.
- obscura** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 149.
- obscura** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 35.
- obscura** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 213.
- obscura** Perla, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1058.
- obscura** Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1842, 269.
- obscurus** Perperus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 264.
- obscurum** Phasma, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 72.
- obscura** Pherusa, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) XII. Nov. 1849, 289.
- obscurus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- obscurus** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- obscurus** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 349.—Nirmus.
- obscura** Phoracantha (Don.), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19.—Stenocorus, Fab. [pyris, ? Fab. 1775.]
- obscurus** Photinus (Ol.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 142.—Lam.
- obscura** Phycita, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 308.
- obscurum** Phyllostoma, Max. Wied, Beitr. Naturges. Brasil. II. 1826, 203.
- obscurus** Physapus (Müll.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 643.—Thrips, 1776.
- obscurus** Physognathus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 304.
- obscurus** Phytocoris, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 163.
- obscura** Phytomyza, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 432 [*n. n.*].

- obscurus Picus, J. Wagler, Syst. Avium, I. 1827, sign. 313.
- obscurus Pinophilus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 87.
- obscura Pipiza, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 573.
- obscurus Pipunculus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 580.
- obscurus Pison, W. E. Shuckard, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 75.
- obscurus Pissocles, Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- obscurus Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
- obscura Plagiostoma, J. Sowerby, Min. Conch. II. 1815, 28.
- obscurus Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 119 [*n. n.*].
- obscurus Platus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 216.
- obscurus Platygaster, J. Curtis (*ex* Walk. MS), Brit. Entom. VII (77) May 1830, no. 309.
- obscurus Platygaster, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 300. [*n. n.*].
- obscurus Platynotus (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 143.—Pimelia, 1795.
- obscurum Platyphyllum (Serv.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 22.—Meroncidius.
- obscurus Platyrhynchus (Gm.), G. R. Gray, Gen. Birds, I. Aug. 1846, 256.—Todus, 1788.
- obscura Plesia (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 152.—Tiphia.
- obscurus Ploceus, [A. Smith], Cat. S. A. Mus. 1837, 30 [*n. n.*].
- obscura Ploiaria, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 351 [*n. n.*].
- obscura Plumularia (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 442.—Sertularia, 1775.
- obscurus Poecilus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 49.
- obscura Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 385.
- obscurus Pompilus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 449.
- obscura Presbytes (Reid), J. E. Gray, List Mamm. Coll. B. M. 1843, 3.—Semnopithecus.
- obscura Procris, P. C. Zeller, Isis (Oken), 1847, 15.
- obscurus Procyon, A. F. A. Wiegmann, Arch. f. Naturg. III (1) 1837, 370.
- obscurus Pseudophloeus, Herrich-S., Wanzenart. Ins. VI (1) Sept. 1840, 5.
- obscura Psilocera, F. Walker, Entom. Mag. I (4) July 1833, 374.
- obscurus Psilopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 39.
- obscurus Psocus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 322.
- obscurus Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 98.
- obscurus Pterophorus, P. C. Zeller, Isis (Oken), 1841, 793.
- obscurus Ptilogonys, de Lafresnaye, Rev. Zool. (Soc. Cuv.) 1839, 98.
- obscura Ptiolina (Fall.), J. W. Zetterstedt, Dipt. Scand. I. 1842, 227.—Leptis.
- obscura Puffinus (Gm.), G. Cuvier, R. Anim. I. 1817, 516.—Procellaria, 1788.
- obscurus Pycnonotus, Temm.; G. R. Gray, Gen. Birds, I. Oct. 1847, 237.—Ixos.
- obscurus Pyrocephalus, J. Gould, Zool. "Beagle" (Birds, 1839), 45.
- obscura Pyrrhotes, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 26.
- obscurus Quedius, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- obscura Ramphomyia, H. Loew, Posener Zweiflügler, 1840, 20.
- obscura Raphanella, Bory de St V., Ency. Méth. (Zooph.) 1827, 667.
- obscura Rhamphomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [*n. n.*].
- obscura Rhamphomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 564.
- obscura Rhinocoeta, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 43 [*n. n.*].
- obscurus Rhynarius, C. W. Hahn, Wanzenart. Ins. I (3) Nov. 1832, 110.
- obscurus Rhynchites, Meg.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
- obscurus Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 215.
- obscura Ricania, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 466.
- obscura Rissoa, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 127.
- obscura Rotalia, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 162.
- obscura Saga, G. v. Muenster, Beitr. zur Petref. (2) 1839, 81.
- obscurus Salticus, J. Blackwall, Ann. Mag. N. H. (2) VI. Nov. 1850, 336.
- obscura Sanguisuga, A. Moquin-T., Mon. Hirudin., July 1827, 116.
- obscura Sarcophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 32.
- obscurus Sargus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 35.
- obscura Scaeva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 601.
- obscurus Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 18.

- obscura Scatopse, F. Walker, List Dipt. Coll. B. M. (1) 1848, 114. [1846, 668.
 obscura Schizocera, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 obscura Sciomyza (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 obscura Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 33. [407.—Arina.
 obscura Scolopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 160.
 obscura Scolopendra (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, IV. 1847, 272.—Cormocephalus.
 obscurus Scorpio, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III.
 1844, 55.
 obscurus Scorpio (Atreus), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 219.
 obscura Scotia, J. Huebner, Verz. bekannt. Schmett. [1822], 226.
 obscurus Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 962.
 obscurus Semnopithecus, Jas. Reid, Proc. Zool. Soc. London, V (49) Oct. 1837, 14 [*n. n.*].
 obscura Serpula, W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 6 [*n. n.*].
 obscurum Sicydium, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 145.
 obscurus Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 252.
 obscurus Solecurtus, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 141.
 obscura Speiredonia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 272.—Phalaena,
 obscurum Sphaeridium, J. C. Fabricius, Syst. Eleuth. I. 1801, 95. [1780.
 obscura Spheg, F. v. P. Schrank, F. Boica, II (2) 1802, 323.
 obscura Spheg, G. Fischer de W., Magasin de Zool. (2) V. 1843, text to pl. 122, p. 2.
 obscura Spipola, W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 22.
 obscura Spipola, T. Forster, Syn. Cat. Brit. Birds, 1817, 53.
 obscurus Spirobolus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 103.
 obscurum Spongopodium (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 305.—Edessa.
 obscurus Squalus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (9) May 1818, 223.
 obscurus Staphylinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 595.
 obscurus Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 514.
 obscurus Staphylinus, W. H. Runde, Brachelytr. 1835, 4.
 obscurus Stenocorus, J. C. Fabricius, Syst. Eleuth. II. 1801, 307.
 obscurus Stenus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 124.
 obscura Strangalia (Panz.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839,
 255.—Leptura, 1795.
 obscurus Strongylus (Fab.), Dejean, Catal. Coléopt. 1821, 43.—Nitidula, 1777.
 obscura Sylvia (Gm.), G. A. Suckow, Naturg. II [2] 1801, 1116.—Motacilla, ? Habl. 1783.
 obscura Sylvia, P. P. King, Zool. Journ. III (11) Aug.—Nov. [*i.e.* Dec. 31] 1827, 429.
 obscura Sylvia, A. Smith, Ill. Zool. S. Afr. (Aves), pl. cxii (1847).
 obscura Synchrona, Ferrari in L. Redtenbacher, F. Austr., Käfer, 1849, 178.
 obscurus Syrphus, T. Say, Amer. Entom. I. 1824, pl. xi.
 obscura Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 283.
 obscurus Tachinus, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
 obscurus Talides, J. Huebner, Verz. bekannt. Schmett. [1820], 106 [*n. n.*].
 obscura Tanyglossa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 73.
 obscurus Tanypus, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 189.
 obscura Tectocoris, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 14.
 obscura Tenthredo (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 131.—
 Allantus.
 obscura Tephritis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 323.
 obscura Tephrodornis (Horsf.), G. R. Gray, Gen. Birds, III. App. 1849, 13.—Muscicapa.
 obscurus Termes, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 33.
 obscura Tessaratoma, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 592.
 obscurus Tetragonolepis, G. v. Muenster, Beitr. zur Petref. (4) 1841, 140.
 obscurus Tetrao, T. Say in Long, Exped. Rocky Mts. II. 1823, 14.
 obscura Tetrix (Zett.), J. J. Hagenbach, Symb. Faun. Ins. Helvet. 1822, 42.—Acridium.
 obscura Tettigonia, J. C. Fabricius, Syst. Rhyng. 1803, 36.
 obscurus Thamnophilus, Leach; G. R. Gray, Gen. Birds, I. Aug. 1845, 298.—Lanius, Gm.
 1789. [1848, 604.—Anastrus.
 obscurus Thanaos (Huebn.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.

- obscurus** Therapon, Cuvier & Valenc., H. N. Poiss. III. 1829, 135.
obscurum Theridion, C. A. Walckenaer, Tab. Aran. 1805, 76.—Aranea, 1802.
obscurus Thomisus, C. W. Hahn, Mon. Spinnen (7) 1834.
obscurus Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 22.
obscura Tingis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*]; & Syst. Cat. Brit.
obscura Tiphia, J. C. Fabricius, Syst. Piezat. 1804, 233. [Ins., Aug. 1829, 336.
obscura Tipula, J. C. Fabricius, Syst. Antliat. 1805, 27.
obscurus Torneutes, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 301.
obscura Trichophthalma, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. VI (36)
 June 1835, 448.
obscura Trigonalys, J. O. Westwood, Ann. Mag. Nat. Hist. VII (Suppl.) Sept. 1841, 538.
obscurus Trigonoderus, F. Walker, Entom. Mag. IV (1) July 1836, 21.
obscura Trigonotoma, F. L. de Laporte, Etudes Entom. (1) 1834, 76.
obscura Trineura, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2884.
obscurum Trinoton, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*]; & Syst. Cat.
 Brit. Ins., Aug. 1829, 334.
obscurus Triphyllus, Dejean, Catal. Coléopt. 1821, 102 [*n. n.*].
obscurus Triton, L. Reeve, Conch. Icon. II.—Triton, no. 63, June 1844.
obscura Trixa, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 630.
obscurus Trochus, P. M. T. de Serres, Essai anim. midi France, 1822, 60 [*n. n.*].
obscurus Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
obscurus Trochus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 138.
obscurus Truxalis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 79.
obscura Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 499.
obscurus Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 253.
obscurus Turbo, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 100.
obscura Turbo, J. Hall, N. H. New York (Pal. I.) 1847, 12.
obscurus Turdus, A. Smith, Ill. Zool. S. Afr. (Aves), pl. xxxvi (1839).—Merula, 1836.
obscura Tyrannula, W. Swainson, Phil. Mag., n. s. I (5) May 1827, 367.
obscurus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. VI (1) 1838, 7.
obscura Venus, W. J. Broderip, Proc. Zool. Soc. London, III (27) June 1835, 44.
obscura Vermilia, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 56.—Serpula, 1848.
obscurus Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 330.
obscura Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 188.
obscurus Xylotretus (Newm.), E. F. Germar, Linnaea Entom. III. Ap. 1848, 185.—Clerus.
obsecraria Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI.
 1802), 28.
obsecratoria Hemerodromia, F. Walker, Entom. Mag. IV (3) Jan. 1837, 228.
obsequiosus Liophloeus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 304.
observans Attus, C. A. Walckenaer, Tab. Aran. 1805, 23 [*n. n.*].
observator Pyrophorus, E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 64.
obsessor Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 42.
obsessorius Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 26.
obsesus Tylodes, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
 438.
obseum Anobium, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 309.
obsidianator Trogus, Bosc in A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt.
 IV. 1846, 299.
obsidiana Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 691.—Galeruca.
obsidianus Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 174.
obsidianus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 202.
"obsidianus" Feronia, *vide* G. R. Waterhouse, Ann. Mag. N. H. VII. Ap. 1841, 121.
obsidiana Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 499.
obsidiana Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—Galleruca.
obsidianus Microsporus, F. A. Kolenati, Melet. Entom. (5) June 1846, 64.
obsidianus Otorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
obsidianus Staphylinus, Knoch; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*]. [324.
obsidiana Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 341.

- obsidianus** Xantholinus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844,
Obsidium Sav. 1816; Qua Auct.?, *err. pro* Obisium, *q.v.* [34.]
- obsipa** Apate, E. F. Germar, Linnaea Entom. III. Ap. 1848, 222.
- obsipatus** Atlocerus (*sic*), E. F. Germar, Revue Entom. V (3) 1840, 162.
- obsitalis** Hypena, J. Huebner, Verz. bekannt. Schmett. 1826, 345.—Pyralis.
- obsitalis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 25 (Fernaldo judice 1811–18)
 [*n. et f.*] [[*n. et f.*].]
- obsitalis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 28 (Fernaldo judice 1818–22)
- obsitus** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 567.
- obsoletana** Cnephasia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*]; & Ill. Brit.
 Ent. (Haust. IV.) Aug. 1834, 129.
- obsoletana** Orthotaenia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*].
- obsoletana** Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*]; & Ill. Brit.
 Ent. (Haust. IV.) Aug. 1834, 156.
- obsoletana** Peronea, J. Curtis (*ex* Steph. MS), Brit. Entom., ed. 2, I (4) 1835–9, no. 16, p. 5.
- obsoletana** Ptycholoma, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 142.—
 Orthotaenia, 1829.
- obsoletana** Sericoris, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 133.—Cne-
- obsoletana** Tortrix, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 980. [phasia, 1829.]
- obsoletaria** Acidalia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 39.
- obsoletaria** Fidonia, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 957.
- obsoletata** Larentia, Herrich-S. in Panzer, Ins. Germ., heft 163, 1838, tab. 13.
- obsoletefasciatus** Cleonus, Schoenherr in Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6]
 VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 256.
- obsoletella** Gelechia (F. v. R.), J. W. Douglas, Tr. Entom. Soc. Lond., n. s. I (1) Feb. 1850,
- obsoletella** Lita, J. E. Fischer v. R., Abbild. Schmett. (16) 1841, 225. [20.—Lita.]
- obsoletella** Microsetia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49 [*n. n.*]; & Ill. Brit.
 Ent. (Haust. IV.) Nov. 1834, 264.
- obsoletesignatus** Acanthomerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VII (2)
 1843, 251.
- obsolaetesignatus** Strophosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2)
- obsoletissimus** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 207. [1840, 369.]
- obsoletoguttatus** Agrilus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 82 [*n. n.*].
- obsoletoguttatus** Agrilus, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 256.
- obsoletoguttata** Lamia, J. Sturm, Catal. Ins. Samml. 1826, 159 [*n. n.*].
- obsoletor** Porizon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 395.
- obsoletus** Acanthocinus (Ol.), J. Sturm, Catal. Ins. Samml. 1826, 88.—Cerambyx, 1795.
- obsoletus** Acupalpus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 435.
- obsoletum** Agonum, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 423.—Feronia, 1825.
- obsoletus** Agrilus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 82 [*n. n.*].
- obsoletus** Agrilus, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 229.
- obsoleta** Alucita (Zell.), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 609.—Pterophorus.
- obsoleta** Amara (Dufts.), Dejean, Catal. Coléopt. 1821, 9.—Carabus.
- obsoletus** Ammonites, M. Simpson, Mon. Amm. 1843, 23. [cinum.]
- obsoletum** Ancilla (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 204.—Buc-
- obsoleta** Ancillaria (Br.), F. Holl, Handb. Petref. III. 1830, 259.—Buccinum.
- obsoleta** Andrena, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 77 [*n. n.*].
- obsoleta** Anolax (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 523.—Buccinum.
- obsoleta** Anomia, D. Solander, Catal. Portland Mus. 1786, 44 [*n. n.*].
- obsoletus** Anomites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*].
- obsoleta** Anthia, J. C. Fabricius, Syst. Eleuth. I. 1801, 224.
- obsoletum** Anthobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 892.
- obsoletus** Aphidius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 83.
- obsoletus** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 70.
- obsoletus** Asaphus, J. Phillips, Geol. Yorksh. II. 1836, 239.
- obsoleta** Astarte, W. Dunker, Palaeontographica, I (4) May 1848, 178.
- obsoletus** Ateuchus, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 208.
- obsoleta** Auricula, J. Phillips, Geol. Yorksh. I. 1829, 122 [*n. et f.*].

- obsoleta Avicula, G. A. Goldfuss, Petref. German. II (5) 1836, 125.
- obsoletus Bellerophon, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 24.
- obsoletum Bembidium (Dej.), J. Sturm, Catal. Ins. Samml. 1826, 100.—Peryphus.
- obsoletus Berosus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Jan. 1829, 126.
- obsoletus Bibio, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 227.
- obsoleta Blaps, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 261.
- obsoletus Boletobius (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 922.—Tachinus.
- obsoletus Borborus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- obsoletus Bothynus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 87.
- obsoletus Brachytarsus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 167.
- obsoletus Bruchus, T. Say, Descr. N. Amer. Curcul., July 1831, 2.
- obsoletus Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiii.
- obsoletus Buccinites, E. F. v. Schlotheim, Die Petref. 1820, 127.
- obsoletum Buccinum, G. Brocchi, Conch. Subap. 1814, 330.
- obsoletum Buccinum, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 243 [*n. n.*].
- obsoletum Buccinum (Say), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 60.—Nassa.
- obsoletum Buccinum (Schl.), H. G. Bronn, Index Pal. 1848, 185.—Buccinites.
- obsoletus Bulimus, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 43.
- obsoletus Buteo (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 468.—Falco, 1788.
- obsoleta Calandra, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
- obsoletum Callidium, J. W. Randall, Boston Journ. N. H. II (1) 1838, 27.
- obsoleta Calosoma, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 149.
- obsoletus Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 116.
- obsoletus Carabus, J. Sturm, Deutschl. Fauna (Insecten), III. 1815, 70.
- obsoletus Carabus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 90.
- obsoleta Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- obsoletum Cardium, E. Eichwald, Nat. Lithuaen, 1830, 208. [133.—Venerupis.
- obsoleta Carpodacus (Licht.), G. R. Gray, Gen. Birds, II. Oct. 1844, 384.—Fringilla.
- obsoletus Carphophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 259.
- obsoleta Cassida, A. G. Olivier, Entom. VI. 1808, 948.
- obsoleta Celaeno, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 4.
- obsoleta Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 153.
- obsoletus Ceratopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 76.
- obsoletum Cercyon (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 141.—
- Sphaeridium. [(Mand. III.) July 1830, 98.
- obsoletum Cerylon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent.
- obsoleta Cetonia, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
- obsoletus Ceutorhynchus, Schueppel in E. F. Germar, Ins. spec. novae, I. 824, 230.
- obsoletus Chironomus, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 190.
- obsoleta Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 820.
- obsoleta Chrysis, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 8.
- obsoleta Chrysomela, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 73.
- obsoletus Chrysops, C. R. W. Wiedemann, Dipt. exot. 1821, 108.
- obsoleta Cicindela, Dejean, Catal. Coléopt. 1821, 1 [*n. n.*].
- obsoleta Cicindela, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 143.
- obsoleta Cleonis, Mann.; J. Sturm, Catal. Ins. Samml. 1826, 119.
- obsoletus Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 182.
- obsoleta Coccinella, L. Ponza, Mém. Ac. Sci. Turin, 1804–5 (1805) Mém. prés., 49.
- obsoleta Coccinella, A. G. Olivier, Entom. VI. 1808, 1058.
- obsoletus Colotes, W. F. Erichson, Entomographien, 1840, 130.
- obsoletus Coluber, T. Say in Long, Exped. Rocky Mts. I. 1823, 140; & London ed. I.
- obsoletus Conurus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 228. [1823, 322.
- obsoleta Cotyle, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 50.
- obsoleta Crania, G. A. Goldfuss, Petref. German. II (7) 1840, 297.
- obsoleta Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 450.
- obsoletus Cripticus, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 265.
- obsoletus Cryptocephalus, E. F. Germar, Ins. spec. novae, I. 1824, 559.

- obsoletus Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- obsoletus Crypturus (Temm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 68.—Tinamus.
- obsoletum Cyathophyllum, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 14.
- obsoletus Cyclops, C. L. Koch, Deutsch. Crust., heft 21, 1838, tab. 5.
- obsoleta Cyclostoma, Lamarck, An. s. vert. VI (2) 1822, 144.
- obsoleta Cyllenia, H. Loew, Linnaea Entom. I. Feb. 1846, 369.
- obsoleta Cymindis, Ménétrés, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 359.
- obsoleta Cypricardia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 76.
- obsoletus Dendrocolaptes, Illiger in Lichtenstein, Abh. k. pr. Ak. Wiss. (Berlin) 1818–19
- obsoletus Dentalites, E. F. Schlotheim, Taschen. Min. 1813, 100 [*n. n.*]. [(1820), 203.
- obsoletum Dicaeum (M. & S.), G. R. Gray, Gen. Birds, I. June 1847, 100.—Pardalotus.
- obsoleta Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 150.—Ichneumon, 1798.
- obsoleta Dipterites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 254.
- obsoleta Doris, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 *vel* 1831, 31.
- obsoletus Dromius, Dejean, Catal. Coléopt. 1821, 3 [*n. n.*].
- obsoletus Dyschirius, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 536.
- obsoletus Echinus, Desmarest, Dict. Sci. Nat. XXXVII. 1825, 102.
- obsoleta Edessa, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 82.
- obsoleta Elaenea (Natt.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 250.—Muscicapa.
- obsoleta Elania (Natt.), G. R. Gray, Gen. Birds, I. May 1847, 250.—Muscicapa.
- obsoletus Elater, T. Marsham, Coleopt. Brit., Sept. 1802, 387.
- obsoletus Elater, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 2.
- obsoletus Elaterites, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 142.
- obsoleta Eleodes, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 238.
- obsoleta Empecta, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
[*ineunte* 1851], 153.
- obsoletum Enoplium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 95.
- obsoleta Epilachna (Ol.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 759.—Coc-
cinella. [Nitidula, 1792.
- obsoleta Epuraea (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 270.—
- obsoletus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 175.
- obsoleta Erythrospiza (Licht.), Bonaparte & Schlegel, Mon. Loxiens, 1830, 28.—
Fringilla. [[*ineunte* 1851], 194.
- obsoleta Euchlora, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
- obsoleta Feronia, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 57.
- obsoletus Formicaleo, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 44.
- obsoleta Fringilla, H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 132.
- obsoleta Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 497.
- obsoleta Gastropacha, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. f.
- obsoleta Goniodoris (Ruepp.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 104.—Doris.
- obsoletus Gonocerus, Herrich-S., Wanzenart. Ins. VI (1) Sept. 1840, 10.
- obsoletus Graphipterus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 239.—
Carabus, 1790.
- obsoletus Graphipterus (Fab.), Dejean, Spec. gén. Coléopt. V. 1831, 463.—Anthia.
- obsoletus Griffithides (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
161.—Asaphus.
- obsoleta Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- obsoletus Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 232.—Ophonus, 1821.
- obsoletum Hedychrom, T. Say, Boston Journ. N. H. I. (3) 1836, 284. [Tenebrio.
- obsoletus Heliophilus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 18.—
- obsoleta Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July
- obsoleta Helodes, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 453. [1837, 31.
- obsoletus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
- obsoletus Hemerobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*].
- obsoletus Heterocerus, J. Curtis, Brit. Entom. V (56) Aug. 1828, no. 224.
- obsoletum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [*n. n.*].
- obsoleta Hispa, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 432.

- obsoleta Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 118.
- obsoletus Hydroporus, Dejean, Catal. Coléopt. 1821, 20 [*n. n.*].
- obsoletus Hydroporus, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V (1837-8), 298.—
Dej. Cat. 1821.
- obsoletus Hylaeus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 58 [*n. n.*].
- obsoleta Idia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 355.
- obsoletus Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
1850, 87.
- obsoletus Jassus, E. F. Germar, Reise Dalm. 1817, 281.
- obsoleta Lamia (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 375.—Cerambyx, 1795.
- obsoleta Lampyris, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*].
- obsoletum Lathrobium, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV
(1 & 2) Oct. 1837, 146.
- obsoleta Leucania (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 81.—Noctua.
- obsoleta Leucospis, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. g.
- obsoleta Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 28.
- obsoleta Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 83.
- obsoleta Lima, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 227.
- obsoleta Lima, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 265.
- obsoleta Limnephila, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 477.
- obsoleta Limnobia, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
- obsoletus Linopodes, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 18. [124.
- obsoletus Lissonotus, J. Sturm, Catal. Ins. Samml. 1826, 163 [*n. n.*].
- obsoleta Lithocharis (Nordm.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 516.—
Lathrobium.
- obsoleta Loxonema (Schl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 172.—
Buccinites.
- obsoleta Lycosa (Tarantula), C. L. Koch, Die Arachniden, XIV (5) May 1847, 149.
- obsoleta Lyonna (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—Cypri-
cardia.
- obsoletus Megalophthalmus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 123.
- obsoleta Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 140 [*n. n.*].
- obsoleta Melania, M. Hoernes (*ex* Parts MS), Verz. Fossil-Reste Wien, 1848, 23 [*n. n.*].
- obsoleta Meligethes, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [*n. n.*].
- obsoleta Melonthites, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 73.
- obsoleta Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 344. [Voluta.
- obsoleta Mitra (Brocc.), Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 290.—
- obsoletus Monodontomerus (Fab.), F. Walker, Entom. Mag. II (2) Ap. 1834, 158.—
Ichneumon, 1798.
- obsoleta Mordella, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*].
- obsoleta Murcia, C. L. Koch, Deutsch. Crust., heft 31, 1841, tab. 23.
- obsoleta Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 238. [1824.
- obsoleta Muscicapa, Natterer in C. J. Temminck in T. & Laugier, Pls. color. (46) May
- obsoleta Muscicapara (Natt.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 328.—Muscicapa.
- obsoleta Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 319.
- obsoleta Myiothera (Say), C. L. Bonaparte, Amer. Orn. I. 1825, 6.—Troglodytes.
- obsoleta Myrmica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 160.
- obsoleta Mystacida, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 509.
- obsoletus Nabis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- obsoletus Nasica (Ill.), De Lafresnaye, Rev. et Mag. de Zool. (2) II. Aug. 1850, 423.—
Dendrocolaptes, Licht.
- obsoleta Nassa, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 232.
- obsoletus Naupactus, Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- obsoleta Nitidula, T. Marsham, Coleopt. Brit., Sept. 1802, 135.
- obsoleta Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 48 (Fernaldo judice 1802)
- obsoleta Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 288. [[*n. et f.*].
- obsoletus Notoxus, A. Chevrolat, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 276.
- obsoleta Nucula, G. A. Goldfuss, Petref. German. II (6) 1837, 151.

- obsoletus Ophonus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- obsoleta Orbicula, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 250.
- obsoletus Ostrea, J. Berkenhout, Syn. N. H. Gt Brit., ed. 3, I. 1795, 199.
- obsoleta Ostrea, Maton & Rackett, Trans. Linn. Soc. London, VIII. 1807, 100.
- obsoletus Pallodes, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 107.
- obsoleta Paludina, S. Woodward, Geol. Norf. 1833, 44.
- obsoletus Pardalotus, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 174.
- obsoleta Paropsis, A. G. Olivier, Entom. V. 1807, 600.
- obsoleta Paropsis, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 568.
- obsoletus Pecten (M. & R.), J. De C. Sowerby, Min. Conch. VI. 1826, 79.—Ostrea.
- obsoletus Pecten, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [*n. n.*].
- obsoletus Pectunculus, G. A. Goldfuss, Petref. German. II (6) 1837, 160.
- obsoletus Perilitus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 49.
- obsoletus Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- obsoleta Phalaena (Fab.), E. Donovan, Epit. N. H. Ins. New Holland, 1805.—Bombyx,
- obsoleta Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 219. [1775.
- obsoleta Phalaenites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 187.
- obsoleta Phillipsia (Ph.), J. Morris, Cat. Brit. Foss. 1843, 76.—Asaphus;
- obsoletus Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- obsoleta Pholadomya, J. Phillips, Geol. Yorksh. I. 1829, 137 & 139 [*n. et f.*].
- obsoletus Phytalus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 131.
- obsoletus Picolaptes (Ill.), G. R. Gray, Gen. Birds, I. Feb. 1847, 140.—Dendrocolaptes.
- obsoletus Picus, J. G. Wagler, Isis (Oken), 1829, 510.
- obsoleta Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- obsoleta Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 104.
- obsoleta Pipiza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 616.
- obsoletus Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
- obsoletus Planaxis, K. T. Menke, Zeitschr. f. Malakozool., Nov. 1850 [Ap. 1851], 170.
- obsoleta Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- obsoleta Pleurotomaria, J. Hall, N. H. New York (Pal. I.) 1847, 44. [128.
- obsoletus Poecilocoris, W. S. Dallas, Tr. Entom. Soc. Lond. V (5) Aug. 1848, 104.
- obsoletus Prepodes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 20.—Curculio,
- obsoletus Proctotrupes, T. Say, Boston Journ. N. H. I (3) 1836, 277. [? Gm. 1789.
- obsoletus Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 123.
- obsoletus Pterophorus, P. C. Zeller, Isis (Oken), 1841, 859.
- obsoletus Reduvius, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *e*.
- obsoletus Reduvius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 218.
- obsoletus Rhynchaenus, Sturm; Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- obsoleta Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
- obsoleta Rissoa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 105.
- obsoleta Rostellaria, Goldfuss in F. A. Alberti, Beitr. Bunter, 1834, 53.
- obsoletus Salpinctes (Say), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 324.—Troglo-
- obsoleta Sapromyza, C. F. Fallen, Orthalides Sveciae (3) 1820, 31. [dytes.
- obsoleta Sarcophaga (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 31.—Musca.
- obsoleta Sciomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 19.
- obsoletus Selenocephalus, E. F. Germar, Revue Entom. I (4) *c.* Sept. 1833, 180.—Jassus, 1817.
- obsoletus Serropalpus, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 98.
- obsoleta Silpha, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 36.
- obsoleta Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [*n. n.*].
- obsoletum Sphaeridium, L. Gyllenhal, Ins. Suecica, I. 1808, 107.
- obsoletus Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 895.
- obsoleta Strangalia, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 61.

- obsoleta Strigoptera, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 221.
- obsoletus Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 85.
- obsoleta Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 282.
- obsoletus Tachinus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 464.
- obsoleta Tachytes (Rossi), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 22.—
- obsoleta Tellina, T. Brown, Tr. R. Soc. Edinb. VIII (2) 1818, 459. [Apis, 1792.
- obsoletus Tenebrio, T. Marsham, Coleopt. Brit., Sept. 1802, 475.
- obsoleta Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 192.
- obsoleta Tephritis, C. R. W. Wiedemann, Anal. Entom. 1824, 53.
- obsoleta Terebratula, J. Sowerby, Min. Conch. I. 1815, 192.
- obsoleta Tetanocera, C. F. Fallen, Sciomyz. Sveciae, 1820, 5.
- obsoleta Tetratoma, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 113.
- obsoleta Textularia, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 39.
- obsoleta Theba (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 14.—Helix.
- obsoletus Thriothorus (Bonap.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 263.—Myiothera.
- obsoletus Thryothorus (Say), C. L. Bonaparte, List Birds Eur. Amer. 1838, 11.—
- obsoletus Tinamus, C. J. Temminck, Pig. et Gallin. III. 1815, 588. [Troglodytes.
- obsoleta Tipula, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 179.
- obsoletus Torymus (Fab.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 68.—Ichn.
- obsoleta Trachys, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 105. [1798.
- obsoletus Tremex, T. Say, Western Quart. Reporter, II (1) 1823, 73.
- obsoletus Trochus, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 151.
- obsoleta Troglodytes, T. Say in Long, Exped. Rocky Mts. II. 1823, 4; & London ed. II. 1823, 344. [Cyclostoma.
- obsoleta Tropicophora (Lam.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 40.—
- obsoletus Tropinotus, J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 274.
- obsoleta Truxalis, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. d.
- obsoleta Trypeta, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 349.
- obsoleta Turritella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 83.
- obsoleta Turritella (Dillwyn), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 56.—Turbo, Gm. 1790.
- obsoleta Turritella, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 603.
- obsoletus Tyrannulus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 250.—Muscicapa.
- obsoletus Venerupis, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 67.
- obsoleta Venus, D. Solander, Catal. Portland Mus. 1786, 99 [n. n.].
- obsoleta Venus, L. W. Dillwyn (ex Chemn.), Catal. Shells, 1817, 205.
- obsoleta Voluta, G. Brocchi, Conch. Subap. 1814, 646.
- obsoleta Xiphocera (Serv.), H. Burmeister, Handb. Ent. II (2) i, 1838, 613.—Tropinotus.
- Obsonia J. Gistl, Nat. Thierr. 1848, p. x.—Dipt.
- Obstetricans A. Dugès, Mém. Savans Ac. R. Sci. Inst. France, VI. 1835, 20.—R.
- obstetricans Alytes (Laur.), J. Wagler, Nat. Syst. Amph. 1830, 206.—Bufo, 1768.
- obstetricans Bombinator (Laur.), B. Merrem, Tent. Syst. Amph. 1820, 179.—Bufo, 1768.
- obstetricans Rana, J. Wolf in Sturm, Deutsch. Fauna (III. Amph.) (4) 1805, sign. 3.
- obstrictus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 255.
- obstricta Helix, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 154.
- obstrictus Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- obstructa Helix, Fér.; L. Pfeiffer, Symb. Helic. II. 1842, 35.
- obstructa Helix (Helicella), *emend. pro* obstrusa; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 73.
- obstructa Natica, K. T. Menke, Zeitschr. f. Malakozool. (Mar.) [July] 1849, 36.
- obstructus Planorbis, P. M. A. Morelet, Test. nov. Cubanae (1) 1848, 17.
- obstrusa Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 47
- obtectella Coleophora, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 333. [[n. n.].
- obtectus Bellerophon, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 356.
- obtectus Bruchus, T. Say, Descr. N. Amer. Curcul., July 1831, 1.
- obtectus Canopus, J. C. Fabricius, Syst. Rhyng. 1803, 127.

- obtectus** Celyphus, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 73.
obtecta Cicada, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (2) 1806, 114.
obtecta Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 5.
obtecta Copris, Palisot de B., Ins. Afr. Amér. (—) 1806, 25. [(=41).—Tettigonia.
obtecta Dundubia (Fab.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 47.—Tettigonia.
obtectus Elater, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 181.
obtecta Eschara, Tilesius, Denkschr. K. Ak. Wiss. München, 1813 (1814), 41.
obtecta Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 123.
obtecta Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 47. [1839, 8.
obtecta Helix, Anton in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept.
obtecta Hemiptycha (Fab.), E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 177.—
obtecta Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 13. [Membracis.
obtectum Olophrum, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 865.
obtecta Patella, C. F. F. Krauss, Südafrik. Moll. 1848, 47.
obtecta Pholas, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 496.
obtecta Tettigonia, J. C. Fabricius, Syst. Rhyng. 1803, 35.
obtecta Thereva, H. Loew, Dipterologische Beiträge, II. 1847, 38.
obtecta Tipula, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 195.
obtecta Ulopa, C. F. Fallen, Hemipt. Svec. (5) 1826, 66.—Cicada, 1806.
obtegens Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 11.
obtentus Cryptorhynchus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 716.—
obtorta Vermilia, DeFrance, Dict. Sci. Nat. LVII. 1828, 330. [Curculio, 1797.
obtrita Terebratula, DeFrance, Dict. Sci. Nat. LIII. 1828, 161.
obtusalis Cyclas, Lamarck, An. s. vert. V. 1818, 559.
obtusalis Donax, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 109.
obtusalis Eolis, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 34. [1796.
obtusalis Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea obtusella,
obtusale Pisidium (Lam.), C. Pfeiffer, Naturg. deutsch. land-Moll. (1) 1821, 125.—Cyclas.
obtusans Cyclidium, Bory de St V., Dict. Class. H. N. V. May 1824, 224.
obtusans Cyclidium, Bory de St. V., Ency. Méth. (Zooph.) 1824, 234.
obtusangula Asterias, Lamarck, An. s. vert. II. 1816, 556.
obtusangula Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 67.
obtusangulus Echinus, Lamarck, An. s. vert. III. 1816, 46.
obtusangulus Erpeinus (Fald.), V. v. Mochulski, Kaefer Russl., post May 1850, 25.—
obtusangulus Fusus (Br.), A. Risso, H. N. Europe, IV. 1826, 208.—Murex. [Harpalus.
obtusangulus Harpalus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 356.
obtusangulus Helops, H. C. Kuester, Käfer Europas, XXI. 1850, 37. [1786.
obtusangula Kolpoda (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 476.—Gonium,
obtusangula Mitra, M. Hoernes (ex Partsch MS), Verz. Fossil-Reste Wien, 1848, 17
obtusangulus Murex, G. Brocchi, Conch. Subap. 1814, 422. [[n. n.].
obtusangulus Oniscus, E. Eichwald, Zool. Spec. II. 1830, 121.
obtusangulus Oreaster (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 51.—Asterias.
obtusangula Pavonia, Lamarck, An. s. vert. II. 1816, 240.
obtusangula Pleurotoma (Br.), Cristofori & Jan, Cat. Mus. (Sect. II.) (1) Conch. foss. 1832, 9.—Murex.
obtusangula Pleurotoma (Pleurotomoides) (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 555.—Murex. [345.—Pavonia.
obtusangula Psammocora (Lam.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
obtusangula Textularia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 97.
obtusana Anchylopera (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.
obtusana Teras, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 524.
obtusana Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 453.
obtusaria Euchlaena, J. Huebner, Verz. bekannt. Schmett. 1825, 293.—Geometra.
obtusaria Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 75 (Fernaldo judice 1808–18) [n. et f.].
obtusaria Oliva, Lamarck, An. s. vert. VII. 1822, 436.

- obtusator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 270.
- obtusator** Ophion, G. W. F. Panzer, Ins. Germ., heft 107, 1806-9, tab. 10.
- obtusatus** Aegus (Westw.), H. Burmeister, Handb. Ent. V. 1847, 402.—Dorcus.
- obtusata** Amphithoe (Mont.), H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 377.—
Cancer (Gammarus). [362.]
- obtusatum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- obtusatum** Buccinum, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 126.
- obtusatus** Bulimus (Gm.), L. Pfeiffer, Mon. Helic. II. 1848, 151.—Helix, 1790.
- obtusatus** Cancer (Gammarus), G. Montagu, Tr. Linn. Soc. London, XI (1) 1813, 5.
- obtusatus** Cerberus (Reinw.), G. Cuvier, R. Anim., ed. 2, II. 1829, 81.—Homolopsis.
- obtusatus** Chirurus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 134.
- obtusatus** Colymbetes, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 99.
- obtusata** Dichotomaria (S. & E.) Lamarck, An. s. vert. II. 1816, 145.—Corallina, 1786.
- obtusatus** Dorcus, J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 267.
- obtusata (sic)** Galaxaura (Esp.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III
(63) Dec. 1812, 185.—Corallina, E. & S. 1786.
- obtusata** Galaxaura (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 262.—Corallina,
- obtusata** Haltica, L. Gyllenhal, Ins. Suecica, I (3) 1813, 579. [1786.]
- obtusata** Helix, Ziegler in Rossmäessler, Icones Iconogr. Moll. I (1) 1835, 55.
- obtusata** Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July
- obtusata** Helix, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Sept. 1844, 183. [1837, 2.]
- obtusatus** Hister, T. W. Harris, Trans. N. H. Soc. Hartford, I. 1836, 76.
- obtusatus** Homalopsis, Reinw. in L. J. Fitzinger, Neue Classif. Rept. 1826, 55 [*n. n.*].
- obtusatus** Hydrophilus, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 202.
- obtusatus** Julus, Mikan, Isis (Oken), 1834, 741.
- obtusata** Mantura (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 323.—
- obtusata** Monticularia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 86. [Haltica.
- obtusatus** Obeliscus (Gm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 61.—Helix, 1790.
- obtusatus** Oreaster (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 50.—Asterias,
? o—angula. [[*n. n.*].
- obtusatus** Pectunculus, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 27
- obtusata** Polytrema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429.
- obtusata** Prionastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 130.
- obtusata** Sphyraena, Cuvier & Valenc., H. N. Poiss. III. 1829, 350.
- obtusatus** Spirobolus (Mik.), C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 104.—
- obtusata** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 159. [Julus.
- obtusatus** Trochus, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
Trochus (71) 1847, 30. [110.—Corallina, 1786.]
- obtusata** Tubularia (E. & S.), E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-1810],
- obtusellus** Crambus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50 [*n. n.*]; & Ill. Brit. Ent.
(Haust. IV.) Dec. 1834, 328.
- obtusella** Phycis (Huebn.), Zincken, Mag. Entom. (Germar) III. 1818, 164.—Tinea, 1796.
- obtusella** Rhodophaea (Huebn.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845,
313.—? Tinea, 1796.
- obtusicauda** Cyclops, C. S. Rafinesque-S., Précis Som. 1814, 26 [*n. n.*].
- obtusocaudata** Ascaris (Z.), C. A. Rudolphi, Entoz. II (1) 1809, 177.—Fusaria, 1800.
- obtusocaudata** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 634.
- obtusocaudata** Lineola, A. Kölliker, 29 Verh. Allg. Schweiz. Gesellsch. 1844 (1845), 88.
- obtusicaudatus** Phacops, J. W. Salter, Mem. Geol. Surv. U. K., Figures, Decade 2, 1849,
pl. 1, p. 7.
- obtusicollis** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
554. [1849, 71.]
- obtusicollis** Cymindis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
- obtusicollis** Monotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
1845, 96.
- obtusicornis** Batrisus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
1845, 45.
- obtusicornis** Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 7 [*n. n.*].

- obtusicostata** *Scalaria*, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 535 [*n. n.*].
- obtusidens** *Chrysis*, Dufour & Perris, Ann. Soc. Ent. France, IX (1) *post* Mar. 1840, 37.
- obtusidens** *Coprobius*, D. Zeigler, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 45.
- obtusidens** *Curimata*, W. Jardine (*ex* Orb. fig.) in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.) 1843, 195.
- obtusidens** *Curimates*, A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 9.
- obtusifrons** *Leucosia*, W. de Haan in Siebold, F. Japon. (Crust. 1841), 133.
- obtusifrons** *Nomada*, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 184.
- obtusinervis** *Pipunculus*, J. W. Zetterstedt, Dipt. Scand. III. 1844, 965.
- obtusipennis** *Anthomyia* (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 193.—
Musca. [*n. n.*].
- obtusipennis** *Anthus*, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850, 248.
- obtusipennis** *Aricia* (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1425.—Musca.
- obtusipennis** Musca, C. F. Fallen, Mon. Muscidum Sveciae (6) 1823, 57.
- obtusirostris** *Barbus*, v. Hasselt, Allg. Konst. Letter-Bode, Aug. 1823, 132; Bull. des Sci. Nat. II. 1824, 375 [*n. n.*].
- obtusirostris** *Barbus*, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 167.
- obtusirostris** *Corallus*, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 259.
- obtusirostris** *Ecphymotes* (Wiegman.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 185.—
- obtusirostris** *Euaxes*, A. Menge, Arch. f. Naturg. XI (1) 1845, 31. [Laemanctus.
- obtusirostris** *Gobio*, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 311.
- obtusirostris** *Laemanctus*, A. F. A. Wiegmann, Herpet. Mex. 1834, 46.
- obtusirostris** *Meletta*, Cuvier & Valenc., H. N. Poiss. XX. 1847, 375.
- obtusirostre** *Ophidium*, O. G. Costa, Fauna Regno Napoli, Pesci, I. *Ophidium*, 12 (Sept. 1843).
- obtusissima** *Limnaea*, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 63. [1843].
- obtusiusculum** *Trichosoma*, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 13.
- obtusiventris** *Priocnemis*, J. Schiodte, Naturhist. Tidsskrift, I. 1837, 329.
- obtusio**→ *v.* **obtusi**→.
- obtusoides** *Arca*, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 50.
- obtusurhynchus** *Trigla*, Bennet & Olivier, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XIII (2) 1825, 53. [Glandina.
- obtusa** *Achatina* (Pf.), L. Reeve, Conch. Icon. V.—*Achatina*, no. 62, May 1849.—
- obtus** *Aetobatus*, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- obtus** *Agabus* (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 213.—*Colymbetes obtusatus*. [Goniatites.
- obtus** *Aganides* (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 115.—
- obtus** *Alburnus*, J. J. Heckel in Russegger, Reise, I (2) 1843, 1036 [*n. n.*].
- obtusa** *Amara*, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 132.
- obtusa** *Amblophyllia*, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.
- obtusa** *Ambonychia*, J. Hall, N. H. New York (Pal. I.) 1847, 167.
- obtus** *Ammonites*, J. Sowerby, Min. Conch. II. 1817, 151.
- obtusa** *Ampullaria*, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 45.
- obtus** *Amycterus* (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 474.—
Curculio. [282.
- obtusa** *Ancillaria*, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVIII (36) Jan. 1825,
- obtusa** *Ancillaria*, G. B. Sowerby, I., in Broderip & S., Spec. Conch. I (1) 1830, 5.
- obtusa** *Ancillaria*, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 31.
- obtusa** *Ancillaria*, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 189.
- obtus** *Ancylus*, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 88.
- obtusa** *Anguinaria*, C. F. Schumacher, Essai Vers test. 1817, 262.
- obtus** *Anisodactylus*, F. Gebler, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 265.
- obtus** *Anodon*, J. A. Wagler in J. B. v. Spix, Testac. Brasil. 1827, 30.
- obtusa** *Anodonta* (Spix), S. Moricand, Mém. Soc. Phys. H. N. Genève, VIII (1) 1838, 147.—*Anodon*.
- obtusa** *Anodonta*, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 144.
- obtusa** *Anthomyza*, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 682.
- obtusa** *Aphrophora*, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 305.—*Cercopis*, 1825.

- obtusus** Apus, T. Say in Long, Exped. Rocky Mts. I. 1823, 462; & ed. London, II. 1823, 337.
- obtusa** Arca (Ph.), L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 112.—Cucullaea.
- obtusa** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 77, Mar. 1844.
- obtusa** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1571.—Anthomyza, 1838.
- obtusus** Asaphus, J. Hall, N. H. New York (Pal. I.) 1847, 24.
- obtusa** Astarte, A. Keyserling, Wiss. Beob. Petschora, 1846, 310.
- obtusa** Asterias, A. J. Retzius, Diss. Sp. Aster. 1805, 16.
- obtusa** Asterias, G. A. Goldfuss, Petref. German. I (3) 1831, 208.
- obtusus** Atrypa (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 9.—Spirifer.
- obtusa** Atrypa, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 18 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 155.
- obtusus** Attagenus (Sch.), Dejean, Catal. Coléopt. 1821, 46.—Dermestes.
- obtusa** Avicula (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 136.—
- obtusus** Axinus, E. Beyrich, Ber. Verh. k. pr. Ak. Wiss. 1847, 162 [*n. n.*]. [Lanistes.
- obtusus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 101.
- obtusum** Bembidion (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 83.—
- obtusum** Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 165. [Tachys.
- obtusus** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 406.
- obtusus** Brachinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 24.—Carabus, 1784.
- obtusus** Brachyrhinus (Boisd.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 177.—Curculio, 1785.
- obtusus** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 64.
- obtusum** Buccinum, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 657.
- obtusa** Bulimina, A. D'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 39.
- obtusa** Bulla, G. Montagu, Test. Brit. I. 1807, 223.
- obtusa** Bulla, S. V. Wood, Mag. Nat. Hist., n. s. III. Sept. 1839, 464.
- obtusa** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 55.
- obtusa** Byssoarca (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 73.—Cucullaea.
- obtusa** Callidea, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 16.
- obtusa** Cancellaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 187.
- obtusus** Cancer (Xantho), W. de Haan in Siebold, F. Japon. (Crust. 1835), 47.
- obtusa** Cardita, J. Sowerby, Min. Conch. II. 1818, 219.
- obtusa** Cassidaria, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlix, f. 3.
- obtusus** Catopygus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.
- obtusus** Ceratodus, J. L. R. Agassiz, Poiss. Foss. III., 134 (1838).
- obtusa** Cercopis, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 339.
- obtusa** Cerithidea (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 80.—Cerithium, ? Lam.
- obtusum** Cerithium, Lamarck, An. s. vert. VII. 1822, 71.
- obtusum** Cerithium, W. Wood, Suppl. Index Test. 1828, 34.—Strombus, 1828.
- obtusum** Cerithium, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 105.
- obtusus** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 654.
- obtusa** Chlidonia, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 157, 1838, tab. 24⁷.
- obtusa** Clausilia, C. Pfeiffer, Naturg. deutschl. land-Moll. (1) 1821, 65.
- obtusa** Cleodora, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 415.
- obtusa** Cochlopupa, G. Jan, Consp. méth. Testac. 1830, 5.
- obtusus** Coluber, A. Reuss, Abh. Senckenb. Mus. I (2) 1834, 137.
- obtusa** Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19) Aug.
- obtusus** Conocephalus, H. Burmeister, Handb. Ent. II (2) i, 1838, 705. [1832, 117.
- obtusus** Conus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 210 [*n. n.*].
- obtusus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849–50, 317.
- obtusus** Copelatus, C. H. Boheman, Ins. Caffr. I (1) 1848, 242.
- obtusa** Copris, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 158.
- obtusa** Corbula, Jos. Mueller, Mon. Petref. Aachen, Kreidef. (1) 1847, 26.
- obtusus** Coreus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 80.
- obtusa** Creseis (Q. & G.), P. S. Rang, Ann. Sci. Nat. XIII (51) Mar. 1828, 317.—Cleodora.
- obtusa** Creseis, D. Sharpe, Q. J. Geol. Soc. London, II. 1846, 314.

- obtusa** Cucullaea, J. Phillips, Geol. Yorksh. II. 1836, 210.
obtusus Curculio, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 215.
obtusus Curculio, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 121.
obtusa Cuvieria (Q. & G.), A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 32.—Cleodora.
obtusum Cyclostoma, J. P. R. Draparnaud, Tab. Moll. France, 1801, 39.
obtusa Cylichna (Mont.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 512.—Bulla.
obtusus Cylindrus (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 107.—Pupa.
obtusa Cymbulia, H. D. de Blainville (*ex* Lesueur MS), Man. Malac. 1825, 655.
obtusa Cypraea, G. Perry, Conchology, Ap. 1811, pl. 19.
obtusa Cyrena, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 115.
obtusus Dacus, J. C. Fabricius, Syst. Antliat. 1805, 278.
obtusus Dermestes, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 88.
obtusus Discognathus, J. J. Heckel in Russegger, Reise, I (2) 1843, 1027 & 1072.
obtusus Dytiscus, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*].
obtusus Echinocyamus, L. Agassiz, Mon. Ech. II. 1841, 132.—Fibularia, 1840.
obtusa Emarginula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 175.
obtusus Eremnus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 545.
obtusus Erpeinus (Geb.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 25.—Anisodactylus. [1844], 107.
obtusus Eucamptus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
obtusus Exochleius, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 422.
obtusa Feronia (Argutor), C. H. Boheman, Ins. Caffr. I (1) 1848, 184.
obtusa Feronia (Platysma), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 30.
obtusus Fibularia, L. Agassiz, Cat. Ect. Ech. 1840.
obtusa Filaria, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 3.
obtusa Fissurella, G. B. Sowerby, I., Conch. Illustr. (77) 1835, f. 59; Catal. (80) 1835, 7.
obtusus Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 567.
obtusa Gematis, J. Sturm, Catal. Ins. Samml. 1826, 144 [*n. n.*].
obtusus Geoborus, Urv.; Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 203.
obtusus Geotrochus, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (41) Oct. 1823, 233.
obtusa Gervillia, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 32.
obtusus Gibbus, L. Pfeiffer, Zeitschr. f. Malakozool., June [Aug.] 1850, 87.
obtusa Glandina, L. Pfeiffer in R. A. Philippi, Abb. Conch. I (6) 1844, 132.
obtusus Globulus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiv.
obtusus Goniaticites, J. Phillips, Geol. Yorksh. II. 1836, 234.
obtusus Graphipterus, C. H. Boheman, Ins. Caffr. I (1) 1848, 87.
obtusus Gyrinus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 447.
obtusa Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 38.
obtusa Helix (Cochlostyla) (Drap.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 52.—Pupa.
obtusa Hemipronites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 76.
obtusus Homalonotus, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 26.
obtusa Homomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 161.
obtusus Hybodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 124 (1839); III., 186 (1843).
obtusa Hyla, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 930.
obtusa Ips, T. Say, Boston Journ. N. H. I (2) 1835, 168.
obtusa Jaminia, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 38 [*n. et f.*].
obtusus Julius (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 154.—Spirostreptus.
obtusus Lanistes, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 76.
obtusus Larinus, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*].
obtusa Lasioptera, H. Loew, Entom. Zeitung, Stettin, VI (12) Dec. 1845, 394.
obtusa Leptaena (Pand.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 15.—Productus.
obtusus Leptocerus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [*n. n.*]; & III. Brit. Ent. (Mand. VI.) Sept. 1836, 195.

- obtusa Lingula, J. Hall, N. H. New York (Pal. I.) 1847, 98.
 obtusa Liogaster, H. v. Meyer, N. Jahrb. f. Min. 1844, 567. [Aug. 1829, 332.
 obtusus Lipeurus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64; & Syst. Cat. Brit. Ins.,
 obtusus Lithodomus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 296.
 obtusa Litogaster, H. v. Meyer, Palaeontographica, I (3) July 1847, 137.—Liogaster,
 obtusa Lucina (Axinus), E. Beyrich, Arch. f. min. XXII. 1848, 58. [1844.
 obtusa Marginella, G. B. Sowerby, II., Thes. Conch. I (7) ante 27 Nov. 1846, 374.
 obtusus Marmorosaurus, R. Owen, Odont., Expl. pls. (1845), 20.
 obtusa Martinia (Sow.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 140.—
 Spirifer.
 obtusus Mastus (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 73.—Pupa.
 obtusa Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
 obtusa Melanopsis, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 123.
 obtusa Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 11.
 obtusus Micropeplus, E. Newman, Entom. Mag. II (2) Ap. 1834, 201.
 obtusus Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 75.
 obtusa Modiola, J. Hall, N. H. New York (Pal. I.) 1847, 40.
 obtusus Monoceros (Desh.), H. G. Bronn, Index Pal. 1848, 741.—Buccinum.
 obtusa Morica, Latr.; Dejean, Catal. Coléopt., ed. 2 (3) 1834, 182 [*n. n.*].
 obtusa Morica, A. J. J. Solier, Ann. Soc. Ent. France, V (4) post Jan. 1837, 650.
 obtusa Mormidea, C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 449.
 obtusus Myacites, G. A. Goldfuss, Petref. German. II (7) 1840, 261.
 obtusa Natica (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 311.—Globulus.
 obtusus Naupactus, Hellw.; J. Sturm, Catal. Ins. Samml. 1826, 172.
 obtusa Neritina, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 749 [*n. n.*].
 obtusa Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 342.
 obtusa Nummularia, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiv.
 obtusa Nummulites, Joly & Leymerie, Mém. Ac. R. Sci. Toulouse [3] IV. 1848, 187 & 217.
 obtusa Ophisurus, W. Swainson, N. H. Fishes etc. II. July 1839, 395.
 obtusa Ophiura, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 193.
 obtusa Opsonais, P. Gervais, Bull. Ac. Roy. Brux. V. 1838, 17 [*n. n.*].
 obtusus Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 468.
 obtusa Orthis (Pand.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
 212.—Productus.
 obtusa Orthocera, T. Brown, Trans. Manchester Geol. Soc. 1841, 219.
 obtusum Otarion, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 54.
 obtusus Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 356.
 obtusum Ovulum, G. B. Sowerby, I., Zool. Journ. IV (14) Oct. 1828, 156.
 obtusa Oxyuris, Hemprich & Ehrenberg, Sym. Phys. (Mamm.) Hyrax, 1828, sign. f.
 obtusa Paludina, F. H. Troschel, Arch. f. Naturg. III (1) 1837, 173.
 obtusa Paludina, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 34.
 obtusa Pandora, Lamarck, An. s. vert. V. 1818, 499.
 obtusa Pandora, G. B. Sowerby, I.; in Broderip & S., Spec. Conch. I (1) 1830, 2.
 obtusa Panopaea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 173.—
 obtusus Pasimachus, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*]. [Myacites.
 obtusa Patiria, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 82.
 obtusus Pentamerus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 94.
 obtusa Periploma, S. Hanley, Ill. enlarged & Engl. ed. of Lamarck's Species of Shells
 (1) 1843, List of Ill. to pl. ii.
 obtusa Phila, V. v. Mochulski (? *ex* Dej. MS), Kaefer Russl., post May 1850, 14.
 obtusa Pholadomya (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1827, 86.—Cardita.
 obtusa Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 495.—Tinea obtusella, Huebn.
 1796.
 obtusa Phycita (Haw.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Phycis.
 obtusa Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 491.
 obtusus Planorbis, J. Sowerby, Min. Conch. II. 1816, 91.
 obtusa [Pleuraster] (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
 191.—Asterias.

- obtusa** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 356, Jan. 1846.
obtusa Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 168.
obtus Pogonocherus, Ziegler; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
obtusa Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 265 [*n. n.*].
obtusa Polystomella, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 124.
obtusa Posidonomya (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 14.—
 Ambonychia.
obtusa Proconia (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
 571.—Cicada, 1787.
obtus Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 87.
obtus Productus (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII.
 Jan. 1836, 380.—Spirifer. [105.
obtus Proleptus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
obtus Psammodus, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 196; Poiss.
 Foss. I. Tableau (1844) xxxv [*n. n.*].
obtusa Pseudoliva (Desh.), J. De C. Sowerby, Min. Conch. VII. 1841, 23.—Buccinum.
obtus Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 490.
obtus Pterostichus, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 22.
obtusa Pupa, J. P. R. Draparnaud, H. N. Moll. France, 1805, 63.
obtusa Pupa, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. e.
obtus Pycnodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [*n. n.*]; Poiss. Foss.
 II (2), 199 (1844).
obtus Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 27 [*n. et f.*].
obtus Reduvius, Palisot de B., Ins. Afr. Amér. (—) 1807, 63. [420.
obtus Rembus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847,
obtusa Retusa (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 5.—Bulla.
obtus Rhinobatus (Rhinobatus), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 122.
obtus Rhyparochromus, J. Curtis, Brit. Entom. XIII (153) Sept. 1836, no. 612.
obtusa Rissoa, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 64.
obtusa Rissoa, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 348.
obtusa Rissoa, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 10.—Pyramis, 1827.
obtusa Rissoa (Bonellia), H. E. Anton, Verz. Conch. 1839, 62.
obtusa Rissoina, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 419.
obtusa Robulina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 369.
obtusa Rosalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 179.
obtusa Sanguinolaria, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 99.
obtusa Sclalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 29.
obtus Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1812, 104.
obtusa Sciomyza, C. F. Fallen, Sciomyz. Sveciae, 1820, 13.
obtus Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 130.
obtusum Sepidium, J. Sturm, Catal. Ins. Samml. 1826, 195 [*n. n.*].
obtusa Seriatopora, de Blainville, Dict. Sci. Nat. LX. 1830, 362 [*n. n.*].
obtusa Serpula, J. De C. Sowerby, Min. Conch. VI. 1829, 228.
obtusa Simpulopsis (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 100.—Succinea.
obtusa Solen (Lam.), W. Wood, Suppl. Index Test. 1828, 47.—Pandora.
obtusum Sphaerotherium, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 98.
obtusa Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 25.
obtus Spirifer, J. Sowerby, Min. Conch. III. 1820, 124.
obtusa Spiroptera (Froel.), C. A. Rudolphi, Entoz. Syn. Mant. 1819, 27.—Ascaris, 1791.
obtus Spirostreptus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 270.
obtus Steropus, A. D. Hummel, Essais Entom. II (1) 1829, 20.
obtus Strombus, W. Wood, Suppl. Index. Test. 1828, 13 [*n. et f.*].
obtusa Styliola (Sharp), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 19.—Creseis.
obtusa Succinea, G. B. Sowerby, I., Gen. of Shells, pl. 172, f. 2, 1822 [*n. et f.*].
obtusum Sulcobuccinum (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 320 &
 369.—Buccinum.
obtus Tachyporus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Staphylinus,
obtus Tachys (Sturm), Dejean, Catal. Coléopt. 1821, 16.—Bembidium. [1767.

- obtusa** Tellina, J. Sowerby, Min. Conch. II. 1817, 175.
- obtusa** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 55.
- obtusa** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 211.
- obtusum** Terebellum, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
- obtusa** Terebratula, J. Sowerby, Tr. Linn. Soc. London, XII (2) 1819, 516.
- obtusa** Terebratula, J. De C. Sowerby, Min. Conch. V. 1823, 53.
- obtusa** Tetragnatha, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 5.
- obtusa** Tettigonia (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 616.—Cicada, 1787.
- obtusa** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 262.
- obtusus** Throscus, J. Curtis (*ex* Westwood MS), Brit. Entom. IV (41) May 1827, no. 163.
- obtusus** Thylacites, Fab.; Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
- obtusus** Trechus, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 122.
- obtusum** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 13.
- obtusus** Trochus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 809.
- obtusus** Turbo, J. De C. Sowerby, Min. Conch. VI. 1827, 97.
- obtusus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 230.
- obtusus** Turbo, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 48.
- obtusa** Turritella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 82.
- obtusus** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 287.
- obtusus** Uraster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 463. [stoma.
- obtusa** Valvata (Drap.), C. Pfeiffer, Naturg. deutsch. land-Moll. (1) 1821, 98.—Cyclo-
- obtusa** Venus, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 420 [*n. et f.*].
- obtusa** Vitrina (Sow.), L. Pfeiffer, Symb. Helic. II. 1842, 62.—Succinea.
- obtusa** Walckenaeria, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser. VIII (49) June
- obtusus** Zercon, C. L. Koch, Deutsch. Crust., heft 27, 1838, tab. 13. [1836, 482.
- obtusata** *v.* **obtusata**.
- obumbratus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 147.
- obvallatus** Helicites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 73.
- obvelata** Ascaris, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 18.
- obvelatum** Buccinum, G. P. Deshayes in Laborde, Voy. Arab. Pétrée, 1830, 66.
- obvelata** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 102.
- obvelata** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 108.
- obvelata** Oxyuris (Rud.), E. Deslongchamps, Ency. Méth. (Zooph.) 1827, 599.—Ascaris.
- obvelatus** Prionodon, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 103.
- obvelata** Spiroptera, F. C. H. Creplin, Obs. de Entozois (1) 1825, 10.
- obversa** Physalia, *v.* Hasselt, Algem. Konst. Letter-Bode, 1822 (44) Oct. 1822, 277.
- obvia** Helicella (Ziegl.), J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 148.—Helix.
- obvia** Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 13.
- obvia** Theba (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 13.—Helix.
- obvolitans** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 25.
- Obvoluta** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 229.—G.
- obvoluta** Amphibola, J. H. Jonas, Proc. Zool. Soc. London, XIV (157) May 1846, 35.
- obvolutus** Brephulus (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 72.—? Helix, Müll. 1774.
- obvoluta** Catopyga, Fonscolombe, Rev. et Mag. de Zool. (2) I. Dec. 1849, 623.
- obvoluta** Euphemia (Müll.), H. Beck, Amt. Ber. 24 Vers. Deutsch. Naturf. 1846 (1847), 122.—Helix, 1774.
- obvoluta** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 141.
- obvoluta** Gonostoma (Müll.), F. Held, Isis (Oken), 1837, 915.—Helix, 1774.
- obvoluta** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 351.
- obvoluta** Helix (Helicodonta), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 38.
- obvolutus** Planorbis (L.), J. L. M. Poiret, Coq. Aisne, 1801, 89.—Helix, ? Müll. 1774.
- obvoluta** Polygyra (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix, Müll.
- obvolutum** Terebellum, Al. Brongniart, Mém. terr. Vicentin, 1823, 62. [1774.
- obvolutum** Trigonostoma (Müll.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 98.—Helix, 1774.

- obvolutus Turbinites, E. F. v. Schlotheim, Die Petref. 1820, 166.
- obvoluta Vortex (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 29.—Helix, 1774.
- obvolvans Donatia, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- Ocaenus J. Gistel, Nat. Thierr. 1848, p. ix.—Col.
- ocale Anthocharis, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 584.
- Ocalea W. F. Erichson, Käfer Mark Brand. I (1) 1837, 298.—Col.
- ocalea Inostemma, F. Walker, Entom. Mag. V (5) Oct. 1838, 456. [[*n. et f.*].
- ocalea Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 125
- occa Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 137.
- occallatum Sphaeridium, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 191.
- occallescens Erirhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 298.
- occator Hispa, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 73.
- occator Sitona (Herbst), Dejean, Catal. Coléopt. 1821, 94.—Curculio, 1795.
- occatorius Atypus (Latr.), Lamarck, An. s. vert. V. 1818, 105.—Eriodon.
- occatorius Eriodon, P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 86.
- occatoria Missulena, C. A. Walckenaer, Tab. Aran. 1805, 8.
- occatoria Mygale, G. A. Goldfuss, Handb. Zool. (1) 1820, 220.
- occatoria Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 311.
- occata Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 41.
- occatus Coelosternus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 205.—Cryptorhynchus.
- occatus Cryptorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 272.
- occatus Eremnus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 222.
- occata Melania, R. B. Hinds, Ann. Mag. N. H. XIV. July 1844, 9.
- occata Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 241.—Clavatula.
- occidanaria Boarmia, C. F. Freyer, Neuere Beitr. Schmett. III (35) 1837, 27.
- occidens Fissurella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 156.
- occidens Sanguinolaria (Gm.), Lamarck, An. s. vert. V. 1818, 510.—Solen, 1790.
- occidens Soletellina (Lam.), Deshayes, Dict. Class. H. N. XV. 1829, 489.—Sanguinolaria.
- occidens Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. III (4) 1829, 435.
- occidentis Zodion, F. Walker, List Dipt. Coll. B. M. (3) 1849, 676.
- occidentalis Amia, J. E. De Kay, N. H. New York (Fish) 1842, 269.
- occidentalis Ammonites, I. Lea, P. Amer. Phil. Soc. I (12) July 1840, 226.
- occidentalis Anoxia (Ol.), Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 407.—Melolontha, ? Fab. 1775.
- occidentalis Aporrhais, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 21.
- occidentalis Arca, R. A. Philippi, Abb. Conch. III (1) 1847, 29.
- occidentalis Ardea, J. J. Audubon, Birds of Amer., pl. 281 (1835); Orn. Biogr. III. 1835, 542.
- occidentalis Arvicola, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 45.
- occidentalis Atya, G. Newport, Ann. Mag. N. H. XIX. Mar. 1847, 159.
- occidentalis Blepharipoda, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840,
- occidentalis Bulla, A. Adams; G. B. Sowerby, II., Thes. Conch. II (11) 1850, 577. [131.
- occidentalis Ceratorhynchus, C. L. Bonaparte, List Birds Eur. Amer. 1838, 66.
- occidentalis Cerorhinca, C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan. 1828, 428.
- occidentalis Cervus, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV., 101 (1827); Syn. 1827, 308.
- occidentalis Chiton, [J. W. Foster], Amer. J. Sci. XXXI (1) Oct. 1836, 84.
- occidentalis Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 76, Mar. 1847.
- occidentalis Colletes, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 322.
- occidentalis Conger, J. E. De Kay, N. H. New York (Fish) 1842, 314.
- occidentalis Cybister (Dej.), C. Aubé, Spec. gén. Hydroc. 1838, 67.—Trochalus.
- occidentalis Dactylopterus, W. Swainson, N. H. Fishes etc. II. July 1839, 415.
- occidentalis Etisus, A. White, List Crustacea Coll. B. M. 1847, 20 [*n. n.*].
- occidentalis Eunectes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 73.
- occidentalis Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 231.
- occidentalis Galerita (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 261.—Carabus, 1790.

- occidentalis* Galerita, Fab.; Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
- occidentalis* Geophilus (L.), F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 53.—Scolopendra, 1758.
- occidentalis* Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 429.
- occidentalis* Gypaetus, Schlegel in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 11.
- occidentalis* Gyps (Schleg.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 10.—*vide fulvus*
- occidentalis* Helicina, L. Guilding, Zool. Journ. III (12) Ap. 1828, 529. [*occidentalis*.]
- occidentalis* Helix, C. Récluz, Rev. Zool. (Soc. Cuvier) 1845, 311.
- occidentalis* Ieracidea, J. Gould, Birds Austral. (16) 1 Sept. 1844; Proc. Zool. Soc. London, XII (136) Oct. 1844, 105.
- occidentalis* Larus, J. J. Audubon, Orn. Biogr. V. 1839, 320.
- occidentalis* Leilus, W. Swainson, Zool. Illust. (2) III (28) 1833, pl. 129.
- occidentalis* Lucina, L. Reeve, Conch. Icon. VI.—Lucina, errata? Aug. 1850.
- occidentalis* Lupus (Rich.), J. E. De Kay, N. H. New York (Mamm.) 1842, 42.—Canis lupus *occidentalis*.
- occidentalis* Macropodia, L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 335.
- occidentalis* Megacephala, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 11.
- occidentalis* Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 12.
- occidentalis* Melolontha, Ol.; Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
- occidentalis* Melongena, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 79 [*n. n.*].
- occidentalis* Mniotilta (Townsend), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Sylvia.
- occidentalis* Natica, J. Hall in Frémont, Exped. Rocky Mts. etc. [U. S. Senate, 1845, no. 166], 308.
- occidentalis* Nephrops, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 139.
- occidentalis* Nidalia, J. E. Gray, Proc. Zool. Soc. London, III (28) July 1835, 60.
- occidentalis* Oligyra (Guild.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 121.—Helicina.
- occidentale* Onchidium, L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 323.
- occidentale* Opatrum, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 290 [*n. n.*].
- occidentalis* Orthos, J. Hall, N. H. New York (Pal. I.) 1847, 127.
- occidentalis* Pachytoma, W. Swainson, Treat. Malacol., May 1840, 337.
- occidentalis* Panulirus, A. White, List Crustacea Coll. B. M. 1847, 70 [*n. n.*].
- occidentalis* Pholadomya, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 292.
- occidentalis* Photinus (Ol.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 144.—Lampyrus, 1790.
- occidentalis* Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 497.
- occidentalis* Pimelodus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 203.
- occidentalis* Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 357, Ap. 1846.
- occidentalis* Polyphemus, Lamarck, Syst. Anim. 1801, 169.
- occidentalis* Polyzosteria, H. Burmeister, Handb. Ent. II (2) i, 1838, 483.
- occidentalis* Proscopia, J. O. Westwood, Arcana Entom. II (16) Nov. 1843, 53.
- occidentalis* Recurvirostra, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 356.
- occidentalis* Rhynchaea, P. P. King, Zool. Journ. IV (13) July 1828, 94. [[*n. n.*].]
- occidentalis* Scarabaeus, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802, 332
- occidentalis* Sciurus, J. J. Audubon & J. Bachman, Proc. Acad. Nat. Sci. Philad. I (7) Oct. 1841, 102.
- occidentalis* Sialia, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 188.
- occidentalis* Smicrornis, Bonaparte, Consp. Gen. Avium, I. 1850, 293 [*n. n.*].
- occidentalis* Sylvia, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 190.
- occidentalis* Sylvicola (Townsend), C. L. Bonaparte, List Birds Eur. Amer. 1838, 23.—Sylvia.
- occidentalis* Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 335.
- occidentalis* Tellina, S. G. Morton, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 210.
- occidentalis* Timarcha, Hoff.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- occidentalis* Torpedo, D. H. Storer, Amer. J. Sci. XLV (1) July 1843, 166.
- occidentalis* Trochilus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 53 [*n. n.*].
- occidentalis* Trochita, J. E. Gray, Figs. Moll. Anim. IV. 1850, 84.
- occidentalis* Trochus, Mighels & Adams, Boston Journ. N. H. IV (1) 1842, 47; Proc. Boston Soc. N. H. I (—) 1844, 49.
- occidentalis* Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 63.

- occidentalis** Uranoscopus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 123.
- occidentalis** Xantholinus, J. Walth, Reise Tyrol etc. (2) 1835, 58.
- occidentis** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 225.
- Occidozyga** Kuhl & v. Hasselt, Algem. Konst. Letter-Bode, 1822 (7) Feb. 1822, 103; Bull. Sci. Nat. II. 1824, 83.—R. [*sine typo*].
- occidua** Aranea, G. Shaw, Nat. Misc. XXIII. 1811, pl. 983.
- occiduus** Celestus (Shaw), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 117.—Lacerta.
- occidua** Erebus (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 607.—Phalaena, ? Clerck, 1764.
- occidua** Gymnosoma, F. Walker, List Dipt. Coll. B. M. (4) 1849, 692.
- occidua** Lacerta, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 288.
- occiduus** Pyrophorus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 76.
- occidua** Sarcophaga (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 368.—Musca, 1794.
- occidua** Syrnia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 273.—Phalaena, L. 1767.
- occidua** Tiliqua (Sh.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.,
- occipitalis** Agama, J. E. Gray, Phil. Mag., n. s. II (9) Sept. 1827, 214. [69.—Lacerta.
- occipitalis** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 222.
- occipitalis** Anolis, J. E. Gray, Ann. Nat. Hist. V. Ap. 1840, 112.
- occipitalis** Aptinus, W. S. Macleay, Annulosa Javanica, 1825, 28.
- occipitalis** Aquila (Daud.), C. Dumont, Dict. Sci. Nat. (ed. 1) I. 1804, 360.—Falco, 1800.
- occipitalis** Brachylophus, W. Swainson, N. H. Classif. Birds, II. June 1837, 308.
- occipitalis** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- occipitalis** Buprestis, J. F. Eschscholtz, Entomographien, I (1) 1822, 79. [389.
- occipitalis** Cantharis, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 18.
- occipitalis** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 810.
- occipitalis** Chloropicos (Vig.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 351.—
- occipitalis** Clelia (Wagl.), L. J. Fitzinger, Isis (Oken), 1826, 883.—Natrix. [Picus.
- occipitalis** Cloelia, J. Wagler, Nat. Syst. Amph. 1850, 187.—Natrix, 1824.
- occipitalis** Dendrocitta (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 369.—
- occipitalis** Euphonia, B. L. Du Bus de G., Esq. Ornith. (3) 1847. [Glaucopis.
- occipitalis** Gecinus (Vig.), G. R. Gray, Gen. Birds, II. July 1846, 438.—Picus. [Picus.
- occipitalis** Gecinus (Vig.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846 [Jan. 1847], 116.—
- occipitalis** Glaucopis, S. Mueller, Tijdschr. nat. geschied. physiol. II (4) 1835, 343.
- occipitalis** Gryllus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- occipitalis** Hydropsyche, F. J. Pictet, Rech. Phrygan. 1834, 211. [339.
- occipitalis** Hyla, L. J. Fitzinger, Neue Classif. Rept. 1826, 63 [*n. n.*].
- occipitalis** Leiothrix (Blyth), G. R. Gray, Gen. Birds, III. App. 1849, 12.—Siva.
- occipitalis** Leptura, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 268.
- occipitalis** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 13.
- occipitalis** Mesagroicus, E. F. Germar, F. Ins. Europ. (24) 1847, 11.
- occipitalis** Microdon, F. Dixon, Geol. Sussex, 1850, 369.
- occipitalis** Micropogon, E. Rueppell, Abh. Senckenb. Mus. II (3) 1837, 300.
- occipitalis** Monolepta, L. Reiche in Ferret & Galinier, Voy. Abyssin. III [1850], 402.
- occipitalis** Morphnus (Daud.), Cuvier, Règne Anim. I. 1817, 318.—Falco, 1800.
- occipitalis** Muscicapa, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 97.
- occipitalis** Natrix, J. Wagler in Spix, Serp. Brasil. 1824, 21.
- occipitalis** Noctua (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 63.—Strix.
- occipitalis** Passalus, F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 21.
- occipitalis** Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1842, 254.
- occipitalis** Phyllopneuste, E. Blyth in T. C. Jerdon, Madras Journ. XIII (31) Dec. 1844,
- occipitalis** Picus, A. Valenciennes, Dict. Sci. Nat. XL. 1826, 172. [131.
- occipitalis** Picus, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 8.
- occipitalis** Podiceps, P. Garnot, Ann. Sci. Nat. VII (25) Jan. 1826, 50.
- occipitalis** Polyodon, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- occipitalis** Psilorhinus, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 27.
- occipitalis** Ptilonopus, G. R. Gray, Gen. Birds, II. Aug. 1844, 467 [*n. et f.*].

- occipitalis** Ptilonopus, G. R. Gray, List Birds Coll. B. M. III. Oct. 1844, 1 [*n. n.*].
- occipitalis** Pycnonotus (Temm.), G. R. Gray, Gen. Birds, I. Oct. 1847, 237.—Turdus, ? Less.
- occipitalis** Serranus, J. L. R. Agassiz, Poiss. Foss. IV., 39 (1835) [*n. n.*]; 102 (1836).
- occipitalis** Siva, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 937.
- occipitalis** Spizaetus (Daud.), G. R. Gray, List Birds Coll. B. M. I. 1844, 8.—Falco, 1800.
- occipitalis** Strix, C. J. Temminck in T. & Laugier, Pls. color. (4) Ap. 1822.
- occipitalis** Temnurus (Muell.), G. R. Gray, Gen. Birds, II. Dec. 1845, 310.—Glaucopis.
- occipitalis** Todiramphus, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 23.
- occipitalis** Trionocephus (Burch.), R. P. Lesson, Echo Monde Savant, IX. 8 Dec. 1842, 1038.—Vultur.
- occipitalis** Turdus, R. P. Lesson, Traité Orn. (6) 1831, 410 [*teste* R. B. S.].
- occipitalis** Turdus, Eydoux & Gervais, Oiseaux de la "Favorite" in Magasin de Zool. VI. 1836, pl. 66.
- occipitalis** Urocissa (Blyth), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 87.—Psilo-
- occipitalis** Vultur, W. J. Burchell, Trav. S. Afr. II. 1824, 329. [rhinus.]
- occipitalis** Yuhina, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 166.
- occipito-maculatus** Coluber, D. H. Storer, Rep. Ichth. Massach. 1839, 230.
- occisor** Cryptus, J. L. C. Gravenhorst, Ichenum. Europ. II. 1829, 615.
- occitanaria** Boarmia, Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 360, 1829.
- occitaneum** Lophiodon, *id. ac* occitanum; H. D. de Blainville, Ostéogr., Palaeother. 1846, 189. [378.—Myrmeleon, 1789.]
- occitanica** Acanthaclises (Vill.), P. Rambur (Roret's Suite à Buffon), Névroptères, 1842,
- occitanica** Anoxia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 420.
- occitanica** Argus (Dugès), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 348.—Enyo.
- occitanica** Enyo, Dugès in Cuvier, R. Anim. (disciples' ed.) (Arach.), expl. pl. xiv [*die indet.*].
- occitanica** Fissurella, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 111.
- occitanicus** Gomphus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 165.
- occitanica** Lacerta, J. Hermann, Obs. Zool. 1804, 257.
- occitanica** Lasmogyra (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Lobo-
- occitanica** Lobophyllia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 291. [phyllia.]
- occitanicum** Lophiodon, H. v. Meyer, Palaeologica, 1832, 87.
- occitanicum** Palaeotherium, G. Cuvier, Oss. Foss. III. 1812, Add. p. 6.
- occitanica** Rhipidogyra (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 283.—Lobophyllia.
- occitanica** Spheg, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 462.
- occitanica** Syndosmya, Récluz in J. C. Chenu, Illustr. Conch. I. Syndosmya, 1843-4, 3.
- occitans** Buthus (Latr.), W. E. Leach, Tr. Linn. Soc. Lond. XI (2) 1815, 391.—? Scorpio occitanus, Am. 1789. [1789.]
- occitanus** Androctonus (Am.), H. Lucas, Explor. Algér. (Artic. I.) 1846, 272.—Scorpio,
- occitanus** Buthus (Am.), E. Guérin, Ency. Méth. (Ins.) 1825, 398.—Scorpio, 1789.
- occitanus** Echinocyamus (Deffr.), L. Agassiz, Mon. Ech. II. 1841, 136.—Scutella.
- occitana** Lagana (Deffr.), L. Agassiz, Cat. Ect. Ech. 1840, 6.—Scutella.
- occitanum** Lophiodon, H. D. de Blainville, Ostéogr., Palaeother. 1846, 87.
- occitana** Phoca, Gervais & Serres, Ann. Sci. Nat. [3] (Zool.) VIII. Oct. 1847, 225.
- occitana** Scutella, Deffrance, Dict. Sci. Nat. XLVIII. 1827, 231.
- occitana** Syndosmya, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Dec. 1843, 365.
- occlatus** Mysis, Lamarck, An. s. vert. V. 1818, 200 [*v. oculatus*].
- occlusa** Apamea (Huebner), F. Treitschke, Schmett. Europa, X (2) 1835, 65.—Noctua.
- occlusa** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 64, Mar. 1844.
- occlusa** Natica, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 146.
- occlusa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 156 (Fernaldo iudice 1826-33) [*n. et f.*].
- occlusa** Orthis, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 192.
- occlusa** Siliquaria, H. E. Anton, Verz. Conch. 1839, 55.
- occultans** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 254.

- occultans** Dibolia (Gyll.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 155.—
- occultans** Haltica, J. J. Hoffmann, etc., Entom. Hefte, II. 1803, 23. [Haltica, Hoffm.]
- occultans** Psilocerus, J. F. Ruthe, Isis (Oken), 1831, 1207.
- occultana** Poecilochroma, J. W. Douglas, The Zoologist, IV (3) 1846, 1267.
- occultaria** (*sic*) Phalaena, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- occultata** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 134.
- occultella** Elachista, J. W. Douglas, Proc. Entom. Soc. Lond., n. s. I. Sept. 1850, 7.
- occultina** Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, Addenda, 3 [*n. n.*].
- occulta** Agromyza, J. Walzl, Isis (Oken), 1837, 283.
- occultus** Allajulus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 117.
- occulta** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 133.
- occulta** Anthrax, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 153. [Noctua.]
- occulta** Aplecta (Huebner), A. Guénée, Ann. Soc. Ent. France, VII (2) *post* June 1838, 219.—
- occulta** Aricia (Meig.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1486.—Anthomyia.
- occultus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 617, Dec. 1849.
- occulta** Bulla, Mighels & Adams, Boston Journ. N. H. IV. (1) 1842, 54; Proc. Boston Soc. N. H. I (—) 1844, 50.
- occulta** Calodera, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 347.
- occulta** Cellepora, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 611.
- occultus** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 530.
- occultus** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 50.
- occultus** Cleonymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 33.
- occultus** Crabro, J. C. Fabricius, Syst. Piezat. 1804, 310.
- occulta** Cytherea, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 274.
- occulta** Eurois (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 218.—Phalaena, 1758.
- occulta** Helicina, T. Say, Transylv. Journ. Med. IV. 1831, 528, pl. xlv; Descr. Shells N. Amer. 1840, 15.
- occulta** Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 317.
- occulta** Lasiops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 324.—Anthomyia,
- occulta** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 279. [1826.]
- occultus** Microsaurus, Dahl; Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 61.
- occulta** Myopa, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 145.
- occulta** (*sic*) Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 17 (Fernaldo judice 1802) [*n. et f.*]. [Phalaena, 1758.]
- occulta** Noctua (L.), J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 191.—
- occulta** Oxypoda, B. Grimm, Entom. Zeitung, Stettin, VI (5) May 1845, 132.
- occultus** Pelops, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 15.
- occulta** Polia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 74.—Phalaena, 1758.
- occulta** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 98.
- occultus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 24.
- occulta** Pupa, Parreyss in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839, 25.
- occulta** Pythonissa, C. L. Koch, Die Arachniden, VI (3) *ante* July 1839, 58.
- occultus** Staphylinus, Dahl; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- occulta** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 198.
- occultus** Tachys, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 470.
- occulta** Terebratula, H. E. Anton, Verz. Conch. 1839, 24. [470.]
- occultus** Trochus, R. A. Philippi, Abb. Conch. II (1) 1845, 17.
- occupator** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 425.
- occupator** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 100.
- Occylotrachelus** C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 86.—Col.
- oceanensis** Polystomella, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 285 [*n. n.*].
- oceans** Ampullaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 114.
- oceans** Buccinum, G. A. Goldfuss, Petref. German. III (8) 1844, 29.
- oceans** Diastopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 109.
- oceans** Eschara, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 112.
- oceans** Escharina, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 112.

- oceans Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 325.
- oceans Macrocheilus (Goldf.), H. G. Bronn, Index Pal. 1848, 692.—Buccinum.
- oceans Meandrina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.
- oceans Natica (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 64.—Ampul-
- oceans Orthoceratites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 54. [Iaria.
- oceans Pecten, G. A. Goldfuss, Petref. German. II (4) 1833, 42.
- oceans Pentacrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 241.
- oceans Phyllocoenia, A. d'Orbigny, Bull. Soc. géol. France, (sér. 2) VII. 1850, 133.
- oceans Phyllocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 296.
- oceans Planulina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 427.
- oceans Pleurobranchus, L. Oken, Lehrb. Nat. III (1) 1815, 300.
- oceans Plicatula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 220.
- oceans Pterocera (Brong.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 45.—Strombus.
- oceans Pterocera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 59.
- oceans Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 149.
- oceans Sterna, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1019.
- oceans Strombus, Alex. Brongniart, Ann. des Mines (1) VI. 1821, 570.
- oceans Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 36.
- oceans Tellina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 322.
- Oceansia Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV. (83) Jan. 1810, 343.—Med.
- oceansia Gastrochaena, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
- oceansiae Calliphora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 438.
- oceansiae Cynomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 365.
- oceanica Anguilla, S. L. Mitchill, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 407.
- oceanicus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 70 ["Mon. Anth." *poster. edit.*].
- oceanica Arca, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 423.
- oceanicus Blennius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 265. [1778.
- oceanicus Calocephalus (Cuv.), R. P. Lesson, Man. Mamm., May 1827, 196.—Phoca, Lep.
- oceanica Carpophaga (Less.), P. J. Selby, Pigeons (Nat. Lib. IX.) 1835, 117.—Columba.
- oceanica Chrysomela, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 580.
- oceanica Clubiona, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- oceanica Columba, Lesson & Garnot, Dict. Sci. Nat. XL. 1826, 316. [603.
- oceanica Daira, J. Gistel, Nat. Thierr. 1848, 175.
- oceanica Daira, J. Gistel, Handb. Naturges. 1850 [1847], 575.
- oceanica Diastopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.
- oceanicus Dysdercus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 641.
- oceanica Eurylepta (Darw.), C. M. Diesing, Syst. Helminth. I. 1850, 211.—Planaria.
- oceanica Forficesila, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 292.
- oceanicus Gecko, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 42.
- oceanica Gehyra (Less.), J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 58.—Gecko.
- oceanica Gryllacris, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 293.
- oceanicus Gryllus, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 293.
- oceanica Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 140.
- oceanicus Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 345.
- oceanica Holothuria (Fistularia), R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 99.
- oceanica Limanda, C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 48.
- oceanica Musca, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 316.
- oceanicus Nycticorax, R. P. Lesson, Echo Monde Savant, XII. 1 June 1845, 970.
- oceanicus Oxycephalus, F. E. Guérin, Magasin de Zool. VI. 1836, pl. 18.
- oceanicum Paramecium, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821,
- oceanica Planaria, C. Darwin, Ann. Mag. N. H. XIV. Oct. 1844, 246. [371.
- oceanicus Pogonus, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
- oceanica Procellaria, "Banks"; H. Kuhl, Beitr. Zool. I. 1820, 136.
- oceanicus Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 302.
- oceanica Synapta, G. F. Jaeger, De Holothur. 1833, 14.

- oceanica** Thalassidroma, C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan. 1828, 449.—Procellaria, ? Kuhl, 1820.
- oceanicus** Totanus, R. P. Lesson, Descr. mamm. et ois. récemment découvr. 1847, 244.
- oceanicum** Xiphidion, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 294.
- Oceanites** Keyserling & Blasius, Wirbelth. Europas, 1840, pp. xciii & 131.—A.
- Oceanodroma** Reichenbach, Avium Syst. Nat. 1850, p. iv.—A.
- Oceanus** Denys de Montfort, Conch. I. 1808, 58.—Ceph.
- Oceanus** K. L. Koch, Syst. baier. Zool. I. 1816, 380.—A.
- Oceanus** W. de Haan in Siebold, F. Japon. (Crust. 1833), 9.—Cr.
- oceanus** Medeterus, C. Macquart, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 423.
- oceana** Scatophaga, C. Macquart, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 423.
- oceia** Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 30.
- ocella** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 133.
- ocella** Labyrinthodon (Trematosaurus), H. v. Meyer, N. Jahrb. f. Min. 1848, 469 [*n. n.*].
- ocellana** Depressaria (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis, 1775.
- ocellana** Notocelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 380.—Tortrix, 1775.
- ocellana** Pendina (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 228.—Tortrix,
- ocellana** Penthina (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 199.—Tortrix, 1775.
- Ocellaria** Ramond, Bull. Sci. Soc. Philom. [Paris], no. 47, 1801, 177.—Cor.
- ocellaridellus** Blennius, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
- ocellaris** Amphiprion, Cuvier & Valenc., H. N. Poiss. V. 1830, 399. [1847, 117.
- ocellaris** Cicada, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (1) 1806, 20.
- ocellaris** Cichla, J. G. Schneider, Bloch, Syst. Ichth. 1801, 340.
- ocellaris** Coccinella, W. Turton, Linnaeus, Syst. Nat. II. 1802, 137.
- ocellaris** Crenilabrus (L.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 385.—Labrus, 1758.
- ocellaris** Dinoderus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 352.
- ocellaris** Eleotris (Brouss.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 66.—Gobius, 1782.
- ocellaris** Limnobia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 152.—Tipula,
- ocellaris** Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 321. [1761.
- ocellaris** Pemphredon, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 448.
- ocellaris** Platessa, J. E. De Kay, N. H. New York (Fish) 1842, 300.
- ocellaris** Trichoptera, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 44.
- ocellaria** Cyclophora (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geometra, 1796.
- ocellaria** Ephyra (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 33.—Geometra, 1796.
- ocellaria** Harpalyce, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- ocellaria** Leucophthalmia, J. Huebner, Verz. bekannt. Schmett. 1825, 302.—Geometra, 1776.
- ocellaria** Mantis (Harpax), Drury; J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 57.
- ocellatae** Microgaster, P. F. Bouché, Nat. Ins. 1834, 161.
- ocellator** Bracon, J. C. Fabricius, Syst. Piezat. 1804, 108.
- ocellator** Cryptus, J. W. Zetterstedt, Ins. Lapp. descr. 1836, 369.
- ocellator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- ocellator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 287. [272.—Bracon.
- ocellatus** Acanthocottus, H. R. Storer, Boston Journ. N. H. VI (2) 1850, 253.
- ocellatus** Acara (Spix), J. Heckel, Ann. Wiener Mus. II [3] 1840, 361.—Lobotes.
- ocellata** Aclesia (Adams), J. E. Gray, Figs. Moll. Anim. IV. 1850, 98.—Placobranchus.
- ocellata** Actinia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 79.
- ocellatus** Aetobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- ocellata** Agama, H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 143.
- ocellata** Anadia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 58.
- occellata** Anatis (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 133.—Coccinella, 1758.
- ocellatus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 106 ["Mon. Anth." *poster. edit.*].

- ocellatus Antrostomus (Tschudi), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.—
Caprimulgus.
- occellatus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 256.
- ocellata Aplysia, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 44.
- ocellata Aporomera, A. Guichenot in Gay, Chili (Rept.) 1848, 61.
- ocellata Arca, L. Reeve, Conch. Icon. II.—Arca, no. 102, May 1844.
- ocellatus Arius (Schn.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 104.—Silurus.
- ocellatus Ascalabotes (Cuv.), L. J. Fitzinger, Neue Classif. Rept. 1826, 47.—Gecko.
- ocellata Ascidia, L. Agassiz, P. Amer. Assoc. 1849 (1850), 159.
- ocellata Aspis (Latr.), L. J. Fitzinger, Neue Classif. Rept. 1826, 62.—Vipera.
- ocellatus Astronotus, W. Swainson, N. H. Fishes etc. II. July 1839, 230.
- ocellata Athene, Bonaparte, Consp. Gen. Avium, I. 1850, 42.
- ocellata Balitora, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 96.
- ocellata Bembex, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 490.
- ocellata Bohadschia, G. F. Jaeger, De Holothur. 1833, 19.
- ocellata Caloptera, I. Frivaldszky, K. magyar termes. Tarsulat évkön. I [1845], 185.
- ocellatus Caprimulgus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 268.
- ocellata Cenchris (Opp.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
Syn., 97.—Boa [*non comp.*].
- ocellatus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 747.
- ocellatus Centropomus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 254.—
Perca, 1766.
- ocellata Cephea (Mod.), Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810,
- ocellatus Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 272. [361.—Medusa, 1791.
- ocellata Cercosaura, J. Wagler, Nat. Syst. Amph. 1830, 158.
- ocellatus Chironectes, H. Cloquet, Dict. Sci. Nat. VIII. 1817, 599.
- ocellatus Chironectes, Cuvier & Valenc., H. N. Poiss. XII. 1837, 419.
- ocellata Chrysochroa (Fab.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 12.—
Buprestis, 1775.
- ocellata Chrysochroa, A. White, Ann. Mag. N. H. XII. Nov. 1843, 343 & *var.*
- ocellata Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 33. [ephippigera.
- ocellata Cidaria (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 442.—Phalaena, 1758.
- ocellatum Cinclosoma, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (5) May 1831, 55.
- ocellatus Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 12.
- ocellata Clotho (Tsch.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 117.—Echidna.
- ocellatus Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 64.
- ocellata Cobitis, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 304.
- ocellata americana Coccinella, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 & 60 [*n. n.*].
- ocellata Colpopleura, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 92.
- ocellatus Coluber (Wagl.), L. J. Fitzinger, Isis (Oken), 1826, 884.—Natrix.
- ocellata Coluber (Eichw.), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 70.—Tyria.
- ocellatus Coluber (Hurria), Gm.; B. Merrem, Tent. Syst. Amph. 1820, 93.—Coluber, 1789.
- ocellata Columbella, H. F. Link, Besch. Nat. Samml. Univ. Rostock (2) 1807, 94.
- ocellata Columbella (Gm.), C. T. Menke, Syn. meth. Moll. 1828, 37.—Voluta, 1790.
- ocellata Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 134.
- ocellata Corystes, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 39. [1758.
- occellata Cosmorhoe (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 326.—Phalaena,
- ocellatus Crateropus (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 179.—Cinclosoma.
- ocellatus Crenilabrus (L.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 389.—Labrus, Forsk.
1775.
- ocellata Cribrina (Less. & Garn.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
- ocellatus Crocodilurus, J. B. v. Spix, Lacert. Brasil. 1825, 20. [(1834), 268.—Actinia.
- ocellatus Cryptocephalus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Nov. 1819, 201.
- ocellatus Cryptonyx (Raff.), N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 349.—Tetrao.
- ocellatum Cyatophyllum, C. F. A. Morren, Ann. Ac. Groning. 1828, 54.
- ocellatum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 26.
- ocellata Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 40.
- ocellatus Cyclopterus, E. Donovan, N. H. British Fishes, IV., pl. 76 (1805).

- ocellata Cyrene, J. J. Heckel in Russegger, Reise, I (2) 1843, 1025.
 ocellatus Cyrtodactylus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 51.
 ocellatus Cyrtonyx (Gould), G. R. Gray, Gen. Birds, III. May 1846, 513.—Ortyx.
 ocellata Cystignathus (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 203.—Rana, L. 1758.
 ocellatus Dendrocolaptes, J. B. v. Spix, Avium Brasil. I. 1824, 88.
 ocellatus Dices (Ol.), Dejean, Catal. Coléopt. 1821, 74.—Cerocoma, 1790.
 ocellata Dictya, J. C. Fabricius, Syst. Antliat. 1805, 330.
 ocellata Dilina (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (2) 1817, 206.—Sphinx, 1758.
 ocellata Diphyllidia, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., descr. to pl. 31 (1838).
 ocellatus Diplodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 149. [1763.
 ocellatus Docophorus (Scop.), H. Burmeister, Handb. Ent. II (2) 1, 1838, 424.—Pediculus,
 ocellata (sic) Dorcatoma, T. Say in Keating, Exp. Peter River, II. 1824, 273; & ed.
 ocellatus Draco, L. Oken, Lehrb. Nat. III (2) 1816, 277. [London, 1825 (App.), 19.
 ocellatus Drassus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 621.
 ocellata Echidna, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 166.
 ocellata Empagusia (Heyd.), J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 393.—Varanus.
 ocellata Empusa, Palisot de B., Ins. Afr. Amér. (—) 1812, 110.
 ocellata Emys, Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 329.
 ocellata Enygrus, J. Wagler (*ex* Opp. MS), Nat. Syst. Amph. 1830, 167.
 ocellata Epilachna, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 563.
 ocellata Epilachna, J. Bertoloni, N. Comm. Ac. Sci. Inst. Bonon. X. 1849, 433.
 ocellatus Epopterus, Ol.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 439.
 ocellatus Eumorphus, A. G. Olivier, Entom. VI. 1808, 1067.—Erotylus, 1791.
 ocellata Eupteryx, J. Curtis, Guide Brit. Ins. (6) 1831, 192 [*n. n.*].
 ocellata Eupteryx, J. Curtis, Brit. Entom. XIV (160) Ap. 1837, no. 640.
 ocellata Eurymela, V. Signoret, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 511.
 ocellatus Garrulax (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 951.—Cinclosoma.
 ocellatus Gecko, Oppel in Cuvier, Règne Anim., ed. 2, II. 1829, 46.
 ocellata Gongylus (Forsk.), J. Wagler, Nat. Syst. Amph. 1830, 162.—Lacerta, 1775.
 ocellatus Goniiodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 172.—Cyrtodactylus, 1830.
 ocellatus Gymnopus (Gray), Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 489.—Trionyx.
 ocellatus Gymnothorax, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 91.
 ocellata Haematopota, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 38.
 ocellata Haltica, F. Klug (*Dej. in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 9.
 ocellata Harpalyce (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena, 1758.
 ocellatus Harpax (Pal.-B.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 49.—
 Empusa. [chaenus.
 ocellatus Heilipus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 212.—Rhyn-
 ocellatum Hemiscyllium (Gm.), Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 16.—
 Squalus, 1789.
 ocellatum Hexacotyla (Rud.), de Blainville, Dict. Sci. Nat. LVII. 1828, 571.—Polystoma.
 ocellatus Hycleus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 267.
 ocellata Hydrophis, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 53.
 ocellata Hyla, Péron & Lesueur, Voy. Aust. I. 1807, 407. [Cinclosoma.
 ocellata Ianthocincla (Vig.), J. Gould, Proc. Zool. Soc. London, III (27) June 1835, 48.—
 ocellatum Ianthocincla (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 371.—Cinclo-
 soma.
 ocellatus Jassus (Scop.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 87.—Cicada,
 ocellata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 208. [1763.
 ocellata Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 125.
 ocellata Lacerta, P. M. T. de Serres, Essai Anim. midi France, 1822, 53.
 ocellata Laothoe (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 288.—
 Sphinx, 1758.
 ocellata Leipoa, J. Gould, Birds Austral. (1) Dec. 1840; Proc. Zool. Soc. London, VIII
 ocellatus Lepadogaster, A. Risso, Ich. Nice, 1810, 74. [(93) July 1841, 126.

- ocellatus** Lobotes, Cuvier in J. B. v. Spix, Pisc. Brasil. 1831, 129.
- ocellatus** Lutjanus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 183.—
Labrus, 1775.
- ocellatus** Mabuya (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 53.—Scincus, ? Ol.
- ocellatus** Macropodus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 484.
- ocellata** Mamillifera (L.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 296.—Alcyonium,
E. & S. 1786.
- ocellata** Mantis, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 293.
- ocellatus** Megaproctus, F. E. Guérin-M., Iconographie, 1844, Ins., 177.
- ocellata** Melanthia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
(Noct. 5, pt. 1) 1830, 271.—Phalaena, 1758.
- ocellata** Meleagris, G. Cuvier, Mém. Mus. H. N. (Paris) VI [1-3] Aug. 1820, 1.
- ocellatus** Merinthus (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830,
148.—Sphinx, L. 1758.
- ocellata** Mitrella, W. Swainson, Zool. Illust. (2) II (12) — 1831, pl. 54.
- ocellata** Mocoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 82.
- ocellatus** Monochamus (Fab.), Dejean, Catal. Coléopt. 1821, 106.—Cerambyx.
- ocellata** Muraena (Ag.), L. Jenyns, Zool. "Beagle" (Fish, 1842), 145.—Gymnothorax.
- ocellata** Muraenophis, C. A. Lesueur, J. Acad. Nat. Sci. Philad. V. Aug. 1825, 108.
- ocellatus** Myliobatis, Kuhl, Alg. Konst. Letter-Bode, May 1823, 316; Bull des Sci. Nat.
- ocellatus** Myxodes, Cuvier & Valenc., H. N. Poiss. XI. 1836, 400. [II. 1824, 90.
- ocellatus** Nasica (Spix), De Lafresnaye, Rev. et Mag. de Zool. (2) II. Aug. 1850, 422.—
- ocellata** Natrix, J. Wagler in Spix, Serp. Brasil. 1824, 32. [Dendrocolaptes.
- ocellatus** Nautilocorystes, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837,
- ocellata** Nerita, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 344. [149.
- ocellata** Neuria, E. Newman, Entomologist (14) Dec. 1841, 221.
- occellata** Nyphona, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 74 [n. n.].
- ocellata** Oberea, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 56.
- ocellata** Oculina, DeFrance, Dict. Sci. Nat. XXXV. 1825, 356.
- ocellata** Odatria, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 8.
- ocellatus** Ophicephalus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 434.
- ocellatum** Ophidium, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. III. 1811, 237.
- ocellatus** Ophis (Boie), J. Wagler, Nat. Syst. Amph. 1830, 172.—Xenodon.
- ocellatus** Ophisurus (Les.), J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 104.—
- ocellatus** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 146. [Muraenophis.
- ocellatus** Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 468.
- ocellata** Ortygis, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 101.
- ocellatus** Ortyx, J. Gould, Proc. Zool. Soc. London, IV (44) Jan. 1837, 75.
- ocellatus** Pachydactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 167.
- ocellatus** Pagurus, O. G. Costa, Fauna Regno Napoli, Crost., Pagurus, 4 [die non det.].
- ocellata** Palmyra, G. Johnston, Zool. Journ. III (11) Aug.-Nov. [i.e. Dec. 31] 1827, 329.
- ocellata** Palythoa (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 361.—Alcyonium,
- ocellata** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 215.—Spheex, 1781. [1786.
- ocellata** Percis, Cuvier & Valenc., H. N. Poiss. III. 1829, 270.
- ocellata** Perdix (Gould), Streubel in Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 283.—
Ortyx. [427.
- ocellatum** Phanerostomum, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843),
- ocellatus** Philopterus (Scop.), C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 290.—
Pediculus, 1763.
- ocellatus** Phrynocephalus (Licht.), E. Eichwald, Zool. Spec. III. 1831, 186.—Agama.
- ocellata** Phyllidia, G. Cuvier, Ann. Mus. H. N. (Paris) V (28) Dec. 1804, 275 & pl. 18.
- ocellatus** Picolaptes (Spix), G. R. Gray, Gen. Birds, I. Feb. 1847, 140.—Dendrocolaptes.
- ocellatus** Picumnus, J. G. Wagler, Isis (Oken), 1829, 646.
- ocellatus** Pissocles, Fab., Dejean, Catal. Coléopt. 1821, 87 [n. n.].
- ocellatus** Placobranchus, v. Hasselt, Alg. Konst. Letter-Bode, 1824 (2-4), 35; Bull.
Sci. Nat. III. 1824, 241.
- ocellata** Placopsis, P. H. Gosse, Ann. Mag. N. H. (2) VI. Nov. 1850, 346.
- ocellata** Planaria, S. d. Chiaje, Mem. An. s. vert. Napoli, I (1) 1823, 59.

- ocellata** Planulina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1839 (1841) [1840], 133.—Rotalia, 1838.
- ocellatus** Platax, Cuvier & Valenc., H. N. Poiss. VII. 1831, 229.
- ocellatus** Platophrys (Ag.), W. Swainson, N. H. Fishes etc. II. July 1839, 302.—Rhombus.
- ocellatus** Platydactylus (Cuv.), J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 199.—Gecko.
- ocellatus** Platyonichus (Herbst), P. A. Latreille, Ency. Méth. X (Ins.) 1825, 152.—Cancer, 1799.
- ocellata** Platypleura (Deg.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 3.—Cicada, 1773.
- ocellata** Platystoma, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 334.
- ocellatus** Pleurobranchus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830,
- ocellata** Plicatella, W. Swainson, Treat. Malacol., May 1840, 304. [pl. 104.]
- ocellata** Pneumora, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXXI (1) 1810, 60.
- ocellatus** Podargus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 208.
- ocellata** Poeciloptera (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 441.—Flata, 1798.
- ocellata** Polycera, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 33.
- ocellatum** Polystoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 125.
- ocellata** Porcellana, L. R. Gibbes, P. Amer. Assoc. 1850 (1850), 190. [Cancer, 1799.]
- ocellatus** Portunus (Herbst), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 14.—
- ocellatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 196.
- ocellatus** Pseudocarcinus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
- ocellatus** Pteraclis, Cuvier & Valenc., H. N. Poiss. IX. 1833, 363. [409.]
- ocellata** Pterocalla (Fab.), C. Rondani in Baudi & Truqui, Studi Ent. I. 1848, 84.—Dictya.
- ocellata** Pterochroza (Fab.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 144.—Locusta, 1775.
- ocellata** Purpura, L. C. Kiener, Spec. Coquilles (Purpura) 1835-6, 124.
- ocellatus** Pyrophorus, Gory in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 49.
- ocellatus** Regenia (Ruepp.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 9.—Varanus.
- ocellatus** Rhombus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 85.
- ocellatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 472.—Curculio, 1775.
- ocellata** Rhynchobdella, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 445.
- ocellata** Ricania (Fab.), E. F. Germar, Mag. Entom. (Germar) III. 1818, 224.—Flata,
- ocellata** Ricinula, L. Reeve, Conch. Icon. III. —Ricinula, no. 34, Sept. 1846. [1798.]
- ocellatus** Rollulus (Raffl.), G. R. Gray, List Birds Coll. B. M. III. 1844, 43.—Tetrao.
- ocellata** Rotalia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 134.
- ocellata** Salda, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 245.
- ocellata** Saperda, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*].
- ocellatus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 278.
- ocellatus** Scincoides, Péron & Lesueur, Voy. Aust. II. 1816, 78.
- ocellatus** Scincus (Forsk.), A. G. Olivier, Voy. Othoman, II (1801), 357.—Lacerta, 1775.
- ocellatus** Scyliorhinus (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1789.
- ocellatus** Scylium (L.), E. Eichwald, De Selachis, 1819, 66.—Squalus, 1789.
- ocellatus** Sebastes, A. Valenciennes in Cuvier, Règne Anim., disciples' ed., Poiss., descr. to pl. 23 (1840).
- ocellata** Seriatopora, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 346.
- ocellatus** Silurus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 379.
- ocellata** Siphonia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 5.
- ocellatus** Sisyphus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 310.
- ocellatus** Sitones, Handschuch in H. C. Kuester, Käfer Europas, XVII. 1849, 69.
- ocellata** Smerinthus (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 401.—Sphinx, 1758.
- ocellatus** Solea (Schn.), G. Cuvier, R. Anim. II. 1817, 223.—Pleuronectes, L. 1758.
- ocellatus** Sparus (L.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 460.—Labrus, Forsk. 1775.
- ocellatus** Spatangus, DeFrance, Dict. Sci. Nat. L. 1827, 96.
- ocellatus** Sphaerocoris, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 391.
- ocellata** Spongia, Tilesius, Voigt's Mag. Naturk. VI (4) 1803, 277.

- ocellatus** Squalus, Bonnaterre, Ency. Méth. (Ichth.) Tabl. 1788, 8 [*teste* G. P. Whitley].
- ocellatum** Syacium (Ag.), C. Ranzani, Mem. Stor. Nat. II. 1844; De Nov. Pisc. (2) 1840, 20.—Rhombus.
- ocellatum** Syrnum, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 289.
- ocellata** Taenia, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (1) 1802, 112.
- ocellatus** Tetrao, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 322.
- ocellatus** Tetrodon, J. W. Bennett, Fishes Ceylon (5) 1830, no. 21. [1758.]
- ocellatus** Tetrodon (Osborne), J. Richardson, Zool. "Sulphur," 1845, 120.—Tetraodon, L.
- ocellatus** Tetrodon, Osb., *var. guttulatus*; J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 199.—Tetraodon, L. 1758.
- ocellata** Tetyra, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. c.—Sphaerocoris.
- ocellatum** Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 532.
- ocellata** Tiliqua (L.), J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 292.—Lacerta, Forsk.
- ocellatus** Timon (Daud.), J. J. Tschudi, Isis (Oken), 1836, 551.—Lacerta. [1775.]
- ocellata** Tinamotis (Meyen), G. R. Gray, Gen. Birds, III. Dec. 1844, 525.—Ortygis.
- ocellata** Torpedo, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 48 & 60.
- ocellata** Torpedo, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 199.
- ocellatus** Trionyx, J. E. Gray, Ill. Indian Zool. I (4) Oct. 1830 (pl. 78).
- ocellatus** Trionyx, Jacquemont, Voy. Indes, Rept., pl. 9 (? 1835-44).
- ocellatus** Triton, L. J. Fitzinger, Neue Classif. Rept. 1826, 66 [*n. n.*].
- ocellata** Trypeta (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 495.—Dictya.
- ocellata** Turbinella (Gm.), Lamarck, An. s. vert. VII. 1822, 110.—Buccinum, 1790.
- ocellata** Turnix (Scop.), G. R. Gray, List Birds Coll. B. M. III. 1844, 41.—Oriolus, 1786.
- ocellata** Tyria, E. Eichwald, Zool. Spec. III. 1831, 174.
- ocellatus** Uromastix, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 107.
- ocellatus** Varanus, C. H. G. v. Heyden in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Rept. (—) 1830 *vel* 1831, 21.
- ocellata** Vipera, P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 292.
- ocellata** Vipera, A. Smith, Mag. Nat. Hist., n. s. II. Feb. 1838, 92.
- ocellatus** Xenodon, Boie in Férussac, Bull. Sci. IX. 1826, 238 [*n. n.*].
- ocellatum** Xiphostoma, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841, 245.
- ocellatum** Xiphostoma, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 355.
- ocellatus** Zelurus, C. W. Hahn, Icones Mon. Cimicum, 1826, fasc. 1.
- ocellellus** Chilo, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 994. [Palparia.]
- ocellea** Araxes (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 316.—
- ocellea** Ederesa (Steph.), J. Curtis, Brit. Entom. XV (180) Dec. 1838, no. 719.—Ismene.
- ocellea** Ismene, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 251.—Yponomeuta, 1829.
- ocellea** Oncocera (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Palparia.
- ocellea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 486.
- ocellea** Yponomeuta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49 [*n. n.*].
- ocellicauda** Amia, J. Richardson, F. Bor.-Amer. (3) 1836, 236.
- ocellicaudus** Chaetodon, Cuvier & Valenc., H. N. Poiss. VII. 1831, 69.
- ocellicauda** Philypnus, J. Richardson, Zool. "Sulphur," 1844, 59.
- ocellifera** Asterias, Lamarck, An. s. vert. II. 1816, 553.
- ocelliferus** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 429, Liste, p. 7 [*n. et f.*].
- ocelliferus** Goniiodiscus (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 60.—Asterias.
- ocellifera** Patiria (Lam.), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 82.—Asterias.
- ocellifer** Phrynocephalus, E. Eichwald, Reise Casp. Kauk. I. 1834, 278 [*n. n.*].
- ocellifer** Tejus, J. B. v. Spix, Lacert. Brasil. 1825, 23.
- ocelliger** Larinus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 79.
- ocelligera** Lasia (Wied.), W. F. Erichson, Entomographien, 1840, 143.—Panops.
- ocelliger** Panops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 19.
- ocelligera** Stigmodera, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 133.
- ocellina** Agrotis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 66.—Noctua, 1775.

- ocellina** *Astraea* (Orbicella), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 218.
- ocellina** *Chersotis*, Boisduval, Gen. Index Europ. Lepid. 1840, 103.
- ocellina** *Metaxyja* (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 223.—*Noctua*,
- Ocellites** Lamarck, Syst. Anim. s. vert. 1801 (second issue), 402 *bis*.—Sp. [1775.]
- ocellosus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 428.
- ocellus** Eutelus, F. Walker, Entom. Mag. II (4) Oct. 1834, 359.
- ocellus** *Mycetophila*, F. Walker, List Dipt. Coll. B. M. (1) 1848, 95.
- ocellus** *Ophthalmoplanis*, Bory de St V., Ency. Méth. (Zooph.) 1827, 584.
- ocellus** *Pangonia*, F. Walker, List Dipt. Coll. B. M. (1) 1848, 143.
- ocellus** *Pteromalus*, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 115.—Eutelus, 1834.
- ocellus** *Volvox* (Müll.), M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 6.—*Monas*,
- Ocenebra** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—G. [1786.]
- ochatinus** *Zygops*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 607.
- ochesius** *Asilus*, F. Walker, List Dipt. Coll. B. M. (2) 1849, 461.
- Ochetopus** C. W. Hahn, Wanzenart. Ins. I (5) June 1833, 176.—Hem.
- Ochetorhynchus** F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 80.—A.
- Ochetostoma** E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.),
Wirbellose Thiere (—) 1830 *vel* 1831, 7.
- ochiatus** *Salmo*, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 125.
- ochima** *Symmachia*, J. Huebner, Verz. bekannt. Schmett. 1818, 26.
- Ochina** Ziegler in Dejean, Catal. Coléopt. 1821, 40.—Col.
- Ochina** J. F. Stephens (*ex* Dej. Cat.), Nom. Brit. Ins., Aug. 1829, 12.—Col.
- Ochina** Redtenbacher, Fauna Austr. 1849, 347.—Col.
- Ochlerus** M. Spinola, Ess. Ins. Hémipt. 1837, 294.—Hem.
- Ochlerus** J. Gistl, Nat. Thierr. 1848, p. xi.—Hym.
- Ochlia** J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 24.—Lep.
- Ochlia** J. Huebner, Verz. bekannt. Schmett. 1826, 357.—Lep.
- Ochodaeus** Megerle in Dejean, Catal. Coléopt. 1821, 56.—Col.
- Ochodaeus** Meg.; J. Sturm (*ex* Dej. Cat.), Catal. Ins. Samml. 1826, 174.—Col.
- Ochodaeus** F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 164.—Col.
- ochotensis** *Phoca*, P. S. Pallas, Zoographia, I. 1811, 117.
- ochotensis** *Scalaria*, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VIII
(1 & 2) Mar. 1849, 17.
- ochotense** *Tritonium* (*Buccinum*), A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci.
St Pétersb. VII (16) Nov. 1848, 244.
- ochoticus** *Argutor*, R. F. Sahlberg, In Faunam Ins. Ross. symb. 1844, 27 [*teste* Motsch.].
- ochotica** *Avicula*, A. Keyserling in Middendorff, Reise Sibériens, I (1) 1848, 257.
- ochotica** *Feronia*, R. F. Sahlberg, F. Ins. Ross. 1844, 27.
- ochotica** *Nebria*, R. F. Sahlberg, F. Ins. Ross. 1844, 15.
- ochotica** *Nereis*, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 298.
- ochotica** *Pelophila*, R. F. Sahlberg, F. Ins. Ross. 1844, 17. [Argutor.]
- ochoticus** *Pseudocryobius* (Sahlb.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.—
- ochoticus** *Steroderus*, Ménétrés in V. v. Mochulski, Kaefer Russl., *post* May 1850,
55 [*n. n.*].
- ochraceago** *Noctua*, A. H. Haworth, Lepidopt. Brit. (2) 1809, 234.—*ochracea*, Huebn.
- ochraceana** *Capna*, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 172. [1786.]
- ochraceana** *Glyphisia*, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48 [*n. n.*].
- ochraceator** Zele, J. Curtis, Brit. Entom. IX (104) Aug. 1832, no. 415 [*n. n.*].
- ochraceella** *Laverna*, J. Curtis, Brit. Entom. XVI (184) Ap. 1839, no. 735.
- ochraceella** *Tinea*, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848,
- ochraceipennis** *Amphicoma*, E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 187. [111.]
- ochraceipennis** *Ctenonychus*, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec.
1844, 150.
- ochraceipennis** *Omophlus*, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 100.
- ochraceopunctus** *Scincus*, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 51.
- ochraceosignatus** *Tropiphorus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
262. [Fab. 1775.]
- ochracea** *Acanthodis* (Stoll), H. Burmeister, Handb. Ent. II (2) i, 1838, 701.—*Locusta*,

- ochraceum Acridium, J. W. Zetterstedt, Orthopt. Svec. 1821, 124.
- ochraceus Ailurus, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 1118.
- ochracea Ampullaria, J. C. Jay, Catal. rec. Shells, ed. 2, 1836, expl. pl. iii.
- ochraceus Antherophagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 115.
- ochracea Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 114 [*n. n.*].
- ochraceus Aphodius, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 128.
- ochraceus Aphodius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Oct. 1830, 191.
- ochracea Asterias, J. F. Brandt, Prod. anim. Mertens. I. 1835, 69.
- ochraceus Bolitobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 173.
- ochraceus Bulimulus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 67 [*n. n.*].
- ochracea Campephaga (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 50.—Muscicapa, ? Sparrm. 1786.
- ochracea Cantharis, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [*n. n.*].
- ochraceus Carpophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 260.
- ochracea Cassida, J. Sturm, Catal. Ins. Samml. 1826, 112 [*n. n.*].
- ochraceus Celeus (Spix), F. Boie, Isis (Oken), 1831, 542.—Picus.
- ochraceus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 237.
- ochraceus Chauliognathus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 102.
- ochracea Cheiromyza, H. Jensen, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 338.
- ochracea Chiromyza, C. R. W. Wiedemann, N. Dipt. Gen. 1820, 20.
- ochraceum Cloeon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 68.
- ochracea Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 122 [*n. n.*].
- ochraceum Colpocephalum, H. Burmeister, Handb. Ent. II (2) i, 1838, 438.
- ochraceum Colpocephalum (Nitz.), H. Lucas, Explor. Algér. (Artic. I.) 1846, 358.—Liotheum.
- ochracea Comeris (Sasia), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- ochraceus Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (88) *inter* Ap.—Sept. 1810, 275.
- ochraceus Cosmius, M. Perty, Del. anim. artic. Brasil. (2) 1832, 89.
- ochraceus Cryptocephalus, J. Curtis, Guide Brit. Ins. (2) 1829–30, 64 [*n. n.*].
- ochraceus Cryptocephalus, J. Curtis, Ann. Nat. Hist. V. June 1840, 281.
- ochraceus Cryptops, C. L. Koch, Deutsch. Crust., heft 40, 1844, tab. 18.
- ochraceus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 318.
- ochracea Cypris, H. Nicolet in Gay, Chili (Crust.) 1849, 294.
- ochracea Diabasis, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 340.
- ochracea Dibolia, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 135.
- ochraceus Dichelus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 10 [*n. n.*].
- ochraceus Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].
- ochracea Empis, J. Curtis, Guide Brit. Ins. (7) 1831, 214 [*n. n.*].
- ochracea Epuraea, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 269.
- ochracea Erioptera, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 114.
- ochraceus Eumolpus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- ochraceus Eurygyrus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 115.
- ochraceum Eurymetopon, F. Eschscholtz, Zool. Atlas, IV. 1831, 8.
- ochracea Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, 1841.
- ochracea Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 99.
- ochraceus Gonocerus, Herrich-S., Wanzenart. Ins. VI (1) Sept. 1840, 7.
- ochracea Gracillaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 528.
- ochracea Gryllus (Tettigonia), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 11.
- ochraceus Gyrohypnus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- ochracea Hadenia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) June 1829, 186.—Noctua.
- ochraceus Hemerobius, C. Wesmael, Bull. Ac. Roy. Brux. VIII (1) 1841, 217.
- ochraceus Herpestes, J. E. Gray, Proc. Zool. Soc. London, XVI (189) June 1, 1849, 138.
- ochraceus Heterochelus, H. Burmeister (*ex* Dej.), Handb. Ent. IV (1) 1844, 100.

- ochracea Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 329.
 ochracea Hoplia, H. Burmeister, Handb. Ent. IV (1) 1844, 198.
 ochracea Hoplionota, C. H. Boheman, Mon. Cassid. I. 1850, 29.
 ochraceus Hydrobius, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 134.
 ochraceus Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct 1850, 87.
 ochraceum Lathrobium, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 268.
 ochraceus Leptocerus, J. Curtis, Brit. Entom. II (14) Feb. 1825, no. 57.
 ochracea Leucania, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) Aug. 1829, 77.
 ochracea Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 854.
 ochraceus Limnephilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [*n. n.*].
 ochraceus Limnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser. IV (20) Feb. 1834,
 ochracea Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 129. [124.
 ochracea Limonia, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 55.
 ochraceum Liotheum, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 299.
 ochraceus Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 436.
 ochracea Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 44, June 1850.
 ochraceus Lycus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 73; & App. 1817, 31.
 ochraceus Lycus, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 122.
 ochracea Melania, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 4. [Isis, 1758.
 ochracea Melitaea (L.), Lamarck, Mém. Mus. H. N. (Paris) I [5] *ante* Mar. 1816, 411.—
 ochracea Melitea (Ell.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63)
 Dec. 1812, 186.—Isis, L. 1758.
 ochracea Melolontha, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 90.
 ochraceus Miris, Schummel, Uebers. Arb. schles. Ges. 1831 (1832), 73 [*n. n.*].
 ochracea Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 56.
 ochracea Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 23.
 ochraceus Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 112.
 ochracea Mygale, M. Perty, Del. anim. artic. Brasil. (3) 1833, 191.
 ochracea Mygale, C. L. Koch, Die Arachniden, IX (3) 1841, 48.
 ochracea Myrmedonia (Hope), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 43.—Porus.
 ochracea Neda, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 279.
 ochraceus Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 218.
 ochracea Nitidula, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [*n. n.*].
 ochracea Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 199.
 ochracea Ozodicera, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 92.
 ochraceus Paederus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 59.
 ochraceus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 149.
 ochraceus Philhydrus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844,
 ochracea Phoneutria, C. L. Koch, Die Arachniden, XV (3) July 1847, 62. [101.
 ochraceus Phytonomus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 202.
 ochraceus Picus, J. B. v. Spix, Avium Brasil. I. 1824, 59.
 ochracea Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 74.
 ochracea Platyura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 240.
 ochraceus Porcellio, C. L. Koch, Deutsch. Crust., heft 28, 1839, tab. 22.
 ochraceus Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 58.
 ochraceus Porus, F. W. Hope in J. F. Royle, Ill. Bot. Himalay. 1840, p. lv.
 ochraceus Porus, J. O. Westwood, Madras Journ. XII (28) July 1840, 135.
 ochraceus Proagosternus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I
 (2) 1850 [*ineunte* 1851], 156.
 ochracea Rhipidura (Sparr.), G. R. Gray, Gen. Birds, I. Aug. 1846, 258.—Muscicapa,
 1786.
 ochraceus Rhizotrogus (Kn.), O. Heer, Coleopt. Helvet. (3) 1841, 537.—Melolontha.
 ochraceus Rhyphus, J. Curtis, Guide Brit. Ins. (7) 1831, 210 [*n. n.*].
 ochraceus Rogas, J. Curtis, Guide Brit. Ins. (4) 1829–30, 105 [*n. n.*].
 ochraceus Rogas, J. Curtis, Brit. Entom. XI (128) Aug. 1834, no. 512.

- ochracea Saperda, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 490.
- ochracea Sasia, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 778.
- ochracea Scatopse, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 314.
- ochracea Sciophila, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 100.
- ochracea Sciophila, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
- ochraceus Smynthurus, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840,
- ochraceus Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 43. [353.]
- ochraceus Strongylorhinus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 116.
- ochraceus Sunius (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24.—Paederus.
- ochracea Symphynota (Say), I. Lea, Tr. Amer. Phil. Soc., n. s. III (4) 1829, 455.—Unio.
- ochraceum Sympodium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 286.
- ochraceus Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 153.
- ochraceus Tenebrio, F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
- ochraceus Termes, H. Burmeister, Handb. Ent. II (2) ii, 1839, 765.
- ochraceus Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- ochraceus Thrips, Ruricola [= J. Curtis], Gardeners' Chron. 10 Ap. 1841, 228. [468.]
- ochracea Tipula, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 68.
- ochracea Tipula, Schummel in E. F. Germar, Fauna Ins. Europ. (17) [1831-35], 23.
- ochraceus Trochus, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 101.
- ochracea Turbinolopsis, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 85.
- ochraceus Unio, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 4.
- ochracea Urticina, P. Duchassaing, Anim. rad. Antilles [1850], 9.
- ochracea Voluta, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 39.
- ochraceus Xantholinus (Grav.), Dejean, Catal. Coléopt. 1821, 23.—Staphylinus.
- ochraceus Zelus. Herrich-S., Wanzenart. Ins. IX (3) Sept. 1850, 121.
- Ochralea Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col.
- ochraria Geometra, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) Ap. 1831, 165.
- ochraspis Ortalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 466.
- ochrata Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1072.
- ochratus Rhynchaenus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 203.
- ochrea *v.* ochreus.
- ochreago Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 92 (Fernaldo iudice 1808) [*n. et f.*]. [1796.]
- ochrealis Botys (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 314.—Pyralis,
- ochrealis Margaritia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, D. & S. 1775. [1775.]
- ochrealis Pediasia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 365.—Pyralis,
- ochrealis Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 279.
- ochreana Epagoge, J. Huebner, Verz. bekannt. Schmett. 1826, 389.
- ochreana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 21 (Fernaldo iudice 1797)
- ochrearia Acidalia, F. Treitschke, Schmett. Europa, V (2) 1825, 438. [[*n. et f.*].
- ochrearia Emmiltis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 309.—Geometra,
- ochreata Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 697. [1775.]
- ochreatus Balaninus, Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- ochreatus Balaninus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 288.
- ochreata Bothrorrhina (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 201.—Cetonia.
- ochreata Calandra, Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) II. Sept. 1839, 266.
- ochreatus Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- ochreata Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 123.
- ochreata Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 23. [Potamomya ocreata.]
- ochreata Corbula (Hinds), L. Reeve, Conch. Icon.—Corbula, no. 32, Ap. 1844.—
- ochreatus Cryptohypnus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 93.
- ochreatus Cryptohypnus, E. F. Germar (*ex* Dej. Cat.), Zeitschr. f. d. Entom. V. 1844, 137.
- ochreatus Dasypogon, H. Loew, Linnaea Entom. II. July 1847, 459.
- ochreata Eupithecia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) July 1831, 283 [exiguata].

- ochreata** Geometra, Denis & Schiffermueller, Syst. Verz. Schmett. 1775, 110.
- ochreatus** Larinus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 113.—Lixus.
- ochreatus** Lixus, A. G. Olivier, Entom. V. 1807, 276.
- ochreatus** Papio, W. Ogilby, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 56.
- ochreata** Phalaena (Geometra) (D. & S.), W. Turton, Linnaeus, Syst. Nat. III. 1802, 265.—Geometra, 1775. [134.]
- ochreatus** Stigmatrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840,
- ochreatus** Trechus, Dejean, Catal. Coléopt. 1821, 16 [*n. n.*]; Spec. gén. Coléopt. V. 1831, 11.
- ochreatus** *v. et ocreatus.*
- ochreella** Elachista, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 27.
- ochrellus** Chilo (Huebner), Zincken, Mag. Entom. (Germar) II. 1817, 100.—Tinea, 1796.
- ochrellus** Cholijs, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 332.
- ochreocephalus** Piazurus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 668.
- ochreola** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 23 (Fernaldo judice 1802) [*n. et f.*].
- ochreola** Bombyx, J. Huebner, Europ. Schmett. (Ziefër) [me judice 1805], 126.
- ochrea** Amiba (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 46.—Kolpoda, 1786.
- ochreus** Aspongopus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 25.
- ochrea** Loxophyllum (Müll.), F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 489.—Kolpoda, 1786.
- ochrea** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 533.—Pterophorus ochro-
- Ochria** J. Huebner, Verz. bekannt. Schmett. [1822], 233.—Lep. [dactylus, Fab. 1787.
- ochricornis** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 408.
- ochricornis** Pyrellia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 306.—
- ochrifacies** Pyrellia, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 177. [Musca.
- ochrifer** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 70.
- ochripennella** Coleophora, P. C. Zeller (*ex* Schläger *litt.*), Linnaea Entom. IV. Dec. 1849,
- ochripennis** Clythra, Ziegler; Dejean, Catal. Coléopt. 1821, 126 [*n. n.*]. [408.]
- ochripennis** Staphylinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 145.
- ochripes** Agapetus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser. IV (21) Mar. 1834, 217.
- ochripes** Altica, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 630.
- ochripes** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 266.
- ochripes** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 209.
- ochripes** Capsus, J. Curtis, Brit. Entom. XV (173) May 1838, no. 693.
- ochripes** Copromyza (Meig.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 771.—Borborus.
- ochripes** Culex, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 315.
- ochripes** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 564.
- ochripes** Hydrophilus, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 197.
- ochripes** Limosina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 409.—Borborus,
- ochripes** Scorpio, J. Wolf, Abb. Besch. Naturg. Gegenst. I (9) 1818, 141. [1830.]
- ochrocephalus** Acridotheres (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 58.—Turdus, 1788.
- ochrocephalus** Chrysotis (Gm.), G. R. Gray, Gen. Birds, II. Feb. 1846, 422.—Psittacus,
- ochrocephala** Cyclarhis, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 362. [1788.]
- ochrocephalus** Cyclorhis, Tschudi; G. R. Gray, Gen. Birds, I. Feb. 1847, 293.
- ochrocephalus** Gracula (Lath.), Cuvier, Règne Anim. I. 1817, 361.—Turdus, Gm. 1788.
- ochrocephalus** Halticus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I. 1836, 105.
- ochrocephalus** Microscelis (Gm.), G. R. Gray, Gen. Birds, I. Oct. 1847, 235.—Turdus, 1788.
- ochrocephalus** Milvago, J. B. v. Spix, Avium Brasil. I. 1824, 12.
- ochrocephala** Mohoua (Gm.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 25.—Muscicapa, 1788. [1788.]
- ochrocephala** Orthonyx (Gm.), G. R. Gray, Gen. Birds, I. Oct. 1847, 151.—Muscicapa,
- ochrocephalus** Picnonotus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 263.—
- ochrocephala** Pithecia, H. Kuhl, Beitr. Zool. I. 1820, 44. [Turdus, 1788.]
- ochrocephalus** Polyborus (Spix), Jardine & Selby, Ill. Orn., sign. A 2, pl. 2 (1826).—Milvago.
- ochrocephalus** Psittacus, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 584.

- ochrocephalus** Pycnonotus, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 474 [*n. n.*].
- ochrocephala** Scatophaga, A. Brullé in Bory de St. V., Exp. Morée (Ins.) 1832, 319.
- ochrocerus** Entypus, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 35.
- ochrochlorus** Eupodes, C. L. Koch, Deutsch. Crust., heft 19, 1838, tab. 19.
- ochrocollaris** Lophyrus, J. B. v. Spix, Lacert. Brasil. 1825, 10.
- ochrocollare** Uperanodon (Spix), Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 248.—Lophyrus.
- Ochrocoris** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 131.—Hem. [*non binom.*].
- ochrocyanea** Discocera (L. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 72.—Scutellera.
- ochrocyanea** Scutellera, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 411.
- ochro-cyanus** Asopus (L. & S.), H. Burmeister, Handb. Ent. II (1) 1835, 381.—Scutellera o—cyanea.
- ochrodactyla** Phalaena (Pterophorus), W. Turton, Linnaeus, Syst. Nat. III. 1802, 384.
- ochrodactyla** Platyptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 429.
- ochroderus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 951.
- ochrodon** Aspius (Heck.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 335.—Cyprinus, ? MS.
- ochrogaster** Hypudaeus, J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 592.
- ochrogaster** Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 9 [*n. n.*].
- ochrogaster** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 129.
- ochrogastra** Rhipidura, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 185; 472 (ochrogastra).
- ochrogenion** Sylvia, Lindenmayer, Isis (Oken), 1843, 344.
- ochrojois** Xestia, J. Huebner, Verz. bekannt. Schmett. [1822], 233.
- ochrolaemus** Anabates, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 295.
- ochroleucana** Penthina (Huebn.), F. Treitschke, Schmett. Europa, X (3) 1835, 48.—
- ochroleucana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 49. [Tortrix.
- ochroleucana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 48 (Fernaldo judice 1830) [*n. et f.*].
- ochroleucaria** Acidalia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1847, 24.
- ochroleucella** Astyages, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 281.
- ochroleucella** Cleodora, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 221.
- ochroleuca** Altica (Marsh.), Dejean, Catal. Coléopt. 1821, 120.—Chrysomela.
- ochroleuca** Atypha (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 214.—Noctua, 1775.
- ochroleucus** Chamaeza (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 204.—Myio-
- ochroleuca** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 202. [turdus.
- ochroleucus** Cryptorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 276.
- ochroleucus** Emphytus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30 [*n. n.*].
- ochroleuca** Eremobia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua,
- ochroleuca** Galictis, A. Chavannes, Bull. Soc. Vaudoise, II (19) 1848, 378. [1775.
- ochroleuca** Grallaria (Wied), G. R. Gray, Gen. Birds, I. Dec. 1846, 213.—Myioturdus.
- ochroleuca** Haltica (Marsh.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 312.—Chrysomela.
- ochroleuca** Helix, Fér.; L. Pfeiffer, Symb. Helic. III. 1846, 66.
- ochroleuca** Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- ochroleuca** Hoplionota, C. H. Boheman, Mon. Cassid. I. 1850, 38. [50.
- ochroleuca** Ilarus, Boisduval, Europ. Lepid. Index, 1829 [1828], 76.
- ochroleucus** Melicerta, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 129 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 95.
- ochroleuca** Mnioilta (Gm.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Muscicapa, 1788.
- ochroleucus** Myioturdus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1032.
- ochroleucus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 275.
- ochroleuca** Petricola, Lamarck, An. s. vert. V. 1818, 503.
- ochroleuca** Petricola, W. Wood, Suppl. Index Test. 1828, 48.—Tellina, 1828.
- ochroleucus** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- ochroleucus** Platymus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 568.

- ochroleuca** Polia (Huebner), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 507.—Noctua, D. & S. 1775.
- ochroleuca** Pyrula, R. A. Philippi, Abb. Conch. I (4) 1844, 94.
- ochroleuca** Sylvia (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 187.—Muscicapa,
- ochroleucus** Tabanus, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 170. [Gm. 1788.
- ochroleuca** Tellina, W. Wood, Suppl. Index Test. 1828, 4 [*n. et f.*].
- ochroleuca** Thyamis (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.), Dec. 1831, 311.—Chrysomela.
- ochroleuca** Xanthia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Noctua,
- ochroleucus** Ypsolophus, A. H. Haworth, Lepidopt. Brit. (4) 1828, 542. [1775.
- ochroloma** Cryptocephalus, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 72.
- ochromalus** Eurylaimus, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 297.
- Ochromela** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 128.—A.
- ochromelana** Penthina, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 152.
- Ochromolopis** J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Lep.
- Ochromyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 248.—Dipt.
- ochronevrus** Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 404.
- ochropes** Bassus, J. Curtis, Guide Brit. Ins. (4) 1829–30, 105 [*n. n.*].
- ochropes** Dacnusa, J. Curtis, Guide Brit. Ins. (4) 1829–30, 106 [*n. n.*].
- ochropes** Figites, J. Curtis, Guide Brit. Ins. (4) 1829–30, 108 [*n. n.*].
- ochropes** Spathius, J. Curtis, Guide Brit. Ins. (4) 1829–30, 104 [*n. n.*].
- ochropezus** Carabus, Helw.; F. V. Melsheimer, Cat. Ins. Pennsylv. 1806, 51.
- ochropeza** Feronia (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 54.—Carabus.
- ochropezus** Stenolophus (Say), Dejean, Spec. gén. Coléopt. IV. 1829, 424.—Feronia.
- Ochrophara** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 162.—Hem. [*non binom.*].
- ochropi** Nirmus, H. Denny, Mon. Anoplur. 1842, 134.
- ochropi** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 347.—Nirmus.
- Ochropleura** J. Huebner, Verz. bekannt. Schmett. [1822], 223.—Lep.
- Ochropleurum** Macquart, 1850; *teste* Marschall, 1851 *est*. [94.—Tenthredo.
- ochropoda** Heterarthrus (Klug), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835,
- ochropoda** Liparis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 76.
- ochropoda** Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 273.
- Ochropsis** Saunders, 1834; *sic* Agassiz, *sed non comp.*, ? *err. pro* Ochrosopsis, 1843.
- ochropsis** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 202.
- ochropterus** Aplotarsus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 272.
- ochropterus** Calathus (Dufts.), Dejean, Catal. Coléopt. 1821, 11.—Carabus.
- ochropterus** Carabus, Ziegler in K. Duftschmid, Fauna Austriae, II. 1812, 124.
- ochropterus** Carpophilus, Klug in Germar, Zeitschr. f. d. Entom. IV. 1843, 259 [*n. n.*].
- ochropterus** Chrysotis, W. Swainson, N. H. Classif. Birds, II. June 1837, 301.
- ochropterus** Elater, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- ochropterus** Gyrohypnus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 118.
- ochropterus** Harpalus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 20.
- ochropterus** Hydrophilus, T. Marsham, Coleopt. Brit., Sept. 1802, 409.
- ochroptera** Hymenoplia (Er.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 291.—Omaloplia.
- ochroptera** Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 [*teste* Tr. Linn. Soc. V.] 1802, 29.
- ochroptera** Omaloplia, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 173.
- ochropterus** Ophthalmicus, F. X. Fieber, Entom. Monogr. 1844, 117.
- ochropterus** Psittacus, G. Fischer, Mus. Démid. III. 1807, 21.
- ochropterus** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 122.
- ochropterus** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 538.
- ochropterus** Staphylinus, E. F. Germar, Ins. spec. novae, I. 1824, 34.
- Ochropus** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*].
- ochropa** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21; Syst. Cat. Brit. Ins., Aug. 1829, 262 [*n. n.*].

- ochropus** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 127.
- ochropus** Apion, E. F. Germar, Mag. Entom. (Germar) III. 1818, 46.
- ochropus** Apion, Mueller in L. Redtenbacher, F. Austr., Käfer, 1849, 459.
- ochropus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 366.—Micryphantes.
- ochropus** Argutor, Sahlberg, In Faunam Ins. Ross. Symb. 1844, 31 [*teste* Motsch.].
- ochropus** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 74.
- ochropus** Canis, F. Eschscholtz, Zool. Atlas, III. 1829, 1.
- ochropus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 471.
- ochropus** Carites (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 146.—Tringa
- ochropus** Cistela, H. C. Kuester, Käfer Europas, XXI. 1850, 92. [ochrophus, 1758.]
- ochropus** Crex, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 53 [*n. n.*].
- ochropus** Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 571.
- ochropus** Cryptocephalus (Ditropidus), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, [233.]
- ochropus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 64.
- ochropus** Didelphys, J. Natterer, Arch. f. Naturg. VIII (1) 1842, 359.
- ochropus** Feronia, R. F. Sahlberg, F. Ins. Ross. 1844, 33.
- ochropus** Harpalus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 42.
- ochropus** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 204.
- ochropus** Ischnurus, C. L. Koch, Die Arachniden, IV (4) Nov. 1837, 69.
- ochropus** Lepus, J. A. Wagner in Schreber, Säugth., Suppl. IV. 1843, 96.
- ochropa** Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].
- ochropus** Lytta, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 6.
- ochropus** Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 230.
- ochropus** Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 23.
- ochropus** Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 232.
- ochropus** Micryphantes, C. L. Koch, Die Arachniden, IV (6) May 1838, 136.
- ochropus** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 635.
- ochropus** Parra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], [340.]
- ochropa** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- ochropus** Pseudocryobius (Sahlb.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.—
- ochropus** Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 122. [Argutor.]
- ochropus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 39.
- ochropus** Staphylinus, Gyll.; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- ochropus** Totanus (L.), C. J. Temminck, Man. Orn. 1815, 420.—Tringa, 1758.
- ochropus** Trichodes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 341.
- ochropygos** Tachyphonus, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 668.
- ochropygus** Trochilus, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 14.
- Ochrosopsis** W. W. Saunders, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 59.—Col.
- Ochrostigma** J. Huebner, Verz. bekannt. Schmett. [1820], 146.—Lep.
- ochrostigma** Hadenia, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 58.
- ochrostigma** Hadenia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842, 545.
- ochrostigma** Microgaster, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 55.
- ochrostigma** Schizocerus, J. Curtis, Proc. Linn. Soc. London (20) May 1844, 188.
- ochrostoma** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 209.
- ochrostoma** Ephydra, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 319.
- ochrostoma** Gorgonia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 366.
- ochrostoma** Natica, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 391.
- ochrostoma** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 92.—Apis.
- ochrostoma** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832, [205.]
- ochrostoma** Scaeva, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3133.
- ochrostomus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 227.
- ochrotarsus** Turdus, J. R. Forster, Anim. mar. Aust. 1844, 82.
- Ochrotypus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 145.—Hem. [*non binom.*].

- ochsenheimerella** Adela (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 300.—
*Tinea.
- ochsenheimerella** Eutyphia, J. Huebner, Verz. bekannt. Schmett. 1826, 416.—Tinea.
- ochsenheimerella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 53 (Fernaldo judice
1811-17) [*n. et f.*].
- ochsenheimerii** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 683.
- ochsenheimeri** Syntomis, Boisduval, Essai Zygén. 1829 [1828], 116.
- Ochsenheimeria** J. Huebner, Verz. bekannt. Schmett. 1826, 416.—Lep.
- ochsenheimeriana** Grapholitha, Lienig, Isis (Oken), 1846, 249.
- Ochtephilum** J. F. Stephens, Ill. Brit. Ent. (Mand. V.) 1832, 200.—Col.
- Ochtera** C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 244. = Ochthera, Latr.
- Ochtera** J. W. Zetterstedt, Dipt. Scand. I. 1842, 59 [= Ochthera, Latr.].
- Ochterus** P. A. Latreille, Gen. Crust. Ins. III. 1807, 142.—Hem.
- Ochthebius** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 95.—Col.
- Ochthedromus** J. L. Le Conte (*ex* Zimm. MS), Ann. Lyceum N. H. New York, IV (10 & 11)
July 1847, 453.—Col.
- Ochthenomus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 217.—Col. [*n. n.*].
- Ochthenomus** W. L. E. Schmidt, Entom. Zeitung, Stettin, III (9) Sept. 1842, 198.—Col.
- Ochthephila** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—G.
- Ochthephila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ochthiphila, Fall.
[*i.e.* Meig.].
- ochthephila** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 6.
- Ochthephilum** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24; & Ill. Brit. Ent. (Mand. V.)
June 1832, 271.—Col.
- Ochthera** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 462.—Dipt.
- Ochtherus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ochterus, Latr.
- Ochthetha** C. J. B. Amyot, Ann. Soc. Ent. France, IV (3) 1846, 388.—Hem. [*non binom.*].
- Ochthiphila** J. W. Meigen, Besch. Zweifl. Insekt. VI. 1830, 92.—Dipt. [*vide* Ochthiphila,
Ochthites J. Cabanis, Arch. f. Naturg. X (1) 1844, 277.—A. [1823].
- Ochthocea** *err. pro* Ochthoeca, Cab.; G. R. Gray, Gen. Birds, App. 1849, 11.
- Ochthoeca** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 255.—A.
- Ochthophila** C. J. B. Amyot, Ann. Soc. Ent. France, IV (3) 1846, 386.—Hem. [*non binom.*].
- Ochthosia** C. Ranzani, Opusc. Sci. (Bologna) I. 1817, 275.—Cirr.
- Ochthiphila** C. F. Fallen, Phytomyzides Sveciae, 1823, 9.—Dipt.
- Ochthiphylla** E. Blanchard, Hist. Ins. II. 1845, 493 [*err. pro* Ochthiphila, Fall.].
- ochtodes** Galene (Herbst), A. White, List Crustacea Coll. B. M. 1847, 18.—Cancer, 1783.
- ochus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 21.
- ochus** Sphinx, F. Klug, N. Schmett. Mus. Berlin (1) 1836, 4.
- Ochyria** J. Huebner, Verz. bekannt. Schmett. 1826, 334.—Lep.
- Ochyropus** J. C. Schiodte, Naturhist. Tidsskrift [2] II (4) 1847, 350.—Col.
- Ochyropus** Schiodte, Overs. K. Danske Vid. Selsk. Forhandl. (6) 1847, 68.—Col.
- ocilia** Medusa, J. G. Dalyell, Rare Anim. Scotland, I. 1847, 66.
- Ocipode** *id. ac* Ocypode; Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) i, 1838, 9.
- ocirrhoe** *v.* **ocyrrhoe**.
- Ocithoe** Goldfuss, Handb. Zool. I. 1820, 673. = Ocythoe, Raf.
- Ocithos** *err.* Scudder, Suppl. List, 1882, 229, *pro* Ocithoe, Goldf. = Ocythoe, Raf.
- ockeni** *v.* **okeni**.
- ocla** Salmo, S. Nilsson, Prod. Ichth. Skand. 1832, 4.
- Ocladius** C. J. Schoenherr, Isis (Oken), 1825, 587; Curc. disp. meth. 1826, 316.—Col.
- Ocnaea** W. F. Erichson, Entomographien, 1840, 155.—Dipt.
- Ocnera** Fischer de W., Entom. Imp. Russ. I. 1822, 169.—Col.
- Ocneria** J. Huebner, Verz. bekannt. Schmett. [1820], 158.—Lep.
- Ocneros** O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 102.—Dipt.
- Ocnerostoma** P. C. Zeller, Linnaea Entom. II. July 1847, 298.—Lep.
- Ocnoscelis** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 174.—Col.
- Ocnotherium** P. W. Lund, Afhandl. K. Danske Vid. Selsk. IX. 1842, 143.—M.
- Ocnus** E. Forbes, Hist. Brit. Starfish (5) Feb. 1841, 229.—Ech.
- ocnus** Hipparchia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 538.

- ocnus Turbo, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 81.
 ocoensis Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 12.
 Ocreale L. Oken, Lehrb. Nat. III (1) 1815, 381.—Verm.
 Ocreatus J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 86.—A.
 ocreatum Agonum, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 299.
 ocreata Altica, T. Say, N. sp. N. Amer. Ins. Louisiana, Jan. 1832, 7.
 ocreatus Anthicus, Laferté-S. in H. Lucas, Explor. Algér. (Artic. II.) 1849, 379.
 ocreata Cicindela, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Aug. 1842, 240.
 ocreatum Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 397.—Fasciola, 1802.
 ocreatus Dolomedes, C. L. Koch in M. Wagner, Reisen Algier, III. 1841, 212.
 ocreatus Falco, J. R. Forster in Levaillant, Nat. Afrik. Vogel, 1798, 63.
 ocreata Fasciola, C. A. Rudolphi, Arch. Zool. Zoot. III (1) 1802, 79.
 ocreatus Harpalus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 433.
 ocreatus Hephaestion, E. Newman, Entomologist (1) Nov. 1840, 10.
 ocreata Lycosa, N. M. Hentz, Boston Journ. N. H. IV (4) 1844, 391.
 ocreata Lyda, T. Say, Boston Journ. N. H. I (3) 1836, 222.
 ocreata Potamomya, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 59.
 ocreatus Tephrodornis, H. E. Strickland, Proc. Zool. Soc. London, XII (136) Oct. 1844,
 ocreatus Tormus, T. Say, Boston Journ. N. H. I (3) 1836, 275. [102.
 ocreata Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 43.—Vorticella, 1786.
 ocreata Vespa, F. Weber, Obs. Ent. 1801, 101.
 ocreata Zora, C. L. Koch, Die Arachniden, XIV (3) Mar. 1847, 92 [*n. n.*] & 105.—Dolo-
 ocreatus *v. et ochreatus*. [medes, 1841.
 ocreasia Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1016.
 ocskayi Barbitistes, Charpentier, Nova Acta Acad. Caes. XXII (2) 1850, p. xciii.
 ocskayi Cicindela, J. Gistel, Syst. Insect. I (1) 1837, 22.
 octacanthus Acanthocephalus, A. v. Frantzius, Arch. f. Naturg. XIV (1) 1848, 194 [*n. et f.*].
 octacanthus Actinocephalus, A. v. Frantzius, Arch. f. Naturg. XIV (1) 1848, 195.
 Octactis J. E. Gray (*ex* Linck), Ann. Nat. Hist. VI. 1840, 176.—Ast.
 octaedrum Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist., 183.
 octaedra Salpa, Péron & Lesueur, Voy. Aust. I. 1807, 322 [*n. n.*].
 octagona Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 116, Aug. 1850.
 octalis Antiblemma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 18.
 octalis Antiblemma, J. Huebner, Verz. bekannt. Schmett. 1826, 341.
 octanfracta Helix, G. Montagu, Test. Brit. II. 1803, 396.
 octanfracta Lymnaea (Mont.), J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 78.—
 octanfracta Pedipes, J. H. Jonas, Zeitschr. f. Malakozool., Nov. 1845, 169. [Helix.
 octonfracta (*sic*) Stagnicola (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—
 Helix. [151.—Prionus, 1795.
 octangularis Platygnathus (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832,
 octangulatum Dentalium, E. Donovan, Brit. Shells, 1804, pl. clxii.
 octavia Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 244.
 octavia Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 61.
 octavius Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 564.—Papilio, 1787
vel 1795. [209.—Papilio, 1777.
 octavia Junonia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849),
 octavia Oliva, P. L. Duclos in J. C. Chenu, Illustr. Conch. II., Oliva, 1844-5, 29.
 octavius Paphia (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
 (1850), 319.—Papilio, 1787 *vel* 1793.
 octavia Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 229.
 octavia Precis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 33.—Papilio, 1777.
 octavia Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 30.
 octavia Vanessa (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 322.—Papilio,
 1787 *vel* 1793.
 octavius Zeonia (God.), A. Morisse, Ann. Soc. Ent. France, VI (4) *post* Jan. 1838, 426.—
 octavus Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 365. [Erycina.
 Octelasmis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Octolasmis, Gray.
 octentaculata Nereis, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 84.

- Otheophilum** L. Agassiz, Nom. Zool. (Col.) 1845.—Col.
- Ochthiphila** Westwood, 1840; *sic* Scudder, *sed non comp.* [=Ochthiphila, Fall.].
- Octipos** C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.—R.
- octobodiae** Tetrabothriorhynchus, C. M. Diesing, Syst. Helminth. I. 1850, 574.
- Octobothrium** F. S. Leuckart, Vers. nat. Einth. Helminth. 1827, 24; Brev. Anim. 1828,
- Octobothrium** C. M. Diesing, Syst. Helminth. I. 1850, 603.—Verm. [18.—Verm.]
- Octocaeenia** A. d'Orbigny, Not. Polyp. foss. 1849.—Cor. [*teste* Scudder, Suppl. List, 1882, *sed ? err. pro* Octocoenia, 1850].
- octoceras** Anuraea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 199.
- Octochila** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 186.—Med.
- octocilia** Medusa, J. G. Dalyell, Rare Anim. Scotland, I. 1847, 72.
- octocinctus** Serranus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1842), 7.
- octocinctus** Turbo, F. A. Roemer, Verst. Harzgeb. 1843, 30.
- octocirrata** Sabella, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 51.
- octocirrata** Sabellides (Sars), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 330.—Sabella.
- octocirrhus** Cobitis, v. Hasselt, Alg. Konst. Letter-Bode, Aug. 1823, 133; Bull. des Sci. Nat. II. 1824, 376.
- octocirrhus** Pimelodes, G. Cuvier, Règne Anim., ed. 2, II. 1829, 294.
- Octocoenia** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 222.—Cor.
- octocornis** Lucernaria, de Blainville, Dict. Sci. Nat. XXVII. 1823, 262.
- octo costata** Aequorea (Sars), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843,
- octo-costata** Akis, Leach; Dejean, Catal. Coléopt. 1821, 64 [*n. n.*]. [312.—Oceania.]
- octocostata** Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 243.
- octocostata** Atrypa, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841,
- octocostatus** Beroe, ? Bruguière, Ency. Méth. (Zooph.) 1824, 141. [55.]
- octocostata** Morica (Leach), A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837,
- octocostata** Oceania, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 24. [649.—Akis.]
- octo costata** Patella, L. W. Dillwyn in Lister, Index Conch., ed. 3, 1823, 26.
- octocostata** Patella, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829,
- octocostatus** Pecten, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 69. [124.]
- octocostatum** Stomobrachium (Sars), E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 30.—Oceania.
- Octocotyle** S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 137.—Verm.
- Octocotyle** C. M. Diesing, Syst. Helminth. I. 1850, 421.—Verm.
- Octocris** *err. pro* Otocoris, Bonap.; T. Brown, Ill. Gen. Birds, 1846, plate to sign. E₆.
- octoculata** Borlasia, G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 434.—Nemertes, 1837.
- octoculatus** Helluo, L. Oken, Lehrb. Nat. III (1) 1815, 367.
- octoculata** Nemertes, G. Johnston, Mag. Zool. Bot. I (6) Ap. 1837, 537.—Planaria, 1828.
- octoculata** Nephelis (L.), A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 302.—Hirudo,
- octoculata** Planaria, G. Johnston, Zool. Journ. IV (13) July 1828, 56. [1758.]
- octodactyla** Scutella (Gm.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 201.—Echinus, 1790.
- octodecimo cinctus** Dasypus, J. Wilkes, Ency. Londin. V (299) 1803, 605 [Erx. sp.].
- octodecimcinctus** Tolypeutes, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 108 [*n. n.*].
- octodecimguttata** Acmaeodera (Herbst), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 11.—Buprestis, P. & M. 1783.
- octodecim guttata** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 680.—Chrysomela, 1775.
- octodecimguttatus** Brachysphoenus, T. Lacordaire (*ex* Dej.), Mon. Erotyl., Sept. 1842, 351.
- octodecim-guttata** Myrrha (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 125.—Coccinella, 1758. [Ent. (2) 1835, 575.]
- octodecemguttata** Phyllocharis, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe,"
- octodecim-maculata** Colymbetes, W. S. Macleay, Annulosa Javanica, 1825, 31.
- octodecimpunctata** Acmaeodera, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 36.
- octodecim-punctata** Mylabris, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. b.
- octodecim pustulata** Megilla, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 26.
- octodecimspilota** Coccinella, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 64.
- octodecimspinosus** Cottus, S. L. Mitchell, Rept. Fishes N. York, Jan. 1814, 7.

- octodentata** Anostoma, G. Fischer, Mus. Démid. III. 1807, 231.
- octodentata** Caelioxys, T. Say in Keating, Exp. Peter River, II. 1824, 353; & ed. London, 1825 (App.), 84. [II. 1841, 524.]
- octodentata** Coelioxys, Dufour in Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
- octodentata** Corticaria (Say), C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 65.—Latridius.
- octodentata** Corystes (Dicera), W. de Haan in Siebold, F. Japon. (Crust. 1833), 15.
- octodentatus** Cyclograpsus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 80.
- octodentatus** Latridius, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 325.
- octodentata** Pupa, W. Hartmann, N. Alpina, I. 1821, 219 [*n. n.*].
- octodentatus** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 398.
- Octodon** E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 46.—M.
- octodon** Callidina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 380.
- octofasciata** Oedipoda, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 728.
- octofora** Pegea (Cuv.), J. C. Savigny, Mém. An. s. Vert. (2) 1816, 235.—Salpa.
- octofora** Salpa, G. Cuvier, Ann. Mus. H. N. (Paris) IV (23) July 1804, 379.
- octoformis** Alveopora, de Blainville, Dict. Sci. Nat. LX. 1830, 359 [*n. n.*].
- octogesima** Ceropacha (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua, 1786. [389.—Tethea, ? Ochs.]
- octogesima** Cerotopacha (Curt.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835,
- octogesima** Cymatophora (Huebn.), F. Treitschke, Schmett. Europa, V (1) 1825, 95.—Noctua, 1786.
- octogesima** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 43 (Fernaldo judice 1802)
- octogesima** Palimpsestis, J. Huebner, Verz. bekannt. Schmett. [1822], 237. [[*n. et f.*].
- octogesima** Tethea (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 65.—Noctua, 1786.
- Octoglossa** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 194.—Col. [*gen. caelebs*].
- Octogometra** Forster, Syn. Cat. Brit. Birds, 1817, 27 [Octy→, 27; Orty→, 59].
- octogonius** Venulites, E. F. v. Schlotheim, Die Petref. 1820, 197.
- Octogonotes** A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) III. Feb. 1820, 191 [*non* 184,
- octogonum** Dentalium, Lamarck, An. s. vert. V. 1818, 344. [*vernac.*].—Col.
- octogona** Hydra, J. C. Zenker, Taschenbuch von Jena, 1836, 216.
- octogona** Mesocena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 417.
- octogonus** Murex, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 531.
- octogrammus** Chirus (Pall.), J. Richardson, F. Bor.-Amer. (3) 1836, 100.—Labrax.
- octogrammus** Labrax, P. S. Pallas, Mém. Ac. Imp. Sci. St Pétersb. II. 1810, 393.
- octoguttata** Ancylochira (L.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1758.
- octoguttata** Anthia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 2 [*n. n.*].
- octoguttata** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1570.
- octoguttatus** Brachysphoenus (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 412.—Ero-
- octoguttatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*]. [tylus.]
- octoguttatus** Cerambyx, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 168.
- octoguttata** Cicada (Fab.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 231.—Tetti-
- octoguttata** Colaspis, A. G. Olivier, Entom. VI. 1808, 883. [gonia, 1798.]
- octoguttatus** Cryptocephalus (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 371.—Chryso-
- mela, 1767.
- octoguttatus** Curculio, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 391.
- octoguttatus** Erotylus, A. G. Olivier, Entom. V. 1807, 485.
- octoguttata** Haltica, Grøndal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 317.
- octoguttatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 325.
- octoguttata** Leptura, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
- octoguttatus** Lixus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 547.
- octoguttata** Mordella, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 91 [*n. n.*].
- octoguttata** Saperda, D. H. Schneider, Verz. Insectensamml. 1828, 82 [*n. n.*].
- octoguttata** Sapyga, L. Dufour, Ann. Sci. Nat. [3] (Zool.) XI. Feb. 1849, 93.
- octoguttatus** Scarites, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 3 [*n. n.*].
- octolamellosa** Astrea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 302.

- Octolasmis** J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 100.—Cirr.
octolineatus Coluber (Schn.), G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 540.—Elaps.
octolineata Coronella, H. Schlegel, Essai phys. Serp. 1837, I., 137; II., 77.
octolineata Diacope, Cuvier & Valenc., H. N. Poiss. II. 1828, 418.
octolineatus Elaps, J. G. Schneider, Hist. Amph. II. 1801, 299.
octolineatus Helotes, L. Jenyns, Zool. "Beagle" (Fish, 1840), 18.
octolineatus Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 500.—Curculio, 1792.
octolineatus Mesoprion, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Percoid. Malayo-Moluk.), 40.
octolineata Páropsis, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins., 300.
octolineatum Pristipoma, Cuvier & Valenc., H. N. Poiss. IX. 1833, 487.
octolineatus Scincus, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 283.
octolineata Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 340.
octolineata Trachelia, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 26.
octolineatus Trachyderes, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 305.
octoloba Polypothechia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 9.
octo-lobatus Ceraurus, F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 407. [[*n. n.*].
octolobata Ephyra, J. F. Eschscholtz, Syst. Acalephen, 1829, 84.
octolobata Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 331.—Alyselm. 1800.
octolobata Taenia (Zed.), C. A. Rudolphi, Entoz. II (2) 1810, 178.—Halysis.
octolocularia Nodosaria, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 2.
octolunata Xiphicera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 615.
octomaculalis Alypia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 22.
octomaculalis Alypia, J. Huebner, Verz. bekannt. Schmett. 1826, 351.
octomaculalis Ennychia (Charp.), F. Treitschke, Schmett. Europa, VI (2) 1828, 319.—Phal. (Geom.) o—lata, L. 1771. [1849), 13.
octomaculalis Pyrausta, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B, ed. 2 (Aug.
octomaculana Cnephasia, J. Curtis (*ex* Haw. MS), Brit. Entom. III (25) Jan. 1826, no. 100.
octomaculata Agapanthia, J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 37.
octomaculata Agarista (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 803.—Sesia, 1775. [Phalaena, 1771.
octomaculata Anania (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Feb. 1834, 31.—
ortomaculata (*sic*) Batocera (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 471.—Lamia, 1792.
octomaculata Batocera, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 551.
octomaculatus Cephalepis, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 31 & 55.
octomaculatum Chrysotoxum, J. Curtis, Guide Brit. Ins. (7) 1831, 217 [*n. n.*].
octomaculatum Chrysotoxum, J. Curtis, Brit. Entom. XIV (163) July 1837, no. 653.
octomaculatus Curculio, A. G. Olivier, Entom. V. 1807, 345.
octo-maculata Doryphora, Fab.; Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
octomaculata Ennychia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phal. (Geometra), 1771.
octo-maculata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [*n. n.*].
octomaculata Hesperia, J. Sepp, Surinaam Vlinders (? 1848–50), 123.
octo-maculatum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [*n. n.*].
octomaculata Leia, J. Curtis, Brit. Entom. XIV (161) May 1837, no. 645.
octomaculata Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 448.
octo maculata Mutilla, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 129.
octomaculata Nitidula, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 17 [*n. n.*] & *var.* abbreviata, F. V. M. [*n. n.*].
octomaculata Nitidula, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 181.
octomaculata Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 294.
octo-maculata Pachyta (Fab.), Dejean, Catal. Coléopt. 1821, 112.—Leptura, ? Deg. 1775.
octomaculatus Panurgus, T. Say in Keating, Exp. Peter River, II. 1824, 350; & ed. London, 1825 (App.), 81.

- octo-maculata** Phylloptera, J. O. Westwood, Cab. Orient. Entom. 1847, 52.
octomaculata Prioptera, C. H. Boheman, Mon. Cassid. I. 1850, 56. [1791.
octomaculatus Priotelus (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 500.—Erotylus,
octomaculata Scaeva, J. Curtis, Guide Brit. Ins. (7) 1831, 219 [*n. n.*].
octomaculata Scolia, T. Say, Western Quart. Reporter, II (1) 1823, 74.
octomaculata Stelis, F. Smith, The Zoologist, I (9) 1843, 261. [132.—Curculio.
octomaculatus Stigmatrachelus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840,
octomaculatus Syrphus, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 344.
octomaculatum Tetraonyx, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
octomaculatus Thomisus, C. L. Koch, Die Arachniden, XII (3) 1845, 55. [1809, 237.
octomaculatus Trybliophorus, J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 275.
Octomeia C. S. Rafinesque, Analyse, 1815, 143.—G.
Octomera C. S. Rafinesque, Analyse, 1815, 143.—Chiton [*n. n.*]. [Cirr.
Octomeris G. B. Sowerby, I., Zool. Journ. II (6) July 1825, 244; Gen. Shells (26) 1825.—
octona Achatina (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 414.—Bulimus, Br. 1789.
octona Geryonia, J. Fleming, Edinburgh Phil. Journ. VIII (16) 1823, 298.
octona Helix (Cochlicopa), L.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
octona Limnea (L.), J. Fleming, Hist. Brit. Anim. 1828, 274.—Helix, 1767. [55.
octona Oceania (Flem.), E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 27.—Geryonia.
octona Paludina (L.), S. Nilsson, Hist. Moll. Suec. 1822, 92.—Helix, 1767.
octona Subulina (Gm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 77.—Helix, 1767.
octona Thaumantias, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 44.
octonaria Dictyocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 201.
octonaria Turritella, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 144.
octonella Eudorea, P. C. Zeller, Isis (Oken), 1839, 175.
octonema Favonia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 328.
octonema Lymnorea (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 115.—Favonia.
octonema Orythia (Pér.), Lamarck, An. s. vert. II. 1816, 503.—Favonia.
octonis Pseudocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.
octonoides Bulimus, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 177.
octonoides Bulimus, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 12.
octonotata Calochroa (Wied.), F. W. Hope, Coleopt. Manual, II. 1838, 15.—Cicindela.
octonotata Cicada, J. O. Westwood, Arcana Entom. II (15) Sept. 1843, 34.
octonotata Cicindela, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 168.
octonotata Clythra, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 184.
octonotata Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 281. [1789.
octo-notatus Clytus (L.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 473.—Cerambyx, Gm.
octonotatus Ephydra, F. Walker (*ex* Barnston MS), List. Dipt. Coll. B. M. (4) 1849, 1106.
octonotatus Halictus, P. S. Schilling, Uebers. Arb. schles. Ges. 1839 (1840), 123 [*n. n.*].
octonotata Huechys (Westw.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 253.—
octonotata Leptura, W. Turton, Linnaeus, Syst. Nat. II. 1802, 351. [Cicada.
octonotata Leptura, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 419.
octonotata Mylabris, G. Fischer de W., Cat. Col. Sibir. [1842], 17.
octonotatus Solenius, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post*
 Mar. 1835, 719.
octonotata Stenura, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 62.
octonotata Typhlocyba, J. Hardy, Tr. Tyneside Nat. F. C. I (5) 1850, 419.
Octonus C. S. Rafinesque-S., Ind. itt. Sic. 1810, 54.—P.
octophractus Crocodilus, J. E. Gray (*ex* Rueppell MS) in Griffith's Cuvier, Anim. Kingd.,
 Rept. 1830, Syn., 22.
octoplectus Pecten, G. v. Muenster, Beitr. zur Petref. (4) 1841, 72.
octoplicata Rhynchonella (Sow.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 46.—
octoplicatus Spirifer, J. De C. Sowerby, Min. Conch. VI. 1827, 120. [Terebratula.
octoplicatus Spirifer, Zieten [*non* Sow.], Pétrif. Wurt. (7) 1832, 51.
octoplicatus Spiriferina (Ziet.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 221.—
 Delthyris [*i.e.* Spirifer].
octo-plicata Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
octoplicata Terebratula, J. Sowerby, Min. Conch. II. 1816, 37. [1809, 32.

- Octoplocamus** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 187.—
- Octopoda** J. E. Gray, London Med. Reposit. XV. 1821, 230.—Ceph. [Med.]
- octopodia** Eledone (Penn.), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 22.—Sepia, 1758.
- octopodia** Octopus (Penn.), J. Fleming, Hist. Brit. Anim. 1828, 254.—Sepia, 1758.
- octopodis** Distoma, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1830], 61.
- octopodis** Hectocotylus, Cuvier, Ann. Sci. Nat. XVIII (70) Oct. 1829, 147.
- octopodis** Monostoma, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 200.
- Octopodoteuthis** A. Krohn, Arch. f. Naturg. XI (1) 1845, 47.—Ceph.
- Octopoteuthis** E. Rueppell, Giorn. Gabin. Messina (26) 1844; Arch. f. Nat. XI (2) 1845, 304.—Ceph.
- octops** Lithobius, A. Menge, N. Preuss. Prov.-Blätter, VII. 1849, 332 [*n. n.*]; N. Schr. nat. ges. Danzig, IV (4) 1851, 10.
- octoptera** Beroe, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 528.
- octoptera** Janira (Mert.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 104.—Beroe. [(1834), 347.]
- octoptera** Seriatopora, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
- octopterygius** Glaucus, G. Cuvier, Ann. Mus. H. N. (Paris) VI (36) Dec. 1805, 430.
- Octopteryx** J. J. Kaup, Das Thierreich, II (1) 1836, 25.—A. [*typus* Cuculus guira].
- octopunctus** Pompilus, Jurine in G. W. F. Panzer, Ins. Germ., heft 76, 1800, tab. 17.
- octopuncta** Sapromyza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 454.
- octo-punctata** Acantha (Fab.), Laporte & Gory, H. N. Coléopt. I. 1838, 3.—Buprestis, ? Scop. 1763.
- octopunctatum** Agonum (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 136.—Carabus, 1798.
- octopunctatus** Aleurostictus (Scr.), W. Kirby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 157.—Trichius, 1790.
- octopunctatus** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 693.
- octopunctata** Bembex, E. Donovan, Brit. Ins. XIV. 1810, 21.
- octopunctata** Bugainvillia (Sars), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 292.—Cytaeis.
- octopunctata** Cercopis, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 559.
- octopunctata** Cicindela, H. Loew, Entom. Zeitung, Stettin, IV (11) Nov. 1843, 339.
- octopunctata** Clythra, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 78 [*n. n.*].
- octopunctata** Coccinella, Fab.; A. & G. Villa in Catteneo, Notiz. Nat. Lombard. 1844, 476 [*n. n.*] & *v. humerata*.
- octopunctatus** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 817. [368.]
- octopunctatus** Cryptocephalus, J. V. Dalman in C. J. Schoenherr, Syn. Insect. I (2) 1808,
- octopunctata** Cyclocephala, Dupont in H. Burmeister, Handb. Ent. V. 1847, 65.
- octopunctatus** Cyclomorphus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 179.
- octopunctata** Cytaeis, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 28.
- octopunctata** Dioctria, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 49.
- octo-punctata** Doryphora, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
- octopunctatus** Eumolpus, E. F. Germar, Ins. spec. novae, I. 1824, 564.
- octopunctata** Eupoecila, Hope in H. Burmeister, Handb. Ent. III. 1842, 540. [1798.]
- octopunctatus** Feronia (Fab.), T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 51.—Carabus,
- octopunctatus** Gnorimus (Fab.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 530.—
- octopunctatus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 291. [Cetonia, 1775-]
- octopunctatus** Jassus, H. Burmeister, Gen. Ins. (2) 1838, no. 3.
- octo-punctatus** Leptocerus, D. H. Schneider, Verz. Insectensamml. 1828, 80 [*n. n.*].
- octopunctata** Lizzia (Sars), E. Forbes, Ann. Mag. N. H. XVIII. Oct. 1846, 286.—Cytaeis.
- octo-punctata** Mylabris, Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- octopunctata** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 184.
- octopunctata** Prioptera (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 153 & 176.—Cassida, 1787.
- octopunctatus** Pterostichus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 123.—Carabus, ? Fab. 1798.
- octopunctatus** Rhaphigaster (Prionochilus), W. S. Dallas, Tr. Entom. Soc. Lond. V (8) Nov. 1849, 192. [[*n. n.*].]
- octopunctatum** Scaphidium, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 70

- octopunctatus** Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I.
octopunctatus Sitona, E. F. Germar, Ins. spec. novae, I. 1824, 416. [1825, 391.
octopunctata Tephritis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 466.
octopunctata Tituboea (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 163.—Clythra [*? Cryptoc.* 1787].
octopunctata Trypeta (Macq.), H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 336.—Tephritis.
octopunctata Zeuzera, J. A. Boisduval, Ic. hist. lepidopt. Europe, II (—) 1837, 181.
octopunctella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 372.
octopus Alvis, G. v. Muenster, Beitr. zur Petref. (3) 1840, 20.
octo pustulata Cassida, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 7.
octopustulata Cleothera (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 636.—Coccinella, *? Th.* 1795.
octopustulata Coccinella, F. V. Melsheimer, Ins. Pennsylv. 1806, 19 [*n. n.*].
octopustulata Poecilaspis (Klug), C. H. Boheman, Mon. Cassid. I. 1850, 417.—Cassida.
otoradiata Astrea, G. v. Muenster, Beitr. zur Petref. (1) 1839, 105.
otoradiata Emarginula (Gm.), J. E. Gray, Ann. Phil. XXV. 1825, 407.—Patella, 1790.
otoradiata Lucernaria, Lamarck, An. s. vert. II. 1816, 474.
otoradiata Strobila, M. Sars, Bidr. Soedyr. Naturh. 1829, 17.
octo-seriata Locusta (Phaneroptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 195.
octosignatus Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 32. [1817, 122.
octo-signata Buprestis, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 243; & App.
octosignatus Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 214.
octosignata Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 36.
octosignata Coccinella, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 225.
octosignata Coccinella, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 96 [*n. n.*].
octosignata Coelophora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 407.
octosignata Tituboea (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 155.—
octospilata Apatura, Laporte & Gory, H. N. Coléopt. I. 1838, 4. [Clythra.
octo-spilota Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 28.
octospinosa Formica, G. C. Reich, Mag. Thierreichs (3) 1795, 132.
octospinosus Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 289.
octosporifex Cynips, F. v. P. Schrank, F. Boica, II (2) 1802, 213.
octostigma Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 539.
octo-stigmata Buprestis, Dejean, Catal. Coléopt. 1821, 30 [*n. n.*].
Octostoma A. W. Otto, N. Acta Ac. Caes. Leop. Car. XI (2) 1823, 302.—Verm.
Octostoma Kuhn, Mém. Mus. H. N. (Paris) XVIII [5] 1830, 358.—Verm.
octostychius Nothosomus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494 [*n. n.*]; Poiss. Foss. II (1), 292 (1844) [*n. n.*].
octostyla Cephea (Forsk.), J. F. Eschscholtz, Syst. Acalephen, 1829, 57.—Medusa, 1775.
octosulcatus Trochus, P. H. Nyst, Coq. Foss. Anvers, 1835, 26.
Octotemna [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 84.—
Octotemnus J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 385.—Col. [Col.
octo-tentaculata Medusa, S. Macri, Atti R. Accad. Sci. [Napoli] V (1) 1843, 459.
Octotoma Hagenb. in J. Sturm, Catal. Ins. Samml. 1826, 175.—Col. [*n. n.*].
Octotoma Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col.
Octotoma F. E. Guérin-M., Iconographie, 1844, Ins., 279.—Col.
octotuberculatus Geonemus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 296.—Curculio, 1787.
octo-verrucata Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 718.
octovittatus Cheilodipterus, Cuvier & Valenc., H. N. Poiss. II. 1828, 163.
octovittata Diacope, Cuvier & Valenc., H. N. Poiss. VI. 1830, 528.
octovittatus Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 430.
Ortygometra Forster, Syn. Cat. Brit. Birds, 1817, 27 [Waterh. *dict. err. pro* Ortygometra
oculana Penthina, T. W. Harris, Rep. Insects Massach. 1841, 349. [[Leach].
ocularis Anchonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 394.
oculare Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 257.

- ocularis** Auletris (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
- ocularis** Calamita (Latr.), B. Merrem, Tent. Syst. Amph. 1820, 172.—Hyla.
- ocularis** Ceratopacha (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 120.—Phalaena, 1767.
- ocularis** Cleonis (Fab.), Dejean, Catal. Coléopt. 1821, 96.—Rhynchaenus.
- ocularis** Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 183.—Rhyn-
- ocularis** Drymoica, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxv, 1843. [chaenus.
- ocularis** Epuraea, L. Fairmaire, Rev. et Mag. de Zool. (2) I. July 1849, 363. [1838].
- ocularis** Glyciphila, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 6,
- ocularis** Heterophthalmus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 234.
- ocularis** Hyla, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 187.
- ocularis** Hylodes, J. E. Holbrook, N. Amer. Herpet. III. 1838, 79.
- ocularis** Illaenus, J. W. Salter, Mem. Geol. Surv. U. K., Figures, Decade 2, 1849, pl. ii,
- ocularis** Lemur, H. R. Schinz, Syst. Verz. Säug. I. 1844, 102. [p. 4.
- ocularis** Orthosia, C. F. Freyer, Neuere Beitr. Schmett. I (16) 1833, 168.
- ocularis** Ortygometra, G. R. Gray, List Birds Coll. B. M. III. 1844, 119 [n. n.].
- ocularis** Prosimia, R. P. Lesson, Spec. des Mamm., Nov. 1840, 231.
- ocularis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 441.—Curculio, 1792.
- ocularis** Saperda, F. W. Hope, Trans. Ent. Soc. London, IV (3) 1845, 181.
- ocularis** Sciurus, A. Smith, Zool. Journ. IV (16) May 1829, 439.
- ocularis** Sylvia, M. H. C. Lichtenstein, Verz. Säug. Vog. Z. M. Berlin, 1835, 19 [n. n.].
- ocularia** Hyphantornis (A. Smith), G. R. Gray, Gen. Birds, II. Mar. 1849, 351.—Ploceus.
- ocularius** Ploceus, A. Smith, Proc. S. Afr. Inst. 1828; Ill. Zool. S. Afr., pl. xxx, f. 2 (1839) [teste R. B. S.].
- oculati collis** Saperda, T. Say, J. Acad. Nat. Sci. Philad. III. May 1824, 406.
- oculator** Alysia, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 71. [Ichneumon, 1775.
- oculator** Chelonus (Fab.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164.—
- oculator** Coptosoma, Reiche & Fairmaire in Ferret & Galinier, Voy. Abyssin. III [1850], 437. [Ichneumon, 1775.
- oculator** Sigalphus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 328.—
- oculator** Zographus (Fab.), Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 342.—Lamia, 1775.
- oculatorius** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 78.—Ichneumon, 1798.
- oculatoria** Pimpla (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 154.—
- oculatus** Achias, J. C. Fabricius, Syst. Antliat. 1805, 247. [Ichneumon, 1798.
- oculata** Aechmia, P. C. Zeller, Entom. Zeitung, Stettin, XI (5) May 1850, 157.
- oculatus** Alaus (Fab.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater, L. 1758.
- oculata** Ameiva, A. d'Orbigny & G. Bibron, Amér. Mérid. (Rept.) 1847, 9.
- oculata** Ameiva, A. d'Orbigny & G. Bibron, Amér. Mérid. (Rept.) 1847, 9 [altera].
- oculatus** Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 138 [n. et f.].
- oculata** Amphelia (Ellis), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849,
- oculata** Anguillula, A. R. Orsted, Reg. Mar. 1844, 80. [69.—Madrepora, L. 1758.
- oculatus** Anthicus, Gyll.; Dejean, Catal. Coléopt. 1821, 73 [n. n.].
- oculata** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 428.
- oculatus** Ascalaphus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 276.
- oculata** Astata (Jur.), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 30.—
- oculata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 65. [Dimorpha.
- oculata** Atherix, J. C. Fabricius, Syst. Antliat. 1805, 74.
- oculatus** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 424.
- oculatus** Balistes, J. E. Gray, Ill. Indian Zool. I (7) July 1831 (pl. 90).
- oculatus** Batrisus, C. Aubé, Psélaph. Mon. in Magasin de Zool. III. 1833, 48.
- oculata** Bembex, L. Jurine, N. Méth. class. Hyménopt. 1807, 175 [n. et f.].
- oculatus** Bostrychoides, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 144.
- oculatus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 414.—Erotylus.
- oculata** Bruchomorpha, E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 399.
- oculatus** Bruchus, T. Say, Descr. N. Amer. Curcul., July 1831, 2.
- oculatum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 14, 67 & 152 [n. n.].

- oculatum* Buccinum, L. W. Dillwyn, Catal. Shells, 1817, 642.
- oculatum* Buccinum (Terebra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 350.
- oculata* Cantharis, F. Gebler, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817, 316.
- oculatus* Canthidermis, W. Swainson, N. H. Fishes etc. II. July 1839, 325.
- oculatus* Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 191.
- oculatus* Caraculus, Denys de Montfort, Conch. II. 1810, 139.
- oculata* Cellepora, Lamarck, An. s. vert. II. 1816, 171. [pora.
- oculata* Celleporaria (Lam.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 43.—Celle-
- oculata* Centrostrea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 386.—
- oculata* Ceriopora, G. A. Goldfuss, Petref. German. I (3) 1831, 217. [Astrea.
- oculata* Cetonia, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 46.
- oculatus* Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 14 c.
- oculatus* Chiton, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 410.
- oculata* Chrysaora, R. P. Lesson, Prod. Méduses [auct. typ.], 1837, 56; (Roret's Suite à Buffon), Acalèphes, 1843, 402.
- oculata* Chrysopa, T. Say, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1849, 45.
- oculata* Cicada, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 138.
- oculata* Cicindela, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 695.
- oculata* Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 63.
- oculata* Cleonis, G. Fischer, Bull. Soc. Imp. Nat. Moscou, II (2) 1830, 188.
- oculatus* Clerus, T. Say, Boston Journ. N. H. I (2) 1835, 163.
- oculatus* Clerus, M. Spinola (ex Dej. Cat.), Ess. mon. Clérites, I. 1844, 267.
- oculatus* Clytus, Dejean, Catal. Coléopt. 1821, 111 [n. n.].
- oculata* Cobitis, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 303.
- oculata* Coccinella, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 85 [n. n.].
- oculata americana* Coccinella, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [n. n.].
- oculatus* Copturus (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 650.—Zygops.
- oculata* Cribella (Penn.), E. Forbes, Hist. Brit. Starfish (3) Dec. 1840, 100.—Asterias, 1777.
- oculatus* Cryptorhynchus, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 308.
- oculata* Cymothoa, T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 398.
- oculatus* Dasypogon (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 230.—Dioctria.
- oculatus* Diaphorus (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 706.—Dolichopus.
- oculata* Dimorpha, L. Jurine, N. Méth. class. Hyménopt. 1807, 147 [n. et f.].
- oculata* Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 151.
- oculatus* Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (3) 1823, 18.
- oculatus* Echinaster, J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 240.
- oculatus* Echinaster (Penn.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 24.—Asterias.
- oculatus* Echinites, E. F. Schlotheim, Taschen. Min. 1813, 50.
- oculatus* Elastoma (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 202.—Serranus.
- oculatum* Enoplium (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May 1849, 32.—Clerus.
- oculata* Epeira, C. A. Walckenaer, Tab. Aran. 1805, 64.—Aranea, 1802. [81.
- oculatus* Ephialtes, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- oculata* Episcapha, Buquet (ex Dej. Cat.) in T. Lacordaire, Mon. Erotyl., Sept. 1842, 51.
- oculatus* Erotylus, Dejean, Catal. Coléopt. 1821, 128 [n. n.].
- oculatus* Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825, 161.
- oculatus* Euglenes, J. O. Westwood, Zool. Journ. V (17) Feb. 1830, 60.
- oculatus* Euglenes (Payk.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Mar. 1832, 78.—Anthicus, 1798.
- oculata* Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 323.
- oculata* Fenestella, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 10 [n. n.]; Syn. Carb. Lst. foss. Ireland, 1844, 203.
- oculata* Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 143.
- oculata* Fringilla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 211.
- oculata* Fulgora, J. O. Westwood, Tr. Linn. Soc. London, XVIII (2) 1839, 142.
- oculata* Galgulus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 254.—Naucoris, 1798.

- oculata** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 496.
- oculatus** Gerrhosaurus, T. Cocteau, Magasin de Zool. III. 1833 [Mar. 1834], pl. 4.
- oculata** Halichondria (Pall.), G. Johnston, Hist. Brit. Sponges, 1842, 94.—Spongia, L. 1759.
- oculata** Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 100.—Galleruca.
- oculata** Halys, J. C. Fabricius, Syst. Rhyng. 1803, 181.—Cimex, 1775.
- oculatus** Hedybius (Thunb.), W. F. Erichson, Entomographien, 1840, 93.—Cantharis,
- oculatus** Helodrilus, W. Hoffmeister, Regenwürmer, 1845, 39. [1784.]
- oculata** Hemitrypa, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 27.
- oculata** Henricia (Penn.), J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 184.—Asterias,
- oculata** Heteromyza, C. F. Fallen, Heteromyzides Sveciae, 1820, 2. [1777.]
- oculatum** Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
- oculata** Hornera, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 238 [*n. n.*].
- oculata** Lamia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 278.—Cerambyx,
- oculata** Lamia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 73 [*n. n.*]. [1758.]
- oculatus** Latrodectus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 645.
- oculata** Lemnia (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 385.—Coccinella, ? Th. 1781.
- oculata** Leptis (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 322.—
- oculatus** Limulus, S. Kutorga, Kupfersandst. Urals, 1838, 22. [Atherix.]
- oculata** Linkia (Penn.), E. Forbes, Mem. Werner. N. H. Soc. VIII (1) 1839, 120.—Asterias, 1777.
- oculata** Lystra, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 55.
- oculatus** Macrocerus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 38.
- oculatus** Macroglenes, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. I (2) Aug. 1832, 127. [1784.]
- oculatus** Malachius, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 38.—Cantharis,
- oculatum** Manon (Esp.), A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. vii.—Spongia, L. 1759.
- oculata** Millepora, J. Phillips, Geol. Yorksh. II. 1836, 200.
- oculata** Miltogramma, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1212.
- oculatus** Misetus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 212.
- oculata** Molgula, Forbes & Hanley, Hist. Brit. Moll. I. 1848, 36.
- oculata** Mordella, T. Say, Boston, Journ. N. H. I (2) 1835, 190.
- oculatus** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 36, May 1845.
- oculata** Mutilla, J. C. Fabricius, Syst. Piezat. 1804, 432.
- oculata** Mygale, H. Nicolet in Gay, Chili, III (Arach.) 1849, 331.
- oculatus** Mysis (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 132.—Cancer, 1780.
- oculata** Mystacodella, Bory de St V., Dict. Class. H. N. XI. Feb. 1827, 410.
- oculata** Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 271.—Phalaena, 1780.
- oculata** Oberea (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 194.—Cerambyx, 1758. [Madrepora, L. 1758.]
- oculata** Oculina (Pall.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c Mar. 1848, 395.—
- oculatus** Odynerus, T. Say, Boston Journ. N. H. I (4) 1837, 385.
- oculatus** Otidocephalus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 195.
- oculatus** Otiorhynchus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 57 [*n. n.*].
- oculatus** Pachymerus, E. F. Germar, Revue Entom. V (3) 1840, 140.
- oculatus** Pectunculus, L. Reeve, Conch. Icon.—Pectunculus, no. 38, June 1843.
- oculatus** Pentadactylosaster (Penn.), C. Cordiner, Remark. Ruins N. Britain, etc. [1789], sign. Q 1.—Asterias, 1777.
- oculatum** Peridinium, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 374.
- oculatus** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 108.
- oculata** Phasma (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 298.—
- oculatus** Pissocles, Dejean, Catal. Coléopt. 1821, 87 [*n. n.*]. [Mantis, 1781.]

- oculata** Polia, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 177.
- oculata** Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 26.
- oculatus** Pselaphus, Dejean, Catal. Coléopt. 1821, 133 [*n. n.*].
- oculata** Pustulopora (Goldf.), J. Morris, Cat. Brit. Foss. 1843, 43.—Ceriopora.
- oculata** Pyria (Fab.), A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 19.—Chrysis, 1775.
- oculata** Raia, A. Risso, H. N. Europe, III. 1826, 149.
- oculata** Ricania, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 192.
- oculatum** Rygchium (Fab.), E. F. Germar, Fauna Ins. Europ. (13) [1825-28], 22.—Vespa, 1781.
- oculata** Schizocephala (Fab.), H. Burmeister, Handb. Ent. II (2) 1, 1838, 552.—Mantis,
- oculata** Sebastes, Cuvier & Valenc., H. N. Poiss. IX. 1833, 466. [1781.
- oculatus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 266.
- oculatus** Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 267. =oculator,
- oculata** Solea, G. Cuvier (*ex* Rond.), R. Anim. II. 1817, 223. [Latr.
- oculata** Solea, A. Risso, H. N. Europe, III. 1826, 248.—*v.* Pleuronectes ocellata.
- oculatus** Sphagebranchus, A. Risso, H. N. Europe, III. 1826, 197.
- oculata** Squatina, C. L. Bonaparte, Icon. Faune Ital. (28) 1840.
- oculata** Squilla, A. Brullé in Webb & Berthelot, Canaries (Crust.) 1840, 18.
- oculatus** Stenus (Goeze), J. L. C. Gravenhorst, Coleopt. micr. 1802, 155.—Staphylinus, ? Fab. 1776.
- oculata** Stilbum (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- oculata** Terebra, Lamarck, An. s. vert. VII. 1822, 286. [297.—Chrysis, 1775.
- oculata** Torpedo, J. Davy, Researches, I. 1839, 78; Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 127. [1840, 417.—Xylocaris.
- oculatus** Trachyderes (Serv.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- oculata** Tupha (Ellis), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 354.—Spongia, L. 1759.
- oculatus** Tylosis, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 9.
- oculata** Xylena, Sommer in E. F. Germar, Fauna Ins. Europ. (9) 1825, 18.
- oculata** Xylocaris, Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 48.
- oculatus** Xylocharis, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 30.
- oculatus** Zygops, T. Say, Descr. N. Amer. Curc. 1831, 21 [*teste* Schoenh.].
- oculea** Apamea (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41.—Phalaena, 1761.
- oculea** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 791.
- oculea** Estrela (Q. & G.), J. Gould, Birds of Australia, III (18) 1845, pl. 79.—Fringilla
- oculea** Perdix, C. J. Temminck, Pig. et Gallin. III. 1815, 408. [oculata.
- oculea** Perdix, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xciv.
- oculea** Rollulus (Temm.), G. R. Gray, Gen. Birds, III. App. 1849, 24.—Perdix.
- oculea** Sporothlastes (Q. & G.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 455.—Fringilla oculata.
- Oculeus** Comm. in Lacep. 1803, *teste* Jordan, *sed vernac.*
- oculi** Filaria, N. F. Clarkson, Veterin. Record, I (1) Jan. 1845, 73.
- oculi canini** Filaria, A. Gescheidt, Zeitschr. Ophthal. III. 1833, 445 [*teste* S. & H.].
- oculi equi** Filaria, Nitzsch in Nordmann, Mikr. Beitr. Nat. wirbellosen Thiere, 1832, 12 [*teste* S. & H.].
- oculi humani** Distoma, A. Gescheidt, Zeitschr. Ophthal. III. 1833, 434 [*teste* S. & H.].
- oculi humani** Filaria, A. v. Nordmann, Mikr. Beitr. wirbellosen Thiere (1) 1832, 7.
- oculi ranae** Ascaris, Nordmann, Mikr. Beitr. Nat. wirbellosen Thiere, 1832, 17 [*teste* S. & H.].
- oculicollis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 44.
- oculifera** Aplysia, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 64.
- oculifera** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 45.
- oculifera** Emys (Kuhl), J. E. Gray, Syn. Rept. 1831, 22.—Testudo.
- oculifera** Glenopteris, J. Huebner, Verz. bekannt. Schmett. [1825], 255.
- oculifera** Glenopteris, J. Huebner, Exot. Schmett. II. Tab. [200] [*n. et f.*].
- oculifera** Nectria (Lam.), J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 287.—Asterias
- oculifera** Rhagiomorpha, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 21. [ocellifera.

- oculifera** Testudo, H. Kuhl, Beitr. Zool. I. 1820, 77.
- oculifera** Tropis, E. Newman, Entomologist (3) Jan. 1841, 34.—Rhagiomorpha, 1840.
- Oculina** Lamarck, An. s. vert. II. 1816, 283.—Cor.
- oculina** Alloporina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 371.
- oculina** Triloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 277.
- ocult**→ *v.* **occult**→.
- oculus** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Sept. 1849 [? Feb. 1850], 144.
- oculus** Platyschisma (Sow.), J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 286.—Trochus.
- oculus** Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].
- oculus** Siphonaria, C. F. F. Krauss, Südafrik. Moll. 1848, 58.
- oculus** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 157.
- oculus** Trochus, J. De C. Sowerby in T. L. Mitchell, Three Exped. Australia, I. 1838, 15.
- oculus-capri** Cyclostoma, J. E. Gray in L. Reeve, Conch. Syst. II. 1842, 98 [*n. et f.*].
- oculus hirci** Patella, D. Solander, Catal. Portland Mus. 1786, 140.
- oculus-perdix** Labrus, C. S. Rafinesque-S., Car. n. gen. 1810, 39. [(1844).]
- oculus serpentis** Sphaerodus, J. L. R. Agassiz, Poiss. Foss. II (1), 15 (1833); II (2), 215
- Ocyale** V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 149.—Ar.
- ocyale** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 285.
- ocyale** Dolomedes, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- ocyale** Junonia, J. Huebner, Verz. bekannt. Schmett. 1818, 34. [353.]
- ocyale** Junonia, J. Huebner, Exot. Schmett. II. Tab. [33] [*n. et f.*].
- Ocyalus** G. R. Waterhouse, Proc. Zool. Soc. London, VIII (95) July 1841, 183.—A. [*typus* Cassicus (O.) popayanus].
- ocyalus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 56.
- ocyalus** Mimoniades, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 27. [Dipt.]
- Ocydromia** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 351.—
- Ocydromites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ogydromite, Edw.
- Ocydromus** J. R. Schellenberg, Helvet. Entom. II. 1806, 20.—Col.
- Ocydromus** J. Wagler, Nat. Syst. Amph. 1830, 98.—A.
- Ocydromus** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 27.—Col. [*n. n.*].
- ocydromus** Macropus, J. Gould, Ann. Mag. N. H. X. Sept. 1842, 1.
- Ocydromyia** J. Macquart, Rac. Trav. Soc. amat. Sci. Lille, I. 1823, 147.—Dipt.
- ocymi** Cheilosia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58.—Scaeva.
- ocymi** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 651.
- ocymi** Scaeva, J. C. Fabricius, Syst. Antliat. 1805, 252.—Syrphus, 1794.
- Ocypeta** Leach, 1814; *sic* Agassiz, *sed* Ocypete *in orig.*
- Ocypete** W. E. Leach in Brewster's Edin. Ency. VII (2) 1814, 434.—Cr.
- Ocypete** C. S. Rafinesque, Analyse, 1815, 97.—Cr. [*n. n.*].
- Ocypete** C. L. Koch, Die Arachniden, III (3) July 1836, 41.—Ar.
- ocypete** Euptychia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 54.—Papilio, 1777.
- ocypete** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 488.—Papilio, 1777.
- Ocypetes** A. Risso, H. N. Europe, V. 1826, 184.—Ar.
- Ocypetes** J. G. Wagler, Isis (Oken), 1829, 762.—A.
- Ocypetes** R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 30.—M.
- Ocyphaps** J. Gould in Gray, List Gen. Birds, ed. 2, App. 12, Ap. 1842; Proc. Zool. Soc. London, X (109) Nov. 1842, 20.—A.
- Ocypoda** *id. ac* Ocypode, Web. 1795; Lamarck, Syst. Anim. 1801, 150.
- ocypore** Polystichtis, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 44.
- Ocyptamus** Serville in J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 554.—Dipt.
- Ocyptera** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 195.—Dipt. [Dipt.]
- Ocyptera** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 229.—
- ocypterata** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 131.
- ocypterata** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 318.—Anthomyia.
- ocypterata** Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 275.
- ocypterina** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 639.
- Ocypterus** *id. ac* Oxipterus, G. Cuvier, R. Anim. I. 1817, 339.—A.

- Ocypteryx** W. E. Leach, Brewster's Edin. Ency. XII (1) 1817, 162.—Dipt.
- Ocypus** Samouelle, Entom. Compend. 1819, 39 [*sic* Auct. *sed non comp.*].
- Ocypus** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Col.
- Ocyrrhis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ocyris, Hodgs.
- Ocyrrhoe** *id. ac* Ocyroe, P. & L.; L. Oken, Lehrb. Nat. III (1) 1815, 116.
[ocyrhoe.]
- ocyrrrhoe** Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 53.
- ocyroe** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 20.
- ocyrrrhoe** Euptychia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 54.—Papilio
- ocyrrrhoe** Oreas, J. Huebner, Exot. Schmett., Tab. Oreas [*n. et f.*]. [ocirrhoe, 1777.]
- ocyrrrhoe** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 374.
- ocyrrrhoe** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 489.—Papilio
- ocyroe** Teleas, F. Walker, Entom. Mag. III (4) Jan. 1836, 365. [ocirrhoe, 1777.]
- Ocyris** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84.—A. [*n. n.*].
- Ocyris** B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 35.—A.
- Ocyroe** Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 355.—Med.
- Ocyroe** P. S. Rang, Bull. H. N. Soc. Linn. Bordeaux, I (6) 1827, 316; ed. 2, 1830, 176.—
ocyrrrhoe *v.* **ocyrhoe**. [Coel.]
- Ocys** J. F. Stephens (*ex* Kirby MS), Ill. Brit. Ent. (Mand. II.) July 1828, 9.—Col.
- Ocys** J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
- ocys** Hippotion, J. Huebner, Verz. bekannt. Schmett. [1820], 135.
- Ocytata** J. Gistel, Nat. Thierr. 1848, p. x.—Dipt.
- Ocythoe** C. S. Rafinesque-S., Précis Som. 1814, 29.—Ceph.
- Ocythoe** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 179.—Col. [*non*
1838, *apud* Agassiz].
- oda** Thaumantis, J. Huebner, Exot. Schmett. II. Tab. [61] [*n. et f.*].
- odacon** Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 476.
- odagadium** Loligo, C. S. Rafinesque-S., Précis Som. 1814, 29 [*n. n.*].
- Odamphus** C. S. Rafinesque, Analyse, 1815, 89.—P. [*n. n.*].
- odana** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 445.
- odana** Thaumantis, Boisduval, S. à Buffon (Lép.) I. 1836, expl. pl. xii.
- Odatelia** C. S. Rafinesque, Atlantic Journ. (4) 1832, 154.—L. [*non* 1819, *apud* Scudder].
- Odatria** J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 394.—R.
- Odax** Cuvier & Valenc., H. N. Poiss. XIV. 1839, 298.—P. [*vernac.* 1829].
- Odenesis** W. E. Leach in G. Samouelle, Entom. Compend., June 1819, 247.—Lep.
- Odezia** Boisduval, Gen. Index Europ. Lepid. 1840, 229.—Lep.
- Odice** J. Huebner, Verz. bekannt. Schmett. 1825, 258.—Lep.
- odice** Erycina, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 582.
- odice** Mesosemia, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 13 [*n. n.*].
- odilia** Memphis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 48.—Papilio, 1780.
- odini** Calymene, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 62.
- odini** Chasmops (Eichw.), F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 403.—Calymene.
- odini** Clymenia, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 107.
- odini** Lituites (Eichw.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
360.—Clymenia.
- Odinia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 648.—Dipt.
- odiosus** Anoplochilus (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 508.—Cetonia.
- odiosa** Cetonia, Gory & Percheron, Mon. Cétoines (11) 1836, 263.
- odiosus** Ithyporus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 72.
- odiosus** Porophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 407.
- Odiphus** C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
- odites** Erycina (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 576.—Papilio, 1775.
- oditis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 150 (Fernaldo *judice* 1818–22)
- odites** Pteromalus, F. Walker, Proc. Linn. Soc. London (27) Nov. 1845, 261. [[*n. et f.*].
- oditis** Synargis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 19.—Papilio, 1775.
- odius** Hamadryas, J. Huebner, Exot. Schmett., Tab. Hamadryas [*n. et f.*].
- odia** Historis (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 35.—Papilio, 1775.
- odius** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 228.

- odix** Thymele, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 160.
Odmaelurus C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 72.—M.
Odobaenus A. L. A. Fée in Linnaeus, Syst. Nat., ed. prima reedita, 1830, 59.—M.
Odobenus C. S. Rafinesque, Analyse, 1815, 60.—M. = Dugong, Lac.
Odocantha C. J. Schoenherr, Syn. Insect. I (1) 1806, 237.—Col.
Odocantha T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 16.—Col.
Odocerus C. S. Rafinesque, Analyse, 1815, 56.—M. = Aper.
Odocerus C. S. Rafinesque, Analyse, 1815, 126.—Hym. [*n. n.*].
Odocoileus C. S. Rafinesque, Atlantic Journ. (3) 1832, 109.—M.
odoe Characinus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 271.—Salmo, 1794.
odoe Hydrocynus (Bl.), Cuvier, Règne Anim. II. 1817, 167.—Salmo, 1794.
odoe Hydrocyon (Bl.), G. Cuvier, R. Anim., ed. 2, II. 1829, 312.—Salmo, 1794.
odoe Xiphorhamphus (Bloch), Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 92.—
odoe Xyphorhynchus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 345. [Salmo, 1794.
Odogenius A. J. J. Solier, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 664.—Col.
Odomphium Rafinesque, Enum. obj. Cab., Nov. 1831, 3.—G. [*gen. caelebs*].
Odoncineta Costa, Cat. test. Sicil. 1829, pp. xiv & cxxxi.—L.
odondosa *v.* **odontosa**.
Odondostomus A. Cocco, N. Ann. Sci. Nat. II. 1838, 192.—P. [Odontost. p. 194].
Odonestis E. F. Germar, Syst. Gloss. Prod. 1811, 49.—Lep.
Odonptera P. A. Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 409.—Lep.
odonpteron Caprimulgus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 105.
odonta Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 194.
Odontacantha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odacantha, Payk.
Odontacanthus J. L. R. Agassiz, Poiss. F. V. G. R., 114 (1845).—P. [1798].
Odontacanthus L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 408.—P.
Odontaeus Megerle in Dejean, Catal. Coléopt. 1821, 56.—Col.
Odontaeus T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 211.—Col.
odontalgicus Larinus, Ol.; J. Sturm, Catal. Ins. Samml. 1826, 160.
odontalgicus Lixus, A. G. Olivier, Entom. V. 1807, 282.
odontalgicus Rhinobatus, Ol.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
Odontalus L. Parreyss, Ber. Mitth. Fr. Nat. Wien, VI. 1849, 99.—G. [(1843).—P.
Odontaspis J. L. R. Agassiz, Poiss. Foss. III., Feuilleton, 55 (1835), 87 (1838) & 287
odontellus Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
414.
Odonteus J. L. R. Agassiz, Poiss. Foss. IV., 40 (1835), 11 (1838), 177 (1839).—P.
Odontia Duponchel (*ex* Curtis MS) in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5,
pt. 2) 1832, 9.—Lep.
Odontidium R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 102.—Pt.
Odontina A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 310.—Incertae.
Odontionopa Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 408.—Col.
Odontis G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—G.
odontis Monodonta, W. Wood, Suppl. Index Test. 1828, 44.—Trochus, 1828.
odontis Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
odontites Buccinum, D. Solander, Catal. Portland Mus. 1786, 24 [*n. n.*].
Odontium J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 452.—
Odontobius R. de Vauzème, Ann. Sci. Nat. [2] (Zool.) I. June 1834, 326.—Verm. [Col.
Odontocarus A. J. J. Solier, Ann. Soc. Ent. France, III. 1834, 662.—Col. [Cr.
Odontocephalus T. A. Conrad, [4 A. Rep. N. Y. Geol. Surv.], Assembl. no. 50, 1840, 204.—
odontocephala Amphion (Green), Goldfuss, N. Jahrb. f. Min. 1843, 547.—Calymene.
odontocephala Calymene, J. Green, Amer. J. Sci. XXV (2) Jan. 1834, 334.
odontocephalus Dalmannia (Gr.), H. F. Emmrich, Naturg. Trilobiten, 1844, 15.—Caly-
mene.
odontocephalus Phacops (Gr.), H. F. Emmrich, De Trilobitis, 1839, 20.—Calymene.
Odontocera J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 546.—Col.
Odontocera J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 614.—Dipt.
Odontocerum W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—Neur. [28.
Odontocerus *emend. pro* Odontocerum, Leach; J. F. Stephens, Nom. Brit. Ins., Aug. 1829,

- Odontocerus** [*? err. pro* Odontorynchus], W. E. Leach, Tr. Plymouth Inst. I. 1830, 170.—
Odontocerus Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 72.—Col. [Cr.
Odontocheila Laporte, Etude Entom. (1) 1834, 38; Revue Entom. II (1) 1834, 34.—Col.
Odontochila L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odontocheila, Lap.
Odontochile Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 92.—Cr.
Odontochile G. Tilesius, Isis (Munich) (5) 1850, 75, *emend. pro* O—cheila, Lacord. [?].
Odontocineta L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odoncineta, Costa
Odontocnemus B. Zubkov, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 151.—Col.
Odontocorynus C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 271.—Col.
Odontocyclas F. Schlueter, Kurzg. syst. Verz. Conch. 1833, 10.—G.
Odontoderes Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 46.—Col.
Odontoderes Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—Col. [*n. n.*].
Odontoderes W. W. Saunders (*ex* Chevrolat MS), Tr. Entom. Soc. Lond. IV (3) Mar. 1846,
Odontodorcus J. Gistel, Nat. Thierr. 1848, 82.—M. [202.—Col.
odontogaster Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1519.
odontogaster Gerris (Zett.), T. E. Schummel, Beitr. Entom. Schlesien (2) 1832, 36.—
odontogaster Hydrometra, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 506. [Hydrometra.
Odontogenius L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odogenius, Sol.
Odontognathus F. L. de Laporte, H. N. Anim. artic. (Col.) II. 1840, 137.—Col. [*non* 1838
apud Agass.].
Odontolabis F. W. Hope, Proc. Linn. Soc. London (11) Mar. 1842, 127; Cat. Lucanoid
Coleopt. 1845, 5 & 31.—Col.
Odontolepis G. Fischer de W., Zoognosia, ed. 3, I. 1813, 74 & 86.—P.
Odontomaches C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 271.—Col.
Odontomachus P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 179.—Hym.
Odontomera J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 372.—Dipt.
Odontomerus T. E. Bowdich, Miss. Ashanti, 1819, 494.—Col. [1829, 851.—Hym.
Odontomerus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III.
Odontomerus Chevrolat in J. Sturm, Catal. Käfer Samml. 1843, 203.—Col.
Odontomphalum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odomphium, Raf.
Odontomus W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 156.—Col.
Odontomya L. Oken, Lehrb. Nat. III (1) 1815, 528.—Dipt.
Odontomyia J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 265.—Dipt.
Odontomyia P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 192.—Dipt.
Odontonyx J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Mar. 1828, 96.—Col.
Odontonyx F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 194.—Col. [*gen. caelebs*].
Odontonyx F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 1.—Col.
Odontopera J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 162.—Lep.
Odontophila Megerle in Meigen, Syst. Besch. europ. zweifl. Ins. I. 1818, 268.—Dipt. [*in*
Odontophorus L. P. Vieillot, Analyse, 1816, 51.—A. [*syn. Mycet. maculosa*].
Odontopleura H. F. Emmrich, De Trilobitis, 1839, 18.—Cr.
Odontopsis v. Hasselt, Alg. Konst. Letter-Bode, Aug. 1823, 131; Bull. des Sci. Nat. II.
1824, 375.—P.
Odontoptera Carreño, Ann. Soc. Ent. France, X (4) Jan. 1842, 275.—Hem.
Odontoptera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odoptera, Sodov.
odontopteron Antrostomus (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.—
Caprimulgus. [260.
odontopteron Caprimulgus, R. P. Lesson, Descr. mamm. et ois. récemment découvr. 1847,
Odontopus T. Say, Descr. N. Amer. Curcul., July 1831, 15.—Col. [*typus* Anthonomus
calceatus, Say].
Odontopus F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 37.—Hem.
Odontopus G. Silbermann, Revue Entom. I (—) 1833, Descr. d'esp. nouv., no. 3.—Col.
odontopus Sagra, J. Gistel, Isis (Oken), 1831, 309.
Odontopyge J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (23) Ap. 1841, 367.—
Odontopyge Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 167.—Cr. [Myr.
Odontorrhinus C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 254.—Col.
Odontorrhina H. Burmeister, Handb. Ent. III. 1842, 396.—Col.
Odontorrhinus Schoenh. 1842; *sic* Scudder, *sed* Odontorrhinus *est*.

- Odontorynchus** W. E. Leach, Trans. Plymouth Inst. 1830, 169.—Cr. [1838, 3.
- Odontosaurus** H. v. Meyer, N. Jahrb. f. Min. 1835, 68; Mém. Soc. H. N. Strasbourg, II (3)
- Odontoscelis** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 74.—Hem.
- Odontoscelis** J. Curtis, Ann. Nat. Hist. I (4) June 1838, 328.—Col.
- Odontoscelis** G. R. Waterhouse, Mag. Nat. Hist., n. s. IV. July 1840, 356.—Col.
- Odontosceslis** L. Agassiz, Nom. Zool. (Col.) 1845, 110, *err. pro* Odontoscelis, Curt. 1838.
- Odontosia** J. Huebner, Verz. bekannt. Schmett. [1820], 145.—Lep.
- Odontostoma** *emend. pro* Odostomia, Flem.; W. Turton in Carrington, Teignmouth Guide, part 2, 1830, sign G 1.
- Odontostoma** A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 237.—G.
- Odontostoma** L. Agassiz, Nom. Zool. Index Univ. 1846, *emend. pro* Dontostoma, Hartm.
- odontostoma** Bulimus, G. B. Sowerby, I. Zool. Journ. I (1) Mar. 1824, 59.
- odontostoma** Flustra, O. G. Costa, Corrisp. Zool. I. 1839, 186 [*n. n.*].
- odontostoma** Helix, W. Wood, Suppl. Index Test. 1828, 22 [*n. et f.*].
- odontostoma** Pupa (Sow.), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Bulimus.
- odontostoma** Pupa, W. Wood, Suppl. Index Test. 1828, 50.
- odontostoma** Scyphia, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 74. [Scyphia.
- odontostoma** Stellispongia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
- Odontostomia** J. G. Jeffreys, Malac. Conch. Mag. (2) 1839, 34.—*emend. pro* Odostomia,
- Odontostomus** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 54.—G. [Flem.
- Odontostomus** A. Cocco; *v.* Odondostomus.
- Odontostylus** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—G. [*n. n.*].
- odondosa** (*sic*) Clausilia, Ziegler in Rossmäessler, Icones Iconogr. Moll. I (1) 1835, 79.
- Odontota** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 364.—Col. [*sine typo*].
- Odontota** Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 307.—Col.
- Odontotarsus** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 68.—Hem.
- Odontothrips** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 642.—Hem.
- Odontotriorchis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odontriorchis, Kaup.
- Odontotropis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Odotropis, Raf.
- odontotyrannus** Elephas, E. Eichwald, N. A. Ac. Caes. Leop. Car. XVII. 1835, 723.
- Odontria** A. White, Zool. "Ereb. Terr." (Ins. 1846), 10.—Col.
- Odontriorchis** J. J. Kaup, Abh. Mus. Senckenberg. III. 1845, 262; Isis (Oken), 1847,
- Odontura** P. Rambur, F. Ent. Andal. II (3) Dec. 1838, 44.—Or. [340.—A.
- odontura** Megachile, F. Smith, The Zoologist, VII. 1849, App., p. lviii.
- Odonus** J. Gistel, Nat. Thierr. 1848, p. xi.—P.
- Odopeta** C. v. Heyden, Isis (Oken), 1826, 610.—Ar.
- Odoptera** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 89.—Lep. [*sine typo*].
- Odoptera** J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 165.—Lep.
- Odopus** C. S. Rafinesque, Analyse, 1815, 70.—A. [*n. n.*].
- odora** Ascalapha, J. Huebner, Exot. Schmett., Tab. Ascalapha [*n. et f.*]. [1758.
- odora** Erebus (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 6.—Phal. ? odorata,
- odora** Noctua, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 151.—Phal. odorata, L. 1758.
- odora** Otosema (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 273.—Phalaena odorata, 1758. [L. 1758.
- odora** Otosema, J. Huebner, Exot. Schmett. II. Tab. [206] [*n. et f.*].—Phal. odorata,
- odora** Thysania (—), J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 407.—Papilio; Phal. odorata, L. 1758.
- odoratus** Carabus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1–3) Nov. 1844, 100.
- odorata** Cistudo (Daud.), T. Say, J. Acad. Nat. Sci. Philad. IV. Jan. 1825, 216.—Testudo.
- odorata** Clemmys (Daud.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 125.—Testudo.
- odorata** Emys (Bosc), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 434.—Testudo.
- odoratum** Emys (Kinost.) (Bosc), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 13.—Testudo. [Testudo.
- odoratum** Kinosternum (Daud.), C. L. Bonaparte, Ann. Stor. Nat. IV (12) 1830, 382.—
- odoratus** Staurotypus (Latr.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 358.—Testudo.

- odoratus Sternothaerus (Latr.), T. Bell, Zool. Journ. II (7) Oct. 1825, 307.—Testudo.
- odorata Testudo, P. A. Latreille, S. à Deterville ed. Buffon, Rept. I. 1801, 122.
- odorata Testudo, Bosc in Daudin, Sonnini's Buffon, Rept. II. 1802, 189.
- odorata Testudo (Terrapene) (Latr.), B. Merrem, Tent. Syst. Amph. 1820, 27.—Testudo.
- odorifera Hyaena, J. F. Blumenbach, Man. Hist. Nat. I. 1803, 110 [*n. n.*].
- odoriferator Ichneumon, Dufour & Perris, Ann. Soc. Ent. France, IX (1) *post* Mar. 1840, 44.
- Odorincus C. S. Rafinesque, Analyse, 1815, 70.—A. [*n. n.*].
- Odorthus C. S. Rafinesque, Analyse, 1815, 136.—Verm. [*n. n.*].
- Odostomia J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 76.—G.
- Odostomia J. Fleming, Phil. Zool. II. 1822, 488 [*n. n.*]; Hist. Brit. Anim. 1828, 310.—G.
- Odostonia *err. pro* Odostomia, Say [? Flem.]; J. E. Gray, Ann. Phil. XXV. 1825, 415.
- Odotropis C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 425.—G. [*gen.*].
- Odumphus Rafinesque, 1815, 89; *sic* Jordan, *sed err. pro* Odamphus. [*caelebs*].
- odynericidus Ichneumon, Dufour & Perris, Ann. Soc. Ent. France, IX (1) *post* Mar. 1840, 45.
- odyneroides Paragia, F. Smith, Tr. Entom. Soc. Lond., n. s. I (2) Sept. 1850, 42.
- odyneroides Raphiglossa, S. S. Saunders, Tr. Entom. Soc. Lond., n. s. I (3) Nov. 1850, 72.
- odyneroides Raphiglossa, S. S. Saunders, The Zoologist, VIII. 1850, 2862.
- odyneroides Thynnus (Agriomyia), J. O. Westwood, Arcana Entom. II (19) May 1844, 109.
- Odynerus P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 362.—Hym.
- Oeacurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oiacurus, Fitz.
- oeax Pteromalus, F. Walker, Ann. Mag. N. H. XIX. June 1847, 395.
- Oebalus C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- oebalus Papilio, Lacordaire in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 360.
- oebalus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 249.
- oebares Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 167.
- Oebia J. Huebner, Verz. bekannt. Schmett. 1826, 362.—Lep. [*vide* Oeobia].
- Oecanthus J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 134.—Orth.
- Oecanthus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Aecanthus, Blanch.
- Oeceoptoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oiceoptoma, Leach.
- "Oeces" *err. pro* Proeces, C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1836, 1114.
- Oeceticus *emend. pro* Oiketicus, Guild.; T. W. Harris, Treat. Ins. N. England, 1842, 298.
- oechalia Timetes, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.
- Oecistes C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 223.—Rot.
- oeclus Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 355.—Papilio
- aeclus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 6. [*aeclus*, 1787.
- oeclus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 258.
- Oecobius H. Lucas, Explor. Algér. (Artic. I.) 1846, 101.—Ar.
- Oecodoma P. A. Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 223 [*err.* 222].—Hym.
- oeconomus *v.* economus.
- Oecophora A. Costa, Exercit. Accad. Aspir. Nat. II (1) 1840, 84.—Lep. [? = Oecophora].
- Oecopleura L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oikopleura, Mert.
- Oecopteris C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 156.—Hem. [*non binom.*].
- Oecothea J. Curtis, Guide Brit. Ins., ed. 2, 1838, 280.—Dipt.
- Oeda Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 546.—Hem.
- Oedalea J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 355.—Dipt.
- Oedalia J. W. Meigen, Syst. Besch. Zweifl. Ins. VII. 1838, 77 [Oedalea, 1820].
- oedalina Rhamphomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 570.
- Oedancala Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 258.—Hem.
- Oedecnema Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 355.—Col.
- Oedemagena P. A. Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 272.—Dipt.
- Oedemagenus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 507.—Dipt.
- Oedematogena L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oedemagena, Clark (Latr.).
- Oedemegena P. A. Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 272.—Dipt. [*et* Oede-
- Oedemia H. E. Strickland, Ann. Mag. N. H. VII (41) Mar. 1841, 39.—A. [*magenta*].
- Oedemia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oidemia, Flem.
- Oedesis V. v. Mochulski, Kaefer Russl., *post* May 1850, 20.—Col.
- Oediceros H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 155.—Cr.

- Oedicerus** L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 556.—Col.
- Oedichirus** W. F. Erichson, Gen. Spec. Staph. (1) 1839, 29; & 684 (1840).—Col.
- oedicnemi** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 78 [*n. n.*].
- oedicnemi** Nirmus, H. Denny, Mon. Anoplur. 1842, 138.
- oedicnemi** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon, Aptères, III. 1844, 347.—Nirmus.
- Oedicnemus** C. J. Temminck, Man. Orn. 1815, 321.—A.
- oedicnemus** Fedoa, W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 28.
- oedicnemus** Oedicnemus (L.), G. Cuvier, R. Anim. I. 1817, 465.—Charadrius, 1758.
- Oedicoryphus** J. Wagler (*ex* Wieg. MS), Nat. Syst. Amph. 1830, 148.—R.
- Oedinecmus** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*].
- Oedionycha** F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19.—Col.
- Oedionychis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 154.—Col.
- Oedionychus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 401.—Col.
- Oedipoda** P. A. Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 188.—Neur. [*vernac.* 1825; ? Oedipus, 1827].
- oedipoda** Ismene, W. Swainson, Zool. Illust. (1) I (3) Dec. 1820, pl. 16.
- Oedipodes** "Ill."; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 384.—Col. [*n. n.*].
- oedippe** Coenonympha (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 65.—Papilio,
- Oedipus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 411.—Neur. [1787.
- Oedipus** J. J. Tschudi, Classif. Batrach. 1838—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839
- Oedipus** R. P. Lesson, Spec. des Mamm., Nov. 1840, 197.—M. [[1840], 58 & 93.—R.
- oedipus** Agrion, E. Eichwald, Zool. Spec. II. 1830, 223.
- oedipus** Anthrax, J. C. Fabricius, Syst. Antliat. 1805, 123.
- oedipus** Cacosceles, E. Newman, Entom. Mag. V (5) Oct. 1838, 491.
- aedipus** Hapale, H. D. de Blainville, Ostéogr., Cebus, pl. iv [1839].
- oedipus** Harpale (L.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 107.—Simia, 1758. [1787.
- oedipus** Hipparchia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 23.—Papilio,
- oedipus** Jacchus (L.), Desmarest, N. Dict. H. N., ed. 2, XXIV. 1818, 243.—Simia, 1758.
- oedipus** Maniola (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 155.—Papilio, ? Fab. 1787. [Simia, 1758.
- oedipus** Midas (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 122.—
- oedipus** Sagouin (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 147.—Simia, 1758.
- oedipus** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 544.—Papilio, 1787.
- oedipus** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 227. [*binom.*].
- Oedobrachium** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 97.—Hem. [*non*
- Oedopeza** L. Agassiz, Nom. Zool. Index Univ. 1846.—*emend. pro* Aedopeza, Serv.
- Oedura** J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 52.—R.
- oedura** Lacerta, R. Sheppard, Tr. Linn. Soc. London, VII. 1804, 50.
- oedymerus** Coreus (Cerbus), H. Burmeister, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834,
- Oega** A. F. A. Wiegmann, Arch. f. Naturg. 1837 (2) 1837, 247.—Cr. [296.
- Oegilips** Agassiz, Nom. Zool. (Hym. 1845), 23.—Hym. [*? err. pro* Aegilips, Walk.].
- Oegitheles** *id. ac* Aegotheles, V. & H.; R. P. Lesson, Traité Orn. (6) 1831, 454 [*teste* Waterhouse].
- Oegocera** J. A. Boisduval in Guérin-M., Iconographie, 1844, Ins., 498.—Lep. [*? Aegocera,*
- Oegoceros** *err. pro* Aegoceros, Pall.; R. P. Lesson, Man. Mamm. 1827, 399. [Latr.].
- Oegotheles** *err. pro* Aegotheles, V. & H.; Agassiz, Nom. Zool. (Aves, 1842), 52.
- oehlmanni** Incurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 560.—Tinea oehlmanniella, Huebn. 1796.
- oehlmanniella** Adela (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 301.—Tinea, 1796.
- oehlmanniella** Esperia, J. Huebner, Verz. bekannt. Schmett. 1826, 418.—Tinea, 1796.
- oehlmanniella** Incurvaria (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—
- Oeida** Haan, 1835; *sic* Agassiz, *sed non comp.*, *vide* Oeidea. [Tinea, 1796.
- Oeidea** W. de Haan in Siebold, F. Japon. (Crust. 1833), 15.—Cr.
- Oeidia** Haan, 1837; *sic* Agassiz, *sed non comp.*, *vide* Oeidea.

- oelandica Adimonia, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 75.
- oelandicus Dioctria (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 270.—
- oelandicus Orthoceratites, E. F. Schlottheim, Tasch. Min. 1813, 34. [Asilus, L. 1758.
- oelica Nucula, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- Oello de Blainville, C. R. Acad. Sci. (Paris) V. 1837, 822.—M. [*n. n.*].
- Oeme E. Newman, Entomologist (1) Nov. 1840, 8.—Col.
- Oeme R. A. Philippi, Beitr. Kenntn. Tertiaerverst. 1843 [1844], 4.—Cor.
- oeme Erebia (Esp.), J. A. Boisduval, Ic. hist. lepidopt. Europe, I (—) 1833, 174.—Papilio.
- oeme Gorgo, J. Huebner, Verz. bekannt. Schmett. 1818, 64.
- oeme Hipparchia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 22.—Papilio.
- oeme Maniola (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 136.—
Papilio, Huebner.
- oeme Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 104 (Fernaldo judice 1804)
- oeme Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 34. [*n. et f.*].
- oeme Papilio, E. J. C. Esper, Die Schmett. I., pl. cxx (? 1805).
- oeme Satyrus (Ochs.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 537.—Papilio, Huebner.
- oemodius Conostoma, *err. pro* aemodius Conostoma, 1841; B. H. Hodgson, J. Asiat. Soc.
Bengal, X. 1841 (? Jan. 1842), 857.
- Oemona E. Newman, Entomologist (1) Nov. 1840, 8.—Col.
- Oena W. Swainson (*ex* Selby MS), N. H. Classif. Birds, II. June 1837, 349.—A.
- Oenanthe L. P. Vieillot, Analyse, 1816, 43.—A. [33.—Saxicola.
- oenanthe Philomela (Bechst.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806,
- oenanthe Saxicola (L.), J. M. Bechstein, Orn. Taschenb. (1) 1802, 217.—Motacilla, 1758.
- aenanthe Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 482.
- oenanthe Vitiflora (L.), W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 21.—
Motacilla, 1758.
- oenanthi Micropalpis (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille (1833, 1834), 316.—
Bonnetia oenanthis.
- oenanthis Bonnetia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 56.
- oenanthis Linnaemya, J. B. Robineau-D., Ann. Soc. Ent. France [2] II (1) June 1844,
33.—Bonellia, 1830.
- oenanthoides Fluvicola, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
de Zool. VII. 1837, 60.
- oenanthoides Ochthoeca (Orb.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 255.—
- oenanthoides Saxicola, A. N. Vigors, Zool. "Blossom," 1839, 19. [Fluvicola.
- Oenas P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 186.—Col.
- Oenas L. P. Vieillot, Analyse, 1816, 52.—A.
- Oenasium *emend. pro* Oenas, Latr.; C. S. Rafinesque, Analyse, 1815, 114.—Col. [*n. n.*].
- oenatinus Dermaleichus, C. L. Koch, Uebers. Arachnidensyst. III (3) 1843, 126 [*n. n.*].
- Oenectra A. Guénée, Ann. Soc. Ent. France [2] III (1) c. Aug. 1845, 142.—Lep.
- Oeneis J. Huebner, Verz. bekannt. Schmett. 1818, 58.—Lep.
- Oeneis E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 500.—Col.
- Oenetra Guénée, 1845; *sic* Scudder, *sed err. pro* Oenectra.
- oeneus *v.* aeneus.
- oeningensis Anoaema, C. Koenig, Tr. Geol. Soc. London [2] III. 1832, 285.
- oeningensis Anoaema, C. Koenig, Icon. foss. sect. 1825, pl. x, 126.
- oeningensis Bombinator, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 [1836], 27.
- oeningensis Bombycites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 183.
- oeningensis Buprestites, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 128.
- oeningensis Byrrhus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 44.
- oeningensis Canis, H. v. Meyer, N. Jahrb. f. Min. 1848, 471.
- oeningensis Cavia, F. Holl, Handb. Petref. I. 1829, 39.
- oeningensis Cephites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 173.
- oeningensis Chironomus, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 189.
- oeningensis Dytiscus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 26.
- oeningensis Galecynus (Mey.), R. Owen, Q. J. Geol. Soc. London, III. 1847, 60.—Canis.
- oeningensis Lagomys, G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 32.

- oeningensis Leuciscus, J. L. R. Agassiz, Jahrb. f. Min. 1832, 132.
- oeningensis Leuciscus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 38 (1835); V (2), 24 (1839).
- oeningensis Libellula, C. D. E. Koenig, Icones foss. 1825, 2.
- oeningensis Oedipoda, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 20.
- oeningensis [Pelophilus] (Ag.), J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 47.—Bombinator.
- oeningensis Vulpes, H. v. Meyer, N. Jahrb. f. Min. 1848, 471.—Canis, 1843.
- oeninghausii *v. oyenhauseni*.
- oeno Chionobas, J. A. Boisduval, Ic. hist. lepidopt. Europe, I (—) 1833, 195.
- oeno Satyrus (Boisd.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1835, 307.—Chionobas.
- Oenobas L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oinobas, Swains.
- oenomais Minois, J. Huebner, Verz. bekannt. Schmett. 1818, 58.
- oenomais Oreas, J. Huebner, Exot. Schmett., Tab. Oreas [*n. et f.*].
- Oenomaus J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Lep.
- oenomaus Papilio, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 72.
- Oenone Lamarck, An. s. vert. V. 1818, 326.—Verm.
- Oenone *id. ac* Aenone, 1838; A. H. Haliday, Hymenopt. Brit. (2) 1839, 3.
- Oenone L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Aenone, Risso, 1826; Halid. 1838.
- oenone Cerithium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 232.
- aenone Chrysuronia (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 75.—Ornismya.
- oenone Cynthia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—Papilio, 1758.
- oenone Junonia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 34.—Papilio, 1758.
- oenone Junonia, J. Huebner, Exot. Schmett. II. Tab. [34] [*n. et f.*].
- oenone Ornismya, R. P. Lesson, H. N. Colibris, Jan. 1832, 157.
- oenone Polytmus (Less.), G. R. Gray, Gen. Birds, I. Dec. 1848, 109.—Ornismya.
- aenone Vanessa (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 318.—Papilio, 1758.
- Oenophthira P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 288.—Lep.
- Oenopia E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 420.—Col.
- oenopion Deilephila (Huebn.), J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 223.—Orneus.
- oenopion Deilephila (Huebn.), J. A. Boisduval, F. Ent. Madagas. (5) 1833, 75.—Orneus.
- oenopion Orneus, J. Huebner, Exot. Schmett. II. Tab. [159] [*n. et f.*].
- Oenoplocerus *emend. pro* Enoplocerus, Serv.; J. Gistel, Nat. Thierr. 1848, 130.—Col.
- oenopota Volucella (Scop.), F. v. P. Schrank, F. Boica, III (1) 1803, 138.—Musca, 1763.
- oenostoma Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 304.
- oenotherae Aphrophora (Schr.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 53.—Cercopis.
- oenotherae Cercopis (Scop.), F. v. P. Schrank, F. Boica, II (1) 1801, 54.—Cicada, 1763.
- oenotherae Macroglossa (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 42.—Sesia.
- oenotherae Proserpinus (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 132.—Sphinx, 1775. [D. & S. 1775.]
- oenotherae Pterogon (Fab.), Boisduval, Europ. Lepid. Index, 1829 [1828], 32.—Sphinx,
- oenotherae Pteropogon (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (3) 1829, 129.—Sphinx, D. & S. 1775.
- oenotherae Sesia (D. & S.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 288.—Sphinx.
- Oenotherium *err. pro* Ocnoth→, Lund; Wagner, Arch. f. Naturg. 1843 (1), 348 [*teste* Palmer].
- oenotrus Erinnyis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 139.—Sphinx, 1780.
- Oeobia J. Huebner, Verz. bekannt. Schmett. 1826, 362 & Anz., p. 58.—Lep. [*v. et* Oebia].
- Oeolosoma Ehrenberg, 1831; *sic* Waterhouse, *sed* Aeolosoma, *q.v.*
- Oeonistis J. Huebner, Verz. bekannt. Schmett. [1822], 165.—Lep.
- oepfingensis Cyclas, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.), 93.
- Oerolia L. Agassiz, Nom. Zool. (Aves) 1842, 45. = Aerolia, Vieill.
- oerophilum *v. aerophilum*.

- Oeroxyis** J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 222.—*err. pro Coeroxys*, Macq. [oerstedii.]
- oerstedii** Cystonereis (Köll.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 311.—Exogone.
- oerstedii** Exogone, A. Kölliker, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 15.
- orstedii** Tanais, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 183.
- Oerstedtia** A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 221.—Verm.
- oertzeniella** Eudorea, Herrich-S., Syst. Bearb. Schmett. Europ. IV (—) 1848, 49.—
oertziella, Messing, ? MS.
- Oeshna** *v.* Aeshna; Lamarck, An. s. vert. IV. 1817, 227. [Syrphus, 1775.]
- oestracea** Cheilosa (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 208.—
- oestracea** Cheilosia (L.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 555.—
Musca, 1758.
- oestraceus** Eristalis (L.), J. C. Fabricius, Syst. Antliat. 1805, 240.—Musca, 1758.
- oestracea** Miltogramma (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 229.—Tachina.
- oestraceus** Syrphus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58.—Musca, 1758.
- oestracea** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (1) 1820, 10.
- oestracea** Trichopsidea, J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839, 152.
- oestriformis** Synanthedon (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 129.—
Sphinx, Rott. 1775.
- oestriformis** Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 315.
- oestroides** Ammotrypane, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 192.
- oestroides** Canolira, A. Risso, H. N. Europe, V. 1826, 123.—Cymothoa oestrum, Fab. 1793.
- oestroides** Cymothoa (Risso), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 272.—Canolira. [trypane.]
- oestroides** Traviaia (Rathke), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 319.—Ammono-
- oestroidea** Crameria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 60.
- oestroidea** Trixa (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 97.—
Crameria.
- oestrum** Idotea (L.), L. A. G. Bosc, Crust. II (Castel's Buffon) 1801, 179.—Oniscus, 1758.
- oethiessida** Glycyphana, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 20 [*n. n.*].
- oethiops** *v.* aethiops.
- Oethra** *v.* Aethra, Leach; P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 24.
- oetik** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 166.
[oeynhausien→.]
- oeynhausii** (*sic*) Natica, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 196.
- oeninghaussii** (*sic*) Retispongia (Goldf.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Scyphia.
- oeynhausii** (*sic*) Scyphia, G. A. Goldfuss, Petref. German. I (3) 1831, 219.
- offachiensis** Melania, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 356.
- offensus** Scleropterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 359.
- officinale** Achilleum (L.), A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. vii.—
Spongia, 1759.
- officinalis** Armadillo, C. Duméril, Dict. Sci. Nat. (ed. 1) III. 1804, 117.
- officinalis** Iatrobdella (Sav.), de Blainville, Dict. Sci. Nat. LVII. 1828, 561.—Sanguisuga.
- officinalis** Nodularia, L. Oken, Lehrb. Nat. III (1) 1815, 94.
- officinale** Sanguisuga, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 114.
- officinalis** Spongia, *varr.* densa et ruguloso-porosa, Tilesius in Voigt's Mag. Naturk. VI (4) [(1803), 288.]
- officinalis** Spongites, L. Oken, Lehrb. Nat. III (1) 1815, 85.
- offinis** Motacilla, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 576.
- offtonensis** Turbo, R. Sheppard, Tr. Linn. Soc. London, XIV (1) 1823, 155.
- Offula** C. v. Heyden, Isis (Oken), 1826, 611.—Ar.
- offuscatus** } *plerumque obfus*→, *q.v.*
- offuscus** }
- ogac** Gadus, J. Richardson, F. Bor.-Amer. (3) 1836, 246.
- ogac** Morrhua (Rich.), D. H. Storer, Mem. Amer. Acad., n. s. II. 1846, 469.—Gadus.
- Ogcocephalus** G. Fischer, Zoogn., ed. 3, I. 1813, 78.—P.

- Ogcoderes** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 313.—Col.
- Ogcodocera** J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 361.—Dipt.
- Ogcogaster** J. O. Westwood, Cab. Orient. Entom. 1847, 69.—Neur. [*typus* *Ascalaphus tessellatus*].
- Ogcoosoma** *id. ac* *Ogcosoma*, J. O. Westwood, Tr. Zool. Soc. London, III (2) 1843, 227.
- Ogcoscma** J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 121.—Col.
- ogeecheensis** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 153.
- ogilbyi** Antilope, G. R. Waterhouse, Proc. Zool. Soc. London, VI (65) July 1838, 60.
- ogilbyi** Bettongia, J. E. Gray in Grey, Two Exped. Austral. II. 1841, App. p. 403.
- ogilbyii** Cephalophorus (Waterh.), J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 267.—
Antilope. [Antilope.]
- ogilbii** Cephalophus (Waterh.), J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 165.—
- ogilbyii** Cynictis, A. Smith, S. African Quart. Journ. II. no. 2 (1) Mar. 1834, 117.
- ogilbyi** Felis, H. R. Schinz, Syst. Verz. Säug. I. 1844, 469.
- ogilbyi** Hypsiprymnus, G. R. Waterhouse, Marsupials (Nat. Libr. XXX.) Aug. 1841, 185.
- ogilbii** Osteobrama (Sykes), J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—Rohtee.
- ogilbyi** Paradoxurus, L. Fraser, Zool. typica [? 1846–8], pl. 10.
- ogilbii** Rohtee, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 161.
- ogina** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 445.
- ogina** Zerynthia, J. Huebner, Exot. Schmett. II. Tab. [60] [*n. et f.*].
- oglina** Chatoessus (Les.), G. Cuvier, R. Anim., ed. 2, II. 1829, 320.—Megalops.
- oglina** Megalops, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (13) Sept. 1828, 359.
- Ogmobalaena** D. Eschricht, K. Danske Vid. Selsk. Skr. [5] I. 1849, 108.—M.
- Ognichodes** W. Swainson, N. H. Fishes etc. II. July 1839, 183 & 278.—P.
- ogoa** Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 841. [teste Palmer].
- Ogotona** G. Fischer de W., Zoognosia, III. 1814, 95 (*in syn.*) [= *Ochotona*, Link, 1795,
- ogotona** Lagomys (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 26.—Lepus,
- ogulinus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 421. [Pall. 1778.
- Ogydromite** H. M. Edwards, L'Institut, Aug. 1837, 255; Extr. P. V. Soc. Philom. Paris, 1837, 115.—Cr.
- Ogydromites** H. G. Bronn, Ind. Pal. 1848, 839, *emend. pro* O—te, H. M. Edw.
- Ogyges** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- Ogygia** Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822, 28 (& 26).—Cr.
- Ogygia** J. Huebner, Verz. bekannt. Schmett. [1822], 225.—Lep.
- Ogygia** Br., *emend.* H. F. Emmrich, De Trilobitis, 1839, 27.
- ogygia** Felis, J. J. Kaup, Arch. f. Min. V. 1832, 156; K. & Scholl, Cat. plâtres, 1832, 5.
- ogygia** Salamandra, Goldfuss, N. A. Ac. Caes. Leop. Car. XV (1) 1831, 124.
- Ogygies** A. Eaton, Amer. J. Sci. XXI (1) Oct. 1831, 136.—Cr.
- ogygius** Sus, Nau in Kaup & Scholl, Verz. Gypsabgüsse, ed. 2, Sept. 1834, 15 [*n. n.*].
- Ogyris** E. Doubleday, List Lepid. Coll. B. M. 1847, 20.—Lep.
- ohiensis** *v. ohioensis*.
[ohioensis.] [Ohiensis [Dec.] 1820, 81.
- ohiensis** Accipenser, C. S. Rafinesque, Western Review, III (4) Nov. 1820, 248; Ichth.
- ohiensis** Anodonta, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 316.—& *varr.* *nigrescens*; *radiata*; *violacina*; *viridis*.
- ohioense** Castor (Trogontherium), J. E. De Kay, N. H. New York (Mamm.) 1842, 75.
- ohioensis** Castoroides, J. W. Foster, 2 Ann. Rep. Geol. Surv. Ohio, 1838, 30.
- ohioensis** Cichla, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. June 1822, 218.
- ohiensis** Erpilites, Rafinesque, Enum. obj. Cab., Nov. 1831, 2.
- ohiensis** Hirudo, Rafinesque, Ann. of Nature, 1820, 10.
- ohiensis** Lastena, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 316.
- ohioensis** Piliolites, I. Cozzens, Ann. Lyceum N. H. New York, IV (5) *post* Feb. 1846, 157.
- ohioticus** Elephas, H. D. de Blainville, Ostéogr., Elephas, 1845, 261.
- ohioticum** Mastotherium (Blum.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 252.—Mammut, 1799.
- ohiotica** Trachys, A. White, Nomen. Coleopt. Coll. B. M. (3) 1848, 45 [*n. n.*].
- ohrtmanni** Phasma, A. A. H. Lichtenstein, Comm. Phasma, 1796 [*teste* Tr. Linn. Soc. VI. 1802], 17.

- orhtmanni** Prisopus (Licht.), G. R. Gray, Syn. Phasmidae, 1835, 28.—*Phasma ohrtm*→.
Oiacurus S. Leuckart, Isis, 1821 (Litt. Anz.), 260.—R. [*pro* Triton].
Oiacurus L. Fitzinger, Syst. Rept. 1843, 18 & 97.—R.
Oiceoptoma W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 89.—Col.
Oicidium J. Gistel, Nat. Thierr. 1848, p. x.—Ech.
oichus Hemeroplanes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 133.—Sphinx,
Oicodespina J. Gistel, Nat. Thierr. 1848, p. xi.—Nud. [1779].
Oiconistes J. Gistel, Nat. Thierr. 1848, p. x.—Ar.
oicophyla Gryllus, J. Gistel, Nat. Thierr. 1848, 191.
oicophylla Gryllus, J. Gistel, Handb. Naturges. 1850 [1847], 625.
Oidemia J. Fleming, Phil. Zool. II. 1822, 260.—A.
Oides F. Weber, Obs. Ent. 1801, 26.—Col.
Oidicnemus J. Fleming, Hist. Brit. Anim. 1828, 114.—A.
Oiketicus L. Guilding, Tr. Linn. Soc. London, XV (2) 1827, 373.—Lep.
Oikopleura H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] I (2) June 1830, 205.—M.
Oileides J. Huebner, Zuträge z. Exot. Schmett. II. Tab. [151 & 152] [*Scudder dict.* 1822–26].—Lep.
oileus Pyrgus (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 262.—Papilio, 1767.
oileus Thymele (Gm.), J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828, 99.—Papilio, 1767.
oilus Pyrgus (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 109.—Papilio oileus, 1767.
Oimoctes J. Gistel, Nat. Thierr. 1848, p. x.—Hem.
Oinobas Swainson in Murray, Ency. Geogr. 1834, 1299.—A. [*n. n.*].
Oinophila J. F. Stephens, Proc. Entom. Soc. Lond. V (5) Aug. 1848, p. xli.—Lep.
Oinopota J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Dipt.
oinops Emberiza, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 35 [*n. n.*].
oinops Macacus, B. H. Hodgson, Journ. Asiat. Soc. Bengal, IX (108) (*post* March 1841), 1212 & 1213.
oinops Ocyris, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 35.—Emberiza, 1845.
oinopus Emberiza, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
oinopus Ocyris, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].—Emberiza, 1844.
Oiorhinus C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 166 & 202.—Hym.
oiré Balistes, F. D. Bennett, Nar. Whaling Voy. II. 1840, 262.
osis Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 381.—Papilio, 1793.
oistolus Lepus, B. H. Hodgson, J. Asiat. Soc. Bengal, IX. 1840 (*post* Mar. 1841), 1183.
Oithona W. Baird, The Zoologist, I (2) 1843, 59.—Cr.
Oïtrus C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
okanaganus Arctomys, McPherson in R. King, Narr. Journ. Shores Arctic Ocean, II. 1836,
okeani Ceratites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 132. [236].
okenii Agalma, J. F. Eschscholtz, Isis (Oken), 1825, 744.
okenii Alicula, E. Eichwald, Nat. Lithuaen, 1830, 214.
okeni Alurnus, J. Gistel, Nat. Thierr. 1848, 122.
okeni Alurnus, J. Gistel, Handb. Naturges. 1850 [1847], 401.
okeni Blapida, M. Perty, Del. anim. artic. Brasil. (1) 1830, 59.
okeni Bullina (Eichw.), H. G. Bronn, Index Pal. 1848, 196.—Alicula.
okenii Charadrius, J. Wagler, Syst. Avium, I. 1827, sign. 415.
okenii Cyphus, J. Gistel, Isis (Oken), 1831, 301.
okeni Cythere, G. v. Muenster, Jahrb. f. Min. 1830, 65.
okenii Distoma, Koelliker, Atti 8 Riun. Sci. Ital. 1847, 497.
okeni Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 181.
okeni Hypera, J. Gistel, Faunus, I (3) 1834, 150.
okenii Luscinia, C. L. Brehm, Isis, 1828, 1280 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
ockenii Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96. [357].
okeni Metonites, J. Gistel, Nat. Thierr. 1848, 126.
okeni Metonites, J. Gistel, Handb. Naturges. 1850 [1847], 412. [[*n. n.*].
okenii Monas, C. G. Ehrenberg, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1836 (1837), 135

- okenii** Monas (Mastichemonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 33.
- ockenii** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 175.
- okeni** Sanguinolaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 142.
- okenii** Vespertilio, C. L. Brehm, Ornith. (3) 1827, 25.
- Okenia** F. S. Leuckart in H. G. Bronn, Ergeb. Reisen, I. 1826, 329.—Nud. [*n. n.*].
- Okenia** Zetterstedt, Ins. Lapp. descr. (1) 1838, 734.—Dipt.
- okeniana** Akaste, J. Gistel, Nat. Thierr. 1848, 175; Handb. Naturges. 1850 [1847], 574.
- okenianum** Halecium, J. Gistel, Nat. Thierr. 1848, 182; Handb. Naturges. 1850 [1847], 598.
- okeniana** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 63.
- okeniana** Phaonia, J. Gistel, Nat. Thierr. 1848, 178; Handb. Naturges. 1850 [1847], 586.
- okensis** Ammonites, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 436.
- olax** Columba, C. J. Temminck in T. & Laugier, Pls. color. (41) Dec. 1823.
- olax** Treron (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 274.—
Columba. [[1842], 230.
- olbiena** Cleophana, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- olbiena** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 175 (Fernaldo judice 1834)
[*n. et f.*].
- olbienana** Catoptria, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 188.
- olbus** Eurytoma, F. Walker, Mon. Chalcid. II. 1839, 4.
- olbus** Isosoma, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 12.—Eurytoma, 1839.
- olbus** Laphria, F. Walker, List Dipt. Coll. B. M. (2) 1849, 375.
- oldhami** Bellerophon, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 471.
- Oldhamia** E. Forbes, Journ. Geol. Soc. Dublin, IV (1) 1848 [*post* Feb. 1849], 20.—?
- olea** Conus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 76.
- olea** Popillia, E. Newman, Mag. Nat. Hist., n. s. II. June 1838, 337.
- olea** Zemina, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 195.
- oleacea** Achatina (Fér.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 11.—Helix.
- oleacea** Aghatina, G. P. Deshayes, Magasin de Zool. I. 1831, 3.
- oleacea** Glandina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.—Helix.
- oleacea** Helix (Cochlicopa), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 54
- oleacea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 105, Sept. 1844. [[*n. n.*].
- oleaceus** Polyphemus (Fér.), L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 352.—Achatina, Desh.
- oleae** Acarus, B. Angelini, Bibl. Ital. XXXIX. 1825, 383.
- oleae** Bagous, O. G. Costa, Corrisp. Zool. I. 1839, 103.
- oleae** Brachyopa (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 264.—
Musca, 1794.
- oleae** Cecidomyia (Ang.), C. Rondani, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 445.—
- oleae** Cercopis, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 88 [*n. n.*]. [Corethra.
- oleae** Corethra (*sic*), B. Angelini, Bibl. Ital. XVII. 1820, 386.
- oleae** Cynips, V. Briganti, Atti Ist. Incoragg. Napoli, III. 1822, 127.
- oleae** Dacus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 22.—Musca,
- oleae** Eriosoma, Leach in A. Risso, H. N. Europe, V. 1824, 218. [1794.
- oleae** Euphyllura (Boyer), A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 93.—Psylla.
- oleae** Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 395.—Bostrichus, 1792.
- oleae** Ichneumon, V. Briganti, Atti R. Ist. Incoragg. Napoli, III. 1822, 131.
- oleae** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 349.
- oleae** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 269.
- oleae** Mylabris, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 269.
- oleae** Myoda (Fab.), Lamarck, An. s. vert. III. 1816, 367.—Musca, 1794.
- oleae** Oscinis (Fab.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.—Musca,
1794.
- oleae** Phloiotribus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 204.—Hyle-
sinus. [1794.
- oleae** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 535.—Tinea oleella, Fab.
- oleae** Psylla, Boyer de Fonscolombe, Ann. Soc. Ent. France, IX (2) *post* June 1840, 111.
- oleaella** Elachista (Boyer de F.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
IV (Noct.) [1843], 434.—Psylla.
- oleagina** Cetonia, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].

- oleagina** Meganephria (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 206.—
Bombyx, 1775.
- oleagina** Miselia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Noctua.
- oleagina** Muscicapa, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 17.
- oleagina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 7 (Fernaldo judice 1802)
- oleagina** Phalaena B., Jas. Sowerby, Brit. Miscell. (8) Oct. 1805, 75. [[*n. et f.*].]
- oleagina** Phalaena (Bombyx), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802, 208.
- oleagina** Psylla (D. & S.), E. F. Germar, Syst. Gloss. Prod. 1811, 15.—Bombyx, 1775.
- oleagina** Valeria (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Bombyx, 1775.
- oleaginea** Anomala, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan. 1837, 181.
- oleaginea** Elania (Licht.), G. R. Gray, Gen. Birds, I. May 1847, 250.—Muscicapa.
- oleagineus** Mionectes (Licht.), J. J. Tschudi, Fauna Peru. (Orn.) 1846, 148.—Muscicapa.
- oleaginea** Muscicapa, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 55.
- oleaginea** Muscicapara (Licht.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 323.—Muscicapa.
- olearium** Cadium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 114.—
Buccinum, 1758.
- olearium** Dolium (L.), G. Fischer, Mus. Démid. III. 1807, 182.—Buccinum, 1758.
- olearium** Triton, J. E. Gray, Figs. Moll. Anim. IV. 1850, 66.
- oleata** Clausilia, E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (5) June 1842, 6.
- oleella** Apheloseitia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 289.—
Tinea, 1794.
- oleella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 370.
- oleifolia** Gryllus (Tettigonia), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 10.
- oleifolius** Pseudophyllus (Fab.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
[Dec. 1838], 470.—Locusta, 1793.
- oleinus** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 169.
- oleiperda** Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 395.—Bostrichus, 1792.
- Olena** C. Ranzani, 1820; *sic* Agassiz, *sed* Olenia est, *q.v.*
- Olena** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 522.—Col.
- Olencira** W. E. Leach, Dict. Sci. Nat. XII. 1818, 351.—Cr.
- Olene** J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 19.—Lep.
- Olenecamptus** Chevrolat, Magasin de Zool. V. 1835, pl. 134.—Col.
- Olenia** C. Ranzani, Mem. Stor. Nat. I. 1820, 19.—Cr.
- olens** Cionus (Fab.), A. G. Olivier, Entom. V. 1807, 109.—Curculio, 1798.
- olens** Galerita, J. C. Fabricius, Syst. Eleuth. I. 1801, 215.—Carabus, ? Rossi, 1790.
- olens** Goerius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Staphylinus, ? Th.
- olens** Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 50. [1787.
- olens** Ocypus (Fab.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 439.—Staphylinus,
? Th. 1787.
- olens** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 480.—Curculio, 1798.
- olens** Trichius, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 204.
- olens** Zuphium (Rossi), P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 198.—Carabus,
- Olenus** J. W. Dalman, K. Vet. Ac. Handl. 1826 (1) 1826, 150.—Cr. [1790.
- Olenus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 439.—Col. [*n. n.*].
- olenus** Lychnuchus, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 24.
- olenus** Palmon, F. Walker, Mon. Chalcid. II. 1839, 7.
- oleosa** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 69.
- oleraceus** Cydnus, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 121.
- oleracea** Diataraxia (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 219.—Phalaena,
- oleraceus** Diospilus, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262. [1758.
- oleracea** Eurydema (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832,
61.—Cimex, L. 1758.
- oleraceus** Helcon (Diospilus), A. H. Haliday, Entom. Mag. III (2) July 1835, 134.
- oleracea** Mamestra (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 77.—Phalaena,
1758.
- oleraceus** Mus, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (20) Aug. 1832, 121.
- oleraceus** Pentatoma (L.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 300.—
Cimex, 1758.

- oleracea** Pieris, Harris; Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 518.
oleracea Pontia, T. W. Harris, New England Farmer, VII (51) July 1829, 402.
oleracea Strachia (L.), C. W. Hahn, Wanzenart. Ins. I (5) June 1833, 183.—Cimex, 1758.
oleracea Tychoptera (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 286.—
 Tipula, 1758.
oleraceus Vandeleuria (Sykes), J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 265.—Mus,
 Benn. 1832.
oleraea Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 18 (Fernaldo judice 1802)
Oleria J. Huebner, Verz. bekannt. Schmett. 1816, 9.—Lep. [[*n. et f.*].
Oleroscelis Solier, 1835; *sic* Scudder (*ex* Gemm. & Har.), *sed err. pro* Oteroscelis, *q.v.*
olerum Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 114.
olerum Mesochorus, A. H. Haliday in J. Curtis, Brit. Entom. X (116) Aug. 1833, no. 464.
Olesterus M. Spinola, Rev. Zool. (Soc. Cuv.) IV. Mar. 1841, 74; Ess. mon. Clérîtes, I. 1844,
Oletera C. A. Walckenaer, Tab. Aran. 1805, 7.—Ar. [226.—Col.
Olethreutes J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
Olethria J. Gistel, Nat. Thierr. 1848, p. ix.—Orth.
Olethrus G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 1.—Col. [*n. d.*, 1 nom. triv.
olfactor Necrophorus, J. Gistel, Nat. Thierr. 1848, 190. [append.].
olfactor Necrophorus, J. Gistel, Handb. Naturges. 1850 [1847], 622.
olfax Osphronemus, H. Cloquet, Dict. Sci. Nat. XXXVII. 1825, 13.
olfax Serranus, L. Jenyns, Zool. "Beagle" (Fish, 1840), 9.
olfersii Acridium, H. Burmeister, Handb. Ent. II (2) i, 1838, 628.
olfersi Amblypterus, J. L. R. Agassiz, Poiss. Foss. II (1), 40 (1833).
olfersii Amphitrite, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 179.
olfersii Argyropelecus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 408.
olfersii Baris, E. F. Germar, Ins. spec. novae, I. 1824, 209.
olfersii Centrinus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 586.—Baris.
olfersii Chelifer, W. E. Leach, Zool. Miscell. III. 1817, 50.
olfersii Chlamys, V. Kollar, Mon. Chlamydum, 1824, 23.
olfersii Cineras, W. E. Leach in Tuckey, Exp. Zaire, 1818, 412.
olfersii Coluber, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 104.
olfersii Herpetodryas, H. Schlegel, Essai phys. Serp. 1837, I., 151; II., 183.
olfersii Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 249.
olfersii Julius (Spirobolus), J. F. Brandt, Bull. Soc. Ac. Imp. Sci. St Pétersb. VIII (7 & 8)
 Jan. 1841, 125.
olfersii Ligia, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 173.
olfersii Nucleolites, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 133.
olfersii Palaemon, A. F. A. Wiegmann, Arch. f. Naturg. II (1) 1836, 150.
olfersii Philodryas (Licht.), J. Wagler, Nat. Syst. Amph. 1830, 185.—Coluber.
olfersii Philoscia, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 183.
olfersii Physalia (Alophota), J. F. Brandt, Prod. anim. Mertens. I. 1835, 37.
olfersii Polydesmus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. V (20) May 1839, 310.
olfersii Rhacolepis, L. Agassiz, C. R. Acad. Sci. (Paris) XVIII. 1844, 1012; Poiss. Foss. II
 (2), 283 (1844).—Amblypterus, 1833.
olfersii Spirobolus, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 202.
olfersii Sternoptyx, G. Cuvier, R. Anim., ed. 2, II. 1829, 316. [1850, 126.
olfersii Trochus, Troschel in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Trochus (98)
Olfersia Leach in Brewster, Edinb. Ency. XI. 1819, *sic* Agassiz, *sed non comp.*
Olfersia C. R. W. Wiedemann, Aussereurop. Zweifl. Ins. II. 1830, 605.—Dipt.
olfersianus Cineras, W. E. Leach, Zool. Journ. II (6) July 1825, 213.
olga Pontia, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 214.
Olibrus W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 113.—Col.
olidus Brachinus, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Dec. 1842, 374.
olidus Hesperophanes, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Jan. 1850, 63.
olidus Lumbricus, W. Hoffmeister, De Vermibus, 1842, 24.
olida Mephitis, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 181.
olidus Salmo, P. S. Pallas, Zoographia, III. 1814, 391.
oligacanthoides Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 64.

- oligacanthus** Chaetodon, P. Bleeker, Nat. Tijds. Ned. Indie, I (1) 1850, 105.
- oligacanthus** Chaetodon, P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Chaetodontoid. Soenda-Moluk.), 16.
- oligacanthus** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 64.
- oligacantha** Gregarina, v. Siebold, Arch. Anat. Phys. 1848, 222.
- oligacanthus** Myleus, Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 98.
- oligacanthus** Stylorhynchus (Sieb.), F. Stein, Arch. Anat. Phys. 1848, 222.—Gregarina.
- oligaetes** Ophiura (Pall.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 226.—Asterias
- Oliganus** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 165.—Coel. [oligactes, 1788.
- Oligia** J. Huebner, Verz. bekannt. Schmett. [1822], 213.—Lep.
- Oligobranchus** M. Sars, Fauna litt. Norveg. (1) 1846, 91.—Verm.
- Oligocara** A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 153.—Col.
- Oligocera** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 382.—Col.
- Oligocladus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Holigocladus, Brandt.
- Oligocorynus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 426.—Col.
- oligodactylus** Cyclobatis, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 442.
- Oligodon** F. Boie in Férussac, Bull. Sci. IX. 1826, 236; Isis (Oken), 1827, 519.—R.
- oligodon** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I., 132; II., 40.
- oligodon** Diffugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 267.
- Oligodranes** H. Loew, Entom. Zeitung, Stettin, V (5) May 1844, 160.—Dipt.
- Oligodus** C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
- Oligogyra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oligyra, Menke.
- Oligogyra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Olygyra, Say.
- Oligomerus** L. Redtenbacher, F. Austr., Käfer, 1849, 347.—Col.
- oligonense** Mycetophila, F. H. Stannius, Obs. Mycetophila, 1831, 17. [(Ins.) 1842, 90.
- oligoneura** Mantis, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool.
- Oligoneuria** F. J. Pictet, H. N. Ins. Neuropt., Ephémér. 1845 [*i.e.* May 1844], 112.—Neur.
- oligopoda** Mycotheres, Rafinesque, Ann. of Nature, 1820, 8.
- Oligopodes** Cuv. 1817; *vernac. plur. apud* Jordan, *sed gen.*
- Oligopogon** H. Loew, Linnaea Entom. II. July 1847, 497.—Dipt. [*typus* Dasypogon hybotinus].
- oligoporum** Ptygostomum, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843),
- Oligopus** A. Risso, Ich. Nice, 1810, 142.—P. [427.
- Oligopus** *id. ac* Oligopodus, Lac.; J. Minding, Lehrb. Naturg. Fische, 1832, 88.
- Oligorhipis** F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, no. 1, p. 7.—Col.
- Oligorus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col.
- Oligos** F. Treitschke, Schmett. Europa, VIII. 1830, 299.—Lep.
- oligostegia** Dentalina (Rss.), H. G. Bronn, Index Pal. 1848, 412.—Nodosaria.
- oligostegia** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 27.
- Oligostinus** T. Hawkins, Book of Great Sea Dragons, 1840, 9 & 10.—R.
- oligostoma** Ierea (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.—Siphonia.
- oligostoma** Siphonia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 5.
- Oligostomis** F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 20; Gen. et sp. Trichopt. 1848, 80.—Neur.
- Oligota** Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 486.—Col.
- Oligotoma** J. O. Westwood, Tr. Linn. Soc. London, XVII (3) 1836, 373.—Hym.
- oligotoma** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 161.
- Oligotricha** P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 472.—Neur.
- Oligotrophus** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 188.—Dipt.
- Oligura** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*]; Proc. Zool. Soc. London, XIII (146) Aug. 1845, 25.—A.
- Oligura** E. Rueppell, Syst. Uebers. Vögel. N.-O. Afrikas, 1845, 29.—A.
- Oligyra** T. Say in Nicholson's Ency. (Amer. ed.) 1819, sign. B 4; C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 39.—G. [Olygyra, 1818].
- Olina** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 812.—Dipt.
- Olina** E. Doubleday in D. & Westwood, Gen. Diurn. Lepid., pl. 31, 1848 [*sic* Scudder, *sed* ? 1851].
- Olinda** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 116.—Dipt.

- Olindia** A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 178.—Lep.
- Olios** C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 564.—Ar.
- Oliptodon** Koch, Riesenth. 1845, 93 [*err. typ. pro* Glyptodon, Ow.; *teste* Bronn].
- Olis** *v.* **Otis**; E. Eichwald, Reise Casp. Kauk. II. 1837, 741.
- olisiponensis** Arca, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 176.
- olisiponensis** Avicula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 178.
- olisiponense** Cardium, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 181.
- olisiponensis** Echinus, E. Forbes, Q. J. Geol. Soc. London, VI. 1850, 195.
- olisiponensis** Exogyra, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 185.
- olisiponensis** Nerinaea, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.
- olisiponensis** Ptygmatis, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.—
- Oliska** A. Risso, H. N. Europe, V. 1826, 113.—Cr. [Nerinaea, 1850.]
- Olisthaena** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 177.—Col.
- Olisthaerus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 69.—Col.
- Olisthaerus** W. F. Erichson, Gen. Spec. Staph. (2) 1840, 843.—Col.
- Olistheria** J. Huebner, Verz. bekannt. Schmett. [1822], 194.—Lep.
- Olistherus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Olisthaerus, Dej.
- Olisthops** J. Richardson, Proc. Zool. Soc. London, XVIII (205) Nov. 12, 1850, 74.—P.
- Olisthopus** Dejean, Spec. gén. Coléopt. III. 1828, 176.—Col.
- Olisthus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Olistus, Cuv.
- Olistus** G. Cuvier, R. Anim., ed. 2, II. 1829, 209.—P.
- Olites** G. R. Gray in Griffith's Cuvier, Anim. Kingd. (Ins.) II. 1832, 714 [=Otites, Latr.].
- olitorius** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 71.—Ichneumon, 1793.
- olitorius** Jassus, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 310.
- olitoria** Scaeva, C. F. Fallen, Syrphici Sveciae (5) 1817, 43.
- "oliv.** *Paropsis n. sp.,*" J. Krynicki, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 199.
- Oliva** T. Martyn, Univ. Conch. III. 1789, fig. 111.—G.
- Oliva** C. F. Schumacher, Ess. Vers test. 1817, 74 & 243.—G.
- oliva** Alveolina, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 481.
- oliva** Auricula, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 189.
- oliva** Cellepora, Lamarck, An. s. vert. II. 1816, 171.
- oliva** Celleporaria (Lam.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 43.—Cellepora.
- oliva** Glandina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 13.
- oliva** Globiconcha, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 220.
- oliva** Lanius, J. Wilkes, Ency. Londin. XII. 1812, 214. = *L. olivaceus*, Shaw.
- oliva** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 242.
- oliva** Melanopsis, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 4.
- oliva** Melanopsis, *err. pro* olivula, Grat.; F. W. Hoeninghaus, Jahrb. f. Min. 1831, 143 [*n.n.*].
- oliva** Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 34.
- olivus** Myiobius (Bodd.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Muscicapa.
- oliva** Voluta, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Suppl., pl. 1.
- olivaceiventris** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 34.
- olivaceo-flava** Spermothila, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 291.
- olivaceofuscus** Dysopes, Natterer in J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (1) 1847,
- olivaceofuscus** Turdus, J. G. Hartlaub, Beitr. Orn. W. Africa, 1850, 49. [202.]
- olivaceorhyncha** Diomedea, J. Gould, Ann. Mag. N. H. XIII. May 1844, 361.
- olivaceus** Abrothrix, G. R. Waterhouse, Arch. f. Naturg. VI (1) 1840, 180.—Mus, 1837.
- olivacea** Acanthiza (Gould), G. R. Gray, Gen. Birds, I. Feb. 1848, 189.—Psilopus.
- olivacea** Achatinella, L. Reeve, Conch. Icon. VI.—Achatinella, no. 20, Ap. 1850.
- olivaceum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- olivacea** Actinecta (Les.), de Blainville, Dict. Sci. Nat. LX. 1830, 285.—Actinia. [666.]
- olivacea** Actinia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 7, Nov. 1817, 152.
- olivacea** Actinia (Entacmaea), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 262.
- olivaceus** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 21 [*n. n.*].
- olivaceus** Agelaius (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 549.—Oriolus, Gm. 1788.

- olivaceum Agonum, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 148.
- olivaceus Agriliorhinus, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 22.
- olivaceus Amphacanthus, Cuvier & Valenc., H. N. Poiss. X. 1835, 163.
- olivacea Ampullaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 457, Liste, p. 12 [*n. et f.*].
- olivacea Ampullaria, J. B. v. Spix, Testac. Brasil. 1827, 2.
- olivaceum Anchomenus (Esch.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 116.—Agonum.
- olivacea Anomala (Schön.), H. Burmeister, Handb. Ent. IV (1) 1844, 537.—Melolontha.
- olivaceus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9) 1849, 154 [*"Mon. Anth." poster. edit.*].
- olivacea Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1701.
- olivaceus Anthophagus, J. Jennings, Ornith. 1828 [1827], 319.
- olivacea Arboricola, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- olivacea Arborophila, B. H. Hodgson, Madras Journ. V (15) Ap. 1837, 303.
- olivacea Arca, L. Reeve, Conch. Icon. II.—Arca, no. 112, May 1844.
- olivacea Argalia, J. E. Gray, Proc. Zool. Soc. London, XV (175) July 20, 1847, 97.
- olivaceus Arundinax, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 595.
- olivaceus Augocoris, A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 84.
- olivaceum Bembidium, L. Gyllenhal, Ins. Suecica, I (4) 1827, 408.
- olivaceus Bombus, J. C. Fabricius, Syst. Piezat. 1804, 347.—Apis, 1787.
- olivacea Borlasia, G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 434.—Nemertes (B.),
- olivacea Boscia, W. E. Leach, Zool. Journ. I (1) Mar. 1824, 37. [1837.]
- olivaceus Bruchus, E. F. Germar, Ins. spec. novae, I. 1824, 183.
- olivaceus Bulimus, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (5) 1846, 124.
- olivacea Buprestis, L. Gyllenhal, Ins. Suecica, I. 1808, 454.
- olivaceus Byturus, D. H. L. Fournel, Faune de la Moselle, II. 1840, 524.
- olivacea Camaroptera, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 103.
- olivacea Campanularia (Lamour.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 134.—Clytia.
- olivaceus Canthophrys, W. Swainson, N. H. Fishes etc. II. July 1839, 310.
- olivacea Caouana (Esch.), J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 53.—Chelonia.
- olivaceus Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 244.—Lygaeus, 1794.
- olivaceus Carcinus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 490.
- olivaceus Cebus, Rich. Schomburgk in R. H. Schomburgk, Reisen Brit.-Guiana, II. 1848, 247 & III. 1848, 770.
- olivaceus Centrinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 763.
- olivacea Cercopis, J. C. Fabricius, Syst. Rhyng. 1803, 89.—Tettigonia, 1794.
- olivacea Certhia, J. R. Forster, Anim. mar. Aust. 1844, 79.
- olivacea Certhidea, J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 7.
- olivacea Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 554.
- olivacea Chamaeza, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 279.
- olivacea Chelonia, Eschscholtz, Die Quatember, I (1) 1829, 15.
- olivacea Chelonia, F. Eschscholtz, Zool. Atlas, I. 1829, 3.
- olivaceus Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 29.
- olivaceus Chiton, D. Solander, Catal. Portland Mus. 1786, 137 & 151 [*n. n.*].
- olivacea Chlamys, V. Kollar, Mon. Chlamydom, 1824, 45.
- olivaceus Chlorophoneus (Shaw), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 71.—Lanius.
- olivacea Cicada, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 1 (= 37).
- olivaceus Cimex, C. P. Thunberg, Hemip. Capen. II. 1822, 2.
- olivacea Cinnyris, A. Smith, Ill. Zool. S. Afr., text to pl. 57 (1839) [*teste* H. G.].
- olivacea Clausilia, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 381.
- olivacea Clytia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 13.
- olivaceus Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* judice 1836], 30.
- olivaceus Coccothraustes, L. Fraser, Proc. Zool. Soc. London, X (117) Feb. 1843, 144.
- olivaceus Colaptes (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. XIV. 1826, 171.—Picus,
- olivaceus Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849–50, 359. [1788.]
- olivacea Corethrura (Vieill.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Rallus.

- olivaceus Corvus, J. Latham, Index Orn., Suppl. 1801, p. xxvi.
 olivacea Coryphocera (Guér.), H. Burmeister, Handb. Ent. III. 1842, 230.—Gnathocera.
 olivaceus Cossyphus, C. Dumont, Dict. Sci. Nat. XXIX. 1823, 268.
 olivaceus Crenilabrus (L.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 389.—Labrus, Gm. 1789.
 olivaceus Criniger (Sw.), G. R. Gray, Gen. Birds, I. Oct. 1847, 236.—Iole, Blyth.
 olivacea Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 451.
 olivacea Cryptophagus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 678.
 olivaceus Cryptophthalmus, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. *k*.
 olivacea Curruca, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 664.
 olivacea Cyclemis, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 424
 [n. n.].
 olivaceum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 29.
 olivaceus Cyclorhynchus (Desm.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 83.—
 Platyrrhynchus, ? Temm. [Todus.
 olivaceus Cyclorhynchus (Licht.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 248.—
 olivaceus Cyinnyris (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1822, 594.—Certhia, ? L.
 olivacea Cymothoa, J. E. De Kay, N. H. New York (Cr.) 1844, 47. [1766.
 olivacea Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) post Oct. 1810, 95.
 olivacea Darnis, J. C. Fabricius, Syst. Rhyng. 1803, 28.
 olivacea Dasia, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 331.
 olivaceus Dendrobates (J. E. Gray), G. R. Gray, Gen. Birds, II. Sept. 1845, 437.—Picus.
 olivacea Dendrophis (Ahetula), J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 54.
 olivacea Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins., 300.
 olivacea Drepanis (Licht.), G. R. Gray, Gen. Birds, I. June 1847, 96.—Hemignathus.
 olivaceus Dysithamnus (Tsch.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 224.—
 Thamnophilus.
 olivacea Elania (O. & L.), G. R. Gray, Gen. Birds, I. May 1847, 251.—Muscicapa.
 olivacea Emberiza, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 578.
 olivacea Emminia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 24.
 olivacea Emys, A. F. Schweigger, Koenigsberger Archiv, I. 1812, 307 & 352.
 olivacea Entomiza, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 145.
 olivaceus Entomovorus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 197.
 olivacea Eolis, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 35.
 olivacea Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 808.
 olivaceus Epitragus, Chevrolat; W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 117.
 olivacea Eristalis, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 611.
 olivaceus Euliolaemus (Wiegman), J. J. Tschudi, Fauna Peru. (Herp.) 1846, 11.—Lio-
 laemus, Fitz.
 olivaceus Eumerus, H. Loew, Entom. Zeitung, Stettin, IX (4) Ap. 1848, 116.
 olivacea Euphonia, A. G. Desmarest, Hist. Nat. Tangaras (10) [1806].
 olivacea Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, 1841.
 olivacea Ficimia, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 80.
 olivacea Fissurella, J. E. Gray in Sowerby, II., Conch. Illustr. (76) 1835, f. 57 [n. et f.].
 olivaceus Formicarius (Tschudi), G. R. Gray, Gen. Birds, I. Dec. 1846, 211.—Thamno-
 olivacea Fringilla, C. S. Rafinesque-S., Car. n. gen. 1810, 6. [philus.
 olivaceus Furnarius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 228.—
 Merops, 1812.
 olivacea Galeruca (Fab.), A. G. Olivier, Entom. VI. 1808, 651.—Crioceris.
 olivacea Galidia, I. Geoffroy, Ann. Sci. Nat. (2) VIII. Oct. 1837, 252.
 olivacea Gallinula, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 109.
 olivaceus Gastrimargus, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 39.
 olivaceus Geocolaptes (Lath.), G. R. Gray, List Gen. Birds, 1840, 55.—Picus, Gm. 1788.
 olivaceus Geronticus (Dubus), G. R. Gray, Gen. Birds, III. App. 1849, 26.—Ibis.
 olivacea Glandina, C. F. Schumacher, Essai Vers test. 1817, 202.
 olivacea Gnathocera, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 80.
 olivaceus Gobius, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 143.
 olivacea Gorgonia (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II.
 Aug. 1836, 504.—Plexaura.

- olivacea** Grallaria (Tsch.), G. R. Gray, Gen. Birds, I. Dec. 1846, 213.—Chamaeza.
- olivacea** Haltica (Sulcicollis), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833],
- olivacea** Helicogena, A. Risso, H. N. Europe, IV. 1826, 63. [213.]
- olivaceus** Hemignathus, Lichtenstein, Abh. K. pr. Ak. Wiss. 1839, 451.
- olivaceus** Hemignathus, "Eich." in Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846). [Gnathocera.]
- olivacea** Heterorhina (Guér.), J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.—
- olivaceus** Heterorhynchus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 293.—
Mellithreptus, 1839.
- olivaceus** Hippoglossus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 184.
- olivaceus** Homalopsis, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 55.
- olivacea** Hydraspis (Schw.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 125.—Emys.
- olivaceus** Hylophilus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 284.
- olivaceus** Hypolithus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.
- olivacea** Hypsipetes, Jardine & Selby, Ill. Orn., descr. to pl. 2 (dorso) 1826; G. R. Gray,
Gen. Birds, I. Oct. 1847, 238.
- olivacea** Ibis, B. Dubus, Bull. Ac. Roy. Brux. IV. 1838, 105.
- olivacea** Iole, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (post Oct.), 386.
- olivaceus** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, IV. 1847, 184.—Spirobolus. [—Hypsipetes.]
- olivacea** Ixocinclia (J. & S.), E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post Sept.), 575.
- olivacea** Labristoma, W. Swainson, N. H. Fishes etc. II. July 1839, 230.
- olivacea** Lacerta, C. S. Rafinesque-S., Car. n. gen. 1810, 8. [Gastrimargus.]
- olivacea** Lagothrix (Spix), J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848, 416.—
- olivaceum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 609.
- olivaceus** Laniarius, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 299.
- olivaceus** Lanius, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 330.
- olivacea** Lebia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 69.
- olivaceus** Lepadogaster, A. Risso, Ich. Nice, 1810, 75.
- olivacea** Lepidochelys, L. Fitzinger, Syst. Rept. 1843, 30.—Thalassochelys, MS.
- olivacea** Leptopogon (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 186.—
- olivaceus** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 295. [Muscicapa.]
- olivacea** Liasis, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 45.
- olivaceus** Liolaemus, L. J. Fitzinger, Syst. Rept. 1843, 74.
- olivaceus** Lutjanus (Gm.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 184.—
- olivaceus** Lycodon, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 54. [Labrus, 1789.]
- olivaceus** Malaconotus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
1826, 162.—Lanius.
- olivaceum** Malacopteron, H. E. Strickland, Proc. Zool. Soc. London, XIV (165) Jan. 26,
1847, 102. [Turbo, 1827.]
- olivaceus** M[argarita], T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 17 (Turbo) & errata.—
- olivacea** Meckelia, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 234.
- olivacea** Megaera, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 49. [Nitidula.]
- olivaceus** Meligethes (Gyll.), J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 9.—
- olivaceus** Mellithreptus, La Fresnaye, Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 293.
- olivacea** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 197; & App.
- olivaceus** Melyris, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 302. [1817, 111.]
- olivacea** Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 10.
- olivaceus** Merops, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 180.
- olivacea** Merula (Gir.), J. E. De Kay, N. H. New York (Birds) 1844, 73.—Turdus.
- olivaceus** Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 478.
- olivaceus** Micryphantus, C. L. Koch, Deutsch. Crust., heft 4, 1837, tab. 4.
- olivacea** Mitra, H. E. Anton, Verz. Conch. 1839, 68.
- olivacea** Montagua (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis.
- olivacea** Motacilla, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 313.
- olivacea** Muraenoblenna, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 652.
- olivaceus** Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 16.—Mus
(Abrothrix), p. 21.

- olivacea** Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 308.—
Pollenia.
- olivacea** Muscicapa, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
- olivacea** Muscipeta, K. L. Koch, Syst. baier. Zool. I. 1816, 167. [Zool. VII. 1837, 54.
- olivacea** Mygale, C. L. Koch, Die Arachniden, IX (2) *post* May 1841, 34.
- olivaceus** Mytilus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 51.
- olivacea** Myzantha, R. P. Lesson, Echo Monde Savant, XI. 1 Aug. 1844, 204.
- olivaceus** Narycius, Dupont, Magasin de Zool. V. 1835, text to pl. 128.
- olivaceus** Naseus, Cuvier & Valenc., H. N. Poiss. X. 1835, 288.
- olivacea** Nassa, Lamarck, Ency. Méth. (Vers) 1816, pl. 394, Liste, p. 1 [*n. et f.*].
- olivacea** Nassa (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 71.—? Buccinum, Br.
- olivacea** Nasua, J. E. Gray, List Mamm. Coll. B. M. 1843, 195 [*n. n.*]. [1789.
- olivacea** Nectarinia, A. Smith in W. Jardine, Nectariniadae (Nat. Libr. XXXVI) 1843,
186.
- olivacea** Nectarinia (L.), G. R. Gray, Gen. Birds, I. June 1847, 98.—? Certhia, 1766.
- olivacea** Nemertes, G. Johnston, Mag. Zool. Bot. I (6) Ap. 1837, 536.
- olivacea** Nerita, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 172.
- olivacea** Nesaea, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 8.
- olivaceus** Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 431.
- olivacea** Nitidula, Gyllenhal, Ins. Suec. III. 1813, 678.
- olivaceus** Onychophis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 133.
- olivacea** Ortygometra (Vieill.), J. F. Stephens in G. Shaw, Gen. Zool. Aves) XII (1)
1824, 226.—Rallus.
- olivacea** Oxynoe, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162.
- olivacea** Pachnoda (Fab.), H. Burmeister, Handb. Ent. III. 1842, 521.—Cetonia, 1775.
- olivacea** Pachycephala, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 241.
- olivacea** Paecilia, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1845), 51.
- olivacea** Paludina, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App., p. ix.
- olivaceus** Paludomus, L. Reeve, Conch. Icon. IV.—Paludomus, no. 5, July 1847.
- olivacea** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 18.—
- olivacea** Patella, H. E. Anton, Verz. Conch. 1839, 26. [Emberiza, L. 1766.
- olivaceus** Pelecanus, Humboldt, Voy. intér. Amér. (Obs. Zool.) I (1) 1805, pp. 15 & 47.
- olivaceum** Pellorneum, T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 255.
- olivacea** Perdix, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 54.
- olivaceum** Peryphus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 16.
- olivacea** Petasia, J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 279.
- olivaceus** Phacecerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 555.
- olivaceus** Philedon (Sh.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 493.—Merops.
- olivaceus** Philemon, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 429.
- olivaceus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, III. 1844, 344.—Nirmus.
- olivacea** Phoenisoma, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 99.—Pithylus,
1834.
- olivacea** Phragmaticola, T. C. Jerdon, Madras Journ. XIII (31) Dec. 1844, 129.
- olivaceus** Phyllomanes (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 63.—Muscicapa,
1766.
- olivaceus** Pica (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 129.—Corvus.
- olivaceus** Picumnus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Jan. 1845, 7.
- olivaceus** Picus, A. Valenciennes, Dict. Sci. Nat. XL. 1826, 171.
- olivaceus** Picus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 18.
- olivaceus** Pithylus, R. P. Lesson, L'Institut, 27 Sept. 1834, 316.
- olivacea** Planaxis, A. Risso, H. N. Europe, IV. 1826, 173.
- olivaceus** Planorbis, J. B. v. Spix, Testac. Brasil. 1827, 26.
- olivacea** Platycoelia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
1850 [*ineunte* 1851], 227.
- olivaceus** Platyrrhynchus, C. J. Temminck in T. & Laugier, Pls. color (2) Ap. 1822.
- olivaceus** Platyrrinchus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxvi [*n. n.*].
- olivacea** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 136.

- olivacea Plexaura, J. V. F. Lamouroux, Hist. Polyp. 1816, 431.
- olivacea Podura, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 355.
- olivacea Poecilocera (Serv.), H. Burmeister, Handb. Ent. II (2) i, 1838, 622.—Petasia.
- olivacea Poeocera, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 221.
- olivacea Polia, J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 325.
- olivacea Pollenia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 270.
- olivaceus Pomatorhinus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 451.
- olivaceus Poophagus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 592.
- olivacea Poospiza, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 473.
- olivacea Prinia, H. E. Strickland, Proc. Zool. Soc. London, XII (136) Oct. 1844, 99.
- olivaceus Psarocolius (Gm.), J. Wagler, Syst. Avium, I. 1827, sign. 22₁₀.—Oriolus, 1788.
- olivaceus Pseudochromis, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 8.
- olivaceus Psilopus, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- olivacea Psittorostra, C. Ranzani, Elem. Zool. III (6) 1823, 66.
- olivacea Pyrranga, Less.; G. R. Gray, Gen. Birds, II. July 1844, 364.—Pithylus.
- olivacea Pyrrhula, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1027.
- olivaceus Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 561.
- olivaceus Rhynchaenus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 206.
- olivaceus Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 228.
- olivacea Rutela (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 152.—Cetonia.
- olivaceus Saltator, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 108.
- olivacea Saperda, J. Sturm, Catal. Ins. Samml. 1826, 192 [*n. n.*].
- olivacea Scylla (Herbst), A. White, List Crustacea Coll. B. M. 1847, 26.—Cancer, 1794.
- olivaceus Semnopithecus (Colobus), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839,
- olivaceus Sittasomus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1146. [309.
- olivaceus Sparus (L.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 461.—Labrus, Gm. 1789.
- olivacea Sperophila (Vieill.), G. R. Gray, Gen. Birds, II. Oct. 1844, 386.—Pyrrhula.
- olivacea Sperophila (L.), G. R. Gray, Gen. Birds, III. App. 1849, 18.—? Emberiza,
- olivaceus Spirobolus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 268. [1766.
- olivacea Sylvia, J. P. Giraud, Descr. N. Amer. Birds, 1841.
- olivaceus Tachyphonus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (39) Oct. 1825, 63.
- olivacea Tanagra, M. H. K. Lichtenstein, Preis-Verz. Doubl. Berlin, 1820.—Isis, 1821 (Beylage), 7.
- olivacea Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 193.
- olivaceus Thamnophilus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 278.
- olivaceus Todus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 20.
- olivaceus Tricophorus, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 264.
- olivaceus Trimesurus, J. E. Gray in G. Grey, Journ. 2 Exp. Austral. II. 1841, 443.
- olivaceus Trochus, W. Wood, Suppl. Index Test. 1828, 16 [*n. et f.*].
- olivaceus Trochus, H. E. Anton, Verz. Conch. 1839, 57.
- olivaceus Tropicurus, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 268 c.
- olivaceus Turbo, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlv, f. 30 [*n. et f.*].
- olivaceus Turdus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 38.
- olivaceus Turdus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 17.
- olivaceus Turdus, J. P. Giraud, Birds of Long Island, 1844, 91.
- olivacea Turritella, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 138.
- olivaceus Tydeus, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 8.
- olivacea Upupa, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 176.
- olivaceus Uvanilla, J. E. Gray, Figs. Moll. Anim. IV. 1850, 87.—Trochus, ? Wood, 1828.
- olivacea Vireo (L.), C. L. Bonaparte, J. Acad. Nat. Sci. Philad. IV. Dec. 1824, 177.—
- Muscicapa, 1766.
- olivacea Vireosylva (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 26.—Muscicapa,
- olivacea Xiphosoma, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 42. [1766.
- olivacea Xylocopa (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 151.—Bombus.
- olivacea Xylota, Wiedemann in J. W. Meigen, Syst. Beschr. Zweifl. Insekt. III. 1822,
- olivacinus Turdus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 273. [215.

- olivaeformis** Acteonina (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.—
- oliviforme** Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1834, 70. [Bulla.
- olivaeformis** Bulla, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 41.
- olivaeformis** Marginella, L. C. Kiener, Spec. Coquilles (Marginella) 1834, 12.
- olivaeformis** Mitra, W. Swainson, Zool. Illust. (1) I (8) May 1821, pl. 48.
- olivaeformis** Mitra, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 301.
- olivaeformis** Mitrella, W. Swainson, Zool. Illust. (2) II (12) — 1831, pl. 54.
- olivalis** Botys (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 315.—*Pyralis*, D. & S. 1775. [1775.
- olivalis** Loxostege (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 352.—*Pyralis*,
- olivalis** Margaritia (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 59.—*Pyralis*, 1775.
- olivalis** Scopula (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 65.—*Pyralis*, 1775.
- olivana** Sericoris, F. Treitschke, Schmett. Europa, VIII. 1830, 151.
- Olivancillaria** A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 420.—G.
- Olivanites** G. Troost, P. Amer. Assoc. 1849 (1850), 62.—Ech. [*n. n.*].
- Olivaria** *emend. pro* Oliva, Brug.; C. S. Rafinesque, Analyse, 1815, 145.—G. [*n. n.*].
- olivaris** Silurus, C. S. Rafinesque, Amer. Monthly Mag. III (5) Sept. 1818, 355.
- Olivarius** A. M. C. Duméril, Zool. Anal. 1806, 166.—G.
- olivaria** Amblesma, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 314.—& *varr.* dilatata; fasciolaris.
- olivaria** Cidaria, F. Treitschke, Schmett. Europa, V (2) 1825, 442.
- olivaria** Crex, S. D. W., The Analyst, III (14) Jan. 1836, 208.
- olivaria** Eubolia (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 190.—Cidaria.
- olivaria** Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 304.—? *Geometra olivata*, D. & S. 1775.
- olivaria** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 202.
- olivaria** Mitrella, W. Swainson, Treat. Malacol., May 1840, 321.
- olivaria** Nerita, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 344.
- olivarius** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. IV (1) 1831, 108.
- olivarius** Unio, W. H. Benson, J. Asiat. Soc. Bengal, IV. 1835, 453.
- olivaria** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 558.—Mitra.
- olivaria** Zerynthia (Huebn.), J. Curtis, Brit. Entom. VII (74) Feb. 1830, no. 296.—? *Geometra olivata*, D. & S. 1775.
- olivascens** Elater, A. White, Zool. "Ereb. Terr." (Ins. 1846), 7.
- olivascens** Emberiza, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 75.
- olivascens** Embernagra, A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 285.
- olivascens** Lanius, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin,
- olivascens** Mamillifera, J. F. Brandt, Prod. anim. Mertens. I. 1835, 8. [1819, 40.
- olivascens** Saltator, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 676.
- olivascens** Sciurus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 107
- olivascens** Tanagra, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 32. [[*n. n.*].
- olivascens** Tanagra, W. Swainson, Orn. drawings Birds Brazil, 1834–5, pl. 38.
- olivascens** Thraupis (Licht.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 28.—*Tanagra*.
- olivater** Muscicapa, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 392.
- olivater** Setophaga (Less.), G. R. Gray, Gen. Birds, I. Aug. 1846, 265.—*Muscicapa*.
- olivatra** Merula, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 2.
- olivata** Amoebe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 333.—*Geometra*,
- olivata** Bembex, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 491. [1775.
- olivata** Coremia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 188.—*Geometra*, 1775.
- olivea** Argyrostrotis, J. Huebner, Verz. bekannt. Schmett. [1825], 253. [[*n. et f.*].
- olivea** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 60 (Fernaldo judice 1802)
- olivea** Saxicola, J. M'Clelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 161.
- Olivella** W. Swainson, Zool. Illust. (2) II (13) — 1831, pl. 58.—G.
- olivella** Lamprodoma, W. Swainson, Treat. Malacol., May 1840, 132.

- olivella** Oecophora (Boyer de F.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 439.—Tinea.
- olivella** Tinea, V. Briganti, Atti R. Ist. Incoragg. Napoli, III. 1822, 132.
- olivella** Tinea, Boyer de Fonscolombe, Ann. Soc. Ent. France, VI (2) *post* June 1837, 183.
- oliverii** *v.* **olivieri**.
- olivetorum** Calamodyta (Strickl.), G. R. Gray, Gen. Birds, I. Aug. 1848, 172.—Salicaria.
- olivetorum** Calamoherbe (Gould), C. L. Bonaparte, List Birds Eur. Amer. 1838, 13.—Salicaria.
- olivetorum** Cercopis, O. G. Costa, Fauna Regno Napoli, Omott., Cercopis, 3 (? *ante* 1840).
- olivetorum** Coccinella, O. G. Costa, Corresp. Zool. I. 1839, 104.
- olivetorum** Helix, Gm., *var.* *carinata*, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 380.
- olivetorum** Helix (Helicella), Gm.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 44.
- olivetorum** Hippolais (Str.), Z. Gerbe, Rev. Zool. (Soc. Cuv.) IX. Dec. 1846, 434.—Sylvia.
- olivetorum** Salicaria, Strickland in Gould, Birds Europe, II. 1837, pl. 107.
- olivetorum** Sylvia (Str.), Temminck, Man. Orn. IV. 1840, 611.—Salicaria.
- Olivetra** "Gould," Schinz, Europ. Fauna, I. 1840, 430.—A. [*teste* C. W. R.]. [Tanagra.
- olivi-cyanea** Dubusia (Lafr.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424.—
- olivi-cyaneus** Tachyphonus (O. & L.), G. R. Gray, Gen. Birds, II. July 1844, 365.—Tanagra.
- olivi-cyanea** Tanagra, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 69.
- Olivia** A. Bertolini, Rar. ital. plant. (3) 1810, 117.—Calc. Alga.
- Olivia** F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 387.—G.
- olivia** Helix, S. A. Renier, Tavole [1804] viii [*n. n.*]. [bratula.
- oliviani** Retzia (Vern.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 137.—Tere-
- oliviani** Spirigerina (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 99.—Terebratula.
- oliviani** Terebratula, Verneuil & d'Archiac, Bull. Soc. géol. France (sér. 2) II. 1845, 470.
- oliviella** Dasycera (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, 1794.
- oliviella** Oecophora (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 252.—Tinea, 1794.
- oliviella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 374.
- Oliviera** H. Loew, Entom. Zeitung (Stettin) VIII (9) Sept. 1847, 259.—Dipt.
- olivierii** Acnephalum, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 167.
- olivierii** Adorium, Guérin-M. in Duperry, Voy. Coquille, Zool. II (2) 1 (1838), 147.
- olivieri** Akis, A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 665.
- olivierii** Alysia, Guérin-M., Mém. Soc. R. Agric. Paris, 1842, 394. [Paris, 1841, 88.
- ollivierii** Amara, H. M. Edwards, L'Institut, Aug. 1841, 280; Extr. P. V. Soc. Philom.
- olivieri** Amerhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 600.
- olivieri** Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 31.
- olivieri** Anoplognathus (Schoen.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 172.—Rutela.
- olivieri** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 28.
- olivierii** Apterogyna, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 122.
- olivierii** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 252.
- olivieri** Ateuchus, Meg.; Dejean, Catal. Coléopt. 1821, 52 [*n. n.*].
- olivierii** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 374.
- olivieri** Bradybaena (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 19.—Helix.
- olivieri** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Jan. 1847, 14.
- olivieri** Buprestis, Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
- olivieri** Caenobita, R. Owen, Zool. "Blossom," 1839, 84.
- olivieri** Calosoma, Dejean, Spec. gén. Coléopt. V. 1831, 559..
- olivieri** Carabus, F. L. de Laporte, Etudes Entom. (1) 1834, 89.
- olivieri** Cebrio, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 22 [*n. n.*].
- olivieri** Cerocoma, Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- olivieri** Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 43.
- olivieri** Cimbex, Le Peletier, Mon. Tenthred. 1823, 40.
- olivieri** Cionus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1839, 725.

- olivieri Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 259.
 olivieri Clausilia, J. R. Roth, Moll. Orient. 1839, 21.
 olivieri Clerus, F. E. Guérin-M., Iconogr. 1844 (Ins.), 54.
 olivieri Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 200.
 olivieri Dasycerus, A. H. Haworth, Lepidopt. Brit. (4) 1828, 524.—*Tinea oliviella*, Fab.
 olivierii Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 149. [1794.
 olivieri Dasypogon (Macq.), H. Loew, Linnaea Entom. II. July 1847, 526.—*Acnephalum*.
 olivierii Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins., 298.
 olivieri Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 49.
 olivieri Erodus, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 530.
 olivieri Erotylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 463.
 olivieri Eumenes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 596.
 olivierii Euprepes, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 674.
 olivierii Exoprosopis, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 320.
 olivieri Fruticicola (Fér.), F. Held, Isis (Oken), 1837, 914.—*Helix*.
 olivieri Galleruca, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 218.
 olivierii Geron, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 395.
 olivieri Glaphyrus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 153.
 olivieri Gonia (Rob-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 87.—
 olivieri Gorgonia, J. V. F. Lamouroux, Hist. Polyp. 1816, 401. [Reaumuria.
 olivieri Gymnopleurus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 72.
 olivieri Helioscopus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 88.—*Phrynocephalus*.
 olivieri Helix, Parreyss in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839, 7.
 olivieri Helix (*Helicella*), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 47.
 olivieri Julodis (Dej.), Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 273.—*Buprestis*.
 olivieri Julodis, Laporte, Revue Entom. III (4) 1835, 161.
 olivieri Lacerta, V. Audouin in Savigny, Egypte, I (1) (Expl. pls. Rept.) 1827, 174.
 olivierii (*sic*) Lanistes, Denys de Montfort, Conch. II. 1810, 123.
 olivieri Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 401.
 olivieri Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 111.
 olivieri Meloe, Chevrolat, Magasin de Zool. III. 1833, pl. 57.
 olivieri Melolontha, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
 olivieri Melolontha, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 131.
 olivieri Monodonta, B. C. Payraudeau, Cat. Moll. Corse, 1826, 133.
 olivieri Mylabris, G. J. Billberg, Mon. Mylabrid. [1813], 71.
 olivieri Myrmecodes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, [588.
 olivieri Nebria, Dejean, Spec. gén. Coléopt. II. 1826, 243.
 olivierii Nematoptera, J. O. Westwood, Proc. Zool. Soc. London, IX (97) Sept. 1841, 13.
 olivieri Nemoptera, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 337.
 olivieri Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 75.
 olivieri Oniscus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 98.
 olivierii Onitis, Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 197.
 olivieri Palemon, A. Risso, H. N. Crust. 1816, 107.
 olivieri Parmacella, G. Cuvier, Ann. Mus. H. N. (Paris) V (30) Feb. 1805, 442.
 olivieri Photinus, Laporte, Ann. Soc. Ent. France, II (1) *c.* Ap. 1833, 141.
 olivieri Phrynocephalus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 517.
 olivieri Pompilus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 429.
 olivierii Porcellio, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 168.
 olivieri Procerus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. II. 1826, 24.
 olivieri Reaumuria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, [1830, 82.
 olivieri Rhinobatus, Meg.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
 olivieri Rhinocyllus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 148.
 olivieri Rhopalía, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 128.

- olivierii** Rutela, Dalman & C. J. Schoenherr, Syn. Insect. I (3) 1817, 150; & App. 1817, 60.
- olivieri** Scydmaenus, Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].
- olivieri** Sphecodes, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 448.
- olivieri** Spheg, G. C. Reich, Mag. Thierreichs (3) 1795, 131.
- olivieri** Tanyproctus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 163.
- olivieri** Tarpa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 660.
- olivieri** Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 368.
- olivierii** Thereva, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 301.
- olivieri** Thynnus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 262.
- olivieri** Tituboea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 159.
- olivieri** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 18.
- olivierii** Trichodes (Chevr.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 336.—
Clerus. [Monodonta.]
- olivieri** Trochus (Payr.), H. D. de Blainville, Faune Française (28) Malac. 1830, 269.—
- olivieri** Trysibius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 306.
- olivieri** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 192.
- olivieri** Zygaena, Boisduval, Essai Zygén. 1829 [1828], 98.
- Olivieria** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 228.—
Dipt.
- Olivieria** J. W. Meigen, Syst. Besch. Zweifl. Ins. VII. 1838, 266 [=Rhynchosia, Macq.].
- olivieria** Cicindela, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 114.
- olivieriana** Orthos, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 193.
[olivi→.]
- olivii** Autonomaea, A. Risso, H. N. Crust. 1816, 166.
- olivi** Dentalium, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 12.
- olivii** Gammarus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 367 & 372.
- olivi** Helix, S. A. Renier, Tavole [1804] xi.
- olivi** Solen, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 170.
- Olivilla** W. Swainson, Treat. Malacol., May 1840, 82.—G.
- Olivina** A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 418.—G.
- olivinus** Picus, Natterer & Malherbe, Mém. Soc. R. Sci. Liège, II (1) 1845, 67.
- olivinus** Thrips, O. G. Costa, Mon. Ins. Ulivo, ed. 2, 1840, 23.
- olivinus** Trips, O. G. Costa, Corresp. Zool. I. 1839, 111.
- Olivium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 26.—G.
- olivoides** Bullina, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 3.
- olivoidea** Mitra, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 391.
- Olivula** T. A. Conrad, Foss. Shells Tert. N. Amer. (2) Dec. 1832, 25.—G.
- olivula** Anaulax (Lam.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 433.—Ancilla.
- olivula** Ancilla, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 475.
- olivula** Ancillaria, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 306.
- olivula** Bulla, S. V. Wood, Mag. Nat. Hist., n. s. III. Sept. 1839, 465.
- olivula** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11), 569, 1850.
- olivula** Melampus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—Auricula,
- olivula** Melania, T. A. Conrad, Amer. J. Sci. XXV (2) Jan. 1834, 342. [? MS.]
- olivula** Melanopsis, Grateloup, Actes Soc. Linn. Bordeaux, X (51) 1838, 143.
- olivus** *v.* oliva.
- olizon** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 753.
- olla** Actinocrinus (Amphoracrinus), F. M'Coy, Ann. Mag. N. H. (2) III. Ap. 1849, 247.
- olla** Cymba (L.), W. J. Broderip in B. & Sowerby, Spec. Conch. I (1) 1830, 7.—Voluta, 1758.
- olla** Cymbium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 110.—
- olla** Helix, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Oct. 1844, 186. [Voluta, 1758.]
- olla** Natica, P. M. T. de Serres, Geogn. Terr. tert. 1829, 102.
- Ollacrinites** de Blainville (*ex* Cumb.), Man. Actin. 1834, 659.—Crin. ["Append. Cumb."]
- "Ollacrinus" G. Cumberland, MS; *vide* ? Ollacrinites, de Blainville. [non comp.]
- Ollicula** C. v. Heyden, Isis (Oken), 1826, 610.—Ar.
- ollius** Empis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 493.
- ollivantii** Nemertites, R. I. Murchison, Silurian System, Jan. 1839, 701.

ollivieri *v.* olivieri.

- ollula Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 230.
- olmstedti Boleosoma (Stor.), J. L. R. Agassiz, Lake Superior, 1850, 299.—Etheostoma.
- olmstedti Etheostoma, D. H. Storer, Boston Journ. N. H. IV (1) 1842, 61.
- olmus Tachinus, F. Walker, List Dipt. Coll. B. M. (4) 1849, 775.
- olodonta Triton, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 81 [*n. n.*].
- Ololygon L. Fitzinger, Syst. Rept. 1843, 31.—R.
- Olophorus H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 423.—Cr.
- Olophrum W. F. Erichson, Käfer Mark Brand. I (2) 1839, 622.—Col.
- Olor J. G. Wagler, Isis (Oken), 1832, 1234.—A.
- Olor J. Hogg, Edinb. N. Phil. Journ. XLI (81) 1846, 66.—A.
- olor Amiba (Müll.), Bory de St V., Dict. Class. H. N. I. 1822, 262.—Vibrio, 1786.
- olor Cygnus, P. S. Pallas, Zoographia, II. 1811, 211 [*non* olor Anas, Gm.].
- olor Cygnus (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 37.—Anas, 1788.
- olor Lacrymaria (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 42.—Vibrio, 1786.
- olor Lacrimatoria, Bory de St V., Ency. Méth. (Zooph.) 1827, 479.
- olor Trachelina (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 164.—Vibrio, 1786.
- olor Trachelocerca (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 316.—Vibrio, 1786.
- olorinella Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 6 [*n. et f.*].
- olorinus Bulimus, P. L. Duclos, Magasin de Zool. III. 1833, pl. 24.
- olorina Mactra, R. A. Philippi, Abb. Conch. II (3) 1846, 72.
- olorus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 255.
- olosteon Octonus, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 29 [*n. n.*].
- Olostomis Percheron in F. E. Guérin-M. & P., Gen. Ins. (4) 1836, no. 9.—Neur.
- Oluris C. v. Heyden, Isis (Oken), 1826, 611.—Ar.
- olydius Strombus, Duclos; J. C. Chenu, Illustr. Conch. II. Strombus, 1844, 4.
- Olygira de Blainville [*non* Say], Man. Malac. 1825, 441.—G.
- Olygyra T. Say, J. Acad. Nat. Sci. Philad. I (10) June 1818, 283.—G.
- Olympia A. Risso, H. N. Europe, V. 1826, 127.—Cr.
- olympia Libellula, Boyer de Fonscolombe, Ann. Soc. Ent. France, VI (2) *post* June 1837,
- olympia Lysidice, Lamarck, An. s. vert. V. 1818, 324. [139-
- olympia Nereidice (Sav.), de Blainville, Dict. Sci. Nat. LVII. 1828, 475.—Lysidice.
- olympiadina Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 12 [*n. et f.*].
- olympica Clausilia, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 8.
- olympicus Morio, L. Redtenbacher in Russegger, Reise, I (2) 1843, 980.
- olimpica Tellina, O. G. Costa, Cat. Test. Sicilie, 1829, pp. xiv & xxvii.
- olympusa Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 101.
- olympusa Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 125 [*n. n.*].
- Olyntha G. R. Gray in Griffith's Cuvier, Anim. Kingd. (Ins.) II. 1832, 347.—Neur.
- Olyntha H. Burmeister, Handb. Ent. II (2) ii, 1839, 770.—Neur. [*?* Gray].
- Olynthoscelis G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 110.—Orth.
- Olynthus J. Huebner, Verz. bekannt. Schmett. 1818, 80.—Lep.
- Olyra J. M'Clelland, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 588.—P.
- olyra Curculio, T. Say, Descr. Curc. N. Amer., 7 [*teste* Schoenh.].
- olyra Magdalinus (Say), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 140.—Curculio.
- olyra Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 207, Oct. 1845.
- olyra Rhinodes, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 190.
- olyra Thamnophilus (Say), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 269.—Curculio.
- Olyras E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 106.—Lep.
- Olyris L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oluris, Heyd.
- Omacantha J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 89.—Col.
- Omadius Laporte, Revue Entom. IV (1) 1836, 48.—Col.
- omagrica Cymindis, Duftschmidt in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 19.
- Omala C. F. Schumacher, Essai Vers test. 1817, 43 & 128.—L. [1824, 19.
- Omala V. Motshulski, Mém. prés. Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 251.—Col.

- Omalalaxis** A. N. Herrmannsen, Ind. Gen. Malacoz. II. 1847, 144.—G. [= *Omalaxis*, Desh.].
- Omalaxis** G. P. Deshayes, Ency. Méth. (Vers) III. 1832, 659.—G.
- Omalaxon** Desh., *olim inedit.*; Herrmannsen, Ind. Gen. Malac. II. 1847, 144.
- omaliana** Cardita, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 212.
- omaliana** Lyonsia (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—*Pholadomya*.
- omaliana** Natica, L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 479.
- omaliana** *Pholadomia*, L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 65.
- omalii** Astarte, de la Jonkaire, Mém. Soc. H. N. Paris, I (1) 1823, 129.
- omalii** *Pleurotoma*, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 486.
- omalii** *Spatangus*, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 191.
- omalii** *Spondylus*, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 312.
- omalinus** *Trogophloeus*, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 802.
- Omalium** Gravenhorst, Micropt. Brunsv. 1802, 111.—Col.
- omaliusii** *Holoptychius*, J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xxxiv [*n. n.*]; Poiss. F. V. G. R., 75 (1845).
- omaliusii** Turbo, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845, 457.
- omaliusi** *Turritella*, Jos. Mueller, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1848), 240.
- Omalocephala** M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 259.—Hem.
- Omalocephala** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 388.—Dipt.
- Omalodera** Hombron & Jacquinot in d'Urville, Voy. Pôle Sud (Zool.) IV. 1853, 13, pl. 1, f. 10, 11 (*ante* 1850).—Col.
- Omaloderus** F. Walker, Ann. Mag. N. H. XI (69) Mar. 1841, 188.—Hym.
- Omalodes** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 128.—Col. [*sine typo*].
- Omalodes** W. F. Erichson (*ex* Dej.) in Klug, Jahrb. Insectenk. I. 1834, 117.—Col.
- Omalogaster** J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 187.—Dipt.
- omalogastyr** *Terebratula*, Hehl in C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 54.
- Omalomorpha** V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 42.—Col.
- omalomorpha** *Helicella* (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.—*Helix*.
- omalomorpha** *Helix*, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 5.
- Omalonyx** A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 229.—G.
- Omaloplia** Megerle in Dejean, Catal. Coléopt. 1821, 59.—Col.
- Omaloplia** J. F. Stephens (*ex* Dej. Cat.), Nom. Brit. Ins., Aug. 1829, 10.—Col.
- Omaloplia** C. G. Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 68.—Col.
- Omalosoma** L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) IV. June 1820, 361 [in the penultimate line Dufour seems to regard this word as generic].—Ar.
- Omalosoma** H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 233.—Col.
- Omalosoma** F. W. Hope, Coleopt. Manual, II. 1838, 71.—Col. [*n. n.*].
- omalosoma** *Selenops*, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) IV. June 1820, 361.
- omalostoma** *Echinus*, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- omalostoma** *Heliocidaris* (Val.), Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 371.—*Echinus*.
- Omalota** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 233.—Col.
- Omaloxon** L. Agassiz, Nom. Zool. (Moll.) 1845, 61, *id. ac* *Omalaxis*, Desh.
- Omalus** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164 [*n. n.*]; N. Méth. class. Hyménopt. 1807, 300.—Hym.
- Omalus** G. W. F. Panzer, Ins. Germ., heft 85, 1801, tab. 13.—Hym.
- Omalysus** *id. ac* *Omalisus*, Geoffr.; F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- Omaplopus** M. Spinola, Rev. Zool. (Soc. Cuv.) IV. Mar. 1841, 94.—Hym.
- omaria** *Conus*, Hwass in Bruguière, Ency. Meth. (Vers) 1792, 743 [*teste* R. W.].
- Omascus** *err. pro* *Omaseus*, Ziegl.; T. W. Harris, New England Farmer, VII (16) Nov. 1828,
- Omaseus** Ziegler in Dejean, Catal. Coléopt. 1821, 12.—Col. [122.
- Omaseus** C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 23.—Col.
- Omaspides** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 371.—Col. [*sine typo*].
- Omaspides** C. H. Boheman, Mon. Cassid. I. 1850, 445.—Col. [*typo*].
- Omastrephes** A. d'Orbigny, Pal. Franç. (Crét.) Céph. I. 1840, 30.—Ceph. [Omma→, p. 31].

- Omatoplea** C. M. Diesing, Syst. Helminth. I. 1850, 248.—Verm. [Omm→, Ehr. 1828].
- Ombellaria** C. S. Rafinesque, Analyse, 1815, 156.—Coel. [*n. n.*].
- ombellata** *v. umbellata*.
- ombilicata** *v. umbilicata*.
- ombracula** Flustra, Aud. 1828 = um→1826.
- Ombrella** = Umbrella, Lam.; H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 267.—G.
- Ombria** F. Eschscholtz, Zool. Atlas, IV. 1831, 3.—A.
- omeca** Blacta, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 19 [= Blatta].
- omega** Argyrogramma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 29.
- omega** Hister, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 394.
- omega** Omatodes (Kirby), W. F. Erichson, Jahrb. Insectenk. I. 1834, 117.—Hister.
- Omegadon** H. G. Bronn, Index Palaeont. 1848, 843 [*ex vernac.* Omegadonte, A. Pomel, Bull. Soc. géol. France (sér. 2) I. 1844, 593].
- Omegodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Omegadonte, Pom.
- Omena** J. Curtis, Guide Brit. Ins. (4) 1829–30, 115.—Hym. [*n. n.*].
- Omethia** R. Templeton, Trans. Ent. Soc. London, II. 1838, 119.—Cr.
- Ometis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 554.—Col.
- Omia** J. Huebner, Verz. bekannt. Schmett. [1825], 244.—Lep.
- Omia** Guénée, Ann. Soc. Ent. France [2] VIII. 1850, 235.—Lep.
- omiades** Cymindis, C. Steven in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
- Omiias** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col. [10.]
- omicron** Ascia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57 [*n. n.*].
- omicron** Autographa, J. Huebner, Verz. bekannt. Schmett. [1825], 251.
- omicron** Monadella (Barr.), H. G. Bronn, Index Pal. 1848, 740.—Monadina, 1846.
- omicron** Monadina, J. Barrande, Not. prélim. Silur. 1846, 20. [metra, 1775.]
- omicronaria** Cabera (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 438.—Geo-
- omicronaria** Cyclophora (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geometra, 1775.
- omicronaria** Ephyra (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 40.—Geometra, 1775.
- omicronaria** Leucophthalmia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 302.—
- omicronata** Phalaena, E. Donovan, Brit. Ins. XV. 1811, 11. [Geometra, 1775.]
- O[milurus]** R. Templeton, Mag. Nat. Hist. IX. May 1836, 235.—Verm.
- omilurus** Lumbricus, R. Templeton, Mag. Nat. Hist. IX. May 1836, 235.
- ominosa** Blaps, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 198.
- ominosa** Clausilia, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 17 [*n. n.*].
- ominosa** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 11; & (3) Mar. 1836, 11.
- ominosus** Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 21 [*n. n.*].
- omisco-maycus** Salmo, J. G. Schneider, Bloch, Syst. Ichth. 1801, 415.
- omisella** Argyromiges, H. T. Stainton (*ex* Douglas MS), The Zoologist, VI (7) 1848, 2163.
- omissus** Allantus, A. Foerster, Entom. Zeitung, Stettin, V (8) Aug. 1844, 289.
- omissa** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 149.
- omissus** Aphodius, J. L. Leconte in Agassiz, Lake Superior, 1850, 225.
- omissus** Asilus, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 332.
- omissa** Ceroxys (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 438.—
- omissa** Chrysomela, C. R. Sahlberg, Diss. Ins. Fenn. II (13) 1837, 203. [Ortalis.]
- omissa** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Antho-
- omissus** Lucanus, F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 78. [myia, 1826.]
- omissus** Nysson, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 485.
- omissa** Ortalis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 274.
- omissus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 30.
- omissa** Tiaris, Jardine, Ann. Mag. N. H. XX (134) Nov. 1847, 332.
- Omma** E. Newman, Ann. Nat. Hist. III. July 1839, 303.—Col.
- omma** Erebus, J. v. d. Hoeven, Tijdschr. nat. geschied. physiol. VII (1 & 2) 1840, 281.
- Ommastrephes** A. d'Orbigny, Amér. Mérid. (Moll.) 1835, 45.—Ceph.
- Ommatidiotus** M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1839, 204.—Hem.
- Ommatidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ommidion, Newm.

- Ommatius** C. R. W. Wiedemann, Dipt. exot. 1821, 213.—Dipt.
- Ommatolampes** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 837.—Col.
- Ommatolampis** H. Burmeister, Handb. Ent. II (2) i, 1838, 636.—Orth.
- Ommatolampus** *id. ac* O—pes, Schoenh. 1838; Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- Ommatophoca** J. E. Gray, Zool. "Ereb. Terr." (Mamm. 1844), 3.—M. [225.]
- Ommatophora** *err. pro* O—phoca, Gray; W. Turner, Proc. Zool. Soc. London, 1848, 88 [teste Palmer].
- Ommatoplea** C. G. Ehrenberg, Sym. Phys., Turb. 1831 (pls. 1828), sign. c.
- Ommatostergus** Nordmann in Keyserling & Blasius, Wirbelth. Europas, 1840, pp. vii & 31; H. R. Schinz, Europ. Fauna, II. 1840, 513 [*errore* 313].—M.
- Ommatostrephes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ommastrephes, d'Orb.
- Ommatostrephes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ommastrephes,
- Ommatotriton** J. E. Gray, Cat. Amphib. Coll. B. M. (2) 1850, 28.—R. [Gray,
- ommaturus** Gobijs, J. Richardson, Zool. "Sulphur," 1845, 146.
- ommatura** Solea, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 279.
- Ommatus** T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 49.—Dipt. [=Ommatius, Wied. 1821].
- Ommexecha** J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 285.—Orth.
- Ommidion** E. Newman, Mag. Nat. Hist., n. s. IV. Ap. 1840, 196.—Col.
- Ommidium** L. Agassiz, Nom. Zool. (Col.) 1845, 112, *emend. pro* Ommidion, Newm.
- ommopterus** Cossyphus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 257.
- Ommastrephes** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 152 [=Ommastrephes, d'Orb.].
- omnicola** Psittacus, Bechstein, Kurze Uebers. Vögel, 1811, 68.
- omnicolor** Acridium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 216. [1822.
- omnicolor** Alcedo, C. J. Temminck (*ex* Reinw. MS) in T. & Laugier, Pls. color. (23) June
- omnicolor** Alcyon, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 472 [*n. n.*].
- omnicolor** Cinnerys (Gm.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia, 1788.
- omnicolor** [Cyanotis] (Vieill.), W. Swainson, N. H. Classif. Birds, II. June 1837, 243.—Regulus.
- omnicolor** Dacelo (Reinw.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 247.—Alcedo, Temm. [Temm.
- omnicolor** Halcyon (Reinw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 155.—Alcedo,
- omnicolor** Nectarinia (Gm.), G. R. Gray, Gen. Birds, I. June 1847, 99.—Certhia, 1788.
- omnicolor** Regulus, L. P. Vieillot, Gal. des Ois. I (2) 1824, 271.
- omnicolor** Tachuris, F. de la Fresnaye, Echo Monde Savant, 12 June 1836, 107.
- Omniretepora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 500.—Pol.
- omnivorus** Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 204. [*syn.*].
- Omobranchus** C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XI. 1836, 287.—P. [*in*
- omocephalus** Psittacus, J. A. Albers, Beytr. Anat. 1802, 91.—[*err. pro* ochrocephalus, Kerr, 1792]. [*sine typo*].
- Omocera** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 367.—Col.
- Omocera** E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 211.—Col.
- Omocerus** L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 119.—Col.
- Omocrates** H. Burmeister, Handb. Ent. IV (1) 1844, 125.—Col. [=aemodius, q. v.
- omodius** Conostoma, B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (? Jan. 1842), plate.
- omogeron** Cleonus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 226.—Curculio,
- omogera** Saxinis, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 482. [1797.
- omogera** Triplax, T. Lacordaire, Mon. Erötyl., Sept. 1842, 206.
- omoiodon** Atelecyclus, A. Risso, H. N. Europe, V. 1826, 18.
- Omoiotelus** F. W. Hope, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 112.—Col.
- omole** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 930.
- Omolepida** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 87.—R.
- Omolopia** F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 5.—Col.
- Omoloplia** J. Gistel, Isis (Oken), 1831, 308.—Col.
- omophiloides** Allecula, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- Omophilus** F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 486.—Col.

- omophloides** Crioceris, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 564.
- Omophlus** Dahl, Col. u. Lepid. 1823, 46.—Col.
- Omophlus** Meg. (*ex* Dahl Cat.); Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 213.—
- Omophlus** G. Fischer de W., Cat. Col. Sibir. [1842], 16.—Col. [Col. *[sine typo]*].
- Omophoita** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 386.—Col. [*sine*]
- Omophorus** C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 479.—Col. [*typo*].
- Omophron** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 89.—Col.
- Omoplata** F. W. Hope, Coleopt. Manual, III. 1840, 159.—Col.
- omoplata** Apomecyna, Schoenh.; J. Sturm, Catal. Ins. Samml. 1826, 97.
- omoplata** Lamia, Sch.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- omoplatum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 587.
- Omorgus** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 111.—Col.
- Omosita** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 298.—Col.
- Omosites** C. A. Walckenaer, Ann. Soc. Ent. France, II. 1833, 438 & 445.—Ar.
- omosites** Scytodes, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 273.
- Omospilota** Hope in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 314.
- Omostenus** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 129.—Col.
- Omoteina** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 374.—Col.
- Omoteina** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 184.—Col.
- Omotes** E. Newman, Entomologist (22) Aug. 1842, 353.—Col.
- Omotina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Omoteina, Chevr.
- Omototus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 383.—Col.
- omphaciella** Cochylis (B. & S.), J. V. Audouin, Hist. Ins. nuis. Vigne, 1842, 278.—Tinea.
- omphaciella** Tinea, Faure-Biguet & Sionest, Mém. Ins. nuis. Vigne, 1801, 5 [*teste* Audouin].
- Omphala** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 233.—Moll.
- Omphale** A. H. Haliday in J. Curtis, Guide Brit. Ins. (4) 1829–30, 114.—Hym. [*n. n.*].
- Omphale** A. H. Haliday, Entom. Mag. I (4) July 1833, 339.—Hym.
- omphale** Aegeria (Huebner), T. Say, Amer. Entom. II. 1825, pl. xix.—Cosmosoma.
- omphale** Anthocharis (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 574.—Pieris.
- omphale** Cosmosoma, J. Huebner, Exot. Schmett. II. Tab. [156] [*n. et f.*].
- omphale** Glaucopis (Cosmosoma), Huebner; T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 317.
- omphale** Lycaena, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *k*.
- omphale** Morpho, J. Huebner, Verz. bekannt. Schmett. 1818, 49.
- omphale** Pieris, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 122.
- Omphalia** W. de Haan, Mon. Ammon. 1825, 41.—Ceph.
- Omphalina** Rafinesque, Enum. obj. Cab., Nov. 1831, 3.—G. [1849], 110.
- omphalium** Trochus (Phorcus), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1847], 21.—G.
- Omphalius** R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1847, 21.—G.
- Omphallus** Scudder, Suppl. List, 1882, 233, *err. pro* Omphalius, *q. v.*
- omphalodes** Bulimus, K. T. Menke, Zeitschr. f. Malakozool., Sept. 1846, 144.
- omphalodes** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 75.
- omphalodes** Halysis (Batsch), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 371.—Taenia, 1786.
- omphalodes** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 225.
- omphalodes** Spirorbis (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, V. Dec. 1837, 616.—Serpula.
- Omphalodus** H. v. Meyer, N. Jahrb. f. Min. 1847, 574.—P.
- omphaloides** Ammonites, J. Sowerby, Min. Conch. III. 1819, 74.
- omphaloides** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 64.
- omphaloides** Rotalia, F. A. Roemer, N. Jahrb. f. Min. 1838, 389.
- Omphalophacus** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 132.—
- Omphaloploce** L. Agassiz, Nom. Zool. (Moll.) 1845, 61 [*non* Charp. 1837]. [Prot.]
- Omphalostyla** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—G.
- omphalotes** Spirorbis (Goldf.), R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 259.—Serpula o—odes.
- Omphemis** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 424.—G.

- Omphiscola** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 423.—G. [*gen.*]
Omphiscola H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 110.—G. [*caelebs*].
Omphra P. A. Latreille in Cuvier, R. Anim. III. 1817.—Col.; *sic* Agassiz, *sed non comp.*
Omphra Dejean, Catal. Coléopt. 1821, 4.—Col.
Omphrale J. G. Meigen, N. Class. Mouches, 1800, 29.—Dipt.
Omphreus Parreyss in Dejean, Spec. gén. Coléopt. III. 1828, 93.—Col.
Omphyra Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 235.—Cor.
Ompocus Lichtenstein in Ersch & Gruber, Allg. Ency. XX. 1829, 419.—P. [*n. n.*].
Ompok B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 49.—P.
omul Salmo, P. S. Pallas, Zoographia, III. 1814, 406.
Omus F. Eschscholtz, Zool. Atlas, I. 1829, 4.—Col.
Omyta M. Spinola, Tav. sin. Hem. 1850.—*ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 71.—Hem.
onager Asinus (L.), C. H. Smith, Horses (Nat. Libr. XXXI.) June 1841, 307.—Equus, Zimm. 1780.
onager Bulimulus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 64.
onager Bulimus (Beck), L. Reeve, Conch. Icon. V.—Bulimus, no. 284, Oct. 1848.—
onagga Erotylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 427. [Bulimulus.
onatas Hockeria, F. Walker, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 146.
onaxis Oliva, P. L. Duclos in J. C. Chenu, Illustr. Conch. II., Oliva, 1844, 9.
onca Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 295.—Helix, 1835.
onca Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 8.
onca Leopardus (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 41.—Felis, 1758.
onca Plectostylus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 58.—Helix.
Oncaea R. A. Philippi, Arch. f. Naturg. IX (1) 1843, 62.—Cr.
Oncaea J. Gistl, Nat. Thierr. 1848, 168.—G.
Oncaea J. Gistl, Handb. Naturges. 1850 [1847], 550.—G.
Onchesius C. S. Rafinesque, Analyse, 1815, 152.—Verm. [*n. n.*].
onchestus Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 773.
Onchidella J. E. Gray, Figs. Moll. Anim. IV. 1850, 117.—G.
onchidioides Buchanania, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 296.
Onchidiorus Blainv. 1824; *sic* Agassiz, *sed non est, vide* Onchidoris.
Onchidium Cuvier, Ann. Mus. H. N. (Paris) V. 1805, 37.—? Nud. [*teste* Herrm., *sed non*
Onchidora Cuvier, R. Anim., ed. 2, III. 1830, 52, f. n. (1).—Nud. [Buch. *gen.*].
Onchidora A. d'Orbigny, Pal. Franç. (Crét.) Gast. II. 1842, 21.—Nud.
Onchidoris de Blainville, Dict. Sci. Nat. XXXII, 1824, 280.—Nud.
Onchidorus de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 96.—Nud.
Onchis A. E. Férussac, H. N. g. et p. Moll., Tabl. gén. 1822, p. xxxi.—G.
Onchobothrium de Blainville, Dict. Sci. Nat. LVII. 1828, 597.—Verm.
Onchobothrius C. A. Rudolphi, Entoz. Syn. 1819, 469.—Verm.
Onchobotris de Blainville in Bremser, Traité zool. Vers intest., App. 1824, 519 [= Onchobothrium; *teste* S. & H.].
Onchocephala Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col. [*n. n.*].
Onchocephala F. C. Guérin-M., Iconographie, 1844, Ins., 281.—Col.
Onchocerca C. M. Diesing, Oesterr. Med. Wochenschr. 1841, 199–200.—Verm. [*teste* S. & H.].
Onchocotyle C. M. Diesing, Syst. Helminth. I. 1850, 419.—Verm.
Onchoderes Chevrolat in Dejean, Catal. Coléopt., ed. 3 (1–4) July 1836, 377.—Col. [*n. n.*].
Onchodes E. Blanchard, Hist. Insect. II. 1845, 466.—Hym.
Oncholaimus F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 235.—Verm. [O—laima, p. 653].
Onchomerus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 332.—Col.
Onchophora Krøyer, Danmark's Fiske, I (—) 1840, 596 [Oncophora, Glock; *teste* S. & H.].
Onchorhinus Fahraeus in Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 339.—Col.
Onchoscelis Chevrolat in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 294.—Col. [*n. n.*].
Onchoscelis C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 302.—Col.
Onchosoma W. W. Saunders, Tr. Entom. Soc. Lond. IV (3) Mar. 1846, 203.—Col.
Onchus J. L. R. Agassiz, Poiss. Foss. II (1), 139 (1835); III., 6 (1837).—P.
Oncideres J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 67.—Col.
Oncidiodoris L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchidiorus, Bl.

- Oncidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchidium, Buch. 1800.
- Oncidoris** Herrmannsen, Ind. Gen. Malac. II. 1847, 149, *emend. pro* Oncodoris, Ag.
- Oncinolabes** J. F. Brandt, Prod. anim. Mertens. I. 1835, 48.—Ech.
- Oncinopus** W. de Haan in Siebold, F. Japon. (Crust. 1839), 87.—Cr.
- Oncinotus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 219.—Col.
- oncina** Arius, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841,
- oncina** Coccinella, A. G. Olivier, Entom. VI. 1808, 1048. [173.]
- Oncis** Herrmannsen, Ind. Gen. Malac. II. 1847, 149, *emend. pro* Onchis, Fér.
- Oncobothrium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchobothrium, Bl.
- Oncocephala** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchocephala, Chevr.
- Oncocephalus** F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. e.—Hem.
- Oncocephalus** M. Spinola, Ess. Ins. Hémipt. 1837, 101.—Hem.
- Oncocera** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Lep.
- Oncoceras** J. Hall, N. H. New York (Pal. I.) 1847, 196.—Ceph.
- Oncocerca** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchocerca, Dies.
- Oncodeocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ogcodocera, Macq.
- Oncoderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ogcoderes, Dej.
- Oncoderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchoderes, Chevr.
- Oncoderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oncideres, Serv.
- Oncoderus** J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 405.—Col.
- Oncodes** *emend. pro* Ogcodes, Latr.; E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.)
- Oncodirus** J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 405.—Col. [III. 1840, 584.]
- Oncodocera** Scudder, Suppl. List, 1882, 233, *emend. pro* Ogcodocera, Macq. 1840.
- Oncodoris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchidora, d'Orb.
- Oncodoris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchidoris, Bl.
- Oncodoris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchidorus, Bl.
- Oncolobis** P. C. Zeller, Isis (Oken), 1848, 877.—Lep.
- Oncomera** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20.—Col.
- Oncomeris** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 60.—Hem.
- Oncomerus** H. Burmeister, Handb. Ent. II (1) 1835, 352.—Hem.
- Oncomerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchomerus, Dej.
- Onconotus** G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 106.—Orth.
- Onconotus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oncinotus, Erichs.
- Oncophorus** E. F. Glocker, Nova Acta Acad. Caes. XXII (2) 1850, 937.—Verm.
- Oncopsis** H. Burmeister, Gen. Ins. (1) 1837.—Hem.
- Oncopygia** C. J. B. Amyot, Ann. Soc. Ent. France, III (3) 1845, 405.—Hem. [*non binom.*].
- Oncorhinus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 22; & III (2) 1836, 593.—Col.
- Oncorhinus** W. E. Shuckard in G. Grey, Journ. 2 Exp. Austral. II. 1841, 470.—Hym.
- Oncorrhinus** Schoenh. 1836; *sic* Scudder, *sed* Oncorhinus *est*.
- Oncoscelis** J. O. Westwood, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 19.—Hem.
- Oncoscelis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchoscelis, Chevr.
- Oncosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ogcosoma, Westw.
- Oncotus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 190.—Col. [*sine typo*].
- Oncotus** A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 220.—Col.
- Oncus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchis, Fér.
- Oncus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onchus, Ag.
- oncus** Trochus, G. D. Nardo (*ex* Chiereghini MS), Sin mod. spec. Lag. Veneto, 1847, 69.
- Oncylotrachelus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Occylotrachelus, Sch.
- Ondathra** *id. ac* Ondatra, Link, [E. A.], Compend. Bibliothek, XXI (Zoologe, V–VIII.
- ondati-ruga** Pleurotoma, A. Bivona, Giorn. Sci. Lett. Sicilia, LXI. 1838, 222. [1797], 94.
- ondosa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 44 (Fernaldo iudice 1802)
- ondulata** *v. undulata*. [[*n. et f.*].
- oneida** Arvicola, J. E. De Kay, N. H. New York (Mamm.) 1842, 88.
- oneida** Catostomus, J. E. De Kay, N. H. New York (Fish) 1842, 198.
- oneratella** Gracilaria, P. C. Zeller, Linnaea Entom. II. July 1847, 317.
- onerata** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 811.
- onerata** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 552.

- oneratus** Cynips, T. W. Harris, Treat. Ins. N. England, 1842, 398.
- onerata** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 524.
- Onesia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 365.—
- Oneyda** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 119.—R. [Dipt.]
- ongspurgeri** Haden, C. F. Freyer, Neuere Beitr. Schmett. V (66) 1842, 20.
- ongus** Serranus (Bl.), G. Cuvier, R. Anim. II. 1817, 278.—Holocentrus, 1790.
- Onichaaetus** J. J. Kay, Classif. Säug. 1844, 120.—A.
- Onichodon** E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 383.—Col.
- Onichogalea** J. E. Gray, List Mamm. Coll. B. M. 1843, 88.—M.
- Onicites** W. Martin, Petr. Derb. 1809, pl. 45.—Cr.
- Oniscia** G. B. Sowerby, II., Gen. Shells (24) 1824.—G.
- Oniscia** J. E. Gray, Proc. Zool. Soc. London, XV (173) 1847, 137.—G.
- oniscides** Ligia, P. A. Latreille, Gen. Crust. Ins. I., post July 1806, 69.
- Oniscidia** *err. pro* Oniscia, Sow.; W. Swainson, Treat. Malacol., May 1840, 299.
- onisciformis** Dorthesia, J. Curtis, Guide Brit. Ins. (6) 1831, 190 [*n. n.*].
- onisciformis** Notommata, M. Perty, Mitth. Nat. Ges. Bern, 1850, 19.
- onisciformis** Tomopteris, J. F. Eschscholtz, Isis (Oken), 1825, 736.
- oniscina** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 221.
- oniscinus** Oniscodesmus, F. L. P. Gervais, Ann. Sci. Nat. [3] (Zool.) II. Aug. 1844, 65.
- oniscinus** Polydesmus, Gervais & Goudot, Ann. Soc. Ent. France [2] II. 1844, Bull.,
- Oni[s]cites** W. Martin, Petr. Derb. 1809, pl. 45.—Cr. [p. xxviii.]
- Oniscoda** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 140.—Cr.
- Oniscodes** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 282.—Cr.
- Oniscodesmus** F. L. P. Gervais, Ann. Sci. Nat. [3] (Zool.) II. Aug. 1844, 64; Etudes Myriap., Aug. 1844, 19.—Myr.
- Oniscodesmus** Gervais & Goudot, Ann. Soc. Ent. France [2] II. 1844, Bull., p. xxviii.—Myr.
- oniscoides** Agathidium, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 160.
- oniscoides** [? Doris], de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 97.
- oniscoides** Julius, R. Townson, Tracts Nat. Hist. 1799, 153.
- oniscoides** Julius, C. Stewart, Elem. Nat. Hist. II. 1802, 307.
- oniscoides** Ligia, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 406.
- oniscoides** Spinther, G. Johnston, Ann. Mag. N. H. XVI. July 1845, 9.
- Oniscosoma** M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 210.—Verm.
- oniscus** Blosyrus (Ol.), C. J. Schoenherr, Isis (Oken), 1823, 1139.—Curculio.
- oniscus** Callimeneus, H. Burmeister, Handb. Ent. II (2) i, 1838, 677.
- oniscus** Cassidaria (L.), Lamarck, An. s. vert. VII. 1822, 217.—Strombus, 1767.
- oniscus** Chiton, C. F. F. Krauss, Südafrik. Moll. 1848, 39.
- oniscus** Clepsine (Bl.), C. M. Diesing, Syst. Helminth. I. 1850, 455.—Hirudo.
- oniscus** Corbula, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
- oniscus** Curculio, A. G. Olivier, Entom. V. 1807, 355.
- oniscus** Glossiphonia (Bl.), A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 383.—
- oniscus** Glossobdella, de Blainville, Dict. Sci. Nat. LVII. 1828, 565. [Hirudo.]
- oniscus** Hirudo, de Blainville, Dict. Sci. Nat. XLVII. 1827, 264.
- oniscus** Lambidium (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 112.—
- oniscus** Oniscia, G. B. Sowerby, II., Gen. Shells (24) 1824. [Strombus, 1767.]
- oniscus** Thylacites (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 303.—Curculio.
- oniska** Oliva, P. L. Duclos in J. C. Chenu, Illustr. Conch. II. Oliva, 1844, 19.
- Onithochiton** J. E. Gray, Proc. Zool. Soc. London, XV (173) June 22, 1847, 65.—Moll.
- Oniticellus** Ziegler in Dejean, Catal. Coléopt. 1821, 53.—Col.
- Oniticellus** J. F. Stephens (*ex* Dej. Cat.), Nom. Brit. Ins., Aug. 1829, 9; & Ill. Brit. Ent. (Mand. III.) Sept. 1830, 176.—Col.
- onitoides** Onthophagus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 41.
- Onixylus** C. S. Rafinesque, Analyse, 1815, 219.—A. [*n. n.*].
- onjunctus** (*sic*) Torymus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 63 [conjunctus]
- onoba** Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 859. [in index].
- onobrychidis** Cecidomyia, J. J. Bremsi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 53.

- onobrychiella** Apista, Fischer v. R. in Zeller, Linnaea Entom. IV. Dec. 1849, 271.
- onobrychis** Agrumenia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 116.—Sphinx, 1775.
- onobrychis** Aphis, Boyer de Fonscolombe, Ann. Soc. Ent. France, X (3) Nov. 1841, 169.
- Onocephala** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 350.—Col.
- Onochaeta** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 654.—Col.
- onochela** Cucullea, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s. VI (3) 1839, 372.
- Onocralus** C. S. Rafinesque, Analyse, 1815, 72.—A. [*n. n.*].
- Onocrotalus** J. G. Wagler, Isis (Oken), 1832, 1233.—A.
- onocrotalus** Alcedo, Anon. in Field, Geogr. Mem. 1825, 440 [=Dacelo gigantea, Leach].
- Onodon** Partington, Brit. Cyclop. III. [1835–7], 81.—L. [*teste* A. E. S. ? *err. pro* Anodon].
- onoideum** Anthracotherium, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 96.
- ononaria** Aplasta (Fuess.), J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Phal. (Geom.) 1783. [1796.]
- ononaria** Cabera (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 438.—Geometra,
- ononaria** Fidonia (Fuess.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 444, 1829.—Phal. (Geom.) 1783.
- ononidis** Aphis, J. H. Kaltenbach, Entom. Zeitung, Stettin, VII (6) June 1846, 173.
- ononidis** Apion, L. Gyllenhal, Ins. Suecica, I (4) 1827, 539.
- ononidis** Gracilaria, P. C. Zeller, Isis (Oken), 1839, 209.
- ononiella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- ononis** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 25. [[1843], 325.]
- ononis** Heliothis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 91.—Noctua, 1775.
- ononis** Melicleptria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 262.—Noctua,
- Onopionus** C. S. Rafinesque, Analyse, 1815, 89.—P. [*n. n.*] [1775.]
- onopordi** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 121.
- onopordii** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 71.
- onopordi** Forellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- onopordi** Hesperia, P. Rambur, F. Ent. Andal. II. 1842, 319. [761.]
- onopordi** Julodis (Fab.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 24.—Buprestis,
- onopordi** Lixus (Fab.), A. G. Olivier, Entom. V. 1807, 273.—Curculio, 1787. [1787.]
- onopordi** Syricthus (Ramb.), Boisduval, Gen. Index Europ. Lepid. 1840, 36.—Hesperia,
- onopordi** Trupanea (Fab.), F. v. P. Schrank, F. Boica, III (1) 1803, 144.—Musca o—dinis, 1775.
- onopordiella** Porrectaria, Mann in Zeller, Linnaea Entom. IV. Dec. 1849, 213.
- onopordinis** Euleia (Fab.), F. Walker, Entom. Mag. III (1) Ap. 1835, 82.—Musca, 1775.
- onopordinis** Julodis (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 273.—Buprestis o—di, 1787.
- onopordinis** Larinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 6.—Rhynchaenus.
- onopordinis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 440.—Curculio, 1787.
- onopordinis** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 210.—Musca, 1775.
- onopordinis** Tephritis (Fab.), C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 175.—Musca, 1775.
- onopordinis** Trypeta (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 316.—
- Onos** A. Risso, H. N. Europe, III. 1826, 214.—P. [Musca, 1775.]
- onos** Bradyporus (Fab.), T. v. Charpentier, Horae Ent. 1825, 97.—Locusta, 1781.
- onos** Deracantha (Pall.), G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 375.—Gryllus, 1772. [Gryllus, 1772.]
- onos** Ephippiger (Pall.), G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 105.—
- Ontaria** *err. pro* Otaria, R. P. Lesson in Férussac, Bull. Sci. VIII. 1826, 96.
- ontariensis** Dytiscus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 9 [*n. n.*].
- ontariensis** Thymalus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 452.
- Ontherus** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 107.—Col.
- Onthocharis** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 144.—Col. [*sine typo*].
- Onthocharis** J. O. Westwood, Trans. Ent. Soc. London, IV. 1847, 230.—Col.
- Onthoecus** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 140.—Col.

- Onthomera** Ziegler in Dahl, Col. u. Lepid. 1823, 35.—Col.
- Onthopagus** *id. ac* Onthophagus; F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834)
- Onthophagus** P. A. Latreille, Sonnini's Buffon, Ins. III. (1802), 141.—Col. [[1833], 163.
- Onthophilus** W. E. Leach, Zool. Miscell. III. 1817, 76.—Col.
- ontusa** Opichroa, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 165.
- Onuphis** Audouin & Edwards, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 225.—Verm.
- Onus** C. S. Rafinesque-S., Ind. Itt. Sic. 1810, 12.—P.
- Onus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onos, Risso.
- onustana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 82.
- onustaria** Therinia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 19.
- onustella** Calotripis, J. Huebner, Verz. bekannt. Schmett. 1826, 425.—Tinea.
- onustella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 45 (Fernaldo judice 1811–17)
- onustus** Damaeus, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 7. [[*n. et f.*].
- onustum** Enoplum, T. Say, Amer. Entom. III. 1828, pl. 41.
- onustus** Phorus, L. Reeve, Proc. Zool. Soc. London, X (118) Feb. 1843, 161.
- onustus** Phorus (Nilss.), H. G. Bronn, Index Pal. 1848, 969.—Trochus.
- onustum** Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 534.
- onustus** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 32 [*n. n.*]; H. N. Aran. (3) [? 1807],
- onustus** Trochus, D. Solander, Catal. Portland Mus. 1786, 163 [*n. n.*] [7.
- onustus** Trochus, S. Nilsson, Petrif. Suec. 1827, 12. [onobry→].
- onybrychiella** Apista, F. R.; Anon., Ber. lepidopt. Tauschver. [Jena] for 1850, 67 [*vide*
- Onychaëtus** J. J. Kaup, Mus. Senckenb. III. 1845, 260; Isis (Oken), 1847, 241 [Onichaaetus,
- Onychia** J. Huebner, Verz. bekannt. Schmett. 1826, 334.—Lep. [[1844].
- Onychia** Haliday in J. Curtis, Guide Brit. Ins. (4) 1829–30, 108.—Hym.
- Onychia** C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 2.—Ceph. [Onykia, Les. 1821].
- Onychina** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 234.—Moll.
- onychina** Cymindis, Hoffmannsegg in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 217.
- onychina** Glandina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 14. [Pissodes.
- onychinus** Heilipus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 170.—
- onychina** Helix, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839, 7.
- onychina** Marginella, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 29.
- onychinus** Pissodes, E. F. Germar, Ins. spec. novae, I. 1824, 320.
- onychitis** Patella, C. T. Menke, Moll. N. Holl. 1843, 34. [ambulans, Deg.].
- Onychiurus** P. Gervais, Echo Monde Savant, VIII. 30 June 1841, 372.—[*typus* Podura
- onychius** Pholidophorus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 371 [*n. n.*]; Poiss. Foss., Feuilleton, 99 (1837); II (1), 274 (1844).
- Onychocephalus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 272.—R.
- Onychocerus** L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 69.—Col.
- Onychocerus** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 83.—Col.
- Onychoctenus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onyctenus, Lep. & Serv.
- Onychodactylus** J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 57 & 92.—R.
- Onychodon** L. Agassiz, Nom. Zool. (Col.) 1845, 113, *emend. pro* Onichodon, Newm., *q.v.*
- Onychogalea** J. E. Gray in G. Grey, Journ. 2 Exped. Australia, 1841, App. II., 402.—M.
- Onychogalea** J. Gould, Mamm. of Australia, II (2) Sept. 1849, pl. 55 [?Macropus, *antea*].
- Onychognathus** G. Hartlaub, Rev. et Mag. de Zool. (2) I. Oct. 1849, 494.—A.
- Onychohydrus** A. White, Nomen. Col. Ins. Coll. B. M. (2) 1847, 7.—Col.
- onychomorpha** Nummulites, Catullo in Ewald, Quelq. rem. sur les Numm. 1848, 20.
- Onychophis** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 132.—R.
- Onychoprion** J. G. Wagler, Isis (Oken), 1832, 277.—A.
- Onychopterus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxx (Mar. 1850).—A. [*n. et f.*].
- Onychopterygia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Onypterygia, Dej. [D. & B.].
- Onychopus** L. Fitzinger, Syst. Rept. 1843, 19 & 104.—R. [*typus* Hemidactylus garnotii,
- Onychoramphus** *emend. pro* Onychognathus, Hartl.; Hartlaub, Rev. Mag. Zool. (2) I. 1849, pl. 14.—A. [*teste* C. W. R.].

- Onychorhynchus** G. Fischer de W., Mus. H. N. Univ. Imp. Moscou (1); Descr. Obj. rares, [1810, 2.—A.]
- Onychornis** J. Gistel, Nat. Thierr. 1848, p. ix.—A.
- Onychoteuthis** M. H. C. Lichtenstein, Isis (Oken), 1818, 1592.—Ceph.
- Onychotherium** G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 253.—M.
- Onychotheutis** Férussac, H. N. g. et p. Moll., Tabl. Syst. 1821, p. xxiv.—Ceph.
- Onychotria** J. E. Gray, Proc. Zool. Soc. London, XVII (190) Dec. 11, 1849, 16.—R.
- Onychura** J. Brookes, Cat. Anat. Mus. 1828, 54 [*vide* Palmer, Ind. Gen. Mamm. 1904, 476].
- onycomorphia** Nummulites, T. A. Catullo, Ann. di Fisica, I. 1849-50, 250. [—M.]
- Onycopus** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 114.—R. [*n. n.*].
- Onycoteuthis** Möller, Ind. Moll. Groenl. 1842, 3.—Ceph.
- Onyctenus** Lepeletier & Serville, Ency. Méth. (Ins.) X (2) 1828, 440.—Col.
- Onykia** C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Oct. 1821, 98.—Ceph.
- Onypterygia** Chevrolat in Dejean, Spec. gén. Coléopt. V. 1831, 346.—Col.
- Onyrhynchus** *err. pro* Onychorhynchus, Fisch.; J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 109.
- Onyscia** A. d'Orbigny in Webb & Berthelot, H. N. Canaries, Moll. [1837], 88 [= Oniscia, [Sow.].
- Onyseia** d'Orb. 1837; *sic* Scudder, *sed err. pro* Onyscia. [1777.]
- onytes** Trichromia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 164.—Phalaena;
- Onythochiton** J. E. Gray, Proc. Zool. Soc. London, XV (173) June 1847, 169.—Ch.
- onyx** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, IX (99) Oct. 1841, 34.
- onyx** Crepidula, G. B. Sowerby, II., Gen. Shells (23) 1824.
- onyx** Hamulus, S. G. Morton, Syn. Org. Rem. Cret. 1834, 73.
- onyx** Myrina, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 22 [*n. n.*].
- onyx** Serpula (Mort.), H. G. Bronn, Index Pal. 1848, 1138.—Hamulus.
- onza** Felis, Anon., Bull. Sci. Soc. Philom. [Paris], no. 83, 1804, 175 [? onca, L. 1758].
- OO** Callidium; F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*] & *var. caprea*, Knoch [*n. n.*].
- oo** Cleoceris (L.), Boisduval, Gen. Index Europ. Lepid. 1840, 93.—Phal. (Bomb.) 1758.
- oo** Cymatophora (D. & S.), F. Treitschke, Schmett. Europa, V (1) 1825, 84.—Noctua, 1775.
- oo** Eugramma (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 121.—Phalaena;
- oo** Noctua, Denis & Schiffermueller, Syst. Verz. Schmett. 1775, 87. [1758.]
- oo** Ochria (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 233.—Phalaena, 1758.
- oo** Tethea (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 64.—Phalaena, 1758.
- Ocephala** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephaloon, Newm.
- Ooctonus** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 269.—Hym.
- Oocyanus** F. W. Hope, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 113.—Col.
- Oodeoscelis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oodescelis, Motsch.
- ooderus** Euleptus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 365.
- Oodes** F. A. Bonelli, Obs. Entom. 1813, Table; Dejean, Sp. gén. Col. II. 1826, 374.—Col.
- Oodes** C. R. Wiedemann, Mag. Entom. (Germar) IV. 1821, 113.—Col.
- Oodescelis** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 76.—Col. [*sine typo*].
- Oedosoma** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 128.—Hem.
- Ooeidozyga** Kuhl & v. Hasselt, Isis (Oken), 1822, 475.—R.
- Oogaster** F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 30.—Col.
- Oogaster** T. Lacordaire, Mon. Erotyl., Sept. 1842, 377.—Col.
- Ooida** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oeida, Haan, 1835.
- Ooida** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oeidia, Haan, 1837.
- Ooideosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oedosoma, A. & S.
- Ooides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oovidus, Bonap.
- Ooides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ovoides, Cuv. 1800.
- ooides** Tritonium (Buccinum), A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII (16) Nov. 1848, 245.
- Ooidius** M. de Chaudoir, Obs. Kiew, 1847, 2.—Col.
- ooligbukii** Dytiscus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 74.
- Oolina** A. d'Orbigny, Arch. f. Naturg. VII (1) 1840, 416.—Rh.
- Oolina** A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 18.—Rh.

- oolithicus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 383.
ooliticus Bourgueticrinus, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 405.
oolithica Limopsis (Buv.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310.—
oolithica Natica, J. C. Zenker, Taschenbuch von Jena, 1836, 228. [Pectunculus.
oolithicus Pectunculus, A. Buvignier in Sauvage & B., Stat. Min. géol. Ardennes, 1842, 532.
ooliticus Pollicipes, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 95.
ooliticus Prionus, P. B. Brodie, Hist. foss. Ins. 1845, 47.
oolithica Pterocera (Buv.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 302.—
 Rostellaria.
oolithica Rostellaria, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 250.
oolithicus Thaumatosaurus, H. v. Meyer, N. Jahrb. f. Min. 1841, 184.
oolithica Venerupis, P. Merian, Ber. nat. Ges. Basel, IV. 1838–40 (1840), 75.
oolithus gothlandicus Phacites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep.
Oomorpha Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 83.—Col. [*n. n.*]. [1819], 108.
Oomorphus J. Curtis, Brit. Entom. VIII (87) Mar. 1831, no. 347.—Col.
oomorphus Bulimus (Sow.), L. Pfeiffer, Symb. Helic. II. 1842, 119.—Helix.
oomorpha Helix (Cochlostyla), G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91)
Oonidus C. S. Rafinesque, Analyse, 1815, 90.—P. [*n. n.*]. [Ap. 1841, 103.
Oonops R. Templeton, Zool. Journ. V (20) 1832–34 [post Ap. 1833], 404.—Ar.
Oontelus A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 428.—Col.
oopa Columba, J. G. Wagler, Isis (Oken), 1829, 742.
oopa Ptilonopus (Wagl.), G. R. Gray, Gen. Birds, III. App. 1849, 23.—Columba.
oopholis Crocodilus, J. G. Schneider, Hist. Amph. II. 1801, 165.
Oophora N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 285.—Ar.
Oophorus Eschscholtz, Rev. Ent. (Silbermann) IV. 1836 (Tab. classif. Elat.).—Col.
oophora Caenis, F. J. Pictet (*ex* Kollar MS), H. N. Ins. Neuropt., Ephémér. 1845 [*i.e.*
 Dec. 1845], 284.
Oopiestus L. Agassiz, Nom. Zool. (Col.) 1845, 113, *err. pro* Opiestus, Chev., *q.v.*
Oops L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oonops, Templ.
Oops E. F. Germar, Linnaea Entom. III. Ap. 1848, 219.—Col.
Oopsis L. Fairmaire, Rev. et Mag. de Zool. (2) II. Feb. 1850, 115.—Col.
Oopterus F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 123.—Col.
oorti Bucco, S. Mueller, Tijdschr. nat. geschied. physiol. II (4) 1835, 341.
oorti Megalaima (Muell.), G. R. Gray, Gen. Birds, II. Mar. 1846, 429.—Bucco.
Oosomus C. J. Schoenherr, Isis (Oken), 1823, 1145; Curc. disp. meth. 1826, 195.—Col.
oostmaeli Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 57.
Oostoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ostoma, Laich. 1781.
Ootheca Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 378.—Col.
Ootoma Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 163.—Col.
Ootoma [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 120.—Col.
Oovidus Lac.; C. L. Bonaparte, Giorn. Arcad. LII. 1831, 186 [? = Oonidus, Raf. = Ovoide,
opacalis Panstegia, J. Huebner, Verz. bekannt. Schmett. 1826, 353.—Pyralis. [Lac.].
opacalis Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 26 (Fernaldo judice 1811–18)
 [*n. et f.*].
opacalis Scopula (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 313.—Pyralis.
opacana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 53 (Fernaldo judice 1834)
 [*n. et f.*].
opacaria Aspilates (Huebner), F. Treitschke, Schmett. Europa, X (2) 1835, 180.—Geometra.
opacaria Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 96 (Fernaldo judice 1818–
 22) [*n. et f.*].
opacaria Ligia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4,
 pt. 2) 1830, 467.—Geometra.
opacella Psyche, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1846, 19.
opacella Sterrhopterix (Herr.-Sch.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850,
 310.—Psyche.
opacipennis Ophonus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 301.
opacomaculata Tenthredo, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1)
opacula Salda, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 268. [1847, 44.

- opacus Agabus, Mannerheim in C. Aubé, Spec. gén. Hydroc. 1838, 347.
 opaca Aleochara, Grav.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
 opaca Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 144.
 opaca Ambystoma (Grav.), S. F. Baird, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 283.—Salamandra.
 opaca Apomecyna, J. Sturm, Catal. Ins. Samml. 1826, 97 [*n. n.*].
 opacus Armadillo, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 2.
 opacus Arrhenodes, Perty, Del. anim. artic. Brasil. (2) 1832, 69.
 opaca Asida, T. Say, J. Acad. Nat. Sci. Philad. III. Jan. 1824, 254.
 opacus Asilus, Guertl in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 315.
 opacus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 143.
 opaca Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [*n. n.*].
 opaca Beraea, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 118 [*n. n.*].
 opaca Blaps, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 263.
 opacus Bledius (Block), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 581.—Staphylinus, 1799.
 opacus Borborus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
 opacus Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 406.
 opacus Brachyderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 558.
 opacus Calathus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 52.
 opaca Calepteryx, T. Say, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 32.
 opaca Cantharis, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*].
 opacus Capsus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 279.
 opacus Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
 opacus Carabus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 86.
 opacus Carabus, J. Sturm, Catal. Ins. Samml. 1826, 111 [*n. n.*].
 opacus Catops (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 184.—Ptoma-
 opacus Ceocephalus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 179. [phagus.
 opacus Cephalops, C. F. Fallen, Syrphici Sveciae (2) 1816, 15.
 opacus Ceraphron, J. Curtis (*ex* Hal. MS), Brit. Entom. VI (62) Feb. 1829, no. 249 [*n. n.*].
 opaca Cercaria, Bory de St V., Dict. Class. H. N. III. 1823, 354.
 opacus Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 249.
 opaca Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].
 opacus Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 179.
 opacus Coprobis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 89 [*n. n.*].
 opacus Cyclous, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 29.
 opacus Cydnus, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 158.
 opacus Cymatotheres, Chevrolat in Baudi & Truqui, Studi Ent. I. 1848, 180.
 opaca Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 71.
 opaca Cyrtosia, H. Loew, Linnaea Entom. I. Feb. 1846, 420.
 opacus Dasytes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 174.
 opaca Diaperis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 225.
 opacus Dicaelus, La Ferté-Senectère, Rev. Zool. (Soc. Cuv.) IV. Feb. 1841, 43.
 opacus Ditomus, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 168.
 opacus Dolerus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 58.—Tenthredo, 1775.
 opacus Dyschromus, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) post June 1835, 430.
 opacus Elmis (Muell.), J. Sturm, Catal. Ins. Samml. 1826, 138.—Limnius.
 opaca Empis, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 226.
 opaca Empis, J. C. Fabricius, Syst. Antliat. 1805, 138.
 opacum Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 377.
 opaca Erioptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 273.
 opacus Erodus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 171.
 opaca Feronia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 32.
 opaca Flata, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 239.
 opaca Forficula, H. Burmeister, Handb. Ent. II (2) i, 1838, 751.
 opacus Gamasus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 24.
 opacus Geniates, M. Perty, Del. anim. artic. Brasil. (1) 1830, 47.

- opacus** Gnaphaloryx, H. Burmeister, Handb. Ent. V. 1847, 397.
- opacus** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 255.
- opacus** Gymnopleurus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 516.
- opacus** Gyrinus, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (? 4) 1819, 47; & Ins. Fenn. I. 1834, 47.
- opacus** Harpalus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 4 [*n. n.*].
- opacus** Hegeter, Chevrolat in A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 201.
- opacus** Helluo (Acanthogenius), de la Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 350.
- opacus** Helops, C. R. Sahlberg, Peric. Entom. 1823, 17.
- opaca** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 376.
- opacus** Hydrophilus, F. V. Melsheimer, Ins. Pennsylv. 1806, 47 [*n. n.*].
- opacus** Hylesinus, Illiger; W. F. Erichson, Arch. f. Naturg. II (1) 1836, 51.
- opacus** Hylurgus, Ziegler; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*].
- opaca** Hypopus, C. L. Koch, Uebers. Arachnidensyst. III (3) 1843, 130.—Uropoda, 1837.
- opacus** Laestris, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [*n. n.*].
- opaca** Lamprosoma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
- opacus** Limnius, P. W. J. Mueller, Mag. f. Insektenk. (Illiger) V. 1806, 197.
- opacus** Lucanus, J. Sturm, Catal. Ins. Samml. 1826, 165 [*n. n.*].
- opacus** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- opaca** Melambia (Klug), W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 451.—Trogosita.
- opaca** Melolontha, G. J. Billberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 384.
- opacus** Monocrepidius (Klug), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.—Elater, ? MS.
- opaca** Monotoma, D. Ziegler, Proc. Acad. Nat. Sci. Philad. II (10) Aug. 1845, 271.
- opaca** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 624.
- opaca** Nemertes (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 272.—Polia.
- opacus** Octotemnus, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 386.
- opaca** Oiceoptoma (L.), H. C. Kuester, Käfer Europas, IV. 1846, 55.—Silpha, 1758.
- opacus** Opatrinus, J. Sturm, Catal. Ins. Samml. 1826, 179 [*n. n.*].
- opacus** Ophonus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 179.
- opacus** Orthogonius, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 60.
- opaca** Oxypoda (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 484.—Aleochara.
- opacus** Oxytelus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 321.
- opacum** Phanerotoma (Klug), A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 303.—
- opaca** Phasia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 626. [Trogosita.
- opacus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- opacus** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- opaca** Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 216.
- opacus** Pipunculus (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 359.—Cephalops.
- opaca** Polia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 202.
- opacus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 22.
- opacus** Ptomaphagus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [*n. n.*].
- opacus** Rhynchites, J. Sturm, Catal. Ins. Samml. 1826, 191 [*n. n.*].
- opaca** Salamandra, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 431.
- opaca** Scaphiodactylus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 23.—Feronia, 1837.
- opacus** Scarabaeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 2 [*n. n.*].
- opacus** Scarabaeus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 107.
- opacus** Scytodes, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 202.
- opacus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 932.
- opaca** Spheg, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 437.
- opacus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 26.
- opacus** Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 543.

- opaca** Symmela, W. Erichson, Arch. f. Naturg. I (1) 1835, 264.
- opaca** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 313.
- opacus** Telephorus, E. F. Germar, Ins. spec. novae, I. 1824, 68.
- opacus** Tenebrio, K. Duftschmid, Fauna Austriae, II. 1812, 299.
- opaca** Tenthredo, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (2) 1808, 107.
- opacus** Tinodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
- opaca** Topaza (Licht.), G. R. Gray, Gen. Birds, I. Dec. 1848, 110.—Trochilus.
- opaca** Trineura (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2866.—Phora.
- opacus** Trochilus, H. Lichtenstein, Arch. f. Naturg. X (1) 1844, 298.
- opacus** Trogophloeus, F. Baudi in B. & Truqui, Studi Ent. I. 1848, 146.
- opaca** Trogosita, Klug; Dejean, Catal. Coléopt., ed. 3, 1837, 339 [*n. n.*].
- opaca** Uropoda, C. L. Koch, Deutsch. Crust., heft 4, 1837, tab. 23.
- opaca** Venus, D. Solander, Catal. Portland Mus. 1786, 57 [*n. n.*].
- opaca** Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (27) June 1835, 42.
- Opadia** A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 182.—Lep.
- Opaethus** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 62.—A.
- opah** Zeus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 287.
- opalina** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 956.
- opalifera** Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 56.
- Opalina** Purkinje & Valentin, Phaen. mot. vibr. 1835 [Trachelina, *teste* Agass.].
- opalina** Anodonta, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Najadea (34) 1842, 60.
- opalinus** Anolis, P. H. Gosse, Ann. Mag. N. H. (2) VI. Nov. 1850, 345.
- opalinus** Anoplosternus, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 60.
- opalinus** Anoplostethus, Reiche in A. Brullé, H. N. Ins. VI (2) (Col.) 1839, 376.
- opalina** Ascidia, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 312.
- opalina** Athyma (Koll.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 274.—Limenitis.
- opalinus** Brycon (Cuv.), Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 90.—Chalceus.
- opalinus** Bulinus, G. B. Sowerby, I., Conch. Illustr. (34) 1833, f. 47 [*n. et f.*].
- opalinum** Carcinium, Banks & Solander in Hawkesworth, Account of Voyages to S. Hemisphere, ed. 2, II. 1773, 3.
- opalina** Cetonia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 24.
- opalina** Cetonia, Hope in Gory & Percheron, Mon. Cétoines (10, 11) 1836, 255.
- opalinus** Chalceus, G. Cuvier, Mém. Mus. H. N. (Paris) V [4-6] Mar. 1820, 351.
- opalina** Cicada, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 97. [1836, 11.
- opalina** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar.
- opalina** Coptomia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 552.—Cetonia.
- opalinum** Cyclostoma, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849], 267.
- opalinus** Eustales, C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 652.
- opalina** Fidicina (Germ.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 472.—Cicada.
- opalinus** Goliathus, Hope in Gory & Percheron, Mon. Cétoines (6) 1834, 156.
- opalina** Heliothisa (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832, 227.—Xylena, Ochs.
- opalinus** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap. 1841, 78.
- opalina** Helix, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 16.
- opalina** Jeffreysia (Jeff.), Alder in Forbes & Hanley, Hist. Brit. Moll. III. 1850, 154.—
- opalina** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 392. [Rissoa.
- opalina** Leodice, Lamarck, An. s. vert. V. 1818, 323.
- opalina** Libellula, T. v. Charpentier, Horae Ent. 1825, 45.
- opalina** Limenitis, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 427.
- opalina** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 263.
- opalinus** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 55.
- opalina** Neaera, R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 78.
- opalina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 81 (Fernaldo judice 1802-08) [*n. et f.*].

- opalina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 171 (Fernaldo judice 1834) [*n. et f.*].
- opalinum** Odontostoma (Adams), L. Pfeiffer, Mon. Helic. I (1) 1847, 13.—Helix.
- opalinus** Platyomus, C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 193.—Eustales, 1833.
- opalina** Rhomborrhina (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 199.—Goliathus.
- opalina** Rissoa, J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 351. [1796.]
- opalina** Tarache (Esp.), J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Phal. Noctua,
- opalina** Tellina, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 26.
- opalina** Tellina, *id. ac* apelina, Gm. 1790; H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 147.
- opalina** Tellinides (Gm.), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 73.—Tellina
- opalinus** Triton, H. v. Meyer, N. Jahrb. f. Min. 1847, 192 [*n. n.*]. [apelina, 1790.]
- opalina** Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 48.
- opalina** Volucella, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 203.
- opalina** Xylena (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 87.—Phal. Noctua,
- opalirans** Elophorus, Besser in J. Sturm, Catal. Ins. Samml. 1826, 138. [1796.]
- opalisans** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 17.
- opalizans** Scaphidomorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 493.
- opala** Chlorima, Ol.; Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- opalus** Curculio, A. G. Olivier, Entom. V. 1807, 339.
- opalus** Docorhinus (Bosc), C. J. Schoenherr, Isis (Oken), 1823, 1140.—Curculio, ? Ol.
- opalus** Goliathus (Dup.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 41.—
- opalus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 124. [Narycius.]
- opalus** Narycius, Dupont, Magasin de Zool. V. 1835, text to pl. 128.
- opalus** Pachnaeus, C. J. Schoenherr, Curc. disp. meth. 1826, 122.
- opalus** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 274, Dec. 1845.
- opanica** Helix, H. E. Anton, Verz. Conch. 1839, 39.
- opanulata** Silpha, Anon., Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XV (2) 1826, 337.
- oparanus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 34.
- oparana** Pitys, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 9 [*n. n.*].
- oparica** Helix, Anton in Pfeiffer, Symb. Helic. II. 1842, 92; Mon. Helic. I (1) 1847, 186.
- oparica** Hydrocena, L. Pfeiffer, Zeitschr. f. Malakozool. 1847, 112.
- oparica** Realia (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 64.—Hydrocena.
- opatowitzanus** Leiacanthus (Hybodus), H. v. Meyer, N. Jahrb. f. Min. 1847, 573.
- Opatrinus** Dejean, Catal. Coléopt. 1821, 66.—Col. [*n. n.*].
- Opatrinus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) I (1838), 99.—Col.
- opatrina** Aulonocnemis, F. Klug, Ber. Verh. k. pr. Ak. Wiss. 1837, 53.
- opatrinus** Brachytrachelus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 112.
- opatrinus** Cherrus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 502.
- opatrinus** Eurysternus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 39.
- opatrinus** Hydroporus, Illiger; Dejean, Catal. Coléopt. 1821, 20 [*n. n.*].
- opatrinus** Hydroporus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829, 193.
- opatrina** Uloma, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 205.
- Opatroides** A. Brullé in Bory de St. V., Exp. Morée (Ins.) 1832, 219.—Col.
- opatroides** Asida, J. Gistel, Isis (Oken), 1831, 308.
- opatroides** Eurychora, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- opatroides** Isopteron, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 358.
- opatroides** Oxyomus, Reiche in Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 185.
- opatroides** Pogonobasis, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 163.
- opatroides** Tenebrio, M. Perty, Del. anim. artic. Brasil. (1) 1830, 57.
- opatroides** Trachyscelis, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- opatroides** Uloma, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- Opatum** *err. pro* Opatrum, Fab.; C. P. Thunberg, Opatum Ins. gen. 1821, title-page.
- opea** Patella, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 38 [*n. n.*].
- Opeas** J. C. Albers, Die Heliceen, 1850, 175.—G.
- Opegiocera** C. Rondani, Ann. Accad. Aspir. Nat. III. 1846, 153.—Dipt.

- Operaria** J. Blackwall, Proc. Linn. Soc. London (8) May 1840, 66.—Ar.
- operaria** Catascia, J. Huebner, Verz. bekannt. Schmett. 1826, 313.—Geometra.
- operaria** Charissa (Huebner), J. Curtis, Brit. Entom. III (26) Feb. 1826, no. 105.—Geometra.
- operaria** Elophos (Huebner), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 530.—Geometra.
- operaria** Elophos (Huebner), Boisduval, Gen. Index Europ. Lepid., May, 1840, 199.—Geom.
- operaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 69 (Fernaldo judice 1808–18) [*n. et f.*].
- operaria** Gnophos (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Geometra.
- operaria** Hebestola, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- operator** Ophion, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 513. [574.]
- Opercularia** G. A. Goldfuss, Handb. Zool. I. 1820, 72.—Inf.
- opercularioides** Callionymus, P. Bleeker, Nat. Tijds. Ned. Indie, I (1) 1850, 32.
- opercularis** Callionymus, Cuvier & Valenciennes, H. N. Poiss. XII. 1837, 305.
- opercularis** Cossyphus, A. Guichenot, Rev. Zool. (Soc. Cuv.) X. Sept. 1847, 283.
- opercularis** Eugnathus, J. L. R. Agassiz, Poiss. Foss. II (2), 104 (1844).
- opercularis** Fidicina (Ol.), F. Walker, List Homopt. Coll. B. M. (1) 1840, 90.—Cicada, 1790.
- opercularis** Hipponix, Deshayes, Dict. Class. H. N. VIII. 1825, 214.—Pileopsis, 1824.
- operculare** Holocentrum, Cuvier & Valenciennes, H. N. Poiss. VII. 1831, 501.
- opercularis** Lagoa, T. W. Harris, Rep. Insects Massach. 1841, 265.
- opercularis** Orthis, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 187.
- opercularis** Peneroplis (Lam.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 286.—Renulites.
- opercularis** Pileopsis, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 28.
- opercularis** Planorbis, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 212.
- opercularis** Polyacanthus (L.), J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 250.—Labrus, 1758.
- opercularis** Potamiphus, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 42.
- opercularis** Renulites, Lamarck, Ency. Méth. (Vers) 1816, pl. 465, Liste, p. 13 [*n. et f.*].
- opercularis** Rosalina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 271 [*n. n.*].
- opercularis** Sciaena, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 347.
- opercularia** Epistylis, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 545.
- opercularia** Renulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 178.
- opercularia** Renulites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 354.
- operculata** Cellaria, Lamarck, An. s. vert. II. 1816, 138.
- operculatus** Copturus (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 649.—Zygops.
- operculata** Corbula, R. A. Philippi, Zeitschr. f. Malakozool., Jan. 1848, 13.
- operculatus** Cryptorhynchus, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 308.
- operculatus** Dentalites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 312.
- operculata** Dynamena (L.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 184.—Sertularia, Gm. 1789.
- operculatus** Epicaerus (Say), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 286.—Graphorhinus.
- operculata** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 90.
- operculata** Flustra, O. G. Costa, Corrisp. Zool. I. 1839, 186 [*n. n.*].
- operculatus** Graphorhinus, T. Say, Descr. N. Amer. Curcul., July 1831, 9.
- operculatus** Graphorhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 512.
- operculatus** Necturus, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 418.
- operculata** Ostrea, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 41. [[*n. n.*].]
- operculatus** Pectinites, E. F. v. Schlotheim, Die Petref. 1820, 226.
- operculatus** Pompilus, F. Klug in J. Walth, Reise Tyrol etc. (2) 1835, 95.
- operculata** Serpula, A. C. Siemssen, Syst. Verz. Mecklenburg. Conch. 1794, 36.
- operculatus** Zygops, T. Say, Descr. N. Amer. Curc. 1831, 21 [*teste* Schoenh.].
- Operculella** *emend. pro* Opercularia, Goldf.; A. G. L. Reichenbach, Zoologie, I. 1828, 95.
- Operculina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281.—Rh.
- Operculina** Bory de St. V., Dict. Class. H. N. XII. Aug. 1827, 231.—Inf.
- Operculina** Bory de St. V., Ency. Méth. (Zooph.) 1827, 577.—Inf.
- Operophtera** J. Huebner, Verz. bekannt. Schmett. 1826, 321.—Lep.

- operosa** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 102.
operosa Dichonia, J. Huebner, Verz. bekannt. Schmett. [1822], 217.
operosa Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Anthomyia, 1826.
operosa Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 85 (Fernaldo judice 1802-08) [n. et f.]. [33] [n. et f.].
operosa Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 162 (Fernaldo judice 1826-
operosus Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 656.
operosus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 13.
operosus Stenus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 736.
Opetia J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 357.—Dipt.
opetilata Myodocha, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
Opetiopalpus M. Spinola, Ess. mon. Clérites, II. 1844, 110.—Col.
Opetiorynchos C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiii.—A.
Opetiorhynchus Max Wied, Reise Brasil. II. 1821, 148.—A.
Opetiorhynchus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Opetiorhyn-
Ophaetus T. C. Jerdon, Madras Journ. XIII. 1844, 159.—A. [chus, Kittl.
Ophelia J. C. Savigny, Egypte, I (3) (Ann.) 1822, 38.—Ann.
Ophelia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 120.—
 Dipt.
Ophelinus A. H. Haliday, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 300.—Hym.
Ophelina A. S. Orsted, Annul. Dan. Consp. (1) 1843, 45.—Verm.
Ophelmis C. S. Rafinesque, Atlantic Journ. (1) 1832, 20.—Verm.
opheltes Hyles (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 137.—Sphinx, 1780.
opheltes Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 183.
Opheltus C. S. Rafinesque, Analyse, 1815, 124.—Hym. [n. n.].
Opheodrys L. Fitzinger, Syst. Rept. 1843, 26.—R.
Opheomorphus L. Fitzinger, Syst. Rept. 1843, 25.—R.
Ophiacantha Joh. Mueller & Troschel, Syst. Asterid. 1842, 84 & 106.—Ast.
ophialis Botys, F. Treitschke, Schmett. Europa, VII. 1829, 90.
Ophiarachna Joh. Mueller & Troschel, Syst. Asterid. 1842, 84 & 104.—Ast.
Ophicardelus H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 109.—G.
Ophicardia J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 175.—P.
Ophicephalus Quoy & Gaimard, Voy. "Uranie," 1824, Zool.—Verm. (Gordiea); *sic* Agassiz,
 Nom. Zool. (Verm.) 1843, 9, *sed non comp.*
ophicephalus Eleotris, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XII. 1837, 239.
ophicephalus Gobius, L. Jenyns, Zool. "Beagle" (Fish, 1842), 97.
ophicephalus Philypnus, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid.
 Soenda-Moluk.), 20.
ophicephala Umbrina, L. Jenyns, Zool. "Beagle" (Fish, 1840), 45.
Ophichelone F. P. Jarocki, Zool. III. 1822, 21.—R. [*typus* Testudo serpentinus].
Ophicthys W. Swainson, N. H. Fishes etc. II. July 1839, 196 & 336 [Ophich.].—P.
Ophideres J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 245.—Lep.
Ophiderma L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 493.—Hem.
Ophidermis L. Agassiz, Nom. Zool. (Moll.) 1845, 62 [*non* Charp. 1837].
ophideus Ammonites, L. G. de Koninck, Descr. Anim. foss. (12) Ap. 1844, 564.
ophidiana Asterias, Lamarck, An. s. vert. II. 1816, 567.
ophidianus Chione (Lam.), J. Gistl, Handb. Naturges. 1850 [1847], 578.
ophidiana Holothuria, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 134.
ophidianus Ophidiaster (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
 191.—Asterias.
Ophidiaster L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 191.—Ast.
ophidii barbati Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 57 [n. n.].
ophidii imberbis Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 57 [n. n.].
Ophidiolithus H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 195.—R.
Ophidiomonas L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophidomonas, Ehr.
ophidion Nerophis (L.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 91.—Syngnathus, 1758.
ophidium Nematosoma, E. Eichwald, Zool. Spec. III. 1831, 60.

- ophidoides** Liparis, W. Swainson, N. H. Fishes etc. II. July 1839, 339.
- Ophidomonas** C. G. Ehrenberg, Amtl. Ber. Deutsch. Naturf. Aerzte (Jena, 1836), 135; Infusionsthier. 1838, 43.—Inf. [*vide* Ophidosoma].
- Ophidonais** F. L. P. Gervais in Dict. pittoresque H. N. V. 1837, 582; N. Dict. Class. H. N., ed. 2, XXVI. 1846, 75.—Verm.
- Ophidosoma** *err. typ. pro* Ophidomonas, 1836; C. G. Ehrenberg, Infusionsthier. 1838, 44.
- Ophileta** L. Vanuxem, N. H. New York (Geol. 3 Distr.) 1842, 36.—? Ceph. *vel* Pter.
- Ophilites** Roulland, Bull. Soc. géol. France, I. 1830 (1831), 189.—L. [*n. n.*].
- Ophimorphites** H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 197.—R.
- Ophinectes** C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 432.—R.
- ophinotus** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1841, 104.
- Ophiocephalus** F. Hamilton, Fish. Ganges, 1822, 60.—P. [p. 109.]
- Ophiocephalus** de Bl.; *sic* L. Agassiz, Nom. Zool. (Pisces) Add. 1845, *sed vernac.* de Bl.,
- Ophiocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephalophis, Dup.
- Ophiocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophicephalus, Schn. 1801 [*i.e.* Bloch, 1793].
- ophiocephalus** Gobius, P. S. Pallas, Zoographia, III. 1814, 153.
- ophiocephalus** Homalonotus, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 53.
- Ophiocnemis** Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 368.—Ech.
- Ophiocoma** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ast.
- Ophioderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophideres, Boisd.
- Ophioderma** Joh. Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 329; Syst. Asterid. 1842, 83 & 86.—Ech.
- Ophiodermis** L. Agassiz, Nomen Zool. Index Univ. 1846.—*emend. pro* Ophidermis, Ag.
- Ophiodes** J. Wagler, Nat. Syst. Amph. 1830, 159.—R.
- Ophiodes** A. Guénée, Ann. Soc. Ent. France, X (2) July 1841, 77.—Lep.
- Ophiodes** T. Hartig, Ber. nat. Ver. Harzes, 1846–47 (1847), 18.—Hym.
- Ophiodontes** H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 197.—R.
- Ophiodontium** H. G. Bronn (*ex* Luid.) in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 197.—P.
- Ophiogenes** R. L., Allg. Lit. Zeitung, 1817 (1), 288.—Lep. [= Ophiusa, Ochs.].
- Ophiognathus** I. Harwood, Phil. Trans. R. Soc. 1827 (1) 1827, 51.—P.
- Ophiogramma** J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 37.—Lep.
- ophiogramma** Apamea (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 75.—Phal. Noctua, 1796. [Noctua, 1796.]
- ophiogramma** Calliergis (Esp.), J. Huebner, Verz. bekannt. Schmett [1825], 244.—Phal.
- ophiogramma** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 76 (Fernaldo judice
- Ophiogyra** J. C. Albers, Die Heliceen, 1850, 91.—G. [1802–08] [*n. et f.*].
- ophioides** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 241.
- Ophiolepis** Joh. Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 328; Syst. Asterid. 1842, 83 & 89.—Ech.
- Ophiolites** H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 197; Ind. Pal. 1848, 845.—R.
- Ophiolithus** H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 198.—R.
- ophiomachos** Agama, B. Merrem in Ersch & Gruber, Allg. Ency. II. 1819, 166.
- ophiomachus** Calotes, J. E. Gray, Ann. Phil. XXVI. 1825, 197 [*n. n.*].
- ophiomachus** Calotes (Agama), B. Merrem, Tent. Syst. Amph. 1820, 51.
- Ophiomastix** Joh. Mueller & Troschel, Syst. Asterid. 1842, 84 & 107.—Ast.
- Ophiomorpha** S. Nilsson in Mantell, Descr. Cat. Mus. Sussex Inst., ed. 4, 1836, 25.—? Ann.
- Ophiomorphites** H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 198.—R.
- Ophiomorphus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 64.—Col. [*n. n.*].
- Ophiomorus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 799.—R.
- Ophiomyxa** Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 368.—Ech. [1782.]
- ophion** Hesperia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 23.—Papilio,
- ophion** Nisoniades (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 108.—Papilio, 1790.
- ophion** Onthophagus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 105.
- ophion** Ovis, E. Blyth, Proc. Zool. Soc. London, VIII (90) Mar. 1841, 73.
- ophion** Thymele, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 210.
- ophion** Thymele, J. A. Boisduval, F. Ent. Madagas. (4) 1833, 62.

- ophione Acca (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 44.—Papilio, 1777.
- ophione Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 53.
- ophione Lamellaria, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.—June, 1850, 169.
- ophione Neptis (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 272.—Papilio, 1777.
- ophione Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 432.—Papilio,
- Ophionea F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 298.—Col. [Cr. 1777.
- ophioneus Systropus, J. O. Westwood, Tr. Entom. Soc. Lond. V (9) Feb. 1850, 233.
- ophioniformis Bembecia, J. Huebner, Verz. bekannt. Schmett. [1820], 129.
- ophioniformis Sesia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 104.—Sphinx. [1808–18] [*n. et f.*].
- ophioniformis Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 27 (Fernaldo judice
- ophioniventris Limerodes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 112.
- Ophionyx Joh. Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 329; Syst. Asterid. 1842,
- Ophiopeltis Düben, 4 Forh. skand. Naturf. 1844 (1847), 266.—Ast. [85 & 116.—Ast.
- Ophiopeltis Düben & Koren, Ofvers. K. Vet. Ac. Förh. II (3) 1845, 74.—Ast.
- ophiophagus Falco, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 103.
- ophiophagus Hamadryas, T. Cantor, Proc. Zool. Soc. London, VI (66) July 1838, 73.
- ophiophaga Ictinia, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1207.—Falco, 1817.
- ophiophilus Ixodes, J. Mueller, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 231.
- Ophiopholis Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 368.—Ech.
- Ophiophthalmus L. Fitzinger, Syst. Rept. 1843, 23.—R.
- Ophiops *emend. pro* Ophisops, Ménétris; A. F. A. Wiegmann, Arch. f. Naturg. III (1) 1837,
- Ophiopsila E. Forbes, Proc. Linn. Soc. London (18) June 1843, 175.—Ast. [123.
- Ophiopsis J. L. R. Agassiz, N. Jahrb. f. Min. 1834, 385; Poiss. Foss., Feuilleton, 11
- Ophiopsis L. Fitzinger, Syst. Rept. 1843, 23.—R. [(1834).—P.
- ophiopsis Gymnognathus, Dalman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 163.
- ophiopsis Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 25.
- Ophiopterus A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 153.—
- Ophiorrhiza C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 72.—M. [Hym.
- Ophiosaurus Oken, Lehrb. 1816, 288; *sic* Scudder, *sed* Ophisaurus, *q.v.*
- Ophiosaurus *emend. pro* Ophisaurus, Daud.; L. Agassiz, Nom. Zool. (Rept.) 1845.
- Ophioscolex Joh. Mueller & Troschel, Syst. Asterid. 1842, 84 & 109.—Ast.
- Ophiosoma J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 64.—Ech. [? Ophiocoma, Ag. 1836; F. A. B.].
- Ophiosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophisomus, Swains.
- Ophiostoma K. A. Rudolphi, Archiv Zool. (Wiedemann) II (1) 1801, 48.—Verm.
- Ophiostomum Creplin in Ersch & Gruber, Allg. Ency. (1) XXXII. 1839, 283 [=Ophiostoma; *teste* S. & H.].
- Ophiostomus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophistomis, Dej.
- Ophiotheres L. P. Vieillot, Analyse, 1816, 59.—A.
- Ophiothrix J. Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 328.—Ast.
- Ophiotrix Joh. Mueller & Troschel, Syst. Asterid. 1842, 85 & 109 (Ophiothrix).—Ast.
- Ophis J. Wagler in Spix, Serp. Brasil. 1824, 47.—R.
- Ophis G. A. Goldfuss, N. A. Ac. Caes. Leop. Car. XV (1) 1831, 127.—R.
- Ophis J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 150.—L. [=Opis, Deifr.].
- ophis Anguilla (L.), G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 22.—Muraena, 1758.
- ophis Helix, C. Porro, Atti 4 Riun. Sci. Ital. 1843, 190.
- ophis Ophithorax (Lacep.), J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 212.—Ophisurus, 1800.
- ophis Thaerodontis (Ruepp.), J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844 217.—Muraena, L. 1758.
- ophisauris Trichocephalus, C. A. Rudolphi (*ex* Froriep MS), Entoz. II (1) 1809, 98.
- Ophisaurus F. M. Daudin, Mag. Encyclop., An. 8, V (20) Mar. 1803, 437.—R.
- Ophisaurus F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 346.—R.
- Ophisaurus A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 11.—P.
- ophisella Epichysia, J. Huebner, Verz. bekannt. Schmett. 1826, 404. [81.
- ophiseocoma Eumenides, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),

- Ophisomus** W. Swainson, N. H. Fisches etc. II. July 1839, 73, 183, 277 & 334.—P.
- Ophisops** E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 63.—R.
- Ophisternon** J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 175.—P.
- Ophisthocomus** J. Fleming, Phil. Zool. II. 1822, 232 [=Opisthocomus, Ill., q.v.].
- Ophistomis** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 355.—Col. [*n. n.*].
- ophitata** Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 41.
- Ophites** J. Wagler, Nat. Syst. Amph. 1830, 186.—R.
- Ophites** W. F. Erichson, Gen. Spec. Staph. (1) 1839, 29 & 627 [1840].—Col.
- Ophithorax** J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 173.—P.
- Ophiuche** J. Huebner, Verz. bekannt. Schmett. 1826, 344.—Lep.
- Ophiura** Lamarck, Syst. Anim. 1801, 350.—Ast.
- Ophiurella** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Oph.
- Ophiurites** E. F. v. Schlotheim, Die Petref. 1820, 326.—Ech.
- Ophiurus** H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 161.—Ast.
- Ophiurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophisurus, Lacep. 1800.
- ophiurus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 123.
- ophiurus** Asteriacites, E. F. v. Schlotheim, Die Petref. 1820, 325.
- ophiura** Stephanomia, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1830], 30.
- Ophiusa** F. Ochsenheimer, Schmett. Europa, IV. 1816, 93.—Lep.
- Ophiusa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophiussa, Huebn.
- Ophiussa** J. Huebner, Verz. bekannt. Schmett. 1825, 266.—Lep.
- ophonia** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (65) 1846, pl. 16 [*n. et f.*].
- ophonoides** Chlaenius, L. Fairmaire, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 30.
- ophonoides** Chlaenius, L. Fairmaire, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 11.
- ophonoides** Helops, H. Lucas, Explor. Algér. (Artic. II.) 1846, 352.
- Ophonus** Ziegler in Dejean, Catal. Coléopt. 1821, 13.—Col.
- Ophonus** J. F. Stephens (*ex* Dej. Cat.), Ill. Brit. Ent. (Mand. I.) June 1828, 159.—Col.
- Ophrias** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*].
- Ophryas** B. Merrem, Tent. Syst. Amph. 1820, 146.—R.
- Ophryastes** E. F. Germar in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 9 & I (2) 1833,
- Ophrydia** Bory de St V., Dict. Class. H. N. XII. Aug. 1827, 245.—Inf. [508.—Col.
- Ophrydia** Bory de St V., Ency. Méth. (Zooph.) 1827, 582.—Inf.
- Ophrydium** *id. ac* Ophrydia, Bory; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 41.—Inf.
- Ophryepa** H. Boie in Férussac, Bull. Sci. IX. 1826, 235.—R. [*n. n.*].
- Ophryessa** H. Boie, Isis (Oken), 1826, 119.—R.
- Ophrylophus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 264.—Col. [*n. n.*].
- Ophryocentron** L. Fitzinger, Syst. Rept. 1843, 17 & 71.—R. [*typus* Ceratoblepharis horrida, Fitz.].
- Ophryocentrum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophryocentron, Fitz.
- Ophryocerca** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 [1832], 112.—Inf.
- Ophryodactylus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 832.—Col.
- Ophryoessa** H. Boie in Wagler, Nat. Syst. Amph. 1830, 149.—R. [Ophryessa, 1826].
- Ophryoglena** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 117.—Inf.
- Ophryolophus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ophrylophus, Dej.
- Ophryops** A. White, Zool. "Ereb. Terr." (Ins. 1846), 19.—Col.
- ophryticus** Triton, A. A. Berthold, Goettingen gelehrte Anz. 1846 (Nachr.), 189.
- ophthal**→ *v.* **ophthal**→.
- ophthalmicana** Acalla, J. Huebner, Verz. bekannt. Schmett. 1826, 383.—Tortrix, 1796.
- ophthalmicana** Paedisca (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 198.—Tortrix, 1796.
- Ophthalmicus** P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 62.—Hem.
- ophthalmicus** Acanthocinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 72 [*n. n.*].
- ophthalmica** Adalia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 56.
- ophthalmicum** Anthobium (Payk.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Staph. 1800.

- ophthalmicus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 245.
ophthalmicus Arremon, B. Du Bus, Bull. Ac. Roy. Brux. XIV (2) 1847, 106.
ophthalmicus Chamaerhipes, P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 169.
ophthalmica Cleonis (Rossi), Dejean, Catal. Coléopt. 1821, 96.—Curculio, 1790.
ophthalmicus Cleonus (Rossi), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 184.—Curculio, 1790.
ophthalmica Cypris (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 413.—Monoculus.
ophthalmica Dinophtalma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 400.
ophthalmicus Elater, M. Perty, Del. anim. artic. Brasil. (1) 1830, 21.
ophthalmica Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 125.
ophthalmica Hydropsyche, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 505.
ophthalmicus Lixus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 120.—Curculio, 1790.
ophthalmica Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 255.
ophthalmicus Monoculus, L. Jurine, Hist. Monocles, 1820, 178.
ophthalmica Motacilla, F. Prévost & O. Des Murs in Lefebvre, Voy. Abyssin. VI [1847], 94. [Staphylinus, 1800].
ophthalmicum Omalium (Payk.), J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 217.—
ophthalmicus Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 188.
ophthalmicus Pipilopsis (Du B.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 485.—Arremon.
ophthalmicus Pyrrhocoris, Hagenbeck in H. Burmeister, Handb. Ent. II (1) 1835, 284.
ophthalmicus Rhynchites, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 16 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 200.
ophthalmica Saperda, Hoff.; Dejean, Catal. Coléopt. 1821, 109 [*n. n.*].
ophthalmicus Sparus, C. S. Rafinesque-S., Car. n. gen. 1810, 48.
Ophthalmidion Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 262.—R.
Ophthalmis J. Huebner, Verz. bekannt. Schmett. [1822], 166.—Lep.
ophthalmobium Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 334.
Ophthalmoborus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 189.—Col.
Ophthalmocoris J. W. Zetterstedt, Ins. Lapp. descr. 1838, 280.—Hem.
Ophthalmodes G. Fischer, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 323.—Orth. [*gen. caelebs*].
Ophthalmophis L. Fitzinger, Syst. Rept. 1843, 27.—R.
Ophthalmoplanis Bory de St V., Ency. Méth. (Zooph.) 1827, 583.—Inf.
Ophycoma A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.—Ech.
Ophyessa Boie; J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 41; Syn. Cont. Brit. Mus., ed. 42, 1840, 41.—R. [*n. n.*].
Ophycephalus S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 127 [*ex* Blainv. *vernac.*].
Ophyodactylus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 382.—Col.
Ophyostoma Della Chiaje, Comp. elmint. umana, ed. 2, 1833, 38 [=Ophiostoma, Rud., *teste* S. & H.].
Ophyra J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 516.—
Ophyra J. Macquart, Suite à Buffon (Dipt.) II. 1835, 308.—Dipt. [Dipt.
Ophystoma Della Chiaje, Comp. elmint. umana, 1825, 35 [=Ophiostoma, *teste* S. & H.].
Opichroa C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 165.—Coel.
Opictus C. S. Rafinesque, Analyse, 1815, 91.—P. [*n. n.*].
opicus Tachyporus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 467. [—Col.
Opiestus A. Chevrolat, Revue Entom. I (1) Mar. 1833, 30 & Descr. d'esp. nouv., no. 2.
opifex Fornax, F. E. Guérin-M., Ann. Soc. Ent. France [2] I (2) Sept. 1843, 184.
opifex Hirundo, De W. Clinton, Ann. Lyceum N. H. New York, I (6) Dec. 1824, 161.
opifex Modiola, T. Say, J. Acad. Nat. Sci. Philad. IV. May 1825, 369.
Opigena Boisduval, Gen. Index Europ. Lepid. 1840, 103.—Lep.
opigena Blosyris (Dru.), J. Huebner, Verz. bekannt. Schmett. 1825, 273.—Phalaena, 1773.
opigena Blosyris, J. Huebner, Exot. Schmett. II. Tab. [211] [*n. et f.*].
opigena Erebus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 41.—Phalaena,

- opigrapha** Cicindela, Dalman in Dejean, Spec. gén. Coléopt. V. 1831, 247.
- opilio** Acalles, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18 [*n. n.*].
- opilio** Cancer, O. Fabricius, K. Dansk. Vid. Selsk. Skr., n. s. III. 1788, 182 [*non* J. C. Fab. 1793; *teste* M. J. Rathbun].
- opilio** Chionoecetes (Fab.), H. Krøyer, Naturhist. Tidsskrift, II (3) 1838, 249.—Cancer, 1788.
- opilio** Maja (Fab.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 254.—Inachus, 1788.
- opilionoides** Rhyncholophus, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 3.
- Opilo** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 111.—Col.
- Opilus** J. Curtis, Brit. Entom. VI (67) July 1829, no. 270; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11.—Col. [*non* Latr. 1802, *qui est* Opilo].
- opimus** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 185.
- opimus** Ctenomys, A. Wagner, Arch. f. Naturg. XIV (1) 1848, 75.
- opima** Cucullea, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 197.
- opimus** Dipus (Licht.), J. B. Fischer, Syn. Mamm. 1829, 338.—Meriones.
- opimum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist., 183.
- opimus** Gerbillus (Licht.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 225.—Meriones.
- opima** Haltica, E. F. Germar, Ins. spec. novae, I. 1824, 608.
- opimus** Meriones, H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 122.
- opima** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 90 (Fernaldo judice 1808) [*n. et f.*].
- opima** Orthosia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 219.—Noctua.
- opimus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 27.
- opima** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 364.
- opima** Taeniocampa (Treitsch.), Guénée, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 480.—Noctua, Huebner.
- opimum** Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 534.
- opima** Venus, D. Solander, Catal. Portland Mus. 1786, 49 & 69 [*n. n.*].
- opinabilis** Eremnus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 209.
- opinatus** Arthronomalus, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 433.
- Opinus** F. L. de Laporte, Mag. de Zool. (Essai Hémipt.) 1832, 78.—Hem.
- Opiptera** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162.—Pter.
- Opipterus** *id. ac* Opiptera, Raf.; de Blainville, Dict. Sci. Nat. XXXVI. Oct. 1825, 219.
- Opis** Defrance, Dict. Sci. Nat. XXXVI. 1825, 219.—L. [1824, *vernac.*].
- Opis** H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 149.—Cr.
- opis** Ammonites, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiii.
- opis** Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 53.
- opis** Cerithium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 271.
- opis** Chloroperla, E. Newman, Mag. Nat. Hist., n. s. III. Feb. 1839, 89.
- opis** Jaera (Dru.), J. Huebner, Verz. bekannt. Schmett. 1818, 38.—Papilio, 1773.
- opis** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 381.—Papilio, Dru.
- opis** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 374. [1773.]
- opis** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 67.
- opisoleucus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 522.
- Opisotomus** Comm. 1803; *err.* Jordan, *nom. vernac.*
- Opisthius** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 60.—Col.
- Opisthocomus** C. Illiger, Prod. 1811, 239.—A. [*dict.* Hoffmannsegg].
- opisthocomus** Trochilus, A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 6.
- Opisthognathus** Cuvier & Valenc., H. N. Poiss. XI. 1836, 498.—*emend. pro* Opistognathus,
- Opisthograptis** J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Lep. [Cuv.]
- opistholeuca** Dromolaea (Strickl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 303.—
? Saxicola.
- opistholeuca** Saxicola, H. E. Strickland in W. Jardine, Contrib. Ornith. II. 1849, 60.
- Opistholophus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Opistolophus, Vieill.
- Opisthophthalmus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Opistophthalmus, Koch.
- opisthophthalmus** Conger, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. IV. 1840, 78.

- opisthopterus** Syngnathus, J. L. R. Agassiz, Poiss. Foss. II (1), 18 (1833); IV., 36 (1835); II (2), 276 (1844).
- opisthotonus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 194.
- Opisthoxia** J. Huebner, Verz. bekannt. Schmett. 1826, 308.—Lep.
- Opisthius** Kirby, 1837; *sic* Agassiz, *sed* Opisthius, *q.v.*
- Opistocomus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 77 [=Opisthoc→].
- Opistocotyle** C. Le Blond, Bull. Soc. Sci. Nat. France [7] *ineunte* 1836, 104.—Verm.
- Opistognathus** G. Cuvier, R. Anim. II. 1817, 252.—P.
- Opistograptis** J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 168.—Lep.
- Opistolophus** L. P. Vieillot, Analyse, 1816, 60.—A.
- Opistomum** E. O. Schmidt, Die Rhabd. Strudelwürmer, 1848, 38.—Verm.
- Opistophthalmus** C. L. Koch, Uebers. Arachnidensyst. I. 1837, 36.—Ar.
- Opistophthalmus** C. L. Koch, Die Arachniden, IV (5) Nov. 1837, 89.—Ar.
- opistophthalmum** Conger, C. Ranzani, De Nov. Pisc. (1) 1840; Mem. Stor. Nat. II. 1844, 16.
- Opistoplatys** J. O. Westwood, Zool. Journ. V (20) 1832-34 [*post* Ap. 1835], 447.—Hem.
- opiter** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 776.
- Opithiocheirus** W. E. Leach, Tr. Plymouth Inst. I. 1830, 172.—Cr.
- Opitia** A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 162.—Dipt. [? Opetia, Meig.].
- Opitomorphus** Motschulski, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 104.—Col.
- Opius** C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 115.—Hym.
- Oplacephala** Macquart; *sic* Scudder, *sed* ? *emend. pro* Hoplacephala, Macq., *q.v.*
- Oplacerus** S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 188.—M.
- Opladelus** C. S. Rafinesque, Western Review, II (6) July 1820, 359; Ichth. Ohiensis, [Dec.] 1820, 64 & 65.—P. [*typus* Silurus nebulosus].
- Oplarium** M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 16.—Prot.
- Oplectognathus** Troschel, Arch. f. Naturg. VII (2) 1841, 136, *emend. pro* Oplegn→, Rich.,
- Oplegnathus** J. Richardson, Proc. Zool. Soc. London, VIII (87) Aug. 1846, 27.—P. [*q.v.*].
- opleus** Papilio, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 33.
- Oplichthys** Cuvier & Valenc., H. N. Poiss. IV. 1829, 264.—P.
- Oplocephala** Laporte & Brullé, Ann. Sci. Nat. XXIII (91) July 1831, 332.—Col.
- Oplocephalus** J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 84.—R. [*vernac.* Cuvier, 1829].
- Oplocheirus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 211.—Col. [*n. n.*].
- Oplocnemus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 277.—Col.
- Oplognathus** W. S. Macleay (*ex* Kirby MS), Horae Entom. I (1) 1819, 159.—Col.
- Oplomerus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col. [*n. n.*].
- Oplomerus** J. O. Westwood, Introd. class. Insect. II. 1840, Syn., 84.—Hym.
- Oplomus** M. Spinola, Ess. Ins. Hémipt. 1837, 355.—Hem.
- Oplophora** F. W. Hope, Proc. Linn. Soc. London (5) Dec. 1839, 42.—Col.
- oplopomus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 66.
- Oploptera** A. Chevrolat in Guérin-M., Iconographie, 1844, Ins., 125.—Col.
- Oplopus** C. Wesmael, Bull. Ac. Sci. Brux. III. 1836, 45.—Hym. [*non* 1833].
- Oplosiphus** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- Oplosternus** F. E. Guérin-M., Mag. de Zool. (Ins. de la "Favorite") 1838, 63.—Col.
- Oplostomus** W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 20.—Col.
- Oplotherium** Laizer & Parieu, Ann. Sci. Nat. [2] (Zool.) X. Dec. 1838, 335 & 342.—M.
- Oplurus** G. Cuvier, R. Anim., ed. 2, II. 1829, 47.—R.
- oplus** Tabanus, A. White in F. Walker, List Dipt. Coll. B. M. (1) 1848, 175 [*n. n.*].
- oplus** Tabanus, F. Walker, The Zoologist, VIII. 1850, App., p. lxx.
- Opoethus** L. P. Vieillot, Analyse, 1816, 29.—A.
- Opomala** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Opshomala, Serv.
- Opomyza** C. F. Fallen, Opomyzides Sveciae, 1820, 10.—Dipt.
- Oporabia** J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 273.—Lep.
- oporana** Archips, J. Huebner, Tentamen (me judice 1806), 2 [*n. n.*].
- oporana** Lozotaenia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena, 1758.
- oporana** Pandemis (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Phalaena, 1758.
- oporana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 18 (Fernaldo judice 1797) [*n. et f.*].

- oporaphilum** Phyllostoma, J. J. Tschudi, Fauna Peru. (Mamm.) 1844, 64.
- oporella** Phalaena Tinea, G. L. Scharfenberg in Bechstein & S., Vollst. Nat. schädli. Forstinsect. III. 1805, 822.
- Oporina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Hoporina, Blanch.
- Oporinia** J. Huebner, Verz. bekannt. Schmett. 1826, 322.—Lep. [Geom.].
- Oporinia** J. Huebner, Verz. bekannt. Schmett. 1826, 387.—Lep. [Tort.].
- Oporobia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oporabia, Steph.
- oporotheacarum** Iulus, D. H. L. Fournel, Faune de la Moselle, II. 1840, 147.
- Opossum** G. Perry, Arcana, 1810, sign. M 1.—M.
- opossum** Philander (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 101.—Didelphis, 1758.
- Opostega** P. C. Zeller, Isis (Oken), 1839, 214.—Lep.
- Opostigmus** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 227.—Hem. [*non binom.*].
- oppelii** Catagramma (Latr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 25.—
- oppelii** Coluber, L. J. Fitzinger, Neue Classif. Rept. 1826, 57 [*n. n.*]. [Erycina.
- oppelii** Erycina, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 381.
- oppelii** Eugongylus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 23.—Eumeces.
- oppelii** Eumeces, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 656.
- oppelii** Nymphalis (Latr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 425.—Erycina.
- oppelii** Perisama (Latr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 242.—Erycina.
- oppelii** Pseudopus, L. J. Fitzinger, Neue Classif. Rept. 1826, 50 [*n. n.*].
- opelii** Pseudopus, F. Frey-Herose, 17 Verh. Allg. Schweiz. Gesellsch. 1832, 61.
- oppelii** Rana, L. J. Fitzinger, Neue Classif. Rept. 1826, 64 [*n. n.*].
- Oppetiorhynchos** Kittl. 1831; *sic* Agassiz, *sed* Opetiorhynchos.
- Oppia** C. L. Koch, Deutschl. Crust., heft 3, 1835, tab. 9.—Ar.
- oppilata** Helix, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 8. [Alucita, Fab. 1775.
- oppositella** Adela (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 120.—Tinea;
- oppositella** Amaurosetia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 353.—Tinea; Alucita, 1775.
- oppositella** Incurvaria (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [1839], 425.—Tinea; Alucita, Fab. 1775.
- oppositus** Alyson, T. Say, Boston Journ. N. H. I (4) 1837, 380.
- oppositus** Anisoscelis, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- opposita** Asiraca (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 57.—Delphax.
- oppositus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 23 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 (1836), 435.
- oppositum** Bembidium, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 86.
- opposita** Biloculina, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 138.
- opposita** Coccinella (Hippodamia), F. E. Guérin-M., Iconographie, 1844, Ins., 321.
- opposita** Delphax, J. C. Fabricius, Syst. Rhyng. 1803, 84.
- opposita** Dynamena, Meneghini, Atti Congr. Sci. Ital. I. 1844 (Zool.), 169.
- opposita** Eriopis (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 6.—Coccinella (Hippodamia).
- oppositus** Hydroporus, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 102.
- opposita** Miliolites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 353.
- opposita** Myrmica, T. Say, Boston Journ. N. H. I (3) 1836, 292.
- opposita** Ornithomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1145.
- oppressa** Pterinea, T. A. Conrad, II. Ann. Rep. geol. Surv. N. York (Assem. 200) 1838, 116.
- oppressana** Paedisca, F. Treitschke, Schmett. Europa, X (3) 1835, 95.
- opprimator** Centeterus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 178.
- opprimator** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 355.
- Ops** J. Gistl, Nat. Thierr. 1848, 161.—Cr.
- Ops** J. Gistl, Handb. Naturges. 1850 [1847], 529.—Cr.
- ops** Erycina, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 89.
- Opsanus** C. S. Rafinesque, Amer. Monthly Mag. II (3) Jan. 1818, 203.—P.
- Opsarius** J. M'Clelland, Asiat. Researches, XIX (2) 1839, 295.—P.
- Opshomala** J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 267.—Orth.

- Opsiceros C. W. L. Gloger, *Gemeinnütz. Naturges.* (1) 1841, 125.—M.
- Opsicoetus F. Klug in Ehrenberg, *Sym. Phys., Ins.* II (1830), sign. *e.*—Or.
- Opsimus Eschscholtz in Dejean, *Catal. Coléopt.*, ed. 2 (4) Aug. 1835, 329.—Col.
- Opsimus Eschscholtz in Mannerheim, *Bull. Soc. Imp. Nat. Moscou*, XVI. 1843 (2) 1843,
- Opsion J. Gistel, *Nat. Thierr.* 1848, p. ix.—Dipt. [305.—Col.
- Opsiphanes J. O. Westwood in Doubleday & W., *Gen. diurn. Lepid.* 1850 [*sic* Scudder, *sed* ? 1851].
- Opsomala H. Burmeister, *Handb. Ent.* II (2) i, 1838, 611 [Opshomala, A.-S. 1831].
- Opsonais P. Gervais, *Bull. Ac. Roy. Brux.* V. 1838, 16.—Verm.
- optabilis Anthicus, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (8) 1849, 88 [*"Mon. Anth."* *poster. edit.*].
- optabilis Euryusa, O. Heer, *Coleopt. Helvet.* (2) 1839, 308.
- optabilis Hadena, C. F. Freyer, *Neuere Beitr. Schmiett.* V (66) 1842, 20.
- optabilis Harpalus, Faldermann in Dejean, *Spec. gén. Coléopt.* IV. 1829, 350.
- optabilis Limonius, O. Heer, *N. D. Allg. Schweiz. Gesellsch.* VIII. 1847, 137.
- optabilis Lytta, Faldermann in E. Ménétriés, *Cat. Rais. Zool. Caucase*, 1832, 209.
- optabilis Noctua, J. Huebner, *Europ. Schmiett.*, Tab. Noctua, 157 (Fernaldo judice 1826–33) [*n. et f.*].
- optata Anthaxia, Gory in Laporte & G., *H. N. Coléopt.* IV. 1841, 288.
- optata Arca, G. Fischer v. W., *Oryct. Moscou*, 1830, sign. *c'*.
- optata Catocala, Godart in Boisduval, *Europ. Lepid. Index*, 1829 [1828], 98.
- optata Cicindela, G. Fischer v. W., *Entom. Imp. Russ.* III., *post Nov.* 1828, 22.
- optatus Cuculus, J. Gould, *Proc. Zool. Soc. London*, XIII (145) Ap. 1845, 18.
- optatum Diprotodon, R. Owen in T. L. Mitchell, *Three Exped. Australia*, I. 1838, p. xix.
- optatus Machetes, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 86 [*n. n.*].
- optatus Naupactus (Hbst.), C. J. Schoenherr, *Gen. et Sp. Curc.* I (2) 1833, 575.—Curculio,
- optata Noctua, J. B. Godart, *H. N. Lépid. France*, V (Noct. 2), 63, 1824. [1797.
- optatus Pentamerus, J. Barrande, *Naturw. Abhandl.* (Haidinger) I. 1847, 471.
- opticum Apion, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 125.
- opticus Ichneumon, J. L. C. Gravenhorst, *Ichneum. Europ.* I. 1829, 131.
- opticus Stenus, Knoch in J. L. C. Gravenhorst, *Mon. Coleopt. micropt.* 1806, 231.
- opticus Tryphon, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 176.
- optilete Lycaeides (Knoch), J. Huebner, *Verz. bekannt. Schmiett.* 1818, 69.—Papilio, 1781.
- optilete Lycaena (Huebner), F. Ochsenheimer, *Schmiett. Europa*, IV. 1816, 26.—Papilio.
- optilete Papilio, J. Huebner, *Europ. Schmiett.*, Tab. Papilio, 63 (Fernaldo judice 1799) [*n. et f.*].
- optilete Polyommatus (Fab.), J. B. Godart, *Ency. Méth.* IX (2) (Ins.) 1824, 686.—Papilio, Kn. 1781.
- optilete Zephyrus (Ochs.), J. W. Dalman, *K. Vet. Ac. Handl.* 1816 (1) 1816, 100.—Papilio,
- optiva Diabrotica, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 169. [Kn. 1781.
- opulenta Ammophila, Guérin-M. in Duperry, *Voy. "Coquille," Zool.* II (2) 1 (1838), 261.
- opulentus Attus, C. A. Walckenaer (Roret's Suite à Buffon), *Aptères*, I. 1837 [1836], 477.
- opulentus Bradybaenus, C. H. Boheman, *Ins. Caffr.* I (1) 1848, 194.
- opulenta Buprestis, H. Gory, *Magasin de Zool.* II. 1832, text to pl. 17.
- opulenta Callichroma, Erichson in Klug, *Doubl. Verz. Senegall.* Ins. 1842, 10.
- opulentus Chloenius, H. Gory, *Ann. Soc. Ent. France*, II (2) *c.* July 1833, 216.
- opulenta Chrysochroa (Gory), Laporte & Gory, *H. N. Coléopt.* I. 1835–1836, 4.—Buprestis. [342.—*var. purpurea.*
- opulenta Chrysochroa (Catoxantha), Gory; A. White, *Ann. Mag. N. H.* XII. Nov. 1843,
- opulenta Chrysomela, L. Reiche in Ferret & Galinier, *Voy. Abyssin.* III [1850], 405.
- opulentus Eustales, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 365.
- opulentus Isomerinthus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (1) 1843, 247.
- opulentum Lamprosoma, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, V. May 1848, 577.
- opulenta Mallocera, E. Newman, *Entomologist* (6) Ap. 1841, 94.
- opulenta Nucula, T. A. Conrad, *Foss. Shells Tert. N. Amer.* (4) Oct. 1833, 46.
- opulenta Oedionychis, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 171.
- opulentus Otiorhynchus, Kuenburg in E. F. Germar, *Fauna Ins. Europ.* (17) [1831–35], 6.
- opulentus Philonthus, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 497.

- opulentus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 26.
opulentus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 148.
opulenta Tachytes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
opuntia Flabellaria (L.), Lamarck, An. s. vert. II. 1816, 345.—Corallina, 1758. [246.
opuntia Halimeda (Pall.), J. V. F. Lamouroux, Hist. Polyp. 1816, 308.—Corallina, L. 1758.
opuntia Hornera, DeFrance, Dict. Sci. Nat. XXI. 1821, 433.
opuntia Nodularia, L. Oken, Lehrb. Nat. III (1) 1815, 94.
opuntia Polyzoa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 437.
opuntia Tethia, A. Risso, H. N. Europe, V. 1826, 364. [Corallina, 1758.
opuntia Tunaria (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 165.—
opuntiae Bryaxis, H. M. Schmidt, De Pselaphis Faunae Pragensis, 1836, 31.
opuntiae Epeira, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) IV. June 1820, 359.
opuntioides Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] ante Sept. 1815, 164.
opuntioides Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 147.
or Bombycia, J. Huebner, Tentamen (me judice 1806), 1 [n. n.].
or Ceropacha (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua, 1775.
or Cymatophora (D. & S.), F. Treitschke, Schmett. Europa, V (1) 1825, 98.—Noctua, 1775.
or Palimpsestis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 237.—Noctua, 1775.
or Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 320.
or Tethea (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 65.—Noctua, 1775.
ora Perasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 268.—Phalaena, 1776.
Oracanthus J. L. R. Agassiz, Poiss. Foss. III., 13 (1837); & 13 "carton" (1844).—P.
oral Pteromys, S. R. Tickell, Calcutta Journ. Nat. Hist. II (7) Oct. 1841, 401.
oralis Adia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 558.
oralis Chortophila (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 323.—Adia.
orampes Saxicola, C. L. Brehm, Isis, 1828, 1282 [n. n.]; Handb. Nat. Vögel Deutschl. 1831,
 409 [crampes].
orana Episema, H. Lucas, Explor. Algér. (Artic. III.) 1849, 384.
orana Zygaena, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.)
oranaria Chesias, H. Lucas, Explor. Algér. (Artic. III.) 1849, 393. [1836, 145.
oranga Cinnyris, W. Macgillivray, Edinb. Journ. N. H., May 1836, 45.
oraniensis Ancyla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 294.
oraniensis Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 245.
oraniense Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
 361.
oraniensis Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 39.
oraniensis Celonites, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 586.
oraniensis Ceramius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 591.
oraniensis Chrysis, Le Peletier in H. Lucas, Explor. Algér. (Artic. III.) 1849, 308.
oraniensis Dicyrtoma, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 255.
oraniensis Eucera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 123.
oraniensis Hersilia, H. Lucas, Explor. Algér. (Artic. I.) 1846, 129.
oraniensis Meliturga, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 142.
oraniensis Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 287.
oraniensis Myzina, H. Lucas, Explor. Algér. (Artic. III.) 1849, 284.
oraniensis Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 640.
oraniensis Olios, H. Lucas, Explor. Algér. (Artic. I.) 1846, 201.
oraniense Pemphredon, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
oraniense Phalangium, H. Lucas, Explor. Algér. (Artic. I.) 1846, 301. [97.
oraniensis Phileremus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
oraniensis Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 144. [512.
oraniensis Scolopendra, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 287.
oraniensis Trachytes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
oraniensis Typhlopona, H. Lucas, Explor. Algér. (Artic. III.) 1849, 302. [253.
oranula Lycaena, C. F. Freyer, Neuere Beitr. Schmett. V (76) 1845, 120.
Orasius L. Oken, Lehrb. Nat. III (2) 1816, 744.—M. [non "Gattung," Oken].
Orasius A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 587 [? ex Oken].

- orasya** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 27 [*n. et f.*].
- orasia** Hylesia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 186.—Phalaena, 1782.
- orasis** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 741.
- oratorius** Gonatopus, J. O. Westwood, Mag. Nat. Hist. VI. Nov. 1833, 496.
- oratoria** Hemerodromia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822,
- oratoria** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 614. [63.—Tachydromia.
- oratoria** Squilla, W. de Haan in Siebold, F. Japon. (Crust. 1849), 223.
- oratoria** Tachydromia, C. F. Fallen, Empidiae Svec. (1) 1815, 11.
- Oratoscelis** A. Guénée, Ann. Soc. Ent. France, X (3) Nov. 1841, 231.—Lep.
- Orattrina** G. de Natale, Su pochi Crost. Messina, 1850.—Cr.
- orata** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 932.
- oratus** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 153.
- oravitzensis** Scorpius, C. L. Koch, Die Arachniden, X (1) 1842, 17.
- orbator** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 558.
- orbatus** Bibio, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 78.
- orbata** Crocisa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 452.
- orbatus** Dilophus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 77.
- orbata** Feronia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 386.
- orbata** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 141.
- orbata** Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 339.
- orbata** Pomacea, G. Perry, Conchology, Ap. 1811, pl. 38.
- orbata** Pterostichus (Newm.), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 348.—Feronia.
- orbata** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 336.
- Orbellia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 656.—
- orbella** Cyclostoma, Lamarck, An. s. vert. VI (2) 1822, 148. [Dipt.
- orbellus** Cyclotus (Lam.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 9.—Cyclostoma.
- Orbicella** A. d'Orbigny, C. R. Acad. Sci. (Paris) XXV. Aug. 1847, 269.—Br.
- Orbicella** J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 204.—Cor.
- orbicollis** Agonum, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 423.
- orbicollis** Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 68.
- orbicollis** Cephalostenus, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (19) Nov. 1836,
- orbicollis** Necrophorus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 177. [151.
- orbicollis** Philochthus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 14.
- orbicollis** Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 362.
- orbicribrata** Polypora, A. Keyserling, Wiss. Beob. Petschora, 1846, 189.
- Orbicula** G. B. Sowerby, I., Trans. Linn. Soc. XIII (2) 1822, 465.—Br. [=Discina].
- orbicularis** Acanthinion (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 499.—
Chaetodon, 1775.
- orbicularis** Acanthurus, Quoy & Gaimard in Cuvier & Valenc., H. N. Poiss. X. 1835, 237.
- orbicularis** Acardo, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 63.
- orbicularis** Agama (L.), F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 406.—Lacerta,
1758. [Goniatites.
- orbicularis** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—
- orbiculare** Agathidium (Hbst.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829,
181.—Tetratoma, 1792.
- orbicularis** Altica, Ziegler; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- orbicularis** Ambonychia (Emm.), J. Hall, N. H. New York (Pal. I.) 1847, 164.—Pterinea.
- orbicularis** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840,
142.—Goniatites.
- orbicularis** Ancyclus, F. Held, Isis (Oken), 1837, 305.
- orbicularis** Anisotoma, Gyll.; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].
- orbicularis** Anomalina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 282 [*n. n.*].
- orbicularis** Apogon, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828, 155.
- orbicularis** Arachnoides, C. F. Schumacher, Essai Vers test. 1817, 85.
- orbicularis** Arthemis, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 19.
- orbicularis** Astarte, J. De C. Sowerby, Min. Conch. V. 1824, 64*.
- orbicularis** Astarte, J. De C. Sowerby, Min. Conch. VI. 1826, 35.

- orbicularis Atrypa, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 637.
- orbicularis Avicula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 635.
- orbicularis Brachyrhinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 164.—
- orbiculare Buccinum, G. Perry, Arcana, 1811, sign. Gg5. [Curculio, ?Herbst, 1795.
- orbicularis Caelostoma (Fab.), A. Brullé, H. N. Ins. V (Col.) 1835, 294.—Hydrophilus, 1775.
- orbicularis Calotes (Agama) (L.), B. Merrem, Tent. Syst. Amph. 1820, 53.—Lacerta, 1758.
- orbicularis Cantharus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 331.
- orbicularis Caratomus, L. Agassiz, Cat. Ect. Ech. 1840; Mon. Ech. III. 1842, 38.
- orbicularis Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—Cardium.
- orbicularis Cardita (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 188.—Venericardia.
- orbicularis Cardita, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 144.
- orbiculare Cardium, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 12 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 56.
- orbiculare Cardium (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 242.—Cardita.
- orbicularis Centrostrea, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 419.
- orbicularis Ceromya (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 48.—Iso-
- orbicularis Cetra, C. v. Heyden, Isis (Oken), 1826, 612. [cardia.
- orbicularis Chrysomela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 81 [*n. n.*].
- orbicularis Cilibe, F. de Brême, Ess. Cossyph. (1) 1842, 51.
- orbicularis Clypeus, J. Phillips, Geol. Yorksh. I. 1829, 144 [*n. et f.*].
- orbiculare Colonotum (Fab.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 214.—Hydrophilus, 1775.
- orbicularis Crassatella, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 141; Rep. trav. Soc. stat. Marseille, VI., 213.
- orbicularis Cucullaea, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 78.
- orbicularis Cyclas (Roem.), G. A. Goldfuss, Petref. German. II (7) 1840, 231.—Cyrena.
- orbiculare Cyclonotum (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 246.—Hydrophilus, 1775.
- orbicularis Cyclosaurus (Daud.), J. Wagler, Isis (Oken), 1833, 894.—Agama, 1802.
- orbicularis Cyphon (Panz.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 323.—Altica, 1793.
- orbicularis Cyprina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 73.
- orbicularis Cyrena, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 115.
- orbicularis Cyrena, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 81.
- orbicularis Cythere, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 167.
- orbiculare Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 349.
- orbicularis Dithyrocaris, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 316.
- orbicularis Dolabra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 66.
- orbicularis Echinanthus, G. A. Goldfuss, Handb. Zool. (1) 1820, 171.
- orbicularis Echinoneus, C. F. Schumacher, Essai Vers test. 1817, 87.
- orbicularis Echinoneus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 144.
- orbicularis Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 137.
- orbicularis Entedon (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 280.—Elachestus.
- orbicularis Erycina, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 43. [Terebratula.
- orbicularis Eudesia (Sow.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 144.—
- orbicularis Forulina, Schafhaeutl, Geogn. Unters. südbay. Alpengeb. 1850, 45.
- orbicularis Goniaticites, G. v. Muenster, Die Planuliten, 1832, 26.
- orbicularis Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278.
- orbicularis Helix, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) (*post* Mar.) 1846, 71.
- orbicularis Hemiaster, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 57.
- orbicularis Hemipronites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 76. [1788.
- orbicularis Hydatula (Schr.), F. v. P. Schrank, F. Boica, III (2) 1803, 224.—Vesicaria,
- orbicularis Hydrobius (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 132.—Hydrophilus, 1775. [1758.
- orbicularis Hydrone (L.), C. S. Rafinesque, Specchio d. Sci. II (9) Sept. 1814, 66.—Testudo,
- orbiculare Hymenosoma, Latreille in A. G. Desmarest, Consid. gén. Crust. 1825, 163.

- orbicularis Inoceramus, G. A. Goldfuss, Petref. German. II (5) 1836, 117.
- orbicularis Inoceramus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 77.
- orbicularis Isocardia, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 107.
- orbicularis Kellia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- orbicularis Lagana (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 196.—Echinodiscus, 1778.
- orbiculare Laganum (Leske), L. Agassiz, Mon. Ech. II. 1841, 120.—Echinodiscus, 1778.
- orbiculare Leachium (Desm.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 68.—Hymenosoma.
- orbicularis Leiodes (Kug.), W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 139.—Volvoxis, 1794. [1795.]
- orbicularis Loborhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 165.—Curculio, Herbst.
- orbicularis Lottia (Quoy), Catlow & Reeve, Conch. Nomen. 1845, 99.—Patelloida.
- orbicularis Lucina, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 95.
- orbicularis Lucina, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- orbicularis Lucina (Mont.), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 62.—Venus, L. 1758.
- orbiculare Lyrodon (Bronn), G. A. Goldfuss, Petref. German. II (6) 1837, 196.—Myophoria.
- orbicularis Malleus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 87.
- orbicularis Meandrina, DeFrance, Dict. Sci. Nat. XXIX. 1823, 377.
- orbiculare Monostoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 83.
- orbicularis Myophoria, H. G. Bronn, Lethaea Geogn. I (2) 1835, 174.
- orbicularis Nautilus, F. A. Roemer, Verst. Harzgeb. 1843, 33.
- orbicularis Notaspis, C. L. Koch, Deutsch. Crust., heft 27, 1839, tab. 24.
- orbicularis Nucleolites, Grateloup, Actes Soc. Linn. Bordeaux, VIII (46) 1836, 180.
- orbicularis-maxima Nummulites, Schafhaeutl, N. Jahrb. f. Min. 1846, 419.
- orbicularis Oribates, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 6.
- orbicularis Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 611.
- orbicularis Orthis (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 17.—Atrypa.
- orbicularis Ostrea, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxiv.
- orbicularis Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 159.
- orbicularis Otiorhynchus (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 348.—Curculio,
- orbicularis Pachygaster, Fab.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*]. [1795.]
- orbicularis Paludina (Sow.), H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) X. 1838, 210.—Phasianella.
- orbicularis Patelloida, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- orbicularis Pecten, J. Sowerby, Min. Conch. II. 1817, 193. [363.]
- orbicularis Pecten, G. B. Sowerby, II., Thes. Conch. I (2) ante 2 Nov. 1842, 57.
- orbicularis Pecten, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, orig. pl. xiv, f. 8.
- orbicularis Peneroplis, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 286 [*n. n.*].
- orbicularis Pentatremites, G. B. Sowerby, I., Zool. Journ. V (20) 1832-34 [post Ap. 1835], 456.
- orbicularis Pentremites, Gilbertson in J. Phillips, Geol. Yorksh. II. 1836, 207.
- orbicularis Phasianella, J. Sowerby, Min. Conch. II. 1817, 167.
- orbiculare Phrynosoma, A. F. A. Wiegmann, Isis (Oken), 1828, 367.
- orbicularis Platax (Forsk.), H. Cloquet, Dict. Sci. Nat. XLI. 1826, 263.—Chaetodon, 1775.
- orbicularis Pododus (Burm.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 101.—Sciocoris.
- orbicularis Posidonia, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 120.
- orbicularis Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 89.
- orbicularis Psammobia (Wood), G. P. Deshayes, Magasin de Zool. (2) I. 1839, pl. 7.—Solen o—latus.
- orbicularis Psammodus, Plieninger in Meyer & Plien., Beitr. Pal. Württ. 1844, 117.
- orbicularis Pterinea, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 397.
- orbicularis Pterinea, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 21.
- orbicularis Pycnodus (Volta, ex Bloch), J. L. R. Agassiz, Poiss. Foss. II (1), 17 (1833); II (2), 190 (1844).—Diodon, 1785.

- orbicularis Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].
- orbicularis Rachava, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 115.
- orbicularis Raja, J. G. Schneider, Bloch, Syst. Ichth. 1801, 361.
- orbicularis Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 288.
- orbicularis Rosalina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 407.—Rotalia.
- orbicularis Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 274 [*n. n.*].
- orbicularis Sciocoris, H. Burmeister, Handb. Ent. II (1) 1835, 373. [Altica, 1793.
- orbicularis Scirtes (Panz.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 2.—
- orbicularis Scutella (Gm.), Lamarck, An. s. vert. III. 1816, 11.—Echinus, 1790.
- orbicularis Scyrtes (Panz.), Dejean, Catal. Coléopt. 1821, 35.—Altica, 1793.
- orbicularis Soldania, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281.
- orbiculare Sphaeridium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 32 [*n. n.*].
- orbicularis Spiroloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 298 [*n. n.*].
- orbicularis Spiroloculina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 376.
- orbicularis Stellio (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 26.—
Lacerta, 1758.
- orbicularis Stilicus (Payk.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 523.—
Paederus, Ol. 1795.
- orbicularis Strophodus (Mey.), C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 330.—Psam-
- orbicularis Terebratula, J. De C. Sowerby, Min. Conch. VI. 1826, 68. [modus.
- orbicularis Terebratula, C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 52.
- orbicularis Tetragonopterus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 138.
- orbicularis Triloculina, F. A. Roemer, N. Jahrb. f. Min. 1838, 393.
- orbicularis Triloculina, J. L. Neugeboren, Ber. Mitth. Fr. Nat. Wien, VII. 1850, 184.
- orbicularis Trygonobatus (Schn.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July),
- orbicularis Venericardia, J. De C. Sowerby, Min. Conch. V. 1825, 145. [120.—Raja
- Orbicularius A. M. C. Duméril, Zool. Anal. 1806, 170.—Br.
- orbicularia Cabera (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 438.—Geo-
metra, 1796.
- orbicularia Cyclophora (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—
Geometra, 1796.
- orbicularia Ephyra (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
(Noct. 5, pt. 1) 1830, 38.—Geometra, 1796.
- orbicularia Leucophthalmia, J. Huebner, Verz. bekannt. Schmett. 1825, 302.—Geo-
- orbiculator Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 15. [metra, 1796.
- orbiculatum Achilleum, C. F. A. Morren, Ann. Ac. Groning. 1828, 15.
- orbiculatum Agathidium, Gyll.; Dejean, Catal. Coléopt. 1821, 129 [*n. n.*].
- orbiculata Akis, J. C. Fabricius, Syst. Eleuth. I. 1801, 137.—Pimelia, 1775.
- orbiculatum Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] ante Sept. 1815, 167.
- orbiculata Amnicola, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 34.
- orbiculata Amphidesma, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 307.
- orbiculata Andrena, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 76 [*n. n.*].
- orbiculatum Anisotoma (Herbst), L. Gyllenhal, Ins. Suecica, I (2) 1810, 574.—Tetratoma
- orbiculata Anomia, G. Brocchi, Conch. Subap. 1814, 466. [o—aris, 1792.
- orbiculatus Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 204.
- orbiculatus Arpidiphorus (Gyll.), Dejean, Catal. Coléopt. 1821, 47.—Nitidula.
- orbiculatus Atax (Müll.), J. C. Fabricius, Syst. Antliat. 1805, 371.—Hydrachna, 1776.
- orbiculata Avicula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 202.
- orbiculata Boa, J. G. Schneider, Hist. Amph. II. 1801, 276.
- orbiculatum Buccinum, G. Brocchi, Conch. Subap. 1814, 647.
- orbiculatus Callisthenes (Motsh.), E. Ménétriés, Bull. Phys. Math. Ac. Imp. Sci. St
Petersb. I (22) Ap. 1843, 346.—Carabus, Vict.
- orbiculatus Capulus, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 2.
- orbiculatus Carabus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 88.
- orbiculatus Carinaropsis, J. Hall, N. H. New York (Pal. I.) 1847, 306.
- orbiculata Cassidaria (Br.), A. Risso, H. N. Europe, IV. 1826, 185.—Buccinum.
- orbiculata Cassis, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 146 [*n. n.*].
- orbiculata Cellepora, G. A. Goldfuss, Petref. German. I (1) 1826, 28.

- orbiculata Cerberus (Schn.), G. Cuvier, R. Anim., ed. 2, II. 1829, 81.—Boa.
 orbiculata Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 40.—Cellepora, 1826.
 orbiculata Ceriopora, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 22 [*n. n.*].
 orbiculata Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 200. [? Venus.
 orbiculata Circe (Mont.), W. Clark, Ann. Mag. N. H. (2) IV. Sept. 1849, 184.—Lucina,
 orbiculata Cyclemys, T. Bell, Proc. Zool. Soc. London, II (15) June 1834, 17.
 orbicolatus (*sic*) Cyphon, J. C. Fabricius, Syst. Eleuth. I. 1801, 503.
 orbiculata Cypricardia (Orb.), d'Archiac, Mém. Soc. géol. France, II (2) 1837, 189.—
 Coralliophaga, ? MS.
 orbiculata Cyprina (Mont.), W. Turton, Conch. Insul. Brit. 1822, 138.—Venus.
 orbiculata Cytherea (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 446.—Venus.
 orbiculata Dentellaria (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 35.—Helix.
 orbiculata Diastopora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25.—
 Cellepora.
 orbiculatum Dolium (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 529.—Buc-
 cinum.
 orbiculatus Elodes (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 391.—
 orbiculatus Eryon, G. v. Muenster, Beitr. zur Petref. (2) 1839, 7. [Cyphon.
 orbiculata Eurytoma, T. Say, Boston Journ. N. H. I (3) 1836, 272.
 orbiculata Exoleta, T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 2.
 orbiculata Haltica (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Chrysomela.
 orbiculatus Helcion (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 9.—
 Carinaropsis.
 orbiculata Helicina (Say), J. E. Gray, Zool. Journ. I (1) Mar. 1824, 70.—Olygyra.
 orbiculata Helix (*ex* Fér.), W. Wood, Suppl. Index Test. 1828, 20 [*n. et f.*].
 orbiculata Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 36 [*n. et f.*].
 orbiculatus Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 866.
 orbiculatus Ixodes, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 76.
 orbiculata Lenticulites, Lamarck, Ann. Mus. H. N. (Paris) V (27) Nov. 1804, 188.
 orbiculatus Limnaeus, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 97.
 orbiculatus Lithodomus (Arch.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 293.—
 orbiculatus Mitylus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 166. [Cypricardia.
 orbiculata Nitidula, L. Gyllenhal, Ins. Suecica, I. 1808, 242.
 orbiculata Olygyra, T. Say, J. Acad. Nat. Sci. Philad. I (10) June 1818, 283.
 orbiculata Orthys, T. Brown, Ill. Foss. Conch. G. B. I. (24, 25) 1845, 118.—O. orbicularis,
 orbiculatus Ostracites, E. F. v. Schlotheim, Die Petref. 1820, 236. [Sow.
 orbiculatum Palaeobalistum, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 339.
 orbiculatus Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 97.
 orbiculatus Pentamerus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 93.
 orbiculata Pholadomya, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 132.
 orbiculata Planularia, F. A. Roemer, N. Jahrb. f. Min. 1842, 273.
 orbiculatus Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 490.
 orbiculatus Pygurus (Leske), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 162.—
 Echinanthites, 1778. [1792.
 orbiculatus Rugilus (Fab.), J. Curtis, Brit. Entom. IV (42) June 1827, no. 168.—Paederus,
 orbiculatus Scirtes (Fab.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 6.—
 orbiculatus Scyrtes (Fab.), Dejean, Catal. Coléopt. 1821, 35.—Cyphon. [Cyphon.
 orbiculatus Solen, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*].
 orbiculatum Sphaeroderma (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831,
 329.—Chrysomela.
 orbiculata Stomatella, A. Adams, Proc. Zool. Soc. London, XVIII (202) Nov. 12, 1850, 31.
 orbiculata Tellina, S. A. Renier, Tavole [1804] v [*n. n.*].
 orbiculata Tentyria (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 170.—Akis.
 orbiculata Terebratula, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 52.
 orbiculata Timarcha, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 202.
 orbiculatus Unio, S. P. Hildreth, Amer. J. Sci. XIV (2) July 1828, 284.
 orbiculata Uropoda, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 259.

- orbiculatus** Venulites, E. F. v. Schlotheim, Die Petref. 1829, 196.
- orbiculata** Venus, G. Montagu, Test. Brit. Suppl. 1808, 42.
- Orbiculina** Lamarck, Ency. Méth. (Vers) 1816, pl. 468, Liste, p. 14.—Rh. [*non* 1808, 1812,
- Orbiculina** L. Reeve, Conch. Syst. II. 1842, 288 [=Orbulina]. [*apud* Agassiz].
- Orbiculites** F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 195.—? Cor.
- Orbiculoidea** A. d'Orbigny, C. R. Acad. Sci. (Paris) XXV. Aug. 1847, 269.—Br.
- orbiculoides** Ostrea, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 61.
- orbiculosa** Miselia (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Bombyx,
- Orbiculus** J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 58.—L. [1799.
- orbiculus** Acrocera (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 97.—
Syrphus, 1787.
- orbiculus** Aganides (Beyr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 60.—
- orbiculus** Ammonites, H. E. Beyrich, De Goniatis, 1837, 12. [Ammonites.
- orbiculus** Arca, E. Eichwald, Zool. Spec. I. 1829, 288.
- orbiculus** Bellerophon (Euphemus), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland,
- orbiculus** Cellepora, E. Eichwald, Nat. Lithuaen, 1830, 190. [1844, 26.
- orbicula** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 428.
- orbicula** Coccinella, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 205.
- orbiculus** Cryptogonus (Gyll.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 945.—
Coccinella.
- orbiculus** Goniatis (Beyr.), d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI (2)
1842, 383.—Ammonites.
- orbicula** Helicella (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.—Helix.
- orbicula** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 6.
- orbicula** Helix, Hutton & Benson, J. Asiat. Soc. Bengal, VII. 1838, 217. [1787.
- orbiculus** Henops (Fab.), J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 152.—Syrphus,
- orbiculus** Leucosia (Fab.), A. White in Dieffenbach, Trav. N. Z. II. 1843, 266.—Cancer,
- orbiculus** Pectunculus, E. Eichwald, Paleont. Rossii, 1850, 52. [1775.
- orbiculus** Planorbis, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 17.
- orbiculus** Sorites, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 134.
- orbiculus** Tubulipora, Lamarck, An. s. vert. II. Mar. 1816, 163.
- orbiculus** Tubulipora, Lamarck, Ency. Méth. (Vers) 1816, pl. 479, Liste, p. 15 [*n. et f.*].
- Orbidus** C. S. Rafinesque, Analyse, 1815, 90.—P. [*n. n.*].
- orbifera** Hesperia (Huebner), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 782.—Papilio.
- orbifer** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 220.
- orbifer** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 161 (Fernaldo judice 1823)
[*n. et f.*].
- orbifer** Syrictus (God.), J. A. Boisduval, Ic. hist. lepidopt. Europe, I (21 & 22) 1834, 237.—
- orbigera** Azya, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 930. [Hesperia..
- Orbignina** Freyer, Ber. Mitth. Fr. Nat. Wien, VI. 1849, 10 [*n. n.*].—Rh.
[orbigny→].
- orbignyana** Acanthoteuthis, G. v. Muenster, Beitr. zur Petref. (7) 1846, 62.
- orbignyana** Acteonina (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
187.—Fusus. [116.—Goniatis..
- orbignyanus** Aganides (V. M. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- orbignyanus** Ammonites, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 114.
- d'orbignyanus** Ancyloceras, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 265; Rep.
trav. Soc. stat. Marseille, VI., 337.
- orbignyana** Arca (Math.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 242.—
Cucullaea.
- orbignyana** Arca, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
- orbignyana** Astrocoenia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848,
- orbignyanus** Belemnites, Duval-Jouve, Bélem. Castellane, 1841, 65. [297.
- orbignyana** Belemnosepia (Muenst.), A. d'Orbigny, Moll. viv. et foss. [1846], 438.—
Geoteuthis.
- orbignyanus** Brachycyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May
- orbignyana** Bulla, A. Férussac, Dict. Class. H. N. II. 1822, 575. [1848, 296,
- orbigny anum** Cardium, d'Archiac, Mém. Soc. géol. France [2] II (1) 1846, 209.

- orbignyana Catenipora, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 288.
- orbignyanus Chalceus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 249.
- orbignyana Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- d'orbignyana Cidaris, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 270.
- orbignyanus Clavipalpus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 120.
- orbignyanus Conger, A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 10.
- d'orbignyana Cucullaea, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 161; Rep. trav. Soc. stat. Marseille, VI., 233.
- orbigniana Cypraea, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [vero propius 1847], Porcellaines, pl. ii.
- orbignyanum Diadema, H. G. Cotteau; A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 27.
- orbignyanus Discotrochus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- orbignyanus Dysaster, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 366. [252.
- orbignianus Evaniosomus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834,
- orbignianus Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 131. [14.
- orbignyana Favosites, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 162.
- orbignyanus Fusus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 142.
- orbignyana Galerites, L. Agassiz, Cat. Ect. Ech. 1840; Mon. Ech. III. 1842, 22.
- orbignyana Geoteuthis, G. v. Muenster, Beitr. zur Petref. (6) 1843, 72.
- orbignyanus Goniatites, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 375.
- orbignyana Gualtieria, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 10.
- d'orbignyana Hamites, E. Forbes, Proc. Geol. Soc. London, IV. 1844, 392. [Hamites.
- orbignyana Hamulina (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 102.—
- d'orbignyanus Harpes, J. Barrande, Nouv. Trilob., Suppl. à Not. prél. Silur. 1846, 19.
- d'orbignyana Helix, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 198; Rep. trav. Soc. stat. Marseille, VI., 270.
- orbignyana Isocardia, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 305.
- d'orbignyana Lima, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 182; Rep. trav. Soc. stat. Marseille, VI., 254.
- d'orbignyana Litorina, R. A. Philippi, Abb. Conch. II (6) 1847, 162.
- orbignyana Lucina, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 371.
- orbignianus Murex, A. Risso, H. N. Europe, IV. 1826, 193.
- orbignyanus Myletes, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 220.
- orbignyana Narica, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 6. [420.
- dorbignyanus Nasica, Pucheran & De Lafresnaye, Rev. et Mag. de Zool. (2) II. Aug. 1850,
- d'orbignyanus Nautilus, E. Forbes in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 265.
- orbigniana Nerinea, Zejszner, Roczn. tow. nauk Jagiell. Univ. Zlaczon. 1849 (2), 261.
- orbignyana Nerita, S. Petit, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 108.
- orbignyanus Omoiotelus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 510.
- orbigniana Panopaea, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847,
- orbignyana Pellona, Cuvier & Valenc., H. N. Poiss. XX. 1847, 302. [407.
- orbignyanus Peneus, Latreille, N. Dict. H. N., ed. 2, XXV. 1817, 155.
- orbignyanus Pentatremites (Kon.), H. G. Bronn, Index Pal. 1848, 946.—Pentremites.
- orbignyanus Pentremites, L. G. de Koninck, Descr. Anim. foss. (1) Sept. 1841, 37.
- d'orbignyanus Picumnus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Jan. 1845, 7.
- orbignyana Platessa, A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 10.
- orbignianum Platystoma, Cuvier & Valenc., H. N. Poiss. XV. 1840, 12. [1842, 359.
- orbignyana Pleurotomaria, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI.
- orbigniana Pleurotomaria, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 402.
- orbignyana Pleurotomaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 96.
- orbignyanus Productus, L. G. de Koninck, Rech. Anim. foss. (1) post June 1847, 152.
- orbignanus Rhyncholithus, G. v. Muenster, Beitr. zur Petref. (1) 1839, 51.
- orbignyana Rostellaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849,
- orbignyanus Salminus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 65. [113.

- orbignyana Saturnia, F. E. Guérin-M., Iconographie, 1844, Ins., 507.
 orbignyana Terebratula, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 175.
 orbignyanus Tetragonopterus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 147.
 orbignyianus Thinocorus, Geoffr. & Less.; G. R. Gray, Gen. Birds, III. May 1845, 521.
 orbignyianus Tinochorus, Is. Geoffroy & R. P. Lesson, Cent. Zool. (4-12) ante Mar. 1831,
 orbignyana Uvigerina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 147. [137.
 orbigniana Venus, E. Forbes, Q. J. Geol. Soc. London, I. 1845, 240.
 orbignyana Waldheimia, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt.
 [orbignyi.] [IV. 1846, 665.
 d'orbignyi Alurnus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 231 [= 331].
 d'orbigni Apiopterina, A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 311.
 orbignyi Artemis (Cytherea), W. Dunker, Zeitschr. f. Malakozool., Nov. 1845, 167.
 d'orbignii Bachia (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 58.—Chalcides.
 d'orbignii Balanus, J. C. Chenu, Illustr. Conch. I (12 & 13) 1843, pl. 4; (16) 1843, pl. 6
 [n. et f.].
 d'orbignii Bellerophon, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 401.
 d'orbignyi Buccinum, B. C. Payraudeau, Cat. Moll. Corse, 1826, 159.
 dorbignyi Bufo, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 697.
 d'orbignyi Bulimina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 38.
 orbignyi Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 31.
 orbignyi Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 130; II. 30.
 orbignyi Cancellaria, H. D. de Blainville, Faune Française (20) Malac. 1829, 140.
 d'orbignii Caprinula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 180.
 d'orbignyi Catagramma, F. E. Guérin-M., Iconographie, 1844, Ins., 485.
 dorbignyi Chalcides, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 462.
 d'orbignyi Chilophryne (Tsch.), L. Fitzinger, Syst. Rept. 1843, 32.—Bufo, ? D. & B.
 orbignyi Clemmys, L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—? Emys, D. & B.
 d'orbignyi Colobogaster, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 153.
 orbignyi Conus, Audouin, Magasin de Zool. I. 1831, 20.
 d'orbignyi Cophias (D. & B.), L. Fitzinger, Syst. Rept. 1843, 22.—Chalcides.
 d'orbignyi Crioceris, F. E. Guérin-M., Iconographie, 1844, Ins., 263.
 orbignyi Cristellaria (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.—
 Peneroplis.
 d'orbignii Cubina (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 175.—Gymno-
 d'orbignyi Cyathophyllum, Castelnau, Ess. Silur. Amér. sept. 1843, 49. [dactylus.
 orbignyi Cytherea (Dunk.), R. A. Philippi, Abb. Conch. II (8) 1847, 230.—Artemis.
 d'orbignyi Desmodus, G. R. Waterhouse, Zool. "Beagle" (Mamm. 1838), 1.
 orbignii Diacria (Rang), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 10.—Hyalaea.
 orbygnii (sic) Diglossa (Boiss.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 401.—
 Uncirostrum.
 dorbigni Emys, Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 272.
 d'orbignyi Erotylus (Omoiotelus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841,
 orbignyi Galerita, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 11. [119.
 dorbignii Gymnodactylus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July
 1836, 418.
 orbignyi Hadrophyllum, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850,
 d'orbignyi Heilipus, F. E. Guérin-M., Iconographie, 1844, Ins., 153. [p. lxxvii [n. n.].
 orbignyi Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849, 123.
 orbignyi Helix, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 59.
 dorbignyi Hemidactylus, L. Fitzinger, Syst. Rept. 1843, 105.
 orbignii Hiella, H. Strauss-D., Mém. Mus. H. N. (Paris) XVIII [1] extremo 1829, 66.
 dorbignyi Homarus, J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 118.
 orbignii Hyale, P. S. Rang, Ann. Sci. Nat. XVI (64) Ap. 1829, 496.
 orbignii Hyalea, P. S. Rang, Mém. Soc. H. N. Paris, III (3) Oct. 1827, 383.
 orbignyi Hyboma, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 156.
 d'orbignyi Hylocharis (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—Trochilus.
 orbignyi Ichthyophilus, F. E. Guérin in Bory de St V., Exp. Morée (Crust.) 1832, 47.
 d'orbignii Labidus, W. E. Shuckard, Ann. Nat. Hist. V. June 1840, 259.

- orbigny** Lamia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 134.
dorbigny Larus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 271.
orbigny Lema (Guér.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 495.—
 Crioceris.
d'orbigny Lombrineris (*sic*), Audouin & Edwards, Ann. Sci. Nat. XXVIII (111) Mar. 1833,
orbigny Monedula, F. E. Guérin-M., Iconographie, 1844, Ins., 437. [240.
orbigny Neda, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 280.
orbignii Operculina, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 54.
orbigny Orthos, T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 320.
orbigny Padoelus (Aud.), O. G. Costa, Fauna Regno Napoli, Moll., Scudibranchi, 8
 (Oct. 1838).—Scissurella.
d'orbigny Pantodactylus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov.
 1839, 431.
d'orbignii Peneroplis, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 47.
orbignii Perisama (Guér.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
 (1849), 242.—Catagramma.
orbigny Phengodes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 725.
d'orbignii Planulina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 98.
orbignii Plectrophorus, A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 87.
d'orbignii Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 359, Ap. 1846.
d'orbignii Purpura, L. Reeve, Conch. Icon. III.—Purpura, no. 32, Aug. 1846.
dorbignii Rissoa, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 36.
dorbignii Scissurella, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 42.
d'orbignii Scorpio, F. E. Guérin-M., Iconographie, 1844, Arach., 10.
orbigny Serolis, Audouin & H. M. Edwards, Archives Mus. H. N. (Paris) II [1] ? 1840,
d'orbignii Sissurella, A. Scacchi, Cat. Conch. Neap. 1836, 16. [25.
orbignii Spirifer, J. Morris & D. Sharpe, Q. J. Geol. Soc. London, II. 1846, 276.
orbigny Sypilus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 277.
orbignii Taxocrinus, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 289.
orbigny Toxoceras, Baugier & Sauzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 130.
d'orbignii Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 23.
orbigny Trigona, F. E. Guérin-M., Iconographie, 1844, Ins., 463.
d'orbignii Trochilus, Bourcier & Mulsant, Ann. Sci. Soc. Agric. Lyon, IX. 1846, 320.
d'orbignii Uncirostrum, Boissonneau, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 5.
orbigny Unio, Deville & Huppé, Rev. et Mag. de Zool. (2) II. Dec. 1850, 643.
orbigny Xantho, H. Milne-Edw. & H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844,
dorbignii Zemina, Laporte & Gory, H. N. Coléopt. II. 1838, 3. [14.
Orbignyna F. v. Hagenow, N. Jahrb. f. Min. 1842, 573.—Rh.
orbilius Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 736.
orbilius Turbo, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 77.
Orbinia *rectius* Orbignya, *v. et* Dorbinia.
Orbis P. L. S. Mueller, Del. Nat. II. 1767, 141.—P.
Orbis Schroeter, Journ. f. d. Liebh. Steinr. III. 1776, 10.—G. [? valid; *teste* Herrm.].
Orbis G. Fischer de W., Zoognosia, ed. 3, I. 1813, 70.—P.
Orbis de Blainville (*ex* Auctt.), Dict. Sci. Nat. XXXVI. 1825, 294.—L.
Orbis I. Lea, Contrib. to Geol. 1833, 123.—G.
orbis Acmaea (Roem.), A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 41.—Patella.
orbis Brachionus (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 149.—Cercaria,
orbis Callidryas, P. Poey, Cent. Lepidopt. Cuba (1) Ap. 1832. [1776.
orbis Callidryas, Boissduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 630.
orbis Dapedius, J. L. R. Agassiz, Poiss. Foss. II (1), 218 (1836).
orbis Ehippus (Bl.), G. Cuvier, R. Anim. II. 1817, 335.—Chaetodon, 1787.
orbis Furcocerca (Müll.), Lamarck, An. s. vert. I. 1815, 448.—Cercaria, 1776.
orbis Glyptolepis, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 832.
orbis Helcion (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 232.—Patella.
orbis Helicopsis, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 2, & "sp. nov.," 2.
orbis Heniochus, J. Minding, Lehrb. Naturg. Fische, 1832, 113. [Chaetodon, 1787.
orbis Ilarches (Bloch), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1142.—

- orbis** Lecane (Müll.), Nitzsch in Ersch & Gruber, Allg. Ency. XVI. 1827, 69.—Cercaria, 1776.
- orbis** Patella, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 76.
- orbis** Receptaculites, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 203.
- orbis** Trichocerca (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 746.—Cercaria, 1776.
- orbita** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 399.
- orbita** Cardium, G. B. Sowerby, I., Proc. Zool. Soc. London, I (7) Sept. 1833, 83.
- orbita** Scenopinus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 114.
- orbitalis** Alysia, J. Curtis, Guide Brit. Ins. (4) 1829–30, 106 [*n. n.*].
- orbitale** Apion, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 434.
- orbitalis** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 510.
- orbitalis** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 111.
- orbitalis** Curculio, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 177.
- orbitalis** Cyphicerus (Wied.), C. J. Schoenherr, Isis (Oken), 1823, 1144.—Curculio.
- orbitalis** Elleschus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 187.
- orbitalis** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 490.
- orbitalis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 68.
- orbitalis** Odynerus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 173, 1839, p. 15.
- orbitalis** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 35.
- orbitalis** Platylabus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 158.—Ichneumon.
- orbitalis** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 254.
- orbitator** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 91.
- orbitator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.
- orbitator** Megastylus, G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 139.
- orbitatus** Conus, L. Reeve, Conch. Icon.—Conus, no. 156, Oct. 1843.
- orbitatus** Euscarthmus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 958.
- orbitatus** Hoplismenus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 428.
- orbitatum** Todiostrostrum (Wied), G. R. Gray, Gen. Birds, I. Aug. 1846, 257.—Euscarthmus.
- orbitatus** Trilobites, J. Barrande, Not. prélim. Silur. 1846, 78.
- orbitella** Coleophora, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 385.
- Orbitina** A. Risso, H. N. Europe, IV. 1826, 82.—G.
- Orbitis** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 236.—G.
- Orbitoides** Orbigny in Lyell, Q. J. Geol. Soc. London, IV. 1848, 13.—Rh.
- Orbitolina** A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.—Rh.
- Orbitolites** Lamarck, Syst. Anim. 1801, 376.—Rh.
- Orbitolites** Eichwald [*non* Lam.], Zoologia spic. I. 1829, 180; *sic* Scudder, *sed* Orbitulites
- orbitolites** Cyclolites, H. Michelin, Icon. Zoophyt. (1) 1841, 7. [*est*,
- orbitolites** Montlivaltia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.
- Orbitremites** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 65.—Ech. [*n. n.*].
- Orbitula** Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 236.—Moll.
- Orbitulites** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 587, *emend. pro* Orbulites,
- Orbitulites** E. Eichwald, Zool. Spec. I. 1829, 179.—Rh. [p. 555.—Cor.
- orbitulus** Agriades (Prunn.), J. Huebner, Verz. bekannt. Schmett. 1818, 58.—Papilio, 1798.
- orbitulus** Helix (Cochlostyla), G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap. 1841, 103. [Prunn. 1798.
- orbitulus** Lycaena (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 26.—Papilio,
- orbitulus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 170 (Fernaldo judice 1823–33) [*n. et f.*].
- orbitulus** Polyommatus (Esp.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 688.—Papilio, Prunn. 1798.
- Orbona** J. Huebner, Verz. bekannt. Schmett. [1822], 232.—Lep.
- orbona** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 186.
- orbona** Mylothris, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 44.
- orbona** Pieris, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 166.
- orbona** Pieris, J. A. Boisduval, F. Ent. Madagas. (2) 1833, 18.
- orbona** Triphaena (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 102.—Noctua, 1787.

- orbonata** Chimaera, C. F. Freyer, Neuere Beitr. Schmett. IV (59) 1842, 108.
- orbonella** Esperia, J. Huebner, Verz. bekannt. Schmett. 1826, 418.—Tinea.
- orbonella** Stenoptera (Huebner), Duponchel, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 146.—Tinea.
- orbonella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 45 (Fernaldo judice 1811–17)
- orbula** Ammonites, Lamarck, An. s. vert. VII. 1822, 637. [[*n. et f.*].
- Orbulina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 2.—Rh.
- Orbulina** A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 123.—Rh.
- Orbulita** J. Fleming, Hist. Brit. Anim. 1828, 248.—Ceph.
- Orbulites** Lamarck, Syst. Anim. 1801, 100.—Ceph.
- Orbulites** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 555.—Cor.
- orbulites** Anabatia (*sic*) (Lamx.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 321.—
- orbulites** Cyclolithus (Lamx.), H. G. Bronn, Index Pal. 1848, 374.—Fungia. [Fungia.
- orbulites** Fungia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 86.
- orbus** Cryptus, T. Say, Boston Journ. N. H. I (3) 1836, 231.
- orbus** Philonthus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 220.
- orbus** Vates, Illiger in H. Burmeister, Handb. Ent. II (2) i, 1838, 544.
- Orca** J. Wagler, Nat. Syst. Amph. 1830, 34.—M. [Physeteridae].
- Orca** J. E. Gray, Voy. "Ereb. Terr." 1846, 33.—M. [Delphinidae].
- orca** Phocoena (Lacep.), Cuvier, Règne Anim. I. 1817, 279.—Delphinus, 1758. [1777.
- orcas** Antelope, J. R. Forster in Levaillant, Neue Reise Afrika, I. 1796, 352. = oreas, Pall.
- orcas** Antilope, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 183 [= oreas, Pall.].
- orcas** Aphnaeus (Herbst), J. Huebner, Verz. bekannt. Schmett. [1820], 81.—Papilio, Dru. 1782. [Antilope oreas, Pall.
- orcas** Boselaphus (Pall.), Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—
- orcas** Onthophagus, Helfer in Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] V (2 = Sci. Nat. III.) (1 & 2) Ap. 1839, 24.
- orcas** Polyommatus (Dru.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 645.—Papilio, 1782.
- orcas** Thecla (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 46.—Papilio, 1782.
- Orchaestes** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 391.—Col.
- Orchamenus** J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
- orchamus** Epargyreus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—Papilio,
- orchamus** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 486. [1777.
- Orchelimum** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 522.—
- Orchelimum** T. W. Harris, Rep. Insects Massach. 1841, 130.—Orth. [Orth.
- Orchemia** A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 192.—Lep.
- Orchesella** R. Templeton, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 92.—Thys.
- Orchesia** P. A. Latreille, Gen. Crust. Ins. II. 1807, 194.—Col.
- orchesiae** Alysia, F. Boie, Naturhist. Tidsskrift, III (4 & 5) 1841, 315.
- orchesiae** Euphorus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 118 [*n. n.*].
- orchesiae** Leiophron, J. Curtis, Brit. Entom. X (119) Nov. 1833, no. 476.
- orchesides** Onichodon, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 384.
- Orchestes** J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 35 & 76.—R.
- Orchestia** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 402.—Cr.
- orchestis** Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 165.
- orchestis** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 205.
- Orchestoidea** H. Nicolet in Gay, Chili (Crust.) 1849, 229.—Cr.
- Orchestris** W. Kirby in Richardson, F. Bor.-Amer. (4) Oct. 1837, 217.—Col. [*non* 1834,
- Orchidium** *err. pro* Onchidium, Buch.; Gray, Lond. Med. Rep. 1821, 230. [*apud* Agassiz].
- Orchilus** F. O. Morris, The Naturalist, II (9) June 1837, 124.—A.
- Orchilus** J. Cabanis in J. J. Tschudi, Fauna Peru. (Orn.) 1846, 164.—A.
- orchus** Satyrus, E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 30.—orcus, Latr.
- orcini** Brama, Cuvier & Valenc., H. N. Poiss. VII. 1831, 295. [1813.
- orcinus** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 477.
- orcina** Calobata, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 541.

- orcomenus** Murex, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 57.
- Orcula** F. Held, Isis (Oken), 1837, 919.—G.
- Orcula** J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. V (15) May 1846, 229.—
- Orcula** F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 63.—Ech. [Inf.]
- orcula** Helix, W. H. Benson, Ann. Mag. N. H. (2) VI. Oct. 1850, 251.
- Orcus** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 465.—Col.
- orcus** Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 237.
- orcus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 250.
- orcus** Pyrgus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 109.—Papilio, 1780.
- orcus** Pythonides, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*].
- orcus** Satyrus, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 72.
- orcyi** Melolontha, F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 272.
- Orcynus** C. S. Rafinesque, Analyse, 1815, 84.—P. [*n. n.*] = Scomberoides, Lac.
- Orcynus** G. Cuvier, R. Anim. II. 1817, 314.—P. [Scombridae].
- ordi** Ibis, C. L. Bonaparte, List Birds Eur. Amer. 1838, 49.
- ordiana** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 242.
- ordinarius** Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 71.
- ordinarius** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 266.
- ordinata** Boa, J. G. Schneider, Hist. Amph. II. 1801, 260.
- ordinatum** Cardium, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 169.
- ordinata** Chrysomela, Steven in Gebler, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 119.
- ordinatus** Coluber (Hurria), L.; B. Merrem, Tent. Syst. Amph. 1820, 93.—Coluber, 1766.
- ordinatus** Coreus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 318.
- ordinatum** Elaphidion, E. Newman, Entomologist (2) Dec. 1840, 26.
- ordinatus** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- ordinata** Pachyscelis, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 58.
- ordinata** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 389.
- ordinatus** Pterostichus, G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 121.
- ordinatus** Python (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 252.—Boa.
- ordinatus** Tropidonotus (L.), J. E. Holbrook, N. Amer. Herpet., ed. 2, IV. 1842, 45.—
- ordinatus** Trox, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*]. [Coluber, 1766.]
- orditus** Fusus, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 108.
- Ordobenus** *err. pro* Odoabaenus; P. S. Pallas, Zoographia, I. 1811, 269.—M.
- ore-longo** Lymneus, N. Boubée, Bull. Soc. géol. France, I. 1830 (1831), 213.
- orea** Epiphile (Huebner), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849),
- orea** Temenis, J. Huebner, Exot. Schmett. II. Tab. [30] [*n. et f.*]. [226.—Temenis.]
- oreades** Bulimulus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 65.—Helix.
- oreades** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 270.—Helix, 1835.
- oreades** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 11.
- Oreamnos** C. S. Rafinesque, Amer. Monthly Mag. II. Nov. 1817, 44.—M. [*teste* Palmer]
- Oreamnus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oreamnos, Raf.
- Oreas** J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
- Oreas** J. Huebner, Exot. Schmett., Tab. Oreas.—Lep. [*n. et f.*].
- Oreas** Denys de Montfort, Conch. I. 1808, 94.—Rh.
- Oreas** R. L., Allg. Lit. Zeitung, 1817 (1), 278.—Lep. [*ex* "Oreades," Borkh.].
- Oreas** A. G. Desmarest, Ency. Méth. (Mamm.) II. 1822, 471.—M. [*non* 1804, *apud* Agass., *teste* Palmer].
- Oreas** Temminck, 1838; *sic* Agassiz, *sed non comp.*, *vide* Gray, Gen. Birds, I. 1846, 280.—A.
- Oreas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oreias, Kaup.
- oreas** Achatina, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Achatina, no. 113 (pl. xxi) Mar. 1850.
- oreas** Boselaphus (Pall.), J. E. Gray, List Mamm. Coll. B. M. 1843, 155.—Antilope, 1777.
- oreas** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV., 355 (1827); Syn. 1827, 364.
- oreas** Helix, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (6) 1844, 151.
- Oreaster** Joh. Mueller & Troschel, Syst. Asterid. 1842, 12 & 44.—Ech.
- Oreaster** J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 241.—Ech. [*n. n.*].
- oreaster** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 17.

- orectocheiloides Silphomorpha, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
- Orectocheilus L. Agassiz, Nom. Zool. (Col.) 1845, 114, *emend. pro* O—chilus, Dej., *q.v.*
- Orectochilus Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 59.—Col.
- Orectochilus F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 115.—Col.
- Orectochilus Eschscholtz (*ex* Dej. Cat.) in J. Sturm, Deutschl. Fauna (Insecten) X. 1836, 95.—Col.
- Orectolobus C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 213.—P.
- Oreda A. White, Zool. "Ereb. Terr." (Ins. 1846), 16.—Col.
- oreganus *v.* oregonus.
- oregonensis Anodonta, I. Lea, Tr. Amer. Phil. Soc., n. s. VI (1) 1838, 80.
- oregonensis Callianassa, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 722.
- oregonensis Cyprinus (Leuciscus), J. Richardson, F. Bor.-Amer. (3) 1836, 305.
- oregonensis Cytherea, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 432.
- oregoniensis Emys, R. Harlan, Amer. J. Sci. XXXI (2) Jan. 1837, 382.
- oregonensis Felis, C. S. Rafinesque, Atlantic Journ. (2) 1832, 62.
- oregonensis Fusus (Say), L. Reeve, Conch. Icon. IV.—Fusus, no. 61, Jan. 1848.—Triton, ? Redf.
- oregonensis Fusus, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 433.
- oregonensis Galerites, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct.
- oregonensis Helix, I. Lea, Tr. Amer. Phil. Soc., n. s. VI (1) 1838, 100. [1849, 729.]
- oregonensis Orycterotherium, H. C. Perkins, Boston Journ. N. H. IV (1) 1842, 135.
- origonensis Platycerus, J. O. Westwood, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 59.
- oregonensis Pteromys J. Bachman, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 101.
- oregonensis Saprinus, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 187; Boston Journ. N. H. V (1) 1845, 75.
- oregonensis Succinea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 32.
- oregonensis Tellina, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 432. [165.]
- oregonense Triton, J. H. Redfield, Ann. Lyceum N. H. New York, IV (5) *post* Feb. 1846,
- oregoni Arvicola, J. Bachman, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 60.
- oreganus Astacus, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 138.
- oreganus Crotalus, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 115.
- oregonus Crotalus, J. E. Holbrook, N. Amer. Herpet., ed. 2, III. 1842, 21.
- oregana Fringilla, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII., *post* June 1837, 188.
- oregona Niphaea (Townsend), J. J. Audubon, Synopsis, 1839, 107.—Fringilla.
- oregana Patella, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 38 [*n. n.*].
- oregonus Pipilo, J. Bell, Ann. Lyceum N. H. New York, V (1) May 1849, 6.
- oregonus Struthus (Townsend), C. L. Bonaparte, List Birds Eur. Amer. 1838, 31.—Fringilla.
- Oregostoma Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 178.—Col.
- Oregostoma J. G. Audinet-S., Ann. Soc. Ent. France, II (4) *c.* Mar. 1834, 551.—Col.
- Oregyia *emend. pro* Orgyia, Ochs.; J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) [1830, 14.]
- Oreias J. J. Kaup, Skizz. Europ. Thierw. 1829, 177.—A.
- Oreias C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 108.—A.
- oreias Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 270.
- Oreica G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—A.
- Oreina Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 402.—Col. [*sine typo*].
- Oreina Westwood in Humphreys, Brit. Butterfl. 1841, 76.—Lep.
- Oreina O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 209.—Col.
- Oreinus J. M'Clelland, Asiat. Researches, XIX (2) 1839, 273.—P.
- orelia Cirrospilus, F. Walker, Ann. Nat. Hist. I (6) Aug. 1838, 450.
- oreliana Arca, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 314.
- Orellia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 765.—Dipt.
- Orenaia P. A. J. Duponchel, Cat. méth. Lepid. Europe (2) 1845, 196.—Lep.
- orenocensis *v.* orinocensis.
- Oreobia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ourebia, Og.
- Oreocephalus J. E. Gray, Cat. Lizards Coll. B. M. 1845, 189.—R.
- Oreocinclia J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 3, 1838).—A.
- oreocincloides Turdus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- Oreodera J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 19.—Col.

- Oreoderus** H. Burmeister, Handb. Ent. III. 1842, 726.—Col.
- Oreodon** J. Leidy, 1850; *teste* Marschall, 1851 *est*.
- Oreoeca** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oreoica, Gould.
- Oreoica** J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 4, 1838).—A.
- Oreophasis** G. R. Gray, Gen. Birds, III. July 1844, 485.—A.
- Oreophilus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 9.—Col.
- Oreophilus** G. R. Gray, Gen. Birds, III. 1844, 537 [=Oreopholus, *apud* Waterhouse].
- Oreopholus** Jardine & Selby, Ill. Orn., pl. 151 (1835).—A.
- Oreophorus** E. Rueppell, Beschr. Krabben rothen Meeres, 1830, 18.—Cr.
- oreopygus** Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 107.
- Oreosoma** G. Cuvier, R. Anim., ed. 2, II. 1829, 171.—P.
- Oreotetrax** Cabanis in Ersch & Gruber, Allgem. Ency. (3) XXII. 1846, 144.—A.
- Oreotragus** A. Smith, S. African Q. J. II. 1834, 212.—M. [*non* H. Smith, 1827, *apud* oreotragus Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 743. [Agassiz].
- oreotragus** Cervicapra (Zimm.), Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—Antilope, 1783.
- Oreotrochilus** J. Gould, Proc. Zool. Soc. London, XV (168) Mar. 29, 1847, 9.—A.
- oresigenes** Barbus, P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Ichth. fauna Java), 17.
- orisigena** Campylaea (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 27.—Helix.
- oresigena** Helicina, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 28.
- oresigena** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 4.
- oresignae** Oligyra (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 121.—Helicina.
- oresignus** Iberus (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix.
- oreskios** Harpactes (Temm.), G. R. Gray, Gen. Birds, I. Ap. 1845, 71.—Trogon.
- oreskios** Trogon, C. J. Temminck in T. & Laugier, Pls. color. (31) Feb. 1823; (63) Nov. 1825.
- orestessa** Synargis, J. Huebner, Verz. bekannt. Schmett. 1818, 18. [1825].
- Orestia** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 440.—Col.
- Orestia** Redtenbacher, Gatt. deutsch. Käfer Fauna, 1845, 121.—Col. [*teste* Scudder].
- Orestias** A. Valenciennes, L'Institut, 1839, 118.—P.
- Orestias** Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 225.—P.
- oretilia** Decatoma, F. Walker, Ann. Mag. N. H. XII. July 1843, 46.
- Oreus** J. Huebner, Verz. bekannt. Schmett. [1820], 136.—Lep.
- Orexia** J. Gistel, Nat. Thierr. 1848, 181.—Coel.
- Orexia** J. Gistel, Handb. Naturges. 1850 [1847], 595.—Cor.
- orfus** *v.* orphus.
- orga** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 752.
- organica** Barita (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 367.—Gymno-
- organicum** Gymnorhina, J. Gould, Birds of Australia, II (27) 1847, pl. 48. [rhina.
- organisans** Batolites, Denys de Montfort, Conch. I. 1808, 335.
- organisans** Hippurites (Montf.), C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 293; ed. 2, 1830, 146.—Batolites.
- organisans** Stylosmilia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
- organisans** Tubulipora, A. d'Orbigny, Amér. Mérid. (Zooph.) 1846, 19.
- Organites** H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 162.—Cor.
- organum** Astraeopora (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 50.—Sarcinula.
- organum** Galaxea, L. Oken, Lehrb. Nat. III (1) 1815, 73.
- organum** Sarcinula (L.), Lamarck, An. s. vert. II. Mar. 1816, 223.—Madrepora, 1758.
- organum** Sarcinula, Lamarck, Ency. Méth. (Vers) 1816, pl. 482, Liste, p. 16 [*n. et f.*].
- Orgilus** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.—Hym.
- orgonensis** Lutraria, Math., *emend.* Bronn, Ind. Pal. 1848, 707, *vide* urgonensis.
- Orgya** A. Lefebvre, Mém. Soc. Linn. Paris, V. 1826, 487.—Lep.
- Orgya** *id. ac* Orgyia, Ochs.; J. W. Zetterstedt, Ins. Lapp. descr. 1839, 926.
- orgyae** Phorocera, J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850,
- Orgyia** F. Ochsenheimer, Schmett. Europa, III. 1810, 208.—Lep. [176].
- Orgyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orgya, Zett.
- Orgyja** J. Huebner, Verz. bekannt. Schmett. [1822], 161.—Lep.

- Orhostoma** Conrad, [2 An. Rep. N. Y. Geol. Surv.] Assembl. no. 200, 1838, 119 [*err. typ.* *orhtmanni* v. *ohrtmanni*.] [*pro* Orthostoma].
- Oria** J. Huebner, Verz. bekannt. Schmett. [1822], 240.—Lep.
- Oribasia** P. Duchassaing, Anim. rad. Antilles [1850], 25.—Cor.
- Oribata** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 65.—Ar.
- Oribate** P. A. Latreille, Gen. Crust. Ins. I. 1806, 148.—Ar.
- Oribates** C. L. Koch, Deutschl. Crust., heft 2, 1835, tab. 13.—Ar. [July 1834, 24.]
- oribatis** Dermanyssus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 17 [*n. n.*]; *ibid.* II.
- oribatus** Leptus, G. Johnston, Hist. Berwickshire Nat. Club, II (6) [1849], 297.
- oribazus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 223.
- Oribita** *err. pro* Oribate, Latr.; G. Samouelle, Entom. Compend., June 1819, 131.
- orichalcella** Elachista, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 599.
- orichalcella** Tinea, C. H. G. Sadoffsky (*sic*), Bull. Soc. Imp. Nat. Moscou, II (5) 1829, 142.
- orichalcea** Aricia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3285.
- orichalcea** Diachrysia (Fab.), J. Huebner, Verz. bekannt. Schmett. [1825], 252.—Noctua,
- orichalceus** Elmis (Gyll.), O. Heer, Coleopt. Helvet. (3) 1841, 470.—Limnius. [1775.]
- orichalcea** Ephydra, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847,
- orichalceus** Limnius, Gyllenhal, Ins. Suec. descr. IV. 1827, 395. [202.]
- orichalcea** Liris, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 135.
- orichalcea** Patella, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 163.
- orichalcea** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 316.
- orichalcea** Phytometra (Fab.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 255.—Noctua,
- orichalceus** Plexippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 113. [1775.]
- orichalcea** Plusia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 89.—Noctua, 1775.
- orichalceus** Trochus (Calcar), Koch, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 110.
- orichalcea** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 181.
- orichalcicum** Bembidion (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 226.—Carabus, 1776.
- orichalcicum** Bembidium (Dufts.), Dejean, Catal. Coléopt. 1821, 16.—Elater.
- orichalcicus** Elater, H. Duftschmid, F. Austriae, II. 1812, 201.
- orichalcicus** Tachypus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 27.
- oricularius** Pastor, P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 153.
- orida** Thymele, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 162.
- oriens** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835, 124.
- oriens** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. IV (1) 1831, 73.
- orientalis** Acanthopus, J. Gistel, Isis (Oken), 1831, 306.
- orientalis** Acipenser, P. S. Pallas, Zoographia, III. 1814, 107.
- orientalis** Adimonia, A. Villa in G. Osculati, Viagg. Persia, 1844, 72.
- orientalis** Aegoceros (Gm.), J. A. Wagner in Schreber, Säugth., Suppl. IV. 1844, 507.—Ovis, 1774.
- orientalis** Agelena, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 14.
- orientalis** Agrypnus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- orientalis** Amara, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
- orientalis** Ampullaria, R. A. Philippi, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 192.
- orientalis** Anarhichas, P. S. Pallas, Zoographia, III. 1814, 77.
- orientalis** Anaspis, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 113.
- orientalis** Anoxia (Ziegl.), Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 407.—[Melolontha.]
- orientalis** Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
- orientalis** Ardea, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 20.
- orientalis** Ardea, J. E. Gray, Ill. Indian Zool. I (10) 1832 (pl. 65).
- orientalis** Argutor, V. v. Mochulski, Kaefer Russl., *post* May 1850, 49.
- orientalis** Athyreus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 103.
- orientalis** Aurigena, Laporte & Gory, H. N. Coléopt. I. 1838, 4.
- orientalis** Balantia (Pall.), C. Illiger, Prod. 1811, 78.—Didelphys, 1766.
- orientalis** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 368.
- orientalis** Brachirus (Sch.), W. Swainson, N. H. Fishes etc. II. July 1839, 303.—Pleuronectes.

- orientalis** Brachyrhynchus, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 54.
orientalis Bruchus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
orientalis Bubo (Horsf.), G. R. Gray, List Birds Coll. B. M. I. 1844, 46.—Strix.
orientalis Bulimus, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 6.
orientalis Bullaea, J. E. Gray, Ann. Phil. XXV. June 1825, 408.
orientalis Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 18.
orientalis Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 86.
orientalis Calandra, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
orientalis Callichroma, F. E. Guérin-M., Iconographie, 1844, Ins., 220.
orientalis Callionymus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 41.
orientalis Callirhipis, Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 247.
orientale Calosoma, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 61.
orientalis Campephaga (Gm.), G. R. Gray, Gen. Birds, I. June 1846, 283.—? Turdus, 1788.
orientalis Carabus, G. Osculati, Viagg. Persia, 1844, 72.
orientalis Carocolla, J. E. Gray, Ann. Phil. XXV. June 1825, 412.
orientalis Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*]. [325.
orientalis Catopsimorphus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850,
orientalis Ceblepyris (Lath.), Vigers & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830,
orientalis Cetonia, Dejean, Catal. Coléopt. 1821, 61 [*n. n.*]. [658.—Turdus, Gm. 1788.
orientalis Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 57; (7) 1834, 193.
orientalis Channa, J. G. Schneider, Bloch, Syst. Ichth. 1801, 496.
orientalis Chanos, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 197. [339.
orientalis Chlaenius, Dejean, Catal. Coléopt. 1821, 8 [*n. n.*]; Spec. gén. Coléopt. II. 1826,
orientalis Chorinemus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1844), 106.
orientalis Chrysis (Pyria), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. May 1842, 146.
orientalis Chrysomela, A. G. Olivier, Entom. V. 1807, 512.
orientalis Cicindela, Olivier in Dejean, Catal. Coléopt. 1821, 1 [*n. n.*]; Spec. gén. Coléopt. I.
 1825, 93.
orientalis Cinnryis, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 122.
orientalis Clausilia, L. Pfeiffer, Symb. Helic. II. 1842, 60.
orientalis Coelopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 423.
orientalis Colaris (L.), Cuvier, Règne Anim. I. 1817, 401.—Coracias, 1766.
orientalis Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 44.—Scarab. 1792.
orientalis Cryptocephalus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 30.
orientalis Curculio, A. G. Olivier, Entom. V. 1807, 321.
orientalis Cuscus (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 84.—Didelphis, Pall. 1766.
orientalis Cyanecula, C. L. Brehm, Isis, 1828, 1280 [*n. n.*]; Handb. Nat. Vögel. Deutschl.
orientalis Cyrena, Lamarck, H. N. Anim. s. Vert. V. 1818, 552 (sign. 36). [1831, 351.
orientalis Dactyloptera, G. Cuvier, R. Anim., ed. 2, II. 1829, 162.
orientalis Dactylopterus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 134.
orientalis Dalophis, J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 213.
orientale Diagramma (Bl.), Cuvier & Valenc., H. N. Poiss. V. 1830, 299.—Anthias, 1793.
orientalis Donacilla, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
 1845, 482.
orientalis Dorylus, J. O. Westwood, Proc. Zool. Soc. London, III (29) Sept. 1835, 72.
orientalis Dryoscopus (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 361.—Mala-
 conotus.
orientalis [Dysodius] (Lap.), M. Spinola, Ess. Ins. Hémipt. 1837, 160.—Brachyrhynchus.
orientalis Echinolampas, Gray; H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 190.
orientalis Egretta, C. L. Bonaparte, List Birds Eur. Amer. 1838, 47.
orientalis Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
orientalis Elater, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 105.
orientalis Emphanes, V. v. Mochulski, Kaefer Russl., *post* May 1850, 13 [*n. n.*].
orientalis Empusa, H. Burmeister, Handb. Ent. II (2) i, 1838, 546.
orientalis Engis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 15.
orientalis Enoplurus, F. W. Hope, Coleopt. Manual, II. 1838, 125.
orientalis Eos (Lath.), G. R. Gray, Gen. Birds, III. App. 1849, 20.—Psittacus, 1790.
orientalis Eristalis, C. R. W. Wiedemann, Anal. Entom. 1824, 38.

- orientalis** [Erucivora] (Gm.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831, [i.e. Feb. 1832], 483.—Turdus, 1788. [186.—Galba.
- orientalis** Eucnemis (Lap.), F. E. Guérin-M., Ann. Soc. Ent. France [2] I (3) Dec. 1843,
- orientalis** Eudynamys (L.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 304.—Cuculus.
- orientalis** Eurhinorhynchus, E. Blyth, Ann. Mag. N. H. XIII. Mar. 1844, 179.
- orientalis** Eurygaster, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 11.
- orientalis** Eurystomus (L.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 202.—
- orientalis** Forficula, G. Gené, Ann. Sci. Lomb.-Ven. VII. 1837, 84. [Coracias, 1766.
- orientalis** Francolinus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [n. n.].
- orientalis** Fringilla, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1841 (1) 1841, 160.
- orientalis** Galba, Laporte, Revue Entom. III (4) 1835, 173.
- orientalis** Galerita, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 26.
- orientalis** Gallinula, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 195.
- orientalis** Geotrupes, F. W. Hope in J. F. Royle, Ill. Bot. Himalay. 1840, p. liv.
- orientalis** Glareola, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 132.
- orientalis** Gonophora, F. E. Guérin-M., Iconographie, 1844, Ins., 280.
- orientalis** Grammistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 188.
- orientalis** Gryllotalpa, H. Burmeister, Handb. Ent. II (2) i, 1838, 739.
- orientalis** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 428.
- orientalis** Gryphaea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 156.
- orientalis** Gulo, T. Horsfield, Zool. Researches Java (2) 1821. [1831, 563.
- orientalis** Haematopus, C. L. Brehm, Isis, 1830, 987 [n. n.]; Handb. Nat. Vögel Deutschl.
- orientalis** Haliaetos, C. L. Brehm, Isis, 1828, 1269 [n. n.]; Handb. Nat. Vögel Deutschl. 1831, 15.
- orientalis** Halictus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 285.
- orientalis** Hammacherus, H. C. Kuester, Käfer Europas, II. 1845, 45.
- orientalis** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [n. n.].
- orientalis** Helictis (Horsf.), J. A. Wagner in Schreber, Säugth., Suppl. II. 1840, 205.—Gulo.
- orientalis** Helix (Gray), L. Pfeiffer, Mon. Helic. I (2) 1848, 397.—Carocolla.
- orientalis** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 61.
- orientalis** Herodias, G. R. Gray, List Birds Coll. B. M. III. 1844, 78.—Ardea, 1831.
- orientalis** Heteromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 419.
- orientalis** Hippobosca, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 432.
- orientalis** Hister, G. Paykull, Mon. Hister. 1811, 17.
- orientalis** Histriophorus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1844), 103.
- orientale** Holocentrum, Cuvier & Valenc., H. N. Poiss. III. 1829, 197.
- orientalis** Hololepta, J. Sturm, Catal. Ins. Samml. 1826, 153 [n. n.].
- orientalis** Hoplognathus (Klug), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 101.—Ozaena.
- orientalis** Hyaena, F. Tiedemann, Zool. 1808, 350.
- orientalis** Hybosorus, J. O. Westwood (ex Hope MS), Ann. Mag. Nat. Hist. XV (100) June
- orientalis** Ifonyx, H. Krøyer, Naturhist. Tidsskrift [2] II (6) 1849, 602. [1845, 439.
- orientalis** Imatisma, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 129.
- orientalis** Ixos, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 15.
- orientalis** Kakerlac (L.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 7.—Blatta, 1758.
- orientalis** Laccophilus, Dejean, Catal. Coléopt., ed. 2 (1) 1833, 56 [n. n.].
- orientalis** Laccophilus, C. Aubé (ex Dej. Cat.), Spec. gén. Hydroc. 1838, 431.
- orientalis** Lalage (Gm.), F. Boie, Isis (Oken), 1826, 973.—Turdus, 1788.
- orientalis** Lampyrus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 184.
- orientalis** Languria, Dejean, Catal. Coléopt. 1821, 129 [n. n.].
- orientalis** Laniarius (Sw.), G. R. Gray, Gen. Birds, I. Aug. 1845, 299.—Malaconotus.
- orientalis** Lanius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 148.—Turdus, 1817; ? Gm. 1788.
- orientalis** Lasiocera, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850,
- orientalis** Leilus, W. Swainson, Zool. Illust. (2) III (28) 1833, pl. 130. [403.
- orientalis** Lenticulina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 132.

- orientalis** Lepus, "Gunga," Bengal Sporting Mag. VII (25) July 1836, 2.
- orientalis** Lima, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 75.
- orientalis** Limulus, L. Oken, Lehrb. Nat. III (1) 1815, 398.
- orientalis** Lispe, C. R. W. Wiedemann, Anal. Entom. 1824, 51.
- orientalis** Lixus, Dejean, Catal. Coléopt. 1821, 97 [*n. n.*].
- orientalis** Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 302.
- orientalis** Luperus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 336.
- orientalis** Lutjanus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 192.—Anthias,
- orientalis** Malaconotus, W. Swainson, Classif. Birds, II. 1839, 220. [1793.]
- orientalis** Masoreus, Dejean, Spec. gén. Coléopt. III. 1828, 539.
- orientalis** Melitaea, Herrich-S., Syst. Bearb. Schmett. Europ. I (12) 1845, 163 [*n. et f.*].
- orientalis** Melolontha, Ziegler; Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
- orientalis** Melolontha, Ziegler, Bull. Soc. Imp. Nat. Moscou, V. 1832, 123.
- orientalis** Mergus, J. Gould, Proc. Zool. Soc. London, XIII (143) Ap. 1845, 1.
- orientalis** Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiii.
- orientalis** Modiola, W. Swainson, Anon., Manchester N. H. Soc. Catal. Shells, 1837, 25
- orientalis** Monolepis, A. White, List Crustacea Coll. B. M. 1847, 65 [*n. n.*]. [[*n. n.*].]
- orientalis** Morio, Dejean, Spec. gén. Coléopt. I. 1825, 432.
- orientalis** Mus, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
- orientalis** Mus, Desmarest (*ex* Seba), N. Dict. H. N., ed. 2, XXIX. 1819, 59.
- orientalis** Mus, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Säug. (—) 1830 *vel* 1831, 76.
- orientalis** Musca (Macq.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 870.—Lucilia.
- orientalis** Natica, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 290.
- orientalis** Notiophilus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 428.
- orientalis** Numenius, C. L. Brehm, Isis, 1830, 989 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 610.
- orientalis** Nycticorax, C. L. Brehm, Isis, 1830, 988 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- orientalis** Oreaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 128. [1831, 592.]
- orientalis** Ostrea, L. W. Dillwyn, Catal. Shells, 1817, 274.
- orientalis** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 556.
- orientalis** Ozaena, F. Klug, Jahrb. Ins. I. 1834, 81.
- orientalis** Pachymorpha, F. W. Hope, Coleopt. Manual, II. 1838, 163.
- orientalis** Pandion (Haliaetus), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1844), 13.
- orientalis** Panopaea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 139.
- orientalis** Passalus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 182.
- orientalis** Pathoderma (Wied.), Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 312.—Peltis.
- orientalis** Pelamys, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1844), 99.
- orientalis** Peltis, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 108.
- orientalis** Perdix, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 184. [1758.]
- orientalis** Periplaneta (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 504.—Blatta, L.
- orientale** Peristedion, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 37.
- orientalis** Phalangista (Pall.), G. R. Waterhouse, Nat. Hist. Mamm. I. 1846, 279.—Didelphis, 1766.
- orientalis** Phosphuga (Dej.), H. C. Kuester, Käfer Europas, IV. 1846, 64.—Silpha, ? Brullé.
- orientalis** Pinnotheres, A. White, List Crustacea Coll. B. M. 1847, 127 [*n. n.*].
- orientalis** Pinnotheres, Adams & White in Belcher, Narr. Voy. "Samarang," II. 1848, 353
- orientalis** Planorbis, A. G. Olivier, Voy. Othoman, II (1801), 142. [[*n. n.*].]
- orientalis** Platysma, J. Sturm, Catal. Ins. Samml. 1826, 185 [*n. n.*].
- orientalis** Platystoma, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 357.
- orientalis** Pleuronectes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 157.
- orientalis** Pogonus, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828, 16.
- orientalis** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- orientalis** Polyzosteria, H. Burmeister, Handb. Ent. II (2) i, 1838, 482. [519.]
- orientalis** Pomatia, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 43.
- orientalis** Potamophilus, F. E. Guérin-M., Iconographie, 1844, Ins., 70.

- orientalis* Procellaria, P. S. Pallas, Zoographia, II. 1811, 315.
orientalis Pusa, L. Oken, Lehrb. Nat. III (2) 1816, 986.
orientalis Rembus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 133.
orientalis Rhynchobdella, J. G. Schneider, Bloch, Syst. Ichth. 1801, 478.
orientalis Rhynchops, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (8) 1828, 37.
orientalis Rynchaea, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 193.
orientalis Salmo, P. S. Pallas, Zoographia, III. 1814, 367.
orientalis Salmo, M'Clelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 585.
orientalis Scarites, F. A. Bonelli, Mém. Ac. Sci. Turin, 1811-12 (1813), 469.
orientalis Sciomyza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 575.
orientale Scleron (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 110.—Opatrum, 1775.
orientalis Scyllibaeus, de Lisse, Proc. Comm. Sci. Zool. Soc. London (5) May 1831, 46 [n. n.].
orientalis Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 128.—Harpalus, 1821.
orientalis Serinus, C. L. Brehm, Isis, 1828, 1276 [n. n.]; Handb. Nat. Vögel Deutschl. 1831, 254.
orientalis Serranus (Bl.), Cuvier & Valenc., H. N. Poiss. II. 1828, 318.—Anthias, 1793.
orientalis Silpha, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 161.
orientalis Sipalus (L.), G. Fischer, Zoogn., ed. 3, II. 1813, 582.—Didelphys, Pall. 1766.
orientalis Sitona, Dejean, Catal. Coléopt. 1821, 94 [n. n.].
orientalis Solea (Schn.), G. Cuvier, R. Anim. II. 1817, 223.—Pleuronectes.
orientalis Solen, W. Dunker, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 31.
orientalis Sparus (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 473.—Anthias, 1793.
orientalis Sparvius (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 340.—Falco, Gm.
orientalis Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 38. [1788.
orientalis Spizaetos, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1844), 7.
orientalis Squalius, J. J. Heckel in Russegger, Reise, II (3) [1847], 225.
orientalis Steleopyga (Fab.), G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 366.—
Blatta, L. 1758.
orientalis Sternocera (Herbst), Laporte & Gory, H. N. Coléopt. I. 1835-1836, 10.—
Buprestis.
orientalis Steroderus, V. v. Mochulski, Kaefer Russl., post May 1850, 55.—Steropus, 1844.
orientalis Steropus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov.
orientalis Strix, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 140. [1844, 151.
orientalis Strongylus, Dejean, Catal. Coléopt. 1821, 43 [n. n.].
orientalis Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 487.—Turdus, ? Gm. 1788.
orientalis Synergus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 347.
orientalis Syritta, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 136.
orientalis Syrphus, C. R. W. Wiedemann, Anal. Entom. 1824, 36.
orientalis Tabanus, C. R. W. Wiedemann, Anal. Entom. 1824, 21.
orientalis Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 333.
orientalis Tachydromus, W. Swainson, Anim. in Menag., Dec. 1837, 339.
orientalis Tagenia, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 194.
orientalis Tagenia, H. Gory in Solier, Ann. Soc. Ent. France, VII (1) post Mar. 1838, 20.
orientalis Tapirus, H. R. Schinz, Nat. Abb. Säug. 1824-28, 255.
orientalis Tenebrio, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 201.
orientalis Tetyra (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 75.—Eurygaster.
orientalis Thenus (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 286.—Scyllarus, ? Lund, 1793.
orientalis Thynnus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1844), 94.
orientalis Trigonia, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 150.
orientalis Trirachys, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 64.
orientalis Trogosita, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 549.
orientalis Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 212.
orientalis Uloma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 220.
orientalis Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 285. [1789.
orientalis Vipera (Gm.), F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 50.—Coluber,

- orientalis** Zibetha, L. Oken, Lehrb. Nat. III (2) 1816, 1007.
- orientis** Anisoplia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 384.
- orientis** Cryptosoma, Adams & White, Zool. "Samarang" (4) Crust., Mar. 1849, 62.
- orientis** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 152.
- orientis** Tropiorhynchus (Newm.), [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 176.—Anisoplia.
- orificiatus** Echinites, E. F. Schlottheim, Tasch. Min. 1813, 69.
- orificiatus** Echinoneus (Schl.), F. Holl, Handb. Petref. IV. 1830, 382.—Echinites.
- origanella** Phycis, F. Schlaeger, Ber. Lepid. Tauschver. (Jena) 1844-45, 111 & 133.
- origani** Cymus, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 90.
- origani** Sphaerophoria, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 220.
- Origma** J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 3, 1838).—A.
- origo** Lycus, F. Walker, Ann. Mag. N. H. X. Oct. 1842, 114.
- origual** Cervus, Dierville in H. G. L. Reichenbach, Völlst. Naturg. (Rumin.) 1845, 10.
- Orillia** J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 474.—Dipt.
- Orimops** C. S. Rafinesque, Atlantic Journ. (2) 1832, 72.—Cr.
- Orimus** C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 411.—Col.
- Orina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oreina, Chevr.
- orinoccensis** Ampullaria, Ziegler in F. H. Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 548.
- orinocensis** Cichla, A. Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 167.
- orenocensis** Coracina, De Lafresnaye, Rev. Zool. (Soc. Cuv.) 1846, 277.
- orenocensis** Pyroderus (Lafr.), G. R. Gray, Gen. Birds, II. Mar. 1847, 317.—Coracina.
- orenocensis** Saltator, De Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 274.
- orinomum** Omaseus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 114.
- orinomum** Pterostichus (Steph.), J. L. Leconte in Agassiz, Lake Superior, 1850, 206.—
- Orinus** C. L. Nitzsch, Pterylogr. (1) 1833, 20; Syst. Pterylogr. 1840, 30.—A. [Omaseus.
- Orinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oreinus, M'Clell.
- Orinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ornius, Ag.
- orinus** Pteromalus, F. Walker, Proc. Linn. Soc. London (27) Nov. 1845, 263.
- Orio** A. Cocco, Effem. Sci. Lett. Sicilia, II. June 1832, 206.—Cr.
- oriolella** Apista, Fischer v. R. in Zeller, Linnaea Entom. IV. Dec. 1849, 258.
- orioli** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 77 [*n. n.*].
- orioli** Echinorhynchus, Westrumb [*non* Rud.], De Helminth. acanth. 1821, 40 [*teste* S. & H.].
- orioli** Ricinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 106.—Pediculus,
- orioli** Taenia, C. A. Rudolphi, Entoz. Syn. 1819, 168. [1777.
- orioli cristati** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. 1819, 673.
- orioli-galbulae** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 203. [pl. 4.—A.
- Oriolia** I. Geoffroy, C. R. Acad. Sci. (Paris) VI. 1838, 442; Magasin de Zool. (2) I. 1839,
- oriolides** Crateropus, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 280.
- oriolidia** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 18 *bis* [*n. et f.*].
- oriolus** Chloreus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
- oriolus** Exenterus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 107.
- oriolus** Icterus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 11.
- oriola** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 321.
- oriolus** Paradisea, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 52.
- oriolus** Picus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 66.
- oriolus** Turdus, P. S. Pallas, Zoographia, I. 1811, 444.
- oriola** Voluta (Oliva), F. S. Voigt in Cuvier, Thierreich, III. 1834, 290.
- Orion** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 327.—Col.
- Orion** F. E. Guérin-M., Iconographie, 1844, Ins., 229.—Col.
- orion** Acronyctia, J. W. Meigen, Syst. Beschr. Europ. Schmett. III (2) 1831, 72.
- orion** Aganisthos (God.), Boisduval & Leconte, Hist. lépidopt. Amér. sept. (22) 1833-37, 195.—Nymphalis.
- orion** Astropecten, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 478.
- orion** Battus, J. Barrande, Not. prélim. Silur. 1846, 16.
- orion** Conus, W. J. Broderip, Proc. Zool. Soc. London, I (4) May 1833, 55.

- orion** Copris, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 34.
- orion** Diphtera (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 63.—Noctua, 1791.
- orion** Diplorrhina, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 47.
- orion** Goniurus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 104.—Papilio, 1777.
- orion** Hesperia Eudamus (Fab.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 23.—Papilio, 1775.
- orion** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 368.—Papilio, 1775.
- orion** Oryctes (Fab.), Dejean, Catal. Coléopt. 1821, 56.—Geotrupes; Scarabaeus, Ol. 1789.
- orion** Paphia, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—Papilio, 1775.
- orion** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 228.
- orion** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 228.
- Oriosoma** W. Swainson, H. N. Classif. Fish, II. 1839, 21, 169 & 208 [=Oreosoma, Cuv.].
- Oriotrochilus** Reichenbach, 1849; *sic* Waterhouse, *sed non comp.*, Oreo→ *est*.
- Oris** A. Risso, H. N. Europe, IV. 1826, 57.—G.
- oris** Filaria, Leidy, 1850, *teste* S. & H.; *vide* hominis oris.
- orise** Leptalis, Feisthamel in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 415.
- orisigenus** *v.* oresigenus.
- Oriteres** L. Agassiz, Nom. Zool. (Hem.) 1845, 14; *vide* Oriterus, Hahn.
- Oriterus** C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 8.—Hem.
- Orites** Keyserling & Blasius, Wirbelth. Europas, 1840, 163.—A. [Moehring, 1758].
- Orites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Horeites, Hodgs.
- orithearia** Larunda (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 239.—Phalaena,
- Orithuja** F. Weber, Nomen. Fabricii, 1795, 93. [? orithea, 1779.]
- Orithya** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 256.—Cr.
- orithya** Junonia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 34.—Papilio, 1758.
- orithya** Vanessa (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 317.—Papilio, 1758.
- orithia** Voluta, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 47.
- Orithyia** G. Johnston, Mag. Zool. Bot. I (4) Dec. 1836, 378.—Cr.
- Orithyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orythia, P. & L. 1809; Johnst. 1837.
- Orithyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orithya, Wiegman.
- orithyia** Cirrospilus, F. Walker, Ann. Nat. Hist. II. Jan. 1839, 352.
- orithyia** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 74.—Cirrospilus,
- oritias** Isosoma, F. Walker, Mon. Chalcid. II. 1839, 5. [1839.]
- Oritragus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 154.—M.
- Oriturus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 469.—A.
- Orius** J. P. Wolff in J. F. Wolff, Icon. Cim. (5) 1811, p. iv.—Hem.
- orix** *v.* oryx.
- Orizaria** L. Agassiz, Nom. Zool. (Polyp.) 1844, 19.—Rh. [*vernac.* Deifr.].
- oriz→** *v.* oryz→. [Cucullus, 1798.]
- orleanus** Conus (Bolt.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 103.—
- ormanceayi** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 621.
- ormatus** *v.* ornatus.
- ormenus** Curetis, J. Huebner, Verz. bekannt. Schmett. [1820], 102.
- ormenus** Papilio, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 274.
- ormenus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 269.
- Ormia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 428.—Dipt.
- Ormiscus** G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 37.—Col.
- Ormoceras** C. Stokes, Proc. Geol. Soc. London, II. 1838, 689.—Ceph.
- Ormocerus** F. Walker, Entom. Mag. II (2) Ap. 1834, 168.—Hym.
- ormoisianus** Holoctypus, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 362.
- Ormyrus** J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. I (2) Aug. 1832, 127.—Hym.
- ornamentum** Dictyocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 80.
- ornamentum** Pyrophorus, Chevrolat in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 39.
- ornanda** Streblote, J. Huebner, Verz. bekannt. Schmett. [1822], 193.
- ornatalis** Asopia, Parreyss in Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1832, 207. [ornatella, 1775.]
- ornatalis** Pempelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 369.—Tinea

- ornataria** Craspedia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 312.—*Geometra ornata*, 1775.
- ornataria** Dosithea (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1829, 108.—*Geometra ornata*, 1775.
- ornataria** Idaea (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 447.—*Geometra*, 1796.
- ornataria** Phalaena *Geometra*, E. J. C. Esper, Die Schmett. V. pl. li [1800–6] [*n. et f.*].
- ornatellus** Mastax, C. H. Boheman, Ins. Caffr. I (1) 1848, 74.
- ornatella** Microcystis, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 2, & “sp. nov.,” 3.
- ornatella** Phycis (D. & S.), Zincken, Mag. Entom. (German) III. 1818, 154.—*Tinea*, 1775.
- ornatea** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 534.—*Tinea ornatipennella*, Huebn. 1796.
- ornaticollis** Acilius, C. Aubé, Spec. gén. Hydroc. 1838, 140.—*Thermonetus*, Dej.
- ornaticollis** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 292.
- ornaticollis** Agrypnus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 248.
- ornaticollis** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 803.
- ornaticollis** Cybister, Dejean, Catal. Coléopt., ed. 3, 1837, 67 [*n. n.*].
- ornaticollis** Lampyris, E. Blanchard in d’Orbigny, Amér. Mérid. (Ins.) 1846, 115.
- ornaticollis** Mycetophila, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 269.
- ornaticollis** Orectochilus, C. Aubé, Spec. gén. Hydroc. 1838, 728.—*Cybister*, Dej.
- ornaticollis** Paecilonata, Laporte & Gory, H. N. Coléopt. II. 1838, 4.
- ornaticollis** *Thermonetus*, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 53 [*n. n.*].
- ornatipennella** Eupista, J. Huebner, Verz. bekannt. Schmett. 1826, 426.—*Tinea*, 1796.
- ornatipennella** Oecophora (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—*Tinea*, 1796. [*Tinea*, 1796.]
- ornatipennella** Ornix (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 217.—
- ornatipennella** Porrectaria (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—
- ornatipennis** Acupalpus, C. H. Boheman, Ins. Caffr. I (1) 1848, 223. [*Tinea*, 1796.]
- ornatipennis** Diplognatha, F. W. Hope, Tr. Entom. Soc. Lond. V (2) Sept. 1847, 33.
- ornatipennis** Encya, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 155.
- ornatipennis** Eupteryx, J. Curtis, Guide Brit. Ins. (6) 1831, 192 [*n. n.*].
- ornatipennis** Eupteryx, J. Curtis, Brit. Entom. XIV (160) Ap. 1837, no. 640.
- ornatipennis** Julodis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 8.
- ornatipennis** Laphria, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 377.
- ornatipennis** Leptodera (*sic*), Audinet-Serville (Roret’s Suite à Buffon), Orthopt. 1839 [Dec. 1838], 410.—*proprie* Leptoderes. [138 & 296 (1844).]
- ornatissimus** Aspidorhynchus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 16 (1834); II (2),
- ornatissimus** Asteracanthus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 93 (1836); III., 31 (1837).
- ornatissimus** Balistes, R. P. Lesson, Voy. “Coquille,” Zool. II (1) 1831, 119.
- ornatissimus** Capulus, A. d’Orbigny, Bull. Soc. géol. France (sér. 2) VII, 1850, 130.
- ornatissimum** Cerithium, Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 14.
- ornatissimus** Cyathocrinus, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 247.
- ornatissima** Cytherina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 104.
- ornatissimus** Hybodus, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 115 [*n. n.*].
- ornatissima** Lepisia, H. Burmeister, Handb. Ent. IV (1) 1844, 168.
- ornatissimus** Mitylus, A. d’Orbigny, Prodr. Paléont. II [Nov.] 1850, 166.
- ornatissima** Nerita, A. d’Orbigny, Prodr. Paléont. II [Nov.] 1850, 192.
- ornatissima** Nucula, A. d’Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 175.
- ornatissima** Oxya, H. Burmeister, Handb. Ent. II (2) i, 1838, 636.
- ornatissimus** Palaeoniscus, J. L. R. Agassiz, Poiss. Foss. II (1), 92 (1835).
- ornatissima** Pelidnota, Mannerheim in J. Sturm, Catal. Käfer Samml. 1843, 341.
- ornatissima** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 365.
- ornatissimus** Pollicipes, Jos. Mueller, Mon. Petref. Aachen, Kreidef. (1) 1847, 43.
- ornatissimus** Rhinecanthus (Less.), W. Swainson, N. H. Fishes etc. II. July 1839, 325.—
? Balistes.
- ornatissimus** Scaphites, A. d’Orbigny, Prodr. Paléont. II [Nov.] 1850, 214.

- ornatissimus** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 264.
- ornatissima** Venus, W. J. Broderip, Proc. Zool. Soc. London, III (27) June 1835, 44.
- ornator** Bracon, J. C. Fabricius, Syst. Piezat. 1804, 106.—Ichneumon, 1787.
- ornatrix** Deiopeia (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 46.—Phalaena, 1758. [Bombyx, 1775.]
- ornatrix** Lithosia (Fab.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 650.—
- ornatrix** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 172 (Fernaldo judice 1834)
- ornatrix** Orthosia, C. F. Freyer, Neuere Beitr. Schmett. I (16) 1833, 167. [[*n. et f.*].
- ornatrix** Utetheisa (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Phalaena, 1758.
- ornatrix** Uthetheisa, J. Huebner, Exot. Schmett. II. Tab. [181] [*n. et f.*].
- ornatoria** Acidalia (Esp.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 536.—Geometra.
- ornatoria** Geometra, E. J. C. Esper, Die Schmett. V [1806?], tab. 51.
- ornatorius** Ichneumon, G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 15.
- ornatrix** *v.* **ornator**.
- ornatulus** Cimex, Herrich-S., Wanzenart. Ins. VI (6) June 1842, 95.
- ornatula** Gyrodroma, F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 55 [*n. n.*].
- ornatula** Neritina, A. Andrzejovski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 563 [*n. n.*].
- ornata** Acanthina, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 179.
- ornatus** Acercus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 234.—Tiphys, 1837.
- ornatus** Acestrus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- ornatus** Achirus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 659.
- ornata** Acmaeodera (Fab.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1775.
- ornata** Acroculia, F. A. Roemer, Verst. Harzgeb. 1843, 27.
- ornatum** Acrydium, T. Say, Amer. Entom. I. 1824, pl. 5.
- ornata** Acteon, A. d'Orbigny, Coq. Fos. Colomb. 1842, 44.
- ornata** Actinospongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 548.
- ornatus** Aganides (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 181.—
- ornata** Agathis, T. Say, Boston Journ. N. H. I (3) 1836, 226. [Goniatites.
- ornata** Aglena, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 575.
- ornatum** Agrion, Heyer in E. de Selys-L., Mém. Soc. R. Sci. Liège, VI. Mar. 1850, 203.
- ornata** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 176.
- ornatus** Amblypterus, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 254; N. Jahrb. f. Min. 1848, 152.
- ornatus** Ammonites, J. Parkinson, Tr. Geol. Soc. London, V (1) 1819, 58.
- ornatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 75.
- ornata** Ananta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 284.—Phasia,
- ornatus** Ancyloceras, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 101. [1824.
- ornatus** Androactonus, A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 732.
- ornata** Anguinella (Lea), T. A. Conrad, Amer. J. Sci. (2) I (2) Mar. 1846, 212.—Serpula.
- ornatus** Anonyx, H. Krøyer, Naturh. Tidsskr. IV (2) 1842, 165.
- ornatus** Anoplopus (Gray), L. Fitzinger, Syst. Rept. 1843, 99.—Platydictylus.
- ornatum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 381.
- ornata** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 191.
- ornatus** Aphodius, Findeli; J. Sturm, Catal. Ins. Samml. 1826, 95.
- ornata** Aphrophora, F. E. Guérin-M., Iconographie, 1844, Ins., 370.
- ornatus** Aphthartus, H. v. Meyer, N. Jahrb. f. Min. 1847, 575 [*n. n.*].
- ornatus** Aphthartus, H. v. Meyer, Palaeontographica, I (6) July 1851, 259.
- ornata** Apromera, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 76.
- ornatus** Aradus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- ornata** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 226.
- ornatus** Argutor, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 97.
- ornatus** Arrhenodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 475.
- ornatum** Aspergillum, J. C. Chenu, Illustr. Conch. I., Aspergillum, 1843, 4.
- ornatus** Astacus, J. Phillips, Geol. Yorksh. I. 1829, 124 [*n. et f.*].
- ornata** Asterolepis, E. Eichwald, N. Jahrb. f. Min. 1840, 425.
- ornatus** Asteroptychius, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 488 [*n. n.*]; Poiss. Foss. III., 176 (1843) [*n. n.*].

- ornata** Astrea (Michelotti), H. Michelin, Icon. Zoophyt. (5) 1842, 63.—Porites.
- ornata** Astrocoenia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 298.—Porites.
- ornatum** Astrogonium, Joh. Mueller & Troschel, Syst. Asterid. 1842, 55.
- ornata** Atomaria, Chevrier in O. Heer, Coleopt. Helvet. (3) 1841, 431.
- ornata** Atopa, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 220.
- ornatus** Attus, C. J. Sundevall, Consp. Arach. 1833, 25.
- ornata** Aturia, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 61.
- ornatus** Aulaeosaurus (Daud.), J. Wagler, Isis (Oken), 1833, 902.—Tupinambis.
- ornata** Auricula, A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 107 [*n. n.*].
- ornata** Avicula, G. A. Goldfuss, Petref. German. II (5) 1836, 132.
- ornatus** Balanus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 32.
- ornatus** Balistes, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 131.
- ornatus** Balistes, J. Richardson (*ex* Solander), Zool. "Samarang" (Fish, 1848), 24.
- ornatus** Bassus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 341.
- ornata** Bdella, C. L. Koch, Deutsch. Crust., heft 1, 1835, tab. 24.
- ornatus** Bellatrix (Gm.), F. Boie, Isis (Oken), 1831, 544.—Trochilus, Bodd. 1783.
- ornatus** Beryx, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 55 (1835); IV., 4 (1838), 115 (1839).
- ornata** Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 99.
- ornatus** Blennechis, L. Jenyns, Zool. "Beagle" (Fish, 1841), 85.
- ornatus** Blennius, W. Swainson, N. H. Fishes, etc. II. July 1839, 393.
- ornatus** Blepharitarsis, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 411.
- ornata** Boa, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 210.
- ornatus** Bombylius, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 345.
- ornatus** Bothriolepis, E. Eichwald, Bull. Ac. Sci. St Pétersb. VII. 1840, 79.
- ornatus** Brachycerus (Dru.), J. O. Wetwood in Drury, Ill. Exot. Ent. II. 1837, 66.—Curculio, 1773.
- ornatus** Brachymys (Mey.), H. G. Bronn, Index Pal. 1848, 173.—Micromys.
- ornatus** Brachyurites, E. F. v. Schlotheim, Nachtr. zur Petref. (2) 1823, 59.
- ornatus** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*].
- ornatus** Bruchus, C. H. Boheman, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 103.
- ornatum** Buccinum, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 229.
- ornatum** Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1834, 80.
- ornatus** Bufo, J. B. v. Spix, Ranar. Brasil. 1824, 21.
- ornatus** Bulimus, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 197.
- ornata** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 93.
- ornatum** Callidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].
- ornatum** Calodium, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 28.—Trichosoma, 1843.
- ornata** Calymene, Dalman, Arsberätt. K. Vet. Ac. 1828, 134.
- ornata** Calyptraea, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 72.
- ornatus** Cancer (Schl.), F. Holl, Handb. Petref. II. 1829, 144.—Brachyurites.
- ornata** Capra, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 461.
- ornata** Capulus (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—Acroculia. [34.—Elater, ? Grav.]
- ornatus** Cardiophorus (Dej.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- ornatum** Cardium (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 79.—Pinnopsis.
- ornatus** Caryocrinites, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 290.
- ornata** Cassida, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 77 [*n. n.*].
- ornata** Cecidomya, T. Say in Keating, Exp. Peter River, II. 1824, 357; & ed. London, 1825 (App.), 87.
- ornata** Cellaria, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 9.
- ornata** Cellepora, G. A. Goldfuss, Petref. German. I (1) 1826, 26.
- ornata** Cellepora, H. Michelin, Icon. Zoophyt. (6) 1843, 73.
- ornata** Cellulipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 500.
- ornatus** Cephalopterus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIII (75) Mar. 1809, 238.
- ornatus** Ceratopogon, J. W. Meigen, Syst. Beschr. Zweifl. Insekt. VI. 1830, 262.

- ornatus** *Cerceris* (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 367.—*Philanthus*, 1790.
- ornata** *Ceria*, W. W. Saunders, Tr. Entom. Soc. Lond. IV (1) Ap. 1845, 64.
- ornatus** *Ceuthorhynchus*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 513.
- ornatus** *Chaetodon*, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 33.
- ornatus** *Cheirurus* (Dalm.), H. E. Beyrich, Untersuchung Trilobiten, 1846, 5.—*Calymene*.
- ornatum** *Chelonarium*, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 431.
- ornata** *Chemnitzia*, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 221.
- ornata** *Chemnitzia* (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 186.—*Turritella*.
- ornatus** *Chilodon*, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 164 [*n. n.*]; Infusions-thier. 1838, 338.
- ornatus** *Chironomus*, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 43.
- ornata** *Chitona*, Handschuch in H. C. Kuester, Käfer Europas, XII. 1847, 88.
- ornatus** *Chloricthys*, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
- ornata** *Chlorops*, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 152.
- ornata** *Chrysomela*, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 13.
- ornata** *Chrysomela*, Dejean, Catal. Coléopt. 1821, 123 [*n. n.*].
- ornata** *Chrysopelea* (Merr.), Boie in Férussac, Bull. Sci. IX. 1826, 237.—*Coluber*.
- ornata** *Cicigna*, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 50.—*C. madagas. v. ornata*,
- ornata** *Cicindela*, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 27. [?1830.]
- ornatus** *Cidarites*, G. A. Goldfuss, Petref. German. I (2) 1829, 123.
- ornata** *Cimbex*, Le Peletier, Mon. Tenthred. 1823, 28.
- ornata** *Cissa* (Wagl.), G. R. Gray, Gen. Birds, III. App. 1849, 14.—*Pica*. [1852, 149.]
- ornata** *Cladodiptera*, M. Spinola, Tav. sin. Hem. 1850.—*ex* Mem. Soc. Ital. Sci. XXV (1)
- ornata** *Clausilia*, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836, 9.
- ornata** *Clemmys* (Bell), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—*Emys*, Gray.
- ornatus** *Clerus*, M. Spinola, Ess. mon. Clérites, I. 1844, 257.
- ornata** *Clubiona*, H. Lucas, Explor. Algér. (Artic. I.) 1846, 211.
- ornatus** *Clypeus*, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 95.
- ornatus** *Clytus*, Fab.; Dejean, Catal. Coléopt. 1821, 111 [*n. n.*]. [*v. sericeicollis*.]
- ornatus** *Clytus*, Fab.; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 467.—
- ornata** *Colaspis* (Hoffm.), E. F. Germar, Ins. spec. novae, I. 1824, 571.
- ornata** *Colombellina*, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 348.
- ornatus** *Coluber*, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 477.
- ornatus** *Coluber* (Natrix), B. Merrem, Tent. Syst. Amph. 1826, 109.
- ornatus** *Conchorhynchus*, H. D. de Blainville, Mem. Bélem. 1827, 115.
- ornata** *Conularia*, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 352.
- ornatus** *Conus* (Bolt.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 102.—*Cucullus*, 1798.
- ornatus** *Conus*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 345.
- ornata** *Coptocephala*, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 560.
- ornatus** *Coracina* (Geoff.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxii.—
- ornata** *Coracina*, J. B. v. Spix, Avium Brasil. I. 1824, 63. [Cephalopterus.]
- ornatus** *Crabro*, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 709.
- ornata** *Crassatella*, L. Reeve, Proc. Zool. Soc. London, X (109) Nov. 1842, 46.
- ornata** *Cristellaria* (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 95.—*Planulina*.
- ornatus** *Crossocerus*, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 774.
- ornata** *Cryptocoenia*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 385.
- ornatus** *Cryptopalpus* (Macq.), C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 171.—
- ornatus** *Cryptus*, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 620. [Micropalpus.]
- ornatus** *Ctenacanthus*, J. L. R. Agassiz, Poiss. Foss. II (1), 139 (1835) [*n. n.*]; III., 12 (1837).

- ornata** Ctenophora, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 166.
ornatum Ctenostoma, F. Klug, Jahrb. Insectenk. I. 1834, 42.
ornata Cucullaea, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 97.
ornatus Culex, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 5.
ornatus Curculio, A. G. Olivier, Entom. V. 1807, 300.
ornata Cyanocitta (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—Pica.
ornata Cyanocorax (Less.), G. R. Gray, Gen. Birds, II. Mar. 1845, 307.—Pica.
ornatus Cyathocrinus, J. Phillips, Geol. Yorksh. II. 1830, 206.
ornatum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 33.
ornata Cymindis, Steven; G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 24.
ornata Cymindis, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. b.
ornata Cyphomyia, F. Walker, The Zoologist, VIII. 1850, App., p. xcvi.
ornata Cyphonia, Laporte, Ann. Soc. Ent. France, I (2) c. July 1832, 230.
ornata Cypridina, J. Bosquet, Mém. Soc. R. Sci. Liège, IV. *post* Aug. 1847, 371.
ornatum Cyrtoceras, J. Phillips (*ex* Goldf. MS), Figs. descr. Pal. foss. Cornwall, 1841, 115.
ornatus Cyrtolites, T. A. Conrad, [2 An. Rep. N. Y. Geol. Surv.], Assembl. no. 200, 1838.
ornatus Cystignathus, J. E. Holbrook, N. Amer. Herpet., ed. 2, IV. 1842, 103. [118.
ornata Cytherea, Lamarck, An. s. vert. V. 1818, 568.
ornata Daphnella, R. B. Hinds, Zool. "Sulphur," 1844, 25.
ornatus Dasypogon, C. R. W. Wiedemann, Dipt. exot. 1821, 222.—Laphria, 1819.
ornata Degeeria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 249.
ornata Dendrophis, H. Schlegel, Abb. Amph. (1) 1837, 19.
ornata Dendrophis, H. Schlegel, Essai phys. Serp. 1837, I., 157; II., 234.
ornatum Dentalium, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 318.
ornata Diacantha, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 401.
ornatum Diadema (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
139 & 189.—Cidarites. [1830, 98.
ornata Diastata, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI.
ornata Diastopora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 266.—Flustra.
ornatus Diceros, H. Burmeister, Handb. Ent. III. 1842, 219.
ornatus Dicheros, F. W. Hope (*ex* Burm. MS), Ann. Mag. Nat. Hist. VIII (51) Dec. 1841,
ornata Didelphys, J. J. Tschudi, Fauna Peru. (Mamm.) 1845, 146. [302.
ornata Diopsis, J. O. Westwood, Tr. Linn. Soc. London, XVII (3) 1836, 549.
ornatus Diplodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 149.
ornatus Dirhagus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 225.
ornatus Discoglossus, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 56.
ornata Discopora (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II.
Aug. 1836, 253.—Cellepora.
ornatus Discorbites, O. G. Costa, Corrip. Zool. I. 1839, 69 [*n. n.*].
ornata [Discotoma], E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 216.
ornata Ditremaria (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 9.—Mono-
donta.
ornatus Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 79.
ornatum Dorcadion, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 64.
ornata Doris, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. g.
ornatus Doros (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 215.—Syrphus.
ornatus Dracunculus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 235.
ornatus Echinocorys, J. Fleming, Hist. Brit. Anim. 1828, 482.
ornatus Edwardsocrinus (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 157.—
ornatus Elaps, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 55. [Platycrinus.
ornatus Elater, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 173.
ornata Emberiza (Townsend), J. J. Audubon, Orn. Biogr. V. 1839, 44.—Plectrophanes.
ornata Emys, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 12.
ornatus Encyrtus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 219.
ornatum Engystoma, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
ornatum Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 363. [745.
ornata Eos (L.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 562,—
Psittacus, 1758.

- ornata Epeira, J. Blackwall, Ann. Mag. N. H. (2) VI. Nov. 1850, 342.
- ornatus Epiphlaeus, M. Spinola, Ess. mon. Clérites, II. 1844, 12.
- ornatus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825, 49.
- ornata Escharina (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 262.—Cellepora.
- ornatus Eugnathus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [*n. n.*]; Poiss. Foss. II (2), 105 (1844) [*n. n.*].
- ornatus Eumerus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 205.
- ornatus Eupatagus (Defr.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 9.—Spatangus.
- ornatum Euptilon (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 105.—Hemerobius, 1770.
- ornata Eurydema (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 61.—
- ornata Felis, J. E. Gray, Ill. Indian Zool. I (2) Mar. 1830 (pl. 2). [Cimex, L. 1758.
- ornata Fissurella, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 40 [*n. n.*].
- ornata Flabellina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 32.
- ornata Floscularia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 45; 1831 (1832), 125.
- ornata Flustra, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 70.
- ornata Fringilla, Max Wied, Reise Brasil, II. 1821, 191.
- ornata Frondicularia, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 21.
- ornatus Fusus, I. Lea, Contrib. to Geol. 1833, 148.
- ornatus Fusus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 333.
- ornata Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- ornatus Gammarus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 367 & 369.
- ornatus Garrulus, J. E. Gray, Ill. Indian Zool. I (5) Jan. 1831 (pl. 23).
- ornata Gena, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850, 39.
- ornata Geometra, Denis & Schiffermueller, Syst. Verz. Schmett. 1775, 117.—Phal. Scop. 1763.
- ornata Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 97.
- ornata Glycia (Klug), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 805.—Cymindis.
- ornata Glyphea (Ph.), H. G. Bronn in Ersch & Gruber, Allg. Ency. (3) X. 1838, 37.—Astacus.
- ornatus Glyptodon, R. Owen, Catal. Foss. Mamm. R. Coll. Surg. England, 1845, 119.
- ornatus Gobius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische (—) 1830 *vel* 1831, 135.
- ornatus Gomphosus, E. T. Bennett in S. Raffles, Mem. T. S. Raffles, 1830, 690.
- ornata Gonia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 3.
- ornatus Goniates, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 138. [Lysianassa.
- ornata Goniomya (Muenst.), J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1, 1842, 4.—
- ornatum Gonyleptes, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 68.
- ornata Grammatophora, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 253.
- ornatus Graphinotus, C. L. Koch, Die Arachniden, VII (1) July 1839, 10.
- ornatus Graptolepis, J. L. R. Agassiz, Poiss. Foss. I (1), p. xxxvi (1844); II (2), 159 & 163 (1844) [*n. n.*].
- ornatus Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 228. [Ilia.
- ornata Guaia (Randall), L. R. Gibbes, Proc. Acad. Nat. Sci. Philad. V (2) Ap. 1850, 27.—
- ornata Gymnoloma, H. Burmeister, Handb. Ent. IV (1) 1844, 163.
- ornata Gynandrophthalma (Koll. & Redt.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 266.—Coptocephala.
- ornatus Gyraacanthus, J. L. R. Agassiz, Poiss. Foss. III., 177 (1843) [*n. n.*].
- ornatus Gyrocera (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.—Cyrtoc-
- ornata Haemopsis, F. de Filippi, Mem. Sanguisughi, 1837, 25. [ceras.
- ornata Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 131.
- ornatus Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 456.
- ornata Hesperia, W. E. Leach, Zool. Miscell. I. 1814, 126.
- ornata Hesthesis, W. W. Saunders, Tr. Entom. Soc. Lond., n. s. I (3) Nov. 1850, 84.
- ornata Heterophyllia, F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 127.

- ornata** Heterorhina (Hope), J. O. Westwood, Arcana Entom. (9) Sept. 1842, 140.—
Dicheros.
- ornata** Hinulia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 77.—Tiliqua, 1843.
- ornatus** Hister (Saprinus), E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 69.
- ornata** Hoplophora, L. Fairmaire, Rev. Zool. (Soc. Cuv.) IX. Jan. 1846, 14.
- ornatus** Hybodus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*].
- ornata** Hydrargira, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 7, Nov. 1817, 131.
- ornatus** Iassus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- ornata** Iberus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 27 [*n. n.*].
- ornatus** Icthycallus, W. Swainson, N. H. Fishes etc. II. July 1839, 232. [1775.
- ornata** Idaea (D. & S.), F. Treitschke, Schmett. Europa, VI (2) 1828, 283.—Geometra,
- ornata** Ilia, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 129.
- ornata** Isocardia, E. Forbes, Q. J. Geol. Soc. London, I. 1845, 242.
- ornata** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 272.
- ornata** Juida (Daud.), G. R. Gray, Gen. Birds, II. Ap. 1846, 327.—Sturnus, 1800.
- ornatus** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 487.
- ornatus** Kitta, C. L. Bonaparte (*ex* Licht. MS), Consp. gen. Avium, I. 1850, 166.
- ornata** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 215.
- ornatus** Labrus, D. Carmichael, Tr. Linn. Soc. London, XII (2) 1819, 502.
- ornatus** Laccophilus, C. Aubé, Spec. gén. Hydroc. 1838, 432.
- ornata** Lamia (Ol.), Audinet-S. in Palisot de B., Ins. Afr. Amér. (15) 1821, 245.—
Cerambyx, 1795.
- ornatus** Lamprotornis (Daud.), C. Dumont, Dict. Sci. Nat. LI. 1827, 84.—Sturnus, 1800.
- ornatus** [Lanius], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 39 [*n. n.*].
- ornatus** Lanius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 19.
- ornata** Laphria, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 49.
- ornatus** Larinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 61 [*n. n.*].
- ornatus** Latrodectus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 233.
- ornata** Lebia, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 13.
- ornata** Leda, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 546.
- ornatus** Leiocephalus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 219.
- ornata** Leiostrix, J. M'Clelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 162.
- ornatus** Leiurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 157.
- ornata** Lema, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 138.
- ornatus** Lepidotes, J. L. R. Agassiz, Jahrb. f. Min. 1832, 145.
- ornatus** Lepidotus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 30 (1835); II (1), 249 (1837).
- ornata** Leptaena (Eichw.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug.
1845, 220.—Orthis.
- ornata** Leptis, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 34.
- ornatus** Leptophis (Shaw), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 934.—Coluber.
- ornata** Leptopodia, L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 335.
- ornatus** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 310.
- ornata** Leucospis, Klug in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 252.
- ornata** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 96.
- ornata** Libellula, C. Brittinger, Entom. Zeitung, Stettin, VI (6) June 1845, 205.
- ornata** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 551.
- ornatus** Limnophilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit.
Ent. (Mand. VI.) Jan. 1837, 212.
- ornata** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 144. [Turbo.
- ornatus** Littorina (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—
- ornatus** Lorius (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.—
Psittacus, 1758.
- ornata** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 48, June 1850.
- ornata** Lycosa, M. Perty, Del. anim. artic. Brasil. (3) 1833, 196.
- ornata** Lysianassa, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 264.
- ornata** Lytta, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 275.
- ornata** Macrocera, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 90 [*n. n.*].
- ornata** Madrepora, DeFrance, Dict. Sci. Nat. XXVIII. 1823, 8.

- ornatus Malachius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 198.
 ornata Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 78.
 ornata Margarita, J. E. De Kay, N. H. New York (Moll.) 1843, 107.
 ornatus Marsupites, J. S. Miller, N. H. Crinoidea, 1821, 136.
 ornatus Mastax, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 70.
 ornata Meandrina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 38.
 ornatus Mecistogaster, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 288.
 ornata Megaera, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 49.
 ornata Megatoma, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 186.
 ornata Melania, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 129.
 ornata Melania, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 4.
 ornata Melania, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 111.
 ornata Meliboea, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 34.
 ornata Meliphaga, Gould; G. R. Gray, Gen. Birds, I. Oct. 1846, 122.
 ornata Mellisuga (Bodd.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 254.—Trochilus, 1783.
 ornatus Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxv.
 ornata Mesocheira, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 145.
 ornata Mesodema, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.
 ornatus Meyeria (Ph.), F. M'Coy, Ann. Mag. N. H. (2) IV. Nov. 1849, 333.—Astacus.
 ornata Micrommata (Walck.), Latreille, N. Dict. H. N., ed. 2, XX. 1818, 518.—
 ornatus Micromys, H. v. Meyer, N. Jahrb. f. Min. 1846, 475 [*n. n.*] [Sparassus.
 ornatus Micropalpus, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 204.
 ornata Milesia, J. C. Fabricius, Syst. Antliat. 1805, 188.
 ornata Milichia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 787.
 ornatus Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 87.
 ornata Mitra, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 83.
 ornata Modiola (Orb.), H. G. Bronn, Index Pal. 1848, 737.—Mytilus.
 ornatus Monitor (Daud.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 27.—Tupinambis.
 ornatus Monochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 161.
 ornata Monodonta, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 101.
 ornata Mordella, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 315.
 ornatus Morphnus (Daud.), Cuvier, Règne Anim. I. 1817, 319.—Falco, 1800.
 ornatus Murex, Grateloup, Actes Soc. Linn. Bordeaux, VI (33) 1833, 98.
 ornata Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. f.
 ornata Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 622.
 ornata Mya, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 95.
 ornatus Myadestes (Boiss.), R. P. Lesson, Descr. mamm. et ois. récemment découverts. 1847, 320.—Setophaga.
 ornata Mycetophila, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
 ornata Mycetophila, J. F. Stephens, Ill. Brit. Ent. (Suppl.) Aug. 1846, 24.
 ornatus Mycotretus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 137.—Erotylus.
 ornata Myoconcha, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 33.
 ornata Myophoria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 88.
 ornatum Myrmeleon, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 123.
 ornata Mysia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 250 [*n. n.*].
 ornatus Mytilus, D. Solander, Catal. Portland Mus. 1786, 104, 135 & 171 [*n. n.*].
 ornatus Mytilus, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 171.
 ornatus Mytilus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 283.
 ornata Nassula, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 169
 ornata Naticella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 101. [& 304.
 ornatus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 88.
 ornata Nephila, A. Adams, Ann. Mag. N. H. XX. Nov. 1847, 291.
 ornata Nereisyllis, de Blainville, Dict. Sci. Nat. LVII. 1828, 473.
 ornata Nerilopsis (*sic*), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 176.
 ornata Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4.
 ornata Nerita, G. B. Sowerby, II., Gen. Shells (15) 1823.

- ornata** Nerita, W. Wood, Suppl. Index Test. 1828, 25 [*n. et f.*].
ornata Nerita, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 121.
ornata Neritina, Melleville, Ann. Sci. Géol. II (1) 1843, 50 [*teste* A. d'O.].
ornata Neritina, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 96.
ornata Neritina, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 112.
ornata Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 288.
ornatus Notopterus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 16.
ornata Nucula, G. B. Sowerby, I. in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 251.
ornata Odontomyia (Meig.), J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1825, 1826, 446.—Stratiomys.
ornata Odontonyx (Mels.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 1.—
ornatus Oniscus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 300. [Atopa.
ornata Opis (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 118.—Isocardia.
ornatus Orchestes, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 218.
ornatum Orectolobus (Gray), C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 213.—Scyllium.
ornata Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (4-9) *inter* May & Nov. 1829,
ornata Ortalis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 277. [139.
ornata Orthos, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 160.
ornatus Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 281.
ornata Oscinis, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 86.
ornata Ostracion (Aracana), J. E. Gray, Ann. Nat. Hist. I (2) Ap. 1838, 110.
ornata Ostrea, W. Wood, Suppl. Index Test. 1828, 7 [*n. et f.*].
ornata Ovis, I. Geoffroy, Dict. Class. H. N. XI. 1827, 264.
ornata Oxyuris, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 144.
ornatus Oxyurus, W. Swainson, Anim. in Menag., Dec. 1837, 324.
ornatus Pachycoris, E. F. Germar, Revue Entom. V (4) 1840, 190.
ornatus Pagurus, P. Roux, Crust. Médit. (9) 1830, pl. xliii.
ornatus Pagurus, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Nov. 1836, 277.
ornatus Palaemon, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 660.
ornatus Palaeoniscus, G. v. Muenster, Beitr. zur Petref. (5) 1842, 52 [*n. n.*].
ornatus Panagaeus, C. H. Boheman, Ins. Caffr. I (1) 1848, 125.
ornata Pangonia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 26.
ornatus Panulirus (Fab.), A. White, List Crustacea Coll. B. M. 1847, 69.—Palinurus, 1798.
ornatus Pardalotus, C. J. Temminck in T. & Laugier, Pls. color. (66) June 1826.
ornata Parias, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 11.—Megaera, 1842.
ornata Pasithea, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 253.
ornata Passerina, R. P. Lesson, Descr. mamm. et ois. récemment découvr. 1847, 335.
ornata Patella, L. W. Dillwyn, Catal. Shells, 1817, 1029.
ornatus Pecten, Lamarck, An. s. vert. VI (1) 1819, 176.
ornatus Pecten, W. Wood, Suppl. Index Test. 1828, 47.—Ostrea, 1828.
ornatus Pecten, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1830, 306.
ornata Pedina, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 36.
ornata Pelamis, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 60.
ornatum Pelonium (Klug), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 36.—Enoplium.
ornatus Pentatoma (L.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 301.—Cimex, 1758.
ornata Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 486.
ornata Perialia, J. E. Gray in E. J. Eyre, Journ. Centr. Austral. I. 1845, 407.
ornatus Pericalus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 86.
ornata Phasia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 202.
ornatum Phasma, H. Burmeister, Handb. Ent. II (2) i, 1838, 585.
ornatum Phelsuma, J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 199. [Merops.
ornatus Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 423.—
ornata Phillipsia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 307.
ornatus Philodromus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 197.

- ornatus Pholidophorus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 141 (1843); II (1), 280
- ornatus Phrurolithus, C. L. Koch, Die Arachniden, VI (5) *ante* July 1839, 114. [(1844).]
- ornatus Phyllerastes, C. Steven, Mus. Mosq. II. 1829, 95 [*mihi non visum*].
- ornata Pica, J. G. Wagler, Isis (Oken), 1829, 749.
- ornata Pica, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 41.
- ornatus Picus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 102.
- ornata Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- ornata Pimpla, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 158.
- ornata Pinna, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 52.
- ornatus Pinnopsis, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 244.
- ornata Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 243.
- ornatus Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
- ornata Planulina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 98.
- ornatus Platonyx (Dej.), C. J. Schoenherr, Isis (Oken), 1825, 584.—Baris [*non comp.*].
- ornatus Platycrinites, Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 347.
- ornatus Platycrinus, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 11 [*n. n.*];
Syn. Carb. Lst. foss. Ireland, 1844, 176.
- ornatus Platydactylus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.,
47.—Phelsuma, 1826.
- ornatus Platyonyx, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 795.
- ornata Platypeza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 145.
- ornatus Platyrinchus, A. G. Desmarest, Hist. Nat. Tangaras (4) Oct. 1805. [189.]
- ornata Plectrophanes, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII., *post* June 1837,
- ornatus Pleuronectes (Lac.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 317.—Achirus.
- ornata Pleurotoma, Defrance, Dict. Sci. Nat. XLI. 1826, 390.
- ornata Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 209, Oct. 1845.—
Daphnella.
- ornata Pleurotomaria (Sow.), Defrance, Dict. Sci. Nat. XLI. 1826, 382.—Trochus.
- ornata Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 34.—
varr. macroptyca; sublaevigata (36), aptyca; sulcifera (37).
- ornata Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 412.
- ornata Poecilocera, H. Burmeister, Handb. Ent. II (2) i, 1838, 624.
- ornatum Poecilosoma (Dalm.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
II. 1840, 411.—Prionus. [185.—Prionus.]
- ornatum Poekilosoma (Dalm.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) *c.* July 1832,
- ornata Pogonobasis, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 163.
- ornatus Pogonocherus, J. Sturm, Catal. Ins. Samml. 1826, 186 [*n. n.*].
- ornata Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- ornata Polycera, A. d'Orbigny in Magasin de Zool. VII. 1837, pl. 107. [531.]
- ornatus Polydrosus (Stev.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 137.—
Phyllerastes.
- ornatus Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *h.*
- ornata Porcellia (Conr.), D. Sharpe, Q. J. Geol. Soc. London, IV. 1848, 181.—Cyrtolites.
- ornatus Porcellio, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 169.
- ornata Porites, G. Michelotti, Spec. Zoophyt. diluv. 1838, 172.
- ornatus Prepodes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 22.—Curculio.
- ornata Prionastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 293.
- ornatus Prionus, J. W. Dalman, Anal. Entom. 1823, 62.
- ornatus Procephalus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [separata
1842], 118.—Ctenostoma.
- ornatus Psarus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 91.
- ornatus Psithyrus, Lepeletier de S. F., Ann. Soc. Ent. France, I (4) *c.* Jan. 1833, 381.
- ornatus Pterochilus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 677.
- ornatus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 24.
- ornata Ptilodactyla, Laporte, Revue Entom. IV (1) 1836, 21.
- ornatus Ptilotis, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- ornatus Ptinus, P. W. J. Mueller, Mag. Entom. (Germar) IV. 1821, 218.
- ornatus Ptinus, Dahl; Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].

- ornata** Ptychopoda (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geometra; Phalaena, Scop. 1763.
- ornata** Raia, J. L. R. Agassiz, Poiss. Foss. III., 372 (1843).
- ornata** Raja (Actinobatis), J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xlvii [*n. n.*].
- ornata** Rana, J. E. Holbrook, N. Amer. Herpet. I. 1836, 97.
- ornatus** Reduvius, C. P. Thunberg, Hemip. Capen. III. 1822, 4.
- ornata** Requiencia, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 257.
- ornata** Rhaphiocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 183.
- ornatus** Rhynchaenus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 203.
- ornata** Rissoa, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 97.
- ornata** Robulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 98.
- ornata** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 42.
- ornata** Rostellaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 291.
- ornata** Rotalia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 134.
- ornata** Rutela, M. Perty, Del. anim. artic. Brasil. (1) 1830, 49.
- ornata** Saga, H. Burmeister, Handb. Ent. II (2) 1, 1838, 717.
- ornata** Salenia, J. Morris, Cat. Brit. Foss. 1843, 58 [*n. n.*].
- ornatus** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 176.
- ornatum** Scalpellum, Anon., Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, Annulosa,
- ornatus** Scaphites, G. v. Muenster, N. Jahrb. f. Min. 1834, 539 [*n. n.*]. [pl. 3.]
- ornatus** Scaphites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 91.
- ornatus** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 64.
- ornatus** Scatophagus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 143.
- ornata** Sciophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 250.
- ornata** Scolia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 517.
- ornata** Scolopendra, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 392.
- ornata** Scolopendra, C. L. Koch, Krit. Revision Insekt. Deutschl. 1847, 155.
- ornatum** Scyllium, J. E. Gray, Ill. Indian Zool. I (3) July 1830 (pl. 98).
- ornatus** Scymnus, J. L. Leconte in Agassiz, Lake Superior, 1850, 239.
- ornata** Selandria, E. Newman, Entom. Mag. V (5) Oct. 1838, 484.
- ornata** Sepia, P. S. Rang, Doc. Ceph. Crypt. in Magasin de Zool. VII. 1837, 76.
- ornata** Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 290.
- ornata** Serpula, G. B. Sowerby, II., Gen. Shells (22) 1824.
- ornata** Serpula, I. Lea, Contrib. to Geol. 1833, 37.
- ornata** Serpula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 163.
- ornata** Setophaga, Boissonneau, Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 70.
- ornata** Simulia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 290.
- ornatum** Siphneus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 33.—Engystoma.
- ornatus** Smynthurus, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 83.
- ornatum** Solarium, I. Lea, Contrib. to Geol. 1833, 120.
- ornatum** Solarium, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 336.
- ornatus** Sparassus, C. A. Walckenaer, Tab. Aran. 1805, 40.—Aranea, 1802.
- ornatus** Sparus, A. Sevestianov, Nova Acta Ac. Sci. Petrop. XIV. 1805, 521.
- ornatus** Spatangus, DeFrance in Cuvier & Brongniart, Desc. Geol. Paris, ed. 3, 1822, 389.
- ornata** Spermophila (Licht.), G. R. Gray, Gen. Birds, III. App. 1849, 18.—? Fringilla, Wied.
- ornata** Sphex, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 344.
- ornata** Spiroloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 167.
- ornata** Spiroptera, Mehlis, Arch. f. Naturg. XII (1) 1846, 132 [*n. n.*].
- ornata** Spirorbis, DeFrance, Dict. Sci. Nat. L. 1827, 303.
- ornatus** Spizaetus (Daud.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 60.—
- ornatus** Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 356. [Falco, 1800.]
- ornata** Sternodonta (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 475.—Cerambyx, 1795.
- ornata** Steropes (Leach), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 168.—Hesperia. [Curculio.]
- ornatus** Stigmatrachelus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 130.—
- ornatus** Stiliger, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls 1828), sign. i.

- ornatus Stizus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 477.
- ornata Strachia (L.), C. W. Hahn, Wanzenart. Ins. III (1) Aug. 1835, 12.—Cimex, 1758.
- ornata Stratiomys, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 144.
- ornata Strigula, G. Perry, Conchology, Ap. 1811, pl. 15.
- ornatus Strombus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 628.
- ornatus Strongylus, I. F. M. Olfers, De Veget. 1816, 58 [*err. typ. pro ornatus; teste S. & H.*].
- ornata Struthiolaria, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
- ornatus Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 298. [260.]
- ornata Tachina (Meig.), J. W. Zetterstedt, Dipt. Scand. III. 1844, 1071.—Degeeria.
- ornata Tanagra, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 42.
- ornatus Tanypus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- ornatus Tanypus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 14.
- ornatus Tentaculites, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- ornata Tenthredo, Le Peletier, Mon. Tenthred. 1823, 77. [628.]
- ornata Terebra, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 62.
- ornata Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 40.
- ornata Terebratula, C. Giebel, N. Jahrb. f. Min. 1847, 822. [Terebratula.]
- ornata Terebratulina (Roem.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 58.—
- ornata Tetrix (Say), T. W. Harris, Rep. Insects Massach. 1841, 150.—Acrydium.
- ornata Tettigonia, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 195.
- ornata Thalamocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 176.
- ornata Thaliella, J. E. Gray, Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, 44.
- ornatus Thallepus, W. Swainson, Treat. Malacol., May 1840, 250.
- ornatum Theridion, C. W. Hahn, Mon. Spinnen (6) Aug. 1831.
- ornata Thraupis (Sparr.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 28.—Tanagra,
- ornatus Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 29. [1789.]
- ornata Tiaris (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 351.—Fringilla,
- ornata Tiliqua, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 202. [Wied.]
- ornatus Tiphys, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 20.
- ornatus Trichodes, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 189.
- ornatus Trichoglossus (Gm.), G. R. Gray, Gen. Birds, II. Mar. 1846, 411.—Psittacus, 1758.
- ornatum Trichosomum, F. Dujardin, Ann. Sci. Nat. [2] XX. 1843, 347.
- ornata Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 136.
- ornatus Trilobites, C. Sternberg, Verh. Gesellsch. Vat. Mus. Böhmen, 1833, 53.
- ornatus Trinucleus (Sternb.), H. Burmeister, Organ. d. Trilobit. 1845, 67.—Trilobites.
- ornatus Trinucleus, *v. favus*, J. W. Salter, Q. J. Geol. Soc. London, III. 1847, 254.
- ornatus Triphoris, G. P. Deshayes, Ency. Méth. (Vers) III. 1832, 1053.
- ornatus Trochus, Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 49.
- ornatus Trochus, J. Sowerby, Min. Conch. III. 1818, 39.
- ornatus Trochus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 147.
- ornata Truncatulina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 40.
- ornatum Trygon, J. E. Gray, Ill. Indian Zool. I (2) Mar. 1830 (pl. 99). [691.]
- ornata Tubularia, Couthouy in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
- ornata Tugonia (Bast.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) IX. May 1846, 176.—Mya.
- ornatus Tupinambis, F. M. Daudin, Ann. Mus. H. N. (Paris) II (9) June 1803, 243.
- ornata Turbinolia, E. Eichwald, Zool. Spec. I. 1829, 186.
- ornatus Turbo, J. Sowerby, Min. Conch. III. 1819, 69.
- ornatus Turbo, A. Andrzejovski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 562 [*n. n.*].
- ornata Turbonilla (Muenst.), H. G. Bronn, Index Pal. 1848, 1328.—Melania.
- ornatus Turdus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 655.
- ornatus Turrilites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 604.
- ornata Turritella, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 143.
- ornata Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 121.
- ornata Tyrannula, Swainson in Murray, Ency. Geogr. 1834, 1383 [*n. n.*].
- ornata Tyria (Shaw), L. J. Fitzinger, Neue Classif. Rept. 1826, 60.—Coluber.
- ornatus Uaranus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 10.
- ornatum Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- ornatum Uperodon, T. Bell, Zool. "Beagle" (Rept. 1843), 50.

- ornatus** Uromastyx, C. H. G. v. Heyden in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Rept. (5) 1827, 1.
- ornatus** [Ursus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (50) June 1825, Ours de cordilières, p. 2.
- ornata** Valencinia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 187.
- ornatus** Varanus (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 59.—Tupinambis.
- ornata** Venus, L. W. Dillwyn (*ex* Sol. MS), Catal. Shells, 1817, 185.
- ornata** Venus, W. Wood (*ex* Chemn.), Index Test. 1818, 36.
- ornata** Venus (Cytherea), F. S. Voigt in Cuvier, Thierreich, III. 1834, 545.
- ornata** Venus, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 164.
- ornata** Vespa, W. Turton, Linnaeus, Syst. Nat. III. 1802, 529.
- ornata** Voltula, C. v. Heyden, Isis (Oken), 1826, 610.
- ornata** Voluta, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 128.
- ornatum** Xiphosoma, J. Wagler in Spix, Serp. Brasil. 1824, 40.
- ornatus** Xyletinus, E. F. Germar, F. Ins. Europ. (22) 1842, 2.
- Ornebius** F. E. Guérin-M., Iconographie, 1844, Ins., 331.—Orth.
- Ornelias** C. S. Rafinesque, Analyse, 1815, 219.—A. [*n. n.*].
- Orneopetes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ornepetes, Guér.
- Orneostomus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ornistomus, Dej.
- Ornepetes** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 238.—Hym.
- Orneus** J. Huebner, Exot. Schmett. II. Tab. [159] [?] 1820].—Lep. [*n. et f.*].
- ornea** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 137.
- orneus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 275.
- orneus** Sphinx, J. O. Westwood, Cab. Orient. Entom. 1847, 13. [Licht. 1796.]
- orni** Tibicen (Gm.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 110.—Cicada,
- Ornichthys** W. Swainson, N. H. Fishes etc. II. July 1839, 55, 179 & 262.—P.
- ornis** Pterodactylus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 99.
- Ornisma** *err. pro* Ornismya; Lesson, H. N. Ois.-Mouches (3) Ap. 1829, 50.
- Ornismia** *err. pro* Ornismya, Less.; De Longuemare, Magasin de Zool. (2) IV. 1842, text
- Ornismya** R. P. Lesson, Man. Orn. II. June 1828, 75.—A. [to pl. 26.]
- Ornistomus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 321.—Col. [*n. n.*].
- Ornitharches** J. Gistel, Nat. Thierr. 1848, 188.—?
- Ornithocephalus** L. J. Fitzinger, N. class. Rept. 1826, 16.—R.
- Ornithichnites** E. Hitchcock, Amer. J. Sci. XXIX (2) Jan. 1836, 315.—R.
- ornithivora** Orbellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 657.
- Ornithobia** J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 229.—Dipt.
- Ornithobius** H. Denny, Mon. Anoplur. 1842, 183.—Ar.
- Ornithocephalus** S. T. Soemmering, Denkschr. K. Ak. Wiss. München, 1811-12 (1812),
- ornithocephala** Terebratula, J. Sowerby, Min. Conch. I. 1815, 227. [89.—R.]
- Ornithocoprus** W. Buckland, Tr. Geol. Soc. London [2] III. 1829, 236.
- Ornithodoros** C. L. Koch, Arch. f. Naturg. X (1) 1844, 219.—Ar.
- Ornithodoros** L. Agassiz, Nom. Zool. (Arachn.) 1845, *emend. pro* O—doros, Koch.
- ornithoglossa** Rhizosolenia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 204.
- Ornithoidichnites** E. Hitchcock, Final Rep. Geol. Massach. II. 1841, 476 & 484.—A.
- Ornithomya** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 466.—Dipt.
- Ornithomyia** P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 402.—Dipt.
- Ornithomyza** J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2902.—Dipt.
- Ornithoptera** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 33.—Lep.
- Ornithopterus** H. v. Meyer, N. Jahrb. f. Min. 1838, 668.—R.
- Ornithopus** E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 191.—R.
- ornithopus** Ophidiaster, Valenciennes in Joh. Mueller & Troschel, Syst. Asterid. 1842, 31.
- Ornithoramphus** A. Cocco in Natale, Descr. Plojaria, 1850, 12.—Cr.
- ornithoramphus** Orio, A. Cocco, Effem. Sci. Lett. Sicilia, II. June 1832, 206.
- ornithorhynchi** Ixodes, H. Lucas, Rev. Zool. (Soc. Cuv.) VIII. July 1845, 269.
- ornithorhynchus** Spirifer, F. M'Coy, Cat. Mus. Geol. Soc. Dublin, 1841, 27; in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 133.

- Ornithorhyncus** Cuvier, Dict. Sci. Nat. LIX. 1829, 503.—M. [*teste* Palmer].
- Ornithorinchus** C. S. Rafinesque, Analyse, 1815, 57.—M. [*teste* Palmer].
- Ornithorinxus** v. **Ornithorhynchus**, Blum. 1800; G. Perry, Arcana, 1810, sign. F 5.
- Ornithorrhynchus** *id. ac* **Ornithorhynchus**, Blum. 1800; Berthold in Latreille, Nat. Fam. Thierr. 1827, 64.
- ornithotherius** Canis, J. Gistl, Nat. Thierr. 1848, 78.
- ornithotherius** Canis, J. Gistl, Handb. Naturges. 1850 [1847], 256.
- ornitum** Cinorestes, O. G. Costa, Cenni Zool. (Ann. Zool.) 1834, 79.
- Ornius** Nitzsch, 1840; *err.* Agassiz, Nom. Zool. (Aves), *pro* Orinus.
- Ornix** F. Treitschke, Schmett. Europa, IX (2) 1833, 194.—Lep.
- ornythion** Papilio, T. Roger in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 354.
- ornytus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 238.
- orobaenus** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 293.—Helix, 1835.
- oroboena** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 17.
- orobana** Grapholitha, F. Treitschke, Schmett. Europa, VIII. 1830, 226.
- orobana** Stigmonota (Tr.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 183.—Grapholitha.
- Orobates** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oribates, *i.e.* Oribate, Latr.
- orobi** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 29 (Fernaldo judice 1808–18)
- orobi** Thermophila, J. Huebner, Verz. bekannt. Schmett. [1820], 118. [[*n. et f.*].
- orobinus** Hesperomys, A. Wagner, Arch. f. Naturg. VIII (1) 1842, 361.
- orobinus** Mus (Wagn.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 190.—Hesperomys.
- orobinus** Myoxus, A. Wagner, Arch. f. Naturg. XI (1) 1845, 149.
- Orobitis** E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col.
- orobius** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 191.
- orobia** Helix, W. H. Benson, Ann. Mag. N. H. (2) II. Sept. 1848, 158.
- orobia** Lamprotatus, F. Walker, Ann. Mag. N. H. X. Dec. 1842, 272.
- orobus** Cidaris, Agassiz, Cat. Ect. Ech. 1840, 10; Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846,
- Orocetes** G. R. Gray, List Gen. Birds, 1840, 21.—A. [334.
- Orocoetes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orocetes, Gray.
- Oroderes** W. W. Saunders, Tr. Entom. Soc. Lond., n. s. I (3) Nov. 1850, 81.—Col.
- orodes** Bendis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 269.—Phalaena, 1777.
- orodes** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 303.
- orodes** Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 260.—Phalaena, 1777.
- orodes** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus,
- Orodina** J. Gistl, Nat. Thierr. 1848, p. xi.—Col. [1839.
- Orodinus** Megerle in Dahl, Col. u. Lepid. 1823, 61; J. Gistl, Nat. Thierr. 1848, p. ix.—Col.
- Orodus** J. L. R. Agassiz in Egerton, Catal. 1837 [*n. n.*]; Poiss. Foss. III., 96 (1838).—P.
- oroetes** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 211.
- Orognathus** J. L. R. Agassiz, Poiss. Foss. II (2), 83 (1844).—P. [*n. n.*].
- oromedon** Xylotrupes, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 523.
- Oronotus** C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 166 & 213.—Hym.
- Oronotus** Burmeister, 1847; *sic* Marshall, *sed emend. pro* Horonotus, *q.v.*
- orontas** Pteromalus, F. Walker, Ann. Mag. N. H. XIX. June 1847, 396.
- Orontes** W. Swainson, Zool. Illust. (2) III (27) 1833, pl. 125.—Lep. [Papilio, 1763.
- orontes** Castnia (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—
- orontes** Nyctalemon (L.), J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 407.—Papilio,
- orontes** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 373. [1763.
- orontes** Urania (L.), Lamarck, An. s. vert. IV. 1817, 19.—Papilio, 1763.
- orontiaria** Alcidis, J. Huebner, Verz. bekannt. Schmett. 1825, 289.
- orontiaria** Alcides, J. Huebner, Exot. Schmett. II., Tab. [218] [*n. et f.*].
- orontii** Argyrospila, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850–51, 374.
- orope** Euplaea, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 100.
- orophanes** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 275.
- Orophia** J. Huebner, Verz. bekannt. Schmett. 1826, 405.—Lep.
- orophila** Achatina, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Achatina, no. 105, June
- orophilus** Aphodius, T. v. Charpentier, Horae Ent. 1825, 210. [1849.

- orophila** Brotis, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 7.
Orophinus *err.* Marschall, Nom. Zool. 1873, 226, *pro* Orophius, Redt.
Orophis L. Fitzinger, Syst. Rept. 1843, 26.—R.
Orophius L. Redtenbacher, F. Austr., Käfer, 1849, 350.—Col.
Oropterus A. White, Zool. "Ereb. Terr." (Ins. 1846), 14.—Col.
Oroptychus L. Agassiz, Nom. Zool. (Pisces) Add. 1845, 4.—P. [*n. n.*].
oropus Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 305.
oropus Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 149.—Cirrospilus,
Oroseris H. M. Edwards & J. Haime, 1848; *sic* Marschall, *sed non comp. ante* 1851. [1839.
orosia Calymma (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 281.—Phalaena, 1780.
orosia Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 277.—Phalaena, 1780.
orosminus Strombus, Duclos in J. C. Chenu, Illustr. Conch. II., Strombus, 1844, 6.
Orospina J. J. Kaup, Skizz. Europ. Thierw. 1829, 154.—A.
Orotherium Aymard, Ann. Soc. Agric. Puy, XIV (1) 1850, 81 & 82.—M.
orozimbo Umbonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 277.
Orphaeus *pro* Orpheus; F. Stein, Arch. f. Naturg. V (1) 1839, 246.—A.
Orphanos J. Huebner, Verz. bekannt. Schmett. 1826, 306.—Lep.
orphanulus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 307.
orphanula Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 806.
orphanulus Megaprotus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 298.
Orphanus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orphanos, Huebn.
orphanus Anchomenus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 21.
orphana Chrysomela (Phaedon), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 232.
orphanus Copris, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 310.
orphana Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 340.
orphana Paropsis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 229.
orphanus Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 258.
orphanus Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 452 & 499.
orphana Stelidota, Klug in Germar, Zeitschr. f. d. Entom. IV. 1843, 304 [*n. n.*].
Orpheia G. v. Muenster; *sic* Agassiz, *sed non comp., vide* Orphnea.
orpheella Bedellia, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 23.
Orpheides J. Huebner, Verz. bekannt. Schmett. [1820], 86.—Lep.
Orpheus W. Swainson, Phil. Mag., n. s. I (5) May 1827, 369; Zool. Journ. III (10) Sept. 1827, 167.—A.
Orpheus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Orphaeus, Stein.
orphea Adophoneus (Temm.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 28.—Sylvia.
orpheus Cremna, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 14 [*n. n.*].
orphea Curruca, *var.* helena, C. G. Ehrenberg, Sym. Phys., Aves (1833), sign. cc.
orphea Curruca, J. Gould, Birds of Europe, II. 1837, pl. 119.
orphea Curruca (Temm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 14.—Sylvia.
orpheus Fusus, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 142.
orpheus Hipparchia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, III. 1831, 244 [*n. n.*].
orpheus Mimus (Spix), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 60.—Turdus,
orpheus Pachycephala, W. Jardine, Contrib. Ornith. II. 1849, 129. [L. 1758.
orphea Philomela (Temm.), T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 267.—Sylvia.
orphea Sylvia, C. J. Temminck, Man. Orn. 1815, 107.
orpheus Turdus, J. B. v. Spix, Avium Brasil. I. 1824, 71.
orphia Colombella, P. L. Duclos in Chenu, Illustr. Conch. (66) 1846, pl. 15 [*n. et f.*].
Orphilus W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 461.—Col.
orphise Myscelia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 223.—Papilio, 1775.
orphise Nymphalis (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 417.—Papilio, 1775.
orphna Ascalapha, J. Huebner, Exot. Schmett., Tab. Ascalapha [*n. et f.*].
orphna Emesis, Boisduval, S. à Buffon (Lép.) I. 1836, expl. pl. xxi.
orphna Gorgone, J. Huebner, Index exot. Lepid. 1821, 5.
orphna Gorgonia, J. Huebner, Verz. bekannt. Schmett. 1825, 270.
orphna Taxila (Boisd.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 2.—Emesis.
Orphne J. Huebner, Verz. bekannt. Schmett. 1826, 314.—Lep.

- "Orphné" A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 360.—Col. [*? vernac.*].
- "Orphné" A. Lefebvre, Magasin de Zool. (2) IV. 1842, text to pl. 92.—Neur. [*vernac., vide orphne*].
- orphne Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 456. [Orphnus].
- orphne Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 351.
- Orphnea G. v. Muenster, Beitr. zur Petref. (2) 1839, 39.—Cr.
- Orphnephila A. H. Haliday, Zool. Journ. V (19) Sept. 1831, *i.e.* July 1832, 350.—Dipt.
- Orphnus W. S. Macleay, Horae Entom. I (1) 1819, 119.—Col.
- Orphnus L. Agassiz, Nom. Zool. (Neur.) 1844, 5.—Neur. [*vernac.* Lefeb. 1842].
- Orphnus J. C. Albers, Die Helic. 1850, 146.—G.
- orphoides Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 193.
- orphus Aurata, A. Risso, H. N. Europe, III. 1826, 358.
- orful Barbus (L.), J. Fleming, Hist. Brit. Anim. 1828, 186.—Cyprinus, 1758.
- orful Idus (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—Cyprinus, 1758.
- orful Leuciscus (Bl.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, L. 1758.
- orphus Pagrus (Risso), Cuvier & Valenc., H. N. Poiss. VI. 1830, 150.—Aurata.
- Orrhodia J. Huebner, Verz. bekannt. Schmett. [1822], 231.—Lep.
- orru Corvus, S. Mueller in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 385.
- orsa *v.* orsus.
- orsedice Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 308.
- orsedice Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus,
- orseis Chalcis, F. Walker, Entomologist (21) July 1842, 338. [1839].
- orseis Pieris, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 141.
- orseis Sagaritis, J. Huebner, Exot. Schmett. II. Tab. [43] [*n. et f.*].
- orsillus Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 318.
- orsillus Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 79.—Cirrospilus, 1839.
- orsiloches Tolyte (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 189.—Phalaena
- Orsilochus H. Burmeister, Handb. Ent. V. 1847, 112.—Col. [orsilochus, 1775].
- orsilochus Erycina, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 286.—Papilio, 1777.
- orsilochus Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 360.—Papilio,
- orsilochus Oryctes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 95. [1777].
- orsilochus Timetes (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.—Papilio, 1777.
- Orsiniana A. Costa, Eserc. Acc. Asp. Nat. II. 1842, [19].—Hem. [Si gen., *typum* Salda [orsini→.]] [erythrocephala].
- orsinii Alpaeus, Villa & Villa, Coleopt. Europ. 1833, Alt. Suppl. 1838 [1839], 62.
- orsinii Doris, G. B. Verany in Descr. Genova, I. 1846, 96 & 100.
- orsinii Forficula, G. Gené, Ann. Sci. Lomb.-Ven. III. 1833, 188.
- orsini Helix, C. Porro in A. & J. B. Villa, Syst. Conch. 1841, 54.
- orsinii Miniopterus (Temminck), Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 339.—Vespertilio.
- orsinii Miniopterus (Temminck), C. L. Bonaparte, Cat. Mamm. Europ. 1845, 19.—Vespertilio.
- orsinii Nebria (Vill.), O. G. Costa, Fauna Regno Napoli, Coleott. Carab., 21 (Sept. 1857).—Alpaeus.
- orsini (*sic*) Ozodura, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, 80.—ursini
- orsini Trigonia, P. Calcara, Cenne Moll. Sicilia, Dec. 1845, 14. [on plate.
- orsinii Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 179.
- orsinii Zabrus, Gené; Dejean, Spec. gén. Coléopt. V. 1831, 788.
- orsinome Titaea, J. Huebner, Exot. Schmett. II., Tab. [176] [*n. et f.*].
- orsinus Eulophus, F. Walker, Mon. Chalcid. I. 1839, 126.
- orsippus Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 260.
- Orsipus Nordmann in Erman's Reise um die Erde (Atlas) 1835, 15.—A.
- orsis Myscelia (Dru.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 222.—Papilio, 1782.
- orsita Erycina (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 569.—Papilio, 1777.
- orsita Euselasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio, 1777.
- orsocrina Modiola, A. d'Orbigny, Coq. Foss. Colomb. 1842, 56.—*err. pro socorrina.*
- Orsodachna W. E. Leach in Brewster's Edin. Ency. IX (1) 1815, 113.—Col.

- Orsodacna P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 350.—Col.
 Orsodacne P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 223.—Col.
 orsted→ *v.* oersted→. [1777.
 orsa Ecpantheria (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 183.—Phalaena,
 orsus Elachestus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 68.—Eulophus, 1839.
 orsus Eulophus, F. Walker, Mon. Chalcid. I. 1839, 174.
 Ortaldia J. Fleming, Phil. Zool. II. 1822, 230.—A.
 Ortalia E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 893.—Col.
 Ortalisa Cuvier (*ex* Merrem), R. Anim. I. 1817, 442.—A.
 Ortalis C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 17.—Dipt.
 ortalus Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 241.
 ortas Syrphus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 585.
 Orthacanthus J. L. R. Agassiz, Poiss. Foss., Feuilleton, 143 (1843); III., 177 (1843).—P.
 orthacanthos Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 210. [[*n. et f.*].
 orthacantha Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813, 130.
 Orthagoriscus J. G. Schneider, Bloch, Syst. Ichth. 1801, 510.—P.
 ortagoriscus Cephalus, A. Risso, H. N. Europe, III. 1826, 172.
 orthagus Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 209.
 Orthalicus H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 59.—G.
 orthalidis Phorocera, J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
 Orthambonites C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 80.—Br. [1850, 175.
 orthambonites Orthis, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837], 66.
 Orthetrum E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Neur.
 orthia Cinclidia, J. Huebner, Verz. bekannt. Schmett. 1818, 29.
 orthia Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 223.
 orthiformis Terebratella (Arch.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 173.—
 Terebratula.
 orthiformis Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 333.
 Orthis J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 93.—Br.
 Orthisina d'Orbigny, C. R. Acad. Sci. (Paris) XXV. Aug. 1847, 267.—Br.
 Orthoa G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 85.—Lep. [*n. d.*, 7 nom. triv.
 Orthobates R. F. Wahlberg, Ofvers. K. vet. Ak. I. 1844, 110.—Dipt. [append.].
 Orthocentrus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III.
 1829, 358.—Hym.
 Orthocentrus Megerle, Cat. MSS; Scudder, Suppl. List, 1882, 238.—Moll.
 Orthocera A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 63.—Rh.
 Orthocera J. Sowerby, Min. Conch. I (11) June 1814, 129.—Ceph.
 orthocera Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 556.
 orthocera Isocardia, C. d'Orbigny, Mém. Mus. H. N. (Paris) VIII [1-3] May 1822, 103.
 orthocera Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 252.
 Orthoceras de Blainville, Man. Malac. 1825, 379.—Rh.
 Orthoceratites W. de Haan, Mon. Ammon. 1825, 30.—Ceph.
 orthoceratites Nautilus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 64.
 Orthoceratium F. v. P. Schrank, F. Boica, III (1) 1803, 55.—Dipt.
 orthoceratoides Coralliolites, E. F. Schlotheim, Tasch. Min. 1813, 51.
 orthoceratoides Encrinites, E. F. v. Schlotheim, Die Petref. 1820, 334.
 Orthoceratrum Schrank; *sic* Scudder, *sed non comp.* 1803, *vide* O—tium.
 Orthocerina A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 18.—Rh.
 "Orthocérines Les"; A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.—Rh.
 orthoceropsis Belemnites, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 361.
 Orthocerus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 368.—Col.
 Orthocerus W. King, Ann. Mag. N. H. XIV (91) Oct. 1844, 278.—Ceph.
 Orthochaetes Mueller in E. F. Germar, Ins. spec. novae, I. 1824, 302.—Col.
 Orthochile A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 497.—*emend. pro* Ortochile,
 ortochile Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 667. [Latr.
 Orthocnemis J. O. Westwood, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 121.—Hem.
 Orthocolaptes R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 269.—A.
 Orthocolus J. Gistel, Nat. Thierr. 1848, p. xi.—P.

- orthoconus Hybodus, Plieninger in Meyer & P., Beitr. Pal. Württ. 1844, 112.
- Orthocorys L. P. Vieillot, Analyse, 1816, 49.—A.
- Orthocoryx L. Agassiz, Nomen. Zool. Index Univ. 1846.—*err. pro* Orthocorys, Vieill.
- orthodactylus Chthonius (Leach), C. L. Koch, Die Arachniden, X (4) 1843, 79.—Obisium.
- orthodactylum Obisium, W. E. Leach, Zool. Miscell. III. 1817, 51.
- Orthodera H. Burmeister, Handb. Ent. II (2) i, 1838, 529.—Orth.
- Orthodon C. S. Rafinesque, Analyse, 1815, 60.—M. [*n. n.*].
- orthodon Cetus, L. Oken, Lehrb. Nat. III (2) 1816, 678.
- orthodon Physeter, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xli.
- orthodon Physeter, F. Tiedemann, Zool. 1808, 579.
- Orthogenium M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 432.—Col.
- ortogesa Sarcophaga, F. Walker, List Dipt. Coll. B. M. (4) 1849, 834.
- Orthognathus L. Buquet, Ann. Soc. Ent. France, VI (2) *post* June 1837, p. xlviii.—Col.
- Orthognathus C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 812.—Col.
- Orthognatus Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 174.—Col. [*n. n.*].
- Orthogonius Dejean, Spec. gén. Coléopt. I. 1825, 279.—Col.
- Orthogonius W. S. Macleay (*ex* Dej.), Annulosa Javanica, 1825, 26.—Col.
- Orthogonoderes Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 233.—Col.
[?gen. *vel* fam.; *non* Orthogonoderus, *apud* Agassiz].
- Orthogonys H. E. Strickland, Ann. Mag. N. H. XIII. June 1844, 421.—A.
- Orthogramma R. L., Allg. Lit. Zeitung, 1817 (1), 285.—Lep.
- orthographus Bostrichus, Creutzer in K. Duftschmid, Fauna Austriae, III. 1825, 91.
- Ortholitha J. Huebner, Index exot. Lepid. 1821, 3.—Lep.
- Ortholitha J. Huebner, Verz. bekannt. Schmett. 1826, 338.—Lep.
- Ortholus *err. pro* Hortolus, Montf.; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.
- orthomastius Cryptorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 273.
- Orthomegas J. G. Audinet-S., Ann. Soc. Ent. France, I (2) *c.* July 1832, 149.—Col.
- Orthomus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 8.—Col.
- Orthoname J. Huebner, Verz. bekannt. Schmett. 1826, 331.—Lep.
- Orthonata E. Emmons, N. H. N. York (Geol. 2 Distr.) 1842. = Orthonota, Conr. [*teste* Herrm., *non comp.*, *sed in* Hall, *ibid.* (Geol. 4 Distr.) 1844, 205.
- Orthonatha J. Hall, N. H. N. York (Geol. 4 Distr.) 1844. = Orthonota, Conr. [*teste* Scudder, *sed non comp.*].
- Orthonevra J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 188.—Dipt.
- orthonevra Aricia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 292.
- Orthonota T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 50.—L.
- Orthonotus J. O. Westwood in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Hem.
- orthonotus Cyprinodon, Peters, Ber. Verh. k. pr. Ak. Wiss. 1844, 35.
- orthonotus Cyprinus, J. Hermann, Obs. Zool. 1804, 322.
- orthonotus Spatangus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 327.
- orthonotus Unio, T. A. Conrad, [3 A. Rep. N. Y. Geol. Surv.] Assembl. no. 275, 1839, 66.
- Orthonychia J. Hall, N. H. New York (Geol. 4 dist.) 1843, 173.—G. [*non* O—ea, *apud* Herrm.]
- Orthonyx C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxii.—A. [Herrm.]
- orthonyx Merulaxis, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. May 1843, 131.
- orthonyx Pteroptochos (Lafr.), G. R. Gray, Gen. Birds, I. Mar. 1847, 155.—Merulaxis.
- orthonyx Triptorhinus (Lafr.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 220.—Meru-
- Orthoperus J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829, 186.—Col. [laxis.]
- Orthoperus J. L. Leconte in Agassiz, Lake Superior, 1850, 239.—Col. [*n. n.*].
- Orthophlebia J. O. Westwood in P. B. Brodie, Hist. foss. Ins. 1845, 102 & 119.—Neur.
- Orthophyia H. v. Meyer, Fauna d. Vorwelt, I. May 1845, 39.—Amph.
- Orthoplevra M. Spinola, Ess. mon. Clérites, II. 1844, 80.—Col.
- Orthopnoea J. Gisl, Nat. Thierr. 1848, 169.—G.
- Orthopnoea J. Gisl, Handb. Naturges. 1850 [1847], 556.—G.
- Orthoprosopa J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 447.—Dipt.
- Orthopterus J. O. Westwood, Entom. Mag. V (5) Oct. 1838, 502.—Col.
- Orthopus S. Kutorga, Kupfersandst. Urals, 1838, 15.—R.
- Orthorapha J. O. Westwood in Griffith's Cuvier, Anim. Kingd. (Ins.) XV. 1832, 268.—Hem.
[Orthoraphia in index, p. 791].

- Orthoraphia** G. R. Gray in Griffith's Cuvier, Anim. Kingd. (Ins.) XV. 1832, pl. 109; *err. pro Orthorapha*.
- Orthorhaphia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Orthorapha*, Westw.; Gray.
- Orthorhina** J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 184.—Lep.
- Orthorhinia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Orthorhinia*, Bois.
- Orthorhinus** C. J. Schoenherr, Isis (Oken) 1825, 582; Curc. disp. meth. 1826, 223.—Col.
- Orthorhinus** E. Blyth, Ann. Mag. N. H. XIV. Aug. 1844, 124.—A.
- Orthorhynchus** Lacepède, Mém. l'Inst. Paris, III. 1801, 510.—A. [Col.]
- Orthorhynchus** MacLeay in King, Narr. Surv. Coasts Austral. II. 1827 [*i.e.* 1826], 446.—
- orthorhynchus** Hippoglossus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846,
- Orthorincus** Duméril, Zool. Analyt. 1806, 46.—A. [278.]
- Orthorinia** Boisduval, Europ. Lepid. Index, 1829 [1828], 56.—Lep.
- Orthorrhinus** S. Scudder, Suppl. List, 1882, 239; *err. pro Orthorhinus*, Schoenh. 1825.
- Orthorynchus** "Horsfield"; W. Swainson, Zool. Illustr. I (1) Oct. 1820, text to pl. 2.—A. [*teste* C. W. R.].
- Orthosaurus** E. Geoffroy St H., Etudes progr. 1835, 108.—R.
- Orthoschisops** M. Spinola, Tav. sin. Hem. 1850.—*ex* Mem. Soc. Ital. Sci. XXV (1) 1852,
- Orthosia** F. Ochsenheimer, Schmett. Europa, IV. 1816, 79.—Lep. [75.—Hem.]
- orthosia** Argyronome, J. Huebner, Verz. bekannt. Schmett. 1818, 32.
- orthosia** Vanessa (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 821.—Papilio orithya.
- Orthosoma** J. G. Audinet-S. (*ex* Dej.), Ann. Soc. Ent. France, I (2) c. July 1832, 155.—Col.
- Orthosoma** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 317.—Col.
- orthosoma** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 124.
- Orthosteira** F. X. Fieber, Entom. Monogr. 1844, 46.—Hem.
- Orthostelis** L. Agassiz, Nom. Zool. (Moll.) 1845; *emend. pro Ortostelis*, A. & M.
- Orthostigma** J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 53; II. 1848, 71.—Hym.
- Orthostira** Fieber, 1844; *sic* Waterhouse, *sed* Orthosteira, *q.v.*
- Orthostixis** J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Lep.
- Orthostoma** C. G. Ehrenberg, Sym. Phys., Turb. 1831 (pls. 1828), sign. c.
- Orthostoma** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 61.—Col.
- Orthostoma** T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838, 119.—G.
- Orthostoma** J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 121.—Cr.
- Orthostoma** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 152.—Ceph. [*n. n.*].
- orthostoma** Clausilia, C. T. Menke, Syn. meth. Moll. 1828, 78.
- orthostomus** Eugnathus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 136 (1841); II (2), 98
- Orthostomum** A. E. Grube, Actin. Adriat. 1840, 56; *err. pro Orthostoma*, Ehr. [(1844).]
- Orthostraca** Brand & Ratz. 1829; *sic* Agassiz, *sed nom. fam. non gen.*
- Orthostylum** J. Macquart, Dipt. exot. (Suppl. 4) 1850; *teste* Marschall, 1851 *est*.
- Orthostylus** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49.—G.
- Orthotaenia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Lep.
- Orthotelia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48 [*n. n.*]; & Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 195.—Lep.
- Orthotetes** Thos. Evans in Fischer, Bull. Soc. Imp. Nat. Moscou, I (12) 1829, 375.—L.
- Orthotheles** *err. pro Orthotetes*, Evans; d'Orbigny, Pal. Franç. (Crét.) Brach. 1850, 340 [*teste* Scudder, 1851 *est*].
- Orthothetes** *id. ac* Orthotetes, Fisch.; Leonhard & Bronn, N. Jahrb. f. Min. 1835, 339.
- Orthothetes** Fischer, Bull. Mosc. I., 375; *sic* Scudder, *sed non comp., vide* Orthotetes, 1829.
- Orthothrix** H. B. Geinitz, K.-B. zool.-min. Ver. Regensburg, I. 1847, 117.—Br.
- Orthothrix** H. B. Geinitz, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 84.—Br.
- Orthotomus** T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 165.—A.
- orthragorisci** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 56 [*n. n.*].
- Orthragoriscus** *v. Orthagoriscus*; J. G. Schneider, Bloch, Syst. Ichth. 1801, p. lvii.
- Orthragus** C. S. Rafinesque-S., Car. n. gen. 1810, 17.—P.
- orthura** Mellisuga (Less.), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Ornismya.
- orthura** Ornismya, R. P. Lesson, Les Trochilidées (6) Dec. 1832, 85.
- orthura** Trochilus (Less.), W. Jardine, Humming Birds, I (Nat. Libr. III.) 1833, 86.—Ornismya.

- Orthyx** J. J. Audubon, Birds of Amer. (1st 8vo ed., New York) V. 1842, 58.—*id. ac* Ortyx.
- Ortica** G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 172.—?
- ortigia** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 22 [*n. et f.*].
- Ortigum** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*].
- ortilia** Gorgonia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 270.—Phalaena, 1781.
- ortilla** Buccinum, D. Solander, Catal. Portland Mus. 1786, 182 [*n. n.*].
- Ortix** J. J. Audubon, Birds of Amer. (1st 8vo ed., New York) V. 1842, 59.—*id. ac* Ortyx.
- Ortixelos** *id. ac* Ortyxelos, Vieill.; Z. Gerbe, Dict. Univ. Hist. Nat. IX. 1847, 223.
- Ortochile** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 289.—Dipt.
- ortomaculata** *v. octomaculata*.
- ortonia** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (81) 1850, pl. 26 [*n. et f.*].
- Ortostelis** Aradas & Maggiore, Atti Acc. Gioenia, XX. 1843(-4), 118.—G.
- orto**→ *v. ortho*→.
- Ortygarchus** J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 759.—A.
- Ortygia** F. Boie, Isis (Oken), 1826, 978.—A.
- Ortygia** W. E. Leach in T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 14.—L.
- ortygia** Colliuris, L. Buquet, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 604.
- Ortygiometra** Streubel in Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 291.—A.
- Ortygion** Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lxvi & 112.—A.
- Ortygis** C. Illiger, Prod. 1811, 242.—A.
- ortygis** Goniodes, H. Denny, Mon. Anoplur. 1842, 158.
- ortygis** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 357.—Goniodes.
- Ortygium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ortygion, K. & B.
- ortygnus** Oenomaus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Papilio, 1779.
- ortygnus** Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 621.—Papilio, 1779.
- ortygnus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 37.—Papilio,
- Ortygodes** L. P. Vieillot, Analyse, 1816, 52.—A. [1779.]
- Ortygometra** Leach, Cat. Mamm. Birds Brit. Mus. 1816, 34 [*teste* Waterhouse, *vide*
- ortygometa** Rallus, J. F. Blumenbach, Man. Hist. Nat. I. 1803, 266. [Moehring, 1758].
- Ortygospiza** C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 98.—A. [*typus*
- Ortyx** L. Oken, Lehrb. Nat. III (2) 1816, 611.—A. [Estrilda polyzona, Gr.].
- Ortyx** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 376.—A.
- ortix** Cyclostoma, A. Valenciennes in F. Eydoux, Moll. de la "Favorite" in Magasin de Zool.
- Ortyxelos** L. P. Vieillot, Gal. des Ois. II (4) 1825, 91. [VIII. 1838, pl. 117.]
- orus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 254.
- orus** Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 672.—Papilio, 1780.
- orus** Triopades (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 73.—Papilio, 1780.
- orusst** Holacanthus, Auct.; *vide* aruset.
- Orycho-teuthis** Lichtenstein in H. Boie, N. Staatsburg. Mag. (Schleswik) I (1) 1832, 206.—
- orycter** Mus, Lund, Ann. Sci. Nat. [2] (Zool.) XII. Oct. 1839, 208 [*n. n.*]. [Ceph. [*n. n.*].
- Oryctere** F. Cuvier, Dents des Mamm., 255 (1824).—M.
- Oryctere** *id. ac* Orycterus, F. Cuv.; J. J. Kaup, Das Thierreich, I. 1835, 81.
- Orycteres** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 52.—M.
- "**Orycteromys** de Bl., Bull. Soc. Phil. 1826"; *teste* Agassiz, *sed non comp.*, Palmer.
- Orycteromys** F. J. Pictet, Verh. Schweiz. Nat. Ges. (Altdorf) 1842, 192.—M.
- Orycteromys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oryctomys,
- Orycteropus** G. Cuvier, Tabl. élém. 1798, 144.—M. [Wiegman. (Bl.).
- Orycterotherium** H. G. Bronn, Lethaea Geogn. II (9-) 1838, 1256.—M. [Glyptod.].
- Orycterotherium** R. Harlan, Proc. Amer. Phil. Soc. II (20) Dec. 1841, 111.—M. [? Megal-
- Orycterus** R. P. Lesson, Man. Mamm., May 1827, 251.—M. [onyx].
- Oryctoderus** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 160.—Col.
- Oryctomorphus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 79.—Col.
- Oryctomorphus** F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 52.—Col.
- Oryctomys** de Blainville in Eydoux & Gervais, Mamm. de la "Favorite," in Mag. de Zool. VI. 1836, 23.—M.

- Oryctopus** C. S. Rafinesque, *Analyse*, 1815, 57 [= *Orycteropus*, Geoffr. 1795, *teste* Palmer].
- Orygma** J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VI. 1830, 6.—Dipt.
- Orygma** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Origma, Gould.
- Orygmus** J. Gistel, *Nat. Thierr.* 1848, p. xi.—Col.
- Orygotherium** H. v. Meyer, *N. Jarhb. f. Min.* 1838, 413 [*n. n.*].
- Orynx** H. G. L. Reichenbach, *Avium Syst. Nat.*, pl. lxxvi (June 1850).—A. [*n. et f.*].
- orysacea** Achatina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 167.
- oryssiformis** Sesia, v. Heyden in Herrich-S., *Syst. Bearb. Schmett. Europ.* II (—) 1846, 79.
- Oryssomus** E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 939.—Col.
- Orythia** Péron & Lesueur, *Ann. Mus. H. N. (Paris)* XIV (83) Jan. 1810, 327.—Med.
- Orythia** Johnston, 1836; *sic* Agassiz, *sed err. pro* Orithyia, *q.v.*
- Oryttus** M. Spinola, *Ann. Soc. Ent. France*, V (1) *post* Mar. 1836, p. xxiii.—Hym.
- Oryx** H. M. D. de Blainville, *Bull. Sci. Soc. Philom. Paris*, 1816 (May), 75.—M. [Bovidae].
- Oryx** L. Oken, *Lehrb. Nat.* III (2) 1816, 672.—M. [Delphinidae].
- Oryx** R. P. Lesson, *Traité Ornith.* (6) Feb. 1831, 437.—A. [*typus* *Loxia capensis*, Gm.].
- Oryx** Guérin-M. in Duperry, *Voy. "Coquille," Zool.* II (2) 1 (1838), 80.—Col.
- oryx** Cemas, L. Oken, *Lehrb. Nat.* III (2) 1816, 734.
- orix** Coccothraustes (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIII. 1817, 536.—Loxia,
- oryx** Copris, J. C. Fabricius, *Syst. Eleuth. I.* 1801, 47.—Scarab. 1792. [1771.
- orix** Corythus (L.), C. W. Hahn, *Voegel aus Asien etc.* (10) 1821, pl. 4.—Loxia, 1771.
- oryx** Dorcus, H. Burmeister, *Handb. Ent.* V. 1847, 389.
- orix** Euplectes (Vieill.), W. Swainson in H. Murray, *Ency. Geogr.* 1834, 1247.—Loxia, L.
- orix** Fringilla (L.), C. Illiger, *Prod.* 1811, 222.—Emberiza, 1758. [1771.
- oryx** Oryx (Pall.), Blainville, *Bull. Sci. Soc. Philom. Paris*, 1816 (May), 75.—Antilope, 1766.
- oryx** Passer (Gm.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIV (1) 1826, 41.—Loxia, L. 1771.
- oryx** Ploceus (L.), G. R. Gray, *Gen. Birds*, II. Mar. 1849, 352.—Loxia, 1771.
- oryx** Pyrgita (L.), Cuvier, *Règne Anim. I.* 1817, 385.—Loxia, 1771.
- oryx** Pyromelana (L.), C. L. Bonaparte, *Giorn. Arcad.* LII. 1831, 206.—Loxia, 1771.
- oryx** Salarias, C. G. Ehrenberg in Cuvier & Valenc., *H. N. Poiss.* XI. 1836, 335.
- oryza** Buccinum, W. Dunker, *Zeitschr. f. Malakozool.*, Ap. 1847, 64.
- oryza** Bulla, J. G. Totten, *Amer. J. Sci.* XXVIII (2) July 1835, 350.
- oryza** Cuvieria, W. H. Benson, *J. Asiat. Soc. Bengal*, IV. 1835 (1836), 698.
- oryza** Cypraea, Lamarck, *Ann. Mus. H. N. (Paris)* XVI (92) *post* Oct. 1810, 104.
- oryza** Helix (Cochlicella) (Brug.), A. E. Férussac, *H. N. g. et p. Moll.*, *Tabl. Limaçons*, 1821, 56.—Bulimus, 1789.
- oriza** Mangelia, R. B. Hinds, *Proc. Zool. Soc. London*, XI (122) Oct. 1843, 46.
- oryza** Marginella, H. D. de Blainville, *Dict. Sci. Nat.* XXXII. 1824, 219.
- oryza** Marginella (Lam.), Catlow & Reeve, *Conch. Nomen.* 1845, 293.—Volvaria.
- oryza** Obeliscus (Brug.), H. Beck, *Index Moll. Mus. Ch. Fred.* (1) 1837, 62.—Bulimus, 1789.
- oryza** Oliva, Lamarck, *Ann. Mus. H. N. (Paris)* XVI (94) *inter* Jan.—Mar. 1811, 327.
- oryza** Olivella (Lam.), W. Swainson, *Treat. Malacol.*, May 1840, 322.—Oliva.
- oryza** Pleurotoma (Hinds), Catlow & Reeve, *Conch. Nomen.* 1845, 241.—Mangelia.
- oryza** Tornatella, L. Reeve, *Proc. Zool. Soc. London*, X (112) Nov. 1842, 62.
- oryza** Triptera (Bens.), J. E. Gray, *Cat. Moll. Coll. B. M.* (2) 1850, 24.—Cuvieria.
- oryza** Voluta, W. Wood (*ex* Chemn.), *Index Test.* 1818, 93.
- oryza** Volvaria, Lamarck, *An. s. vert.* VII. 1822, 364.
- orizabae** Amara, C. Zimmermann, *Faunus*, I (1) 1832, 37 [*n. n.*].
- oryzae** Calandra, J. C. Fabricius, *Syst. Eleuth. II.* 1801, 438.—Curculio, 1763.
- oryzae** Curculio, Linnaeus, *Amoen. Acad.* VI. 1763, 395 [*err. oryza in Index Anim. I.*, 702].
- oryzae** Rhyncolus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 1075.
- oryzae** Sitophilus (L.), C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 981.—Curculio.
- oryzae** Uloma, Herbst; Dejean, *Catal. Coléopt.* 1821, 68 [*n. n.*].
- "Oryzaire"** Defrance, *Dict. Sci. Nat.* XVI. 1820, 104 [*vernac.*].
- Oryzaria** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Orizaria, Deffr. *i.e.*
- oryzarum** Nerita, C. A. Récluz, *Rev. Zool. (Soc. Cuv.)* IV. June 1841, 178. [Agassiz.
- oriziformis** Paramoecium, Bory de St V., *Ency. Méth. (Zooph.)* 1827, 601.

- Oryzivora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oryzivores [Less. *vernac.*].
- oryzivora** Amadina (L.), G. R. Gray, Gen. Birds, II. June 1849, 369.—Fringilla, 1758.
- oryzivora** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 545.—Loxia, L. 1758.
- oryzivorus** Corythus (L.), C. W. Hahn, Voegel aus Asien etc. (10) 1821, pl. 3.—Loxia, 1758.
- orizivorus** Dolichonyx (Wils.), W. Swainson, Phil. Mag., n. s. I (6) June 1827, 435.—Emberiza, L. 1766.
- oryzivora** Fringilla (L.), T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 161.—Loxia, 1758.
- oryzivora** Munia (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 451.—Loxia, 1758.
- oryzivora** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 3.—Emberiza, L. 1766.
- oryzivora** Ploceus (Gm.), Cuvier, Règne Anim. I. 1817, 384.—Oriolus, 1788.
- Oryzivores** Less. 1831; *sic* Agassiz, *sed vernac.*
- orizoides** Terebra, R. P. Lesson, Actes Soc. Linn. Bordeaux, XII (41 = 61) 1842, 203.
- os-album** Iassus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*]. [Scyphia.
- os ranae** Amorphospongia (Leym.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 210.—
- os ranae** Scyphia, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 298 [*n. n.*]; *ibid.*
- osaces** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 223. [V (1) 1842, 1.
- Osanius** W. E. Leach in Gray, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].—Nud. [osbeck→.]
- osbeckii** Chatoessus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 106.
- osbeckii** Gekko, B. Merrem, Tent. Syst. Amph. 1820, 41.
- osbeckii** Helix, R. A. Philippi, Zeitschr. f. Malakozool., May 1847, 65.
- osbeckii** Maena, Cuvier & Valenc., H. N. Poiss. VI. 1830, 397.
- osbeckii** Moluris, G. J. Billberg, N. Acta Soc. Sci. Upsal. VII. 1815, 281.
- osbecki** Philanthus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 496.
- osbeck** Smaris (Lac.), H. Cloquet, Dict. Sci. Nat. XLIX. 1827, 366.—Sparus.
- osbeck** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 33.
- osbeckii** Unio, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 164.
- Osca** F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 10.—Dipt. [2 *triv. n. n.*].
- Oscabrella** Partington (*ex* Lamarck), Brit. Cyclop. N. H. II (14) May 1835, 31.—Moll.
- Oscabrine** H. M. Edwards, C. R. Acad. Sci. (Paris) XX. 1845, 753.—G. [*? vernac.*].
- Oscabrion** Herrmannsen, Ind. Gen. Malac. II. 1847, 167, *emend. pro* Oscabrium, Schr. 1793.
- Oscanius** Leach in Gray, Proc. Zool. Soc. London, XV (173) June 1847, 163; J. E. Gray, Figs. Moll. Anim. IV. 1850, 99.—Nud.
- oscarus** Argynnis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 588.
- Oscellaria** *err. pro* Ocellaria, Lam.; d'Orbigny, Prodr. Paléont. II. Nov. 1850, 283.
- oscillans** Dicranomyia, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 154.
- oscillans** Ortalis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 281. [1818, 44.
- oscillator** Chironomus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I.
- oscillator** Eupalamus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 14.
- oscillatoria** Hirudo, de St Amans, Mém. Soc. Linn. Paris, III. 1825, 193.
- oscillum** Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 60
- oscinina** Madiza, C. F. Fallen, Oscinides Sveciae, 1820, 9. [[*n. n.*].
- oscinina** Phytomyza, C. F. Fallen, Phytomyzides Sveciae, 1823, 4. [Madiza.
- oscinina** Siphonella (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 585.—
- Oscinis** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.—Dipt. [*non* O—es,
- Oscinis** C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 20.—Dipt. [*apud* Agassiz].
- Oscinis** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 711.— [Dipt.
- [oscinus, -a, -um.]
- osinius** Callimome, F. Walker, Mon. Chalcid. II. 1839, 6.
- osinia** Erycina (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 582.—Papilio, 1777.
- osinia** Mesosemia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 21.—Papilio, 1777.
- oscinum** Acarus, F. v. P. Schrank, F. Boica, III (1) 1803, 198.
- oscinum** Dermaleichus, C. L. Koch, Deutsch. Crust., heft 33, 1841, tab. 14.
- oscitabundum** Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 275.

- oscitans** *Anastomus* (Bodd.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 87.—*Ardea*, 1783.
- oscitans** *Clausilia* (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 90.—*Helix*.
- oscitans** *Coelosternus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 212.
- oscitans** *Ephydra*, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1106. [66 *n. n.*].
- oscitans** [*Helix*] (*Cochlodina*), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- oscitans** *Thomisus*, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 510.
- oscitans** *Turbonilla*, S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 49.
- osculans** *Achatina*, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 104.
- osculans** *Chalcites*, J. Gould, Proc. Zool. Soc. London, XV (170) Ap. 27, 1847, 32.
- osculans** *Chrysococcyx* (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 106.—*Cuculus*.
- osculans** *Cuculus* (Gould), G. R. Gray, Gen. Birds, II. July 1847, 463.—*Chalcites*.
- osculans** *Diamesus* (Vig.), F. W. Hope, Coleopt. Manual, III. 1840, 149.—*Necrodes*.
- osculans** *Helix*, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 107.
- osculans** *Necrodes*, N. A. Vigors, Zool. Journ. I (4) Jan. 1825, 537.
- osculans** *Physa*, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (2) Jan. 1841, [3].
- osculans** *Ramphastos*, J. Gould, Mon. Ramphastidae, 1834, Add. to Introd., p. 1.
- osculans** *Sericornis*, J. Gould, Proc. Zool. Soc. London, XV (167) Mar. 29, 1847, 2.
- [**osculati**→.]
- osculati** *Boeoscelis*, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 202.
- osculati** *Carabus*, A. Villa in G. Osculati, Viagg. Persia, 1844, 72.
- osculati** *Grallomya*, C. Rondani in G. Osculati, Esplor. Reg. Equat. 1850, 241 *n. n.*].
- osculati** *Grallomya*, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Jan. 1851], 366.
- osculati** *Lithophilus*, Marietti in G. Osculati, Viagg. Persia, 1844, 72.
- osculati** *Vespertilio*, E. Cornalia, Vert. Syn. mus. Mediolan. 1849, 11.
- osculatissima** *Phalaena* (*Bombyx*), W. Turton, Linnaeus, Syst. Nat. III. 1802, 202.
- osculator** *Bracon*, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 10.
- osculator** *Ichneumon*, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- osculatorius** *Cryptus*, J. C. Fabricius, Syst. Piezat. 1804, 76.—*Ichneumon*, 1787.
- osculatorius** *Exetastes* (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 413.—*Ichneumon*, 1787.
- osculata** *Ascaris*, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 14.
- osculata** *Fusaria*, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 105.
- osculifera** *Actinia*, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 8, Dec. 1817, 175.
- osculifera** *Spongia*, J. Phillips, Geol. Yorksh. I. 1829, 118 *n. et f.*. [Spongia.]
- osculifera** *Verrucospongia* (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
- Osculipora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 503.—Polyz.
- [**osculum**.]
- oscula** *Corvina* (Les.), G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—*Sciaena*.
- osculum** *Helix*, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 137.
- oscula** *Sciaena*, C. A. Lesueur, J. Acad. Nat. Sci. Philad. II. July 1822, 252.
- osculus** *Platygaster*, F. Walker, Entom. Mag. III (3) Oct. 1835, 259.
- oselmonta** *Colombella*, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 7 *n. et f.*].
- oseryi** *Cassicus*, E. Deville, Rev. et Mag. de Zool. (2) I. Feb. 1849, 57.
- oseryi** *Cleothera*, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 559.
- oseryi** *Clypicterus* (Dev.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 426.—*Cassicus*.
- oseryi** *Nyctipithecus*, I. Geoffroy & Deville, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 498.
- osidia** *Oliva*, P. L. Duclos in J. C. Chenu, Illustr. Conch. II., *Oliva*, 1844, 11.
- osilin** *Monodonta*, G. P. Deshayes (*ex* Adans.) in Lamarck, H. N. Anim. s. Vert., ed. 2, IX.
- Osilinus** R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1847, 20.—G. [Nov. 1843, 182.
- osinia** *v. oscinia*.
- osinis** *v. oscinis*.
- osyridis** *Cleopus*, Germ.; Dejean, Catal. Coléopt. 1821, 83 *n. n.*].
- osiris** *Acrophylla*, G. R. Gray, Syn. Phasmidae, 1835, 40.—*Phasma* (*Diura*), 1834.
- osiris** *Asilus*, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 452.
- osyris** *Chaerocampa* (Dalm.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 160.—*Sphinx*.
- osiris** *Conoclypeus*, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 167.

- osiris Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 420.
- osiris Nemestrina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 561.
- osiris Phasma (Diura), G. R. Gray, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 46.
- osiris Polyommatus, J. W. Meigen, Syst. Besch. Europ. Schmett. II (1) 1829, 7.
- osyris Satyrus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 154.
- osiris Sphinx, J. W. Dalman, Anal. Entom. 1823, 48.
- Osirusa A. Risso, H. N. Europe, V. 1826, 131.—Cr. [p. lxxvii [n. n.].
- osismorum Combophyllum, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850,
- Osmaea J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 84.—Dipt.
- osmanlis Anomala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 185.
- Osmeroides J. L. R. Agassiz, N. Jahrb. f. Min. 1834, 305; Poiss. Foss., Feuilleton, 55 (1835); V (2), pl. 62 (1839), 103 (1844).—P.
- Osmerus B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 229.—P.
- Osmetectis J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 260.—M.
- Osmetictis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Osmetectis, Gray.
- Osmia G. W. F. Panzer, Krit. Revis. II. 1806, 230.—Hym.
- osmia Trichodactylus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. May 1839, 276.
- osmiarum Eulophus, Robineau-D., C. R. Acad. Sci. (Paris) III. 1836, 687.
- Osmoderma Lepeletier & Serville, Ency. méth. (Ins.) X. 1825, 702.—Col.
- Osmodermum *id. ac* Osmoderma, Lep. & Serv.; Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II (2) 1840, 382.
- Osmosita F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 106.—Col.
- Osmylus P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 289.—Hym.
- Osmylus de Blainville, Dict. Sci. Nat. XXXVII. 1825, 12.—Ceph.
- Osmyrus E. Blanchard; *sic* Scudder, *sed ? err. pro* Ormyrus, Westw. (Ormyre in Blanch.).
- osnabrugensis Cristellaria, G. v. Muenster, N. Jahrb. f. Min. 1838, 391.
- osnabrugensis Echinus, G. v. Muenster, N. Jahrb. f. Min. 1835, 434 [n. n.].
- osnabrugensis Planulina, G. v. Muenster, N. Jahrb. f. Min. 1838, 390.
- Osorius A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 332.—Col. [non 1825, vernac.].
- Osorius M. Perty, Del. anim. artic. Brasil. (1) 1830, 30.—Col.
- Osoüs L. Agassiz, Nom. Zool. (Acal.) 1842, 5; *err. pro* Usoüs, Less., q.v.
- Osphranter J. Goulds, Proc. Zool. Soc. London, IX (105) Mar. 1842, 80.—M.
- Osphranteria L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 50.—Col.
- Osphromenus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Osphronemus,
- Osphronemus B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 116.—P. [Lacep.
- Osphronomus *err. pro* O—nemus, Lac.; Berthold in Latreille, Nat. Fam. Thierr. 1827, 588.
- Osphyia C. Illiger, Mag. f. Insectenk. VI. 1807, 370.—Col.
- Ospriones C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 439.—Hem. [non binom.].
- Osprynchotus M. Spinola, Magasin de Zool. (2) III. 1841, text to pl. 75.—Hym. [239.
- ossa-cruenta Tesseratoma, F. W. Hope in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832,
- ossearia Acidalia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 104.—Geometra, 1796.
- ossearia Leptomeris (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 310.—Geometra osseata, 1775.
- osseatella Phycis, F. Treitschke, Schmett. Europa, IX (1) 1832, 199. [1775.
- osseata Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geometra,
- osseata Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 353.—Geom. ossearia, Huebner, 1796.
- osseata Phalaena (Geometra), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802, 266.
- osseata Ptychopoda (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1775.
- osseticus Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817, 293.
- osseticus Philonthus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 20.
- osseticus Platychrus (Adams), F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.—Carabus.
- osseticus Tribacis (Ad.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817,
- osseum Buccinum, C. T. Menke, Conch.-Samml. Malsburg, 1829, 29. [463.—Carabus.
- ossea Ederesa (Haw.), J. Curtis, Brit. Entom. XV (180) Dec. 1838, no. 719.—? Erminea.

- ossea** Emarginula, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 155.
ossea Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 517.
ossea Ismene (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 250.—Erminea.
osseus Lepidosteus (Lacep.), J. L. R. Agassiz, Poiss. Foss. II (2), 2 (1843).—Lepisosteus.
osseus Lepisosteus (L.), G. Cuvier, R. Anim. II. 1817, 181.—Esox, 1758.
ossea Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 219, Dec. 1844.
osseus Murex, L. Reeve, Conch. Icon. III.—Murex, no. 73, June 1845.
osseus Palidostoma (*sic*), J. Minding, Lehrb. Naturg. Fische, 1832, 122.
ossea Yponomeuta (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Erminea.
ossianus Argynnis (Herbst), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1833, 129.—Papilio, 1800.
Ossifraga N. Wood, Analyst, II (11) June 1835, 305, etc.—A.
Ossifraga Hombron & Jacquinet, C. R. Acad. Sci. (Paris) XVIII. 1844, 357.—A.
ossifraga Aquila (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
ossifragus Corvus, A. Wilson, Amer. Ornith. V. 1812, 27. [[1802], 219.—Falco, 1766.
ossifraga Phene, J. C. Savigny, Egypte, I (1) (Ois.) 1809, 78.
ossifraga Procellaria, J. R. Forster, Anim. mar. Aust. 1844, 343.
ossiphagus Labrus, A. Risso, H. N. Europe, III. 1826, 301.
ossium Nitidula, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 106.
ossium Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 290.
ossularia Leptomeris, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 27.
ostentalis Perinephela, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 11.
ostentatus Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 583.
Osteobrama J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—P.
Osteocephalus L. Fitzinger, Syst. Rept. 1843, 30.—R. [*n. n.*].
Osteochir J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 149.—P. [*n. n.*].
osteodactylus Pterophorus, P. C. Zeller, Isis (Oken) 1841, 851.
Osteodesma Deshayes in H. D. de Blainville, Man. Malac. 1825, 659.—L. [=Periploma, *teste* Herrm.].
Osteodoma S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 25 [*err. pro* Osteodesma, Desh.].
Osteogeniosus P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 146 & 173.—P.
Osteoglossum ? L. Agassiz (*ex* Vandelli) in J. B. v. Spix, Pisc. Brasil. 1829, 46.—P.
osteographus Devario (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1015.—Perilampus ostreo→.
ostreographus (*sic*) Perilampus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 289.
Osteolepis A. Valenciennes, Tr. Geol. Soc. London [2] III. 1829, 144.—P.
osteologus Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 201.
Osteopera R. Harlan, Fauna Americana, 1825, 126.—M.
Osteophilus C. S. Rafinesque-S., Précis Som. 1814, 27.—Ins.
Osteopilus L. Fitzinger, Syst. Rept. 1843, 30.—R.
Osteoplax F. M'Coy, Ann. Mag. N. H. (2) II. July 1848, 6.—P.
Osteorhynchus L. Oken, Lehrb. Nat. III (2) 1816, 53.—P. [Lacep.
Osteorhynchus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ostorhinchus,
Osteornis F. M. P. Gervais, L'Institut, Aug. 1844, 294; Extr. P. V. Soc. Philom. Paris, 1844, 68.—R.
Osteorophea B. H. Hodgson, Zool. Miscell. (Gray) (6) June, 1844, 86.—A. [*n. n.*].
osteosticta Trygon, J. Mueller in A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 25.
osterfieldi Belemnites, H. D. de Blainville, Mem. Bélem. 1827, 62.
osteria Apatura, Boisduval in J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt.
Ostiaris J. Gistel, Nat. Thierr. 1848, p. x.—A. [II (1850), 305.
ostiolata Delthyris (Schlot.), C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 51.—Terebratulites.
ostiolata Marginaria, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 69.
ostiolata Membranipora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 261.—
ostiolatus Spirifer, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 33. [Marginaria.
ostiolatus Spirifer (Schl.), G. G. Pusch, Geogn. Besch. Polen, I. 1833, 122.—Terebratulites.

- ostiolata Spiriferina (Ziet.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 239.—
- ostiolatus Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 258. [Delthyris.]
- ostiolata Trigonotreta (Schl.), H. G. Bronn, Lethaea Geogn. I (1) 1834, 80.—Terebratulites.
- ostiorum Scatophaga, Haliday in J. Curtis, Brit. Entom. IX (101) May 1832, no. 405.
- Ostorhinchus B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 23.—P.
- ostorius Phalaena, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- Ostracarius A. M. C. Duméril, Zool. Anal. 1806, 168.—L.
- ostracea Cellepora, P. Duchassaing, Anim. rad. Antilles [1850], 24.
- ostracea Tellina, Lamarck, An. s. vert. V. 1818, 534.
- Ostracidium M. Perty, Del. anim. artic. Brasil. (3) 1833, 205.—Ar.
- ostracinus Chamites, E. F. v. Schlotheim, Die Petref. 1820, 215.
- ostracina Planospirites, Lamarck, Syst. Anim. 1801, 400.
- ostracina Spongia, C. S. Rafinesque, Amer. J. Sci. I (2) 1818, 150.
- Ostracion J. L. R. Agassiz, Poiss. Foss. II (1), 17 (1833); II (2), 262 (1844).—P.
- ostracion Piazurus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 677.—
- ostracion Poecilma, E. F. Germar, Ins. spec. novae, I. 1824, 261. [Poecilma.]
- Ostracita Griffith in Cuvier, Anim. Kingd. XII. 1834, 92.—L. [ex La Peyr.].
- Ostracites E. F. v. Schlotheim, Die Petref. 1820, 231.—L.
- Ostracium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ostracion, L. 1758.
- ostralegi Docophorus, H. Denny, Mon. Anoplur. 1842, 74.
- ostralegi Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 335.—Docophorus.
- Ostralegus W. Macgillivray, Man. Brit. Orn. II. 1842, 58.—A.
- ostrarum Cythere, H. Nicolet in Gay, Chili (Crust.) 1849, 295.
- ostreae Fistularia, H. B. Geinitz, Verst. Kieslingswalda, 1843, 11.
- [ostreaeformis.]
- ostreaeformis Aspidiotus, Ruricola [= J. Curtis], Gardener's Chron. 18 Nov. 1843, 805.
- ostreaformis Conchodus, F. M'Coy, Ann. Mag. N. H. (2) II. Nov. 1848, 312.
- ostreiformis Hinnites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 23.
- ostraeiformis Plicatula, Lamarck, An. s. vert. VI (1) 1819, 186.
- ostrealoides Anomia, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
- ostrearium Lobilabrum, de Blainville, Dict. Sci. Nat. LVII. 1828, 577. [35.]
- ostrearius Vibrio, B. Gaillon, Ann. gén. Sci. Phys. (Bruxelles) VII. Jan. 1821, 94.
- ostrearum Dynamena, P. Duchassaing, Anim. rad. Antilles [1850], 22.
- ostrearum Murex, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 25.
- ostreatus Unio, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 29.
- ostreographus Perilampus, J. M'Clelland, *v.* osteographus.
- ostreoides Anomia, W. Wood, Suppl. Index Test. 1828, 7 [*n. et f.*].
- ostreoides Anomia (Lam.), W. Wood, Suppl. Index Test. 1828, 37.—Discina.
- ostreoides Discina, Lamarck, An. s. vert. VI (1) 1819, 237.
- Ostreophena W. Soderovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 92.—Lep. [*sine*
- Ostreum *id. ac* Ostrea; L. Oken, Lehrb. Nat. III (1) 1815, 247.—L. [*typo*].
- ostreum Pinnotheres, T. Say, J. Acad. Nat. Sci. Philad. I., no. 5, Sept. 1817, 67.
- ostria Cynips, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 206.
- ostricilla Stenoderus, E. Newman, The Zoologist, VIII. 1850, App., p. cxiii.
- ostrinalis Pyrausta (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1823, 317.—Pyralis, 1796.
- ostrinana Eupoecilia, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 299.
- ostrinaria Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 83 (Fernaldo iudice
- Ostrinia J. Huebner, Verz. bekannt. Schmett. 1826, 360.—Lep. [1808–18] [*n. et f.*].
- [ostrinus, -a, -um.]
- ostrina Coccinella, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 182.
- ostrina Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 548.
- ostrina Eois, J. Huebner, Verz. bekannt. Schmett. 1826, 308.—Noctua.
- ostrina Erastria (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 92.—Noctua.
- ostrina Eromene, J. Huebner, Verz. bekannt. Schmett. [1825], 256.—Noctua.
- ostrina Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 106, Aug. 1850.

- ostrinus Jphis, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 6.
- ostrina Loxia, L. P. Vieillot, Ois. Chanteurs (8) *post* 1807, 79. [Noctua.]
- ostrina Micra (Huebner), A. Guénée, Ann. Soc. Ent. France, X (3) Nov. 1841, 225.—
- ostrina Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 85 (Fernaldo judice 1802-08) [n. et f.].
- ostrina Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 142 (Fernaldo judice 1818-22) [n. et f.].
- ostrina Pyrenestes (Vieill.), G. R. Gray, List Gen. Birds, 1840, 43.—Loxia.
- oswaldi Orthix, L. v. Buch, Uebers. Arb. schles. Ges. 1844 (1845), 219.
- oswelli Rhinoceros, W. Elliot, Madras Journ. XIV (32) Jan.—June, 1847 (*post* June), 183.
- osymanduas Priamides, J. Huebner, Exot. Schmett. III. Tab. [n. et f.].
- otacilius Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 344.
- Otaclinus *err. pro* Otolicnus, Ill.; Anon., London Ency. XXII. 1845 (Zool.), 736 [teste]
- Otagon C. L. Bonaparte, Consp. gen. Avium, I. 1850, 374.—A. [Palmer].
- otaheitana Eurycratera (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 46.—Helix.
- otaheitana Helix (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 935.—Bulimus, 1792.
- otahietana Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 34 [n. et f.].
- otaheitana Partula (Brug.), Férussac, Journ. de Physique, XCII. June 1821, 462.—Bulimus, 1792.
- otahitensis Cypraea, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829,
- otaitensis Nerita, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 370. [108.]
- otaitensis Pempheris, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 167.
- o-taitiensis Tatare, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 317 [Sitta otatare, p. 182].
- Otala C. F. Schumacher, Essai Vers test. 1817, 58 & 191.—G.
- otanes Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 252.
- Otaria Péron in P. & Lesueur, Voy. Aust. II. 1816, 37 [*non* 1807, *apud* Agassiz].
- Otarion J. C. Zenker, Beitr. Nat. Umwelt, 1833, 44.—Cr.
- otarion Trinucleus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 46.
- Otarium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Otarion, Zenk.
- otarius Gerbillus, F. Cuvier, Proc. Zool. Soc. London, IV (48) June 27, 1837, 142 [n. n.]; Tr. Zool. Soc. London, II (2) Dec. 1838, 144.
- otarius Meriones (F. Cuv.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 484.—
- otatare Sitta, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 666. [Gerbillus.]
- otatare Tatare, R. P. Lesson, H. N. Mamm. et Ois. depuis [1788] IX. 1837, 126.—Sitta.
- Otavia A. Risso, H. N. Europe, IV. 1826, 132.—G.
- otaviana Olivia, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 388.
- Otechus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Usechus, Motsch.
- Oterites Anon., London Ency. XXII. 1845 (Zool.), 742.—M. [*err. pro* Otaria, *teste* Palmer].
- otero Trochilus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 298.
- Oteroscelis A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 546.—Col. [*sine typo, sed* = Adesmia].
- Othello H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxi (Mar. 1850).—A. [n. et f.].
- othello Batara, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 347.—Tamnophilus, 1831.
- othello Sporophila, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 498.
- othello Tamnophilus, R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 65.
- othiana Helix, Forbes, Anon., Manchester N. H. Soc. Catal. Shells, 1837, 42 [n. n.].
- otthiana Helix, E. Forbes, Ann. Nat. Hist. II. Dec. 1838, 252.
- Othilia J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 281.—Ast.
- Othius W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Col.
- Othonea Dejean *in litt.*; Scudder, Suppl. List, 1882, 239.—Col.
- Othonia G. Johnston, Mag. Nat. Hist. VIII. Mar. 1835, 181.—Verm.
- Othonia T. Bell, Tr. Zool. Soc. London, II (1) Nov. 1836, 55.—Cr.
- othonia Oliva, P. L. Duclos in J. C. Chenu, Illustr. Conch. II., Oliva, 1844-5, 23.
- othonia Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 350.
- othonis Gammarus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 368 & 373.
- othonus Cryptocephalus, T. Say, Amer. Entom. II. 1825, pl. xxviii.

- Othreis J. Huebner, Verz. bekannt. Schmett. 1825, 264.—Lep.
 Othryis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Othreis, Huebn.
 othus Telenomus, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 271.
 oti Festucaria, C. A. Rudolphi, Entoz. syn. 1819, 354 [=otidis, *teste* S. & H.].
 otiartes Dryinus, F. Walker, Entom. Mag. IV (5) July 1837, 425.
 Oticulus B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 889.—A.
 Otideres Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 260.—Col. [*n. n.*].
 otidiformis Apternornis, R. Owen, Proc. Zool. Soc. London, XVI (180) Ap. 13, 1848, 1.—
 Dinornis, 1844.
 otidiformis Dinornis, R. Owen, Proc. Zool. Soc. London, XI (129) Mar. 1844, 144.
 otidipennella Eupista, J. Huebner, Verz. bekannt. Schmett. 1826, 426.—Tinea.
 otidipennella Ornix (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 220.—Tinea.
 otidipennella Porrectaria (Huebn.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834,
 285.—Tinea.
 otidipennella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 65 (Fernaldo iudice 1817—
 otidis Festucaria, J. A. Frolich, Naturforscher, XXIX. 1802, 53. [18] [*n. et f.*].
 Otidocephalus *id. ac* Otioccephalus; Chevrolat, Ann. Soc. Ent. France, I (4) c. Jan. 1833,
 Otodus C. S. Rafinesque, Analyse, 1815, 70.—A. [*n. n.*] [445.—Col.
 Otilophus G. Cuvier, R. Anim., ed. 2, II. 1829; *sic* Agassiz, Nom. Zool. (Rept.) 1845, 31,
 sed vernac.; vide Otolophus, Fitz.
 Otimus C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
 Otina J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 156.—G.
 Otioccephalus A. Chevrolat, Ann. Soc. Ent. France, I (1) c. Ap. 1832, 100.—Col.
 Otiocera A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 425.—Hem.
 Otiocerus W. Kirby, Tr. Linn. Soc. London, XIII (1) 1821, 12.—Hem.
 Otion W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.—Cirr.
 otiorhynchi Bracon, Boudier, Ann. Soc. Ent. France, III (2) *post* June 1834, 334.
 otiorhynchoides Elytrurus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 36.
 Otiorhynchus E. F. Germar, Ins. spec. novae, I. 1824, 343.—Col.
 Otiorrhynchus Germ. 1824; *sic* Scudder, *sed* Otiorhynchus *est.*
 otiosus Agrilus, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 163.
 otiosus Anthocomus (Say), W. F. Erichson, Entomographien, 1840, 99.—Malachius.
 otiosus Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 356.
 otiosus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 81.
 otiosus Ichneumon, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1829, 69.
 otiosus Malachius, T. Say, Amer. Entom. III. 1828, pl. 48.
 Otiothops W. S. MacLeay, Ann. Nat. Hist. II. Sept. 1838, 12.—Ar.
 Otiphaca [=Otiophoca], H. D. de Blainville, Ostéogr., Phoca, 1840, 50.—M.
 [otis.]
 otys Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 48.
 otis Galericulum (Turt.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 24.—Helix.
 otis Helix, D. Solander, Catal. Portland Mus. 1786, 38.
 otis Labyrinthus (Solander), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 33.—Helix.
 otis Natica, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 372.
 otis Otina (Turt.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 156.—
 Helix, Sol. 1786.
 otis Strix, Bennet & Olivier, Nat. Verh. Hollandsche Maat. Wetensch. Haarlem, XI. 1822,
 177.
 otys Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 80.—Cirrospilus, 1839.
 otis Velutina (Turt.), J. Fleming, Hist. Brit. Anim. 1828, 326.—Helix, Sol. 1786.
 Otisorex J. E. De Kay, N. H. New York (Mamm.) 1842, 22.—M.
 otitae Coleophora, P. C. Zeller, Isis (Oken), 1839, 207.
 otitae Ornix, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843],
 Otites P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.—Dipt. [481.
 Otium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Otion, Leach.
 Otoclinus *err. pro* Otolicnus, Illiger; P. Gervais, Dict. Univ. Hist. Nat. V. 1845, 762.
 Otocolobus J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (23 & 24) Mar.
 1844, 382.—M. [? Syn. Colobotis].

- Otocompsa** J. Cabanis, 1850; *sic* Marschall, 1851 *est*.
- Otocoris** C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 407.—A. [*typus* *Phileremos cornutus*].
- Otocornis** E. Rueppell, Syst. Uebers. Vögel N.-O. Afrika's, 1845, 78.—A.
- Otocorys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Otocoris*, Gray [Bon.].
- Otocryptis** J. Wagler, Nat. Syst. Amph. 1830, 150.—R.
- Otocyon** Mueller, 1836; *sic* Palmer, *sed non comp.*
- Otocyon** J. Mueller (*ex* Licht.), Wiegmann, Arch. f. Naturg. IV (1) 1838, 268 & 290.—M.
- Otodus** J. L. R. Agassiz, Poiss. Foss., Feuilleton, 115 (1838); III., 266 (1843).—P.
- Otoes** G. Fischer, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817, 373 & 445.—M.
- otoes** Akis, G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1837 (4) 1837, 14.
- Otoglena** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 169 & 175.—
- Otogyps** G. R. Gray, List Gen. Birds, ed. 2, 1841, 2.—A. [Inf.]
- otolais** *Pyrrhogyra*, J. O. Westwood (*ex* Boisd. MS) in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 253 [*n. n.*].
- Otoleneus** McMurtrie in Cuvier, Anim. Kingd. 1834, 50 [*err. pro* *Otolicnus*, III.].
- otoleucus** Fringilla, C. J. Temminck in T. & Laugier, Pls. color. (45) Ap. 1824.
- otoleucus** *Megalotis* (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 347.—
- Otolichnus** Boitard, Jard. des Plantes, 1842, 91 [*teste* Palmer]. [Fringilla.]
- Otolicnus** C. Illiger, Prod. 1811, 74.—M. [Lemuridae].
- Otolicnus** G. Fischer, Zoogn., ed. 3, I. 1813, 14.—M. [Canidae].
- Otolignus** ? *err. pro* *Otolicnus*, III.; Berthold in Latreille, Nat. Fam. Thierr. 1827, 588.
- Otolincus** McMurtrie in Cuvier, Anim. Kingd. I. 1831, 74 [= *Otolicnus*, III.].
- Otolites** *id. ac* *Otolithes*, Ok.; Berthold, Nat. Fam. Thierr. 1827, 588.
- Otolithes** Oken, Isis (Oken), 1817, 1782 [= 1182]; H. R. Schinz in Cuvier, Thierreich, II. 1822, 482.—P. [*non* Cuvier, *vernac.*].
- Otolithus** G. Cuvier, R. Anim., ed. 2, II. 1829, 172.—P.
- Otolophus** L. J. Fitzinger, Syst. Rept. 1843, 32.—R.
- Otomys** F. Cuvier, Dents des Mamm., 168 [*vernac.*] (1823); 255 (1824).—M.
- Otomys** A. Smith, S. African Quart. Journ. II. no. 2 (2) Mar. 1834, 147.—M.
- Otophis** A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 341.—R. [? *ex* Fitz. MS, *non* 1829, *apud* Agassiz].
- Otophorus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 172.—Col.
- otophora** *Cellepora*, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 90.
- Otopoma** J. E. Gray, Figs. Moll. Anim. IV. 1850, 120.—G.
- Otopoma** W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 35.—G.
- Otopsis** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*].
- otos** *Pteromalus*, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 202.
- Otosaurus** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 93.—R.
- Otosema** J. Huebner, Verz. bekannt. Schmett. 1825, 273.—Lep.
- Otospermophilus** J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (23 & 24) Mar. 1844, 379.—M.
- Otostomis** L. Agassiz, Nom. Zool. (Moll.), 1845.—G. [*non* Menke, *q. usu fam. non gen.*].
- Otostomus** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 55.—G.
- Otostylis** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 344.—A.
- ototara** *Cereopora*, G. A. Mantell, Q. J. Geol. Soc. London, VI. 1850, 329.
- Otozoum** E. Hitchcock, Amer. J. Sci. (2) IV (10) July 1847, 54.—R.
- otrere** *Anaea*, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 8.
- otrere** *Paphia* (Huebner), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 319.—*Anaea*.
- otreus** *Ephyriades* (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 111.—*Papilio*, 1780.
- otrea** *Mycalesis* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 55.—*Papilio*, 1780.
- otrea** *Mycalesis*, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 17.
- otreus** *Platygaster*, F. Walker, Entom. Mag. III (3) Oct. 1835, 236.
- otroeda** *Ortalis*, F. Walker, List Dipt. Coll. B. M. (4) 1849, 992.
- Otrophesa** A. Risso, H. N. Europe, V. 1826, 136.—Cr.
- otsego** *Coregonus* (Cl.), J. E. De Kay, N. H. New York (Fish) 1842, 248.—*Salmo*.
- otsego** *Salmo*, Clinton, Med. Phil. Reg. III [—], 189 [*teste* De Kay].
- otthiana** *v.* *othiana*.

- otto** Canolira, A. Risso, H. N. Europe, V. 1826, 123.
- otto** Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 31.
- otto** Esox, J. L. R. Agassiz, Poiss. Foss. V (2), 68 (1843).
- otto** Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96.
- otto** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 175.
- ottoi** Cenchrodus, H. v. Meyer, N. Jahrb. f. Min. 1847, 574.
- ottoi** Spongia, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 264.
- ottoi** Trochus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 227.
- ottoi** Turbonilla (Goldf.), H. G. Bronn, Index Pal. 1848, 1328.—*Melania ottonii*.
- ottomana** Acmaeodera, Frivaldsky in Spinola, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 377.
- ottomanus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9) 1849, 155 ["Mon. Anth." *poster. edit.*].
- ottomannus** Ascalaphus, E. F. Germar, Fauna Ins. Europ. (21) 1839, 21.
- ottomana** Buprestis, I. Frivaldszky, K. magyar. tudos Tarsasag évkön. III (3) 1838, 175.
- ottomana** Cetonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cétoniidae, Nov. 1842, 5.
- ottomanus** Lycaena (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 75.—*Polyom-*
- ottomanus** *Polyommatus*, Latreille, Magasin de Zool. I. 1831, 19. [matus, Latr.?
- otto mulleriana** Cellepora, A. Risso, H. N. Europe, V. 1826, 337.
- otto mulleriana** Eschara, J. P. C. Moll, Esch. Zooph. 1803, 60 & no. xii.
- otto-mülleriana** Eschara, J. P. C. Moll, Die Seerinde, 1803, 67.
- otto-mulleriana** Escharina (Moll), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 233.—*Eschara*.
- ottonii** Melania, G. A. Goldfuss, Petref. German. III (8) 1844, 110.
- ottonis** Achatina, L. Pfeiffer, Mon. Helic. II. 1848, 286.—*Cochlicopa*, 1841.
- ottonis** Ammochares, E. Grube, Arch. f. Naturg. XII (1) 1846, 163.
- ottonis** Ammonites, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1848, 71.
- ottonis** Cardium, H. B. Geinitz, Verst. Kieslingswalda, 1843, 14.
- ottonis** Cochlicopa, L. Pfeiffer, Symb. Helic. I. 1841, 47.
- ottonis** Cyclostoma, L. Pfeiffer, Zeitschr. f. Malakozool., Mar. 1846, 45.
- ottonis** Glandina (Pfr.), R. A. Philippi, Abb. Conch. I (6) 1844, 132.—*Cochlicopa*.
- ottonis** Helix, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 251.
- ottonis** Pecten, G. A. Goldfuss, Petref. German. II (7) 1840, 282.
- ottonis** Signana, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 74.
- ottospinosa** *v.* *octospinosa*.
- Otus** T. Pennant, Indian Zool. 1769, 3.—A. [*teste* C. W. R.].
- Otus** J. Huebner, Verz. bekannt. Schmett. [1820], 142.—Lep.
- Otus** A. Risso, H. N. Europe, I. 1826, 122.—G.
- otus** Bubo (L.), J. C. Savigny, Egypte, I (1) (Ois.) 1809, 109.—*Strix*, 1758.
- otus** Gastropacha (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 30.—*Sphinx*, 1770.
- otus** Lasiocampa (Dru.), J. A. Boisduval, Ic. hist. lepidopt. Europe, II (—) 1837, 163.—
- otus** Leuconoe, F. Boie, Isis (Oken), 1830, 257. [*Sphinx*, 1770.
- otus** Otus (L.), G. Cuvier, R. Anim. I. 1817, 328.—*Strix*, 1758.
- otus** Scarites, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 50 [*n. n.*].
- otus** Ulula (L.), W. Macgillivray, Rapac. Birds of Brit. 1836, 403.—*Strix*, 1758.
- otus** Ulula, O. Des Murs in Gay, Chili (Aves) 1847, 251 [*non* *Strix otus*].
- Otygospiza** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 455.—A.
- Otymnus** C. S. Rafinesque, Analyse, 1815, 219.—A. [*n. n.*].
- otys** *v.* *otis*.
- Ouakaria** J. E. Gray, Proc. Zool. Soc. London, XVII (190) Dec. 11, 1849, 9.—M.
- ouakary** Brachyura, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 12.
- ouakary** Cebus (Spix), J. B. Fischer, Syn. Mamm. 1829, 59.—*Brachyurus*.
- oualaniensis** Loligo, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 240.
- oualaniensis** Neritina, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 379.
- oualaniensis** Ommastrephes (Less.), A. d'Orbigny, Moll. viv. et foss. [1845], 427.—*Loligo*.
- oualaniensis** Scincus, R. P. Lesson, Ann. Sci. Nat. XIII (52) Ap. 1828, 392.

- oualensis** Hemidactylus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July
oualensis Pempheris, Cuvier & Valenc., H. N. Poiss. VII. Ap. 1831, 299. [1836, 350.
oualensis Pempheris, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 168.
oualensis Peropus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 103.—Hemidactylus.
ouatalibi Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 381.
oubie Bombyx, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 387.
oudardii Tellina, B. C. Payraudeau, Cat. Moll. Corse, 1826, 40.
oudinoti Ctenus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 368.
oudnaei Iridina, C. Koenig in Denham & Clafferton, Narr. Trav. Africa, 1826, App., 254.
ougsburgeri Amara, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 56 [*n. n.*]; *ibid.*
Ouistiti A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 588.—M. [Coleopt., 37.
Ouistitis G. T. Burnett, Q. Journ. Sci. (R. Inst. Gt Brit.) Dec. 1828 (1829), 307.—M.
Oulangia Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 497.—Cor.
Oulastrea Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 495.—Cor.
Oulophyllia Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cor.
Ourachoerus A. White, List Crustacea Coll. B. M. 1847, 100.—Cr. [*n. n.*].
ouralensis *v.* uralensis.
ouranus Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 574.—Papilio, Cr.
 1780.
ouranus Eurygona (Cr.), H. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 5.—Papilio,
Ourapteryx W. E. Leach, Zool. Miscell. I. 1814, 79.—Lep. [1780.
Ourax G. Cuvier, R. Anim. I. 1817, 440.—A.
ourebi Scopophorus (Zimm.), J. E. Gray, Ann. Mag. N. H. XVIII. Oct. 1846, 232.—
 ? Antilope, 1783.
Ourebia Laurillard, Dict. Univ. Hist. Nat. I. 1841, 622.—M. [Ogilby, 1836, *teste* Agassiz,
ourissia Colubris, J. Huebner, Samml. Vögel u. Schmett. 1793, 7. [*sed non comp.*].
ourissia Hylocharis (L.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—Trochilus, 1758.
ourissia Mellisuga (Gm.), F. Boie, Isis (Oken), 1831, 545.—Trochilus, L. 1758.
ourissia Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 281.
ourissia Thaumantias (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 79.—Trochilus,
ourovang *v.* urovang. [1758.
Ourozeuktes H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 275.—Cr.
Ourozeukthes H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XIV. Sept. 1840, 165.—Cr.
Ova J. E. Gray, Ann. Phil. XXVI. Dec. 1825, 431.—Ech.
Ovalastrea A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Cor.
ovales Crumenaecrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 62 [*n. n.*].
Ovalia P. A. Latreille in Griffith's Cuvier, Anim. Kingd. (Annel. etc.) XIII. 1833, 214
 [Cr., *teste* F. J. Griffin, *non* 1817 *apud* Agass.].
ovalifolia Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 78.
ovalifolia Phylloptera, H. Burmeister, Handb. Ent. II (2) i, 1838, 693.
ovaliformis Cardinia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 131.
ovalifrons Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 76.
ovalina Corbula, Lamarck, An. s. vert. V. 1818, 496.
ovalina Mactra, Lamarck, An. s. vert. V. 1818, 477.
ovalina Panopaea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 13.
ovalipennis Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 180. [288.
ovalipennis Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
ovalis Abax (Dufts.), J. Sturm, Deutsch. Fauna (Insecten) IV. 1818, 151.—Carabus.
ovale Acanthoderma, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 137 (1841); II (2), 251
ovalis Acanthurus, J. L. R. Agassiz, Poiss. Foss. IV., 13 (1838), 210 (1842). [(1844).
ovalis Acanus, J. L. R. Agassiz, Poiss. Foss. IV., 5 (1838), 124 (1839). [Elater.
ovalis Adelocera (Germ.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 451.—
ovalis Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
ovalis Amara, J. Sturm, Catal. Ins. Samml. 1826, 91 [*n. n.*]. [[*ineunte* 1851], 233.
ovalis Amblema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.
ovale Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 227.
ovale Amphidesma, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxi.

- ovalis** Anatifa, Anon., Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, Annulosa, pl. 3.
- ovalis** Anatina, T. Brown, Ill. Conch. G. B. I. 1827, pl. xi, f. 4 [*n. et f.*].
- ovalis** Anatina, S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 100.
- ovalis** Anchorella, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 289.
- ovalis** Anisotoma, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 158.
- ovalis** Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 260.
- ovalis** Arca, S. Nilsson, Petrif. Suec. 1827, 15.
- ovalis** Ascidia, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 6.
- ovalis** Astarte, S. Woodward, Geol. Norf. 1833, 43.
- ovalis** Atax (Müll.), J. C. Fabricius, Syst. Antliat. 1805, 368.—Hydrachna, 1776.
- ovalis** Atrypa (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 93.—Orthis.
- ovalis** Attelabus, F. Weber, Obs. Ent. 1801, 92.
- ovalis** Auricula, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 105.
- ovalis** Avicula, J. Phillips, Geol. Yorksh. I. 1829, 129 & 134 [*n. et f.*].
- ovalis** Balanus, D. Solander, Catal. Portland Mus. 1786, 104 & 156 [*n. n.*]. [L. 1761.
- ovalis** Baridius (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 64.—Curculio,
- ovalis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 150.
- ovalis** Belemnites, W. Buckland, Geol. & Min. II. 1836, 69.
- ovalis** Brachythyris (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 145.—
Spirifera.
- ovalis** Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiv.
- ovalis** Bufo (Schn.), F. M. Daudin, H. N. Rainettes, 1802, 92.—Rana, 1799.
- ovalis** Calathus, Dejean, Spec. gén. Coléopt. V. 1831, 708.
- ovalis** Campecopaea (Say), A. White, List Crustacea Coll. B. M. 1847, 105.—Naesa.
- ovalis** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 64.
- ovalis** Cardinia (Mart.), L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 74.—Mya.
- ovalis** Cardinia (St.), J. L. R. Agassiz, Hist. crit. Moll. foss. (3) 1843, 223.—Pachyodon.
- ovalis** Cardita, L. Reeve, Conch. Icon.—Cardita, no. 28, July 1843.
- ovale** Cardium, G. B. Sowerby, II., Conch. Illustr., Catal. issued with (184) [? 1840], 2.
- ovalis** Centrolophus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 346.
- ovalis** Centronotus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 309.—Gaster-
- ovalis** Cepheus, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 7. [osteus ovatus, 1758.
- ovalis** Cercaria, F. v. P. Schrank, F. Boica, III (2) 1803, 86.
- ovalis** Ceuthorhynchus (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 566.—
- ovalis** Chilina, G. B. Sowerby, I., Malac. Conch. Mag. (2) 1839, 54. [Nedyus.
- ovale** Cirropteron, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 79.
- ovalis** Cladotoma, J. O. Westwood, Mag. Zool. Bot. I (3) Oct. 1836, 255.
- ovalis** Clupea, E. T. Bennett in S. Raffles, Mem. T. S. Raffles, 1838, 691.
- ovalis** Clypeaster (Lam.), Grateloup, Actes Soc. Linn. Bordeaux, VIII (46) 1836, 147.—
Galerites ovatus.
- ovalis** Collyrites (Ag.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 214.—
- ovalis** Corbis, J. Phillips, Geol. Yorksh. I. 1829, 139 [*n. et f.*]. [Disaster.
- ovalis** Corbis, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 229.
- ovalis** Corbula, S. Nilsson, Petrif. Suec. 1827, 18.
- ovalis** Crania, S. Woodward, Geol. Norf. 1833, 48.
- ovalis** Cristellaria, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 213.
- ovalis** Cristellaria, H. Karsten, Verz. Rostock. Mus. Verst. 1849, 9. [1835, 780.
- ovalis** Crossocerus, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar.
- ovalis** Cryxus (L.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 407.—Julus, 1758.
- ovalis** Cucullaea, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 37.
- ovalis** Cyamus, R. de Vauzème, Ann. Sci. Nat. [2] (Zool.) I. Ap. 1834, 241.
- ovalis** Cyclas, J. B. Férussac, Essai Méth. Conch. 1807, 128.
- ovalis** Cymothoa, T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 394.
- ovalis** Cyphon, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 161.
- ovalis** Cypridina, J. G. Cumming, I. of Man, 1848, 355 [*n. n.*].
- ovalis** Cyrena, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 158; Nord-
deutsch. Wälderthon, 1843, 30; Mon. Norddeutsch. Weald. 1846, 34.
- ovalis** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 73.

- ovalis** Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 427.
- ovalis** Disaster (Park.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 183.—
- ovalis** Dysaster (Park.), L. Agassiz, Cat. Ect. Ech. 1840, 3.—Spatangus. [Spatangus.
- ovalis** Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 425.
- ovalis** Echinolampas (Val.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- ovalis** Echinoneus, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 194. [188.—Galerites.
- ovalis** Egeria, I. Lea, Contrib. to Geol. 1833, 54.
- ovalis** Elater, E. F. Germar, Ins. spec. novae, 1824, 49.
- ovalis** Engystoma (Schn.), L. J. Fitzinger, Neue Classif. Rept. 1826, 65.—Rana, 1799.
- ovalis** Erycinella, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 74.
- ovalis** Escheria, O. Heer, N. Denkschr. Allg. Schweiz. Gesellsch. VIII. 1847, 57.
- ovalis** Eucalyptocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 60 [n. n.].
- ovalis** Eurydera, F. L. de Laporte, Etudes Entom. (2) 1835, 147.
- ovalis** Feronia (Dufts.), Dejean, Spec. gén. Coléopt. III. 1828, 385.—Carabus.
- ovale** Filaria, C. A. Lee, Amer. J. Sci. XXXIX (2) 1840, 283.
- ovalis** Flabellina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
- ovalis** Galerites, Valenciennes, Ency. Méth. (Tabl.) Planches Helminth. CXLV., f. 13 & 14
- ovalis** Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 143 [n. n.]. [[c. 1784].
- ovalis** Glandulina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 270.
- ovalis** Glandulina, J. L. Neugeboren, Verh. Siebenb. Ver. Nat. (3) 1850, 48.
- ovalis** Glomeris, P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 64.—Iulus, L. 1758.
- ovalis** Gryphea, C. H. v. Zieten, Pétrif. Wurt. (12) 1833, 92.
- ovalis** Gyropus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 304.
- ovalis** Haplocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [n. n.].
- ovalis** Helix (Cochlohydra) (Say), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 30.—Succinea.
- ovalis** Hilarianus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
- ovalis** Hister, [L. v. Beck], Beitr. baier. Insektenf. 1817, 7. [[ineunte 1851], 170.
- ovalis** Hydrachna (Ill.), J. C. Fabricius, Syst. Eleuth. I. 1801, 256.—Dytiscus, 1798.
- ovalis** Hydrophilus, J. Sturm, Catal. Ins. Samml. 1826, 155 [n. n.].
- ovalis** Hydrophilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 50.
- ovalis** Hydrophilus, D. Zeigler, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 45.
- ovalis** Hydroporus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 188.—Hydrachna, Müll. 1776.
- ovalis** Hydroporus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 58.—
- ovalis** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 241. [Dytiscus.
- ovalis** Hyphydrus (Fab.), Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 299.—Hydrachna.
- ovale** Idya, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 134.
- ovalis** Lacon, E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 261.—Elater, 1824.
- ovalis** Lagana, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 196.
- ovalis** Lamia (L.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 377.—Cerambyx, Gm. 1789.
- ovalis** Lampyrís, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- ovalis** Lampyrís, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 112.
- ovalis** Lavignon (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 336.—Corbis.
- ovale** Leiobunum, C. L. Koch, Die Arachniden, XVI (3) Oct. 1847, 59.
- ovalis** Lepadella (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 45.—Brachionus, 1786.
- ovalis** Lepralia, A. H. Hassall, Ann. Mag. N. H. IX. July 1842, 413.
- ovalis** Leptaena (Ph.), T. Brown, Ill. Foss. Conch. G. B. I. (26-28) 1845, 127.—Producta.
- ovalis** Lima (Sow.), G. G. Pusch, Polens Paleont. (1) 1836, 43.—Plagiostoma.
- ovalis** Lima (Sow.), G. A. Goldfuss, Petref. German. II (5) 1836, 82.—Plagiostoma.
- ovalis** Limnea, J. E. Gray in G. B. Sowerby, II., Gen. Shells (7) 1822.
- ovalis** Limnea, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 636.
- ovalis** Lingula, J. Sowerby, Min. Conch. I. 1813, 56.
- ovalis** Lingula, L. Reeve, Proc. Zool. Soc. London, IX (107) May 1842, 100.
- ovalis** Lironeca (Say), A. White, List Crustacea Coll. B. M. 1847, 109.—Cymothoa.

- ovalis Lutraria, J. Sowerby, Min. Conch. III. 1819, 47.
- ovalis Lutraria, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 257.
- ovalis Macrocheilus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 29.
- ovalis Mactra, J. Sowerby, Min. Conch. II. 1817, 136.
- ovalis Mactra, A. A. Gould, Rep. Invert. Massach. 1841, 53.
- ovalis Malachus, Laporte, Revue Entom. IV (1) 1836, 28.
- ovalis Marica (Müll.), C. L. Koch, Deutsch. Crust., heft 12, 1837, tab. 8.—Hydrachna, 1776.
- ovalis Megamerus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) II. July 1834, 50 & 52.
- ovalis Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 242.
- ovalis Microps (Schn.), J. Wagler, Nat. Syst. Amph. 1830, 200.—Rana, 1799.
- ovalis Migadops, G. R. Waterhouse, Ann. Mag. N. H. IX. Ap. 1842, 139.
- ovalis Modiola, de Blainville, Dict. Sci. Nat. XXXI. 1824, 511.
- ovalis Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 64 [n. n.].
- ovalis Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 25.
- ovalis Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 100.
- ovalis Mya, W. Martin, Petr. Derb. 1809, pl. 27.
- ovalis Mya, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 42.
- ovalis Mytilus, Lamarck, An. s. vert. VI (1) 1819, 121.
- ovalis Naesa, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 484.
- ovalis Nebria, Dejean, Spec. gén. Coléopt. V. 1831, 581.
- ovalis Nedyus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio, 1761.
- ovalis Neritina, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 507.
- ovalis Notaspis, C. L. Koch, Deutsch. Crust., heft 27, 1839, tab. 21.
- ovalis Nucula, Hehl in C. H. v. Zieten, Pétrif. Wurt. (10) 1833, 76.
- ovalis Nucula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 609.
- ovalis Nycteropus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 203.
- ovale Omalium, Sturm; Dejean, Catal. Coléopt. 1821, 26 [n. n.].
- ovalis Omophlus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 247.
- ovalis Opiestus, A. Chevrolat, Revue Entom. I (1) Mar. 1833, 31, & Descr. d'esp. nouv.,
- ovalis Oribates, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 5. [no. 2.]
- ovalis Orthis, F. A. Roemer, Verst. Harzgeb. 1843, 10.
- ovale Orthoceras, J. Phillips, Geol. Yorksh. II. 1836, 238.
- ovalis Ostrea, E. Eichwald, Paleont. Rossii, 1850, 47.
- ovalis Pachydomus, F. M'Coy, Ann. Mag. N. H. XX. Nov. 1847, 302.
- ovalis Pachyodon, S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 485.
- ovalis Pachytes, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 473 [n. n.].
- ovalis Panopaea, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 340.
- ovalis Patella, S. Nilsson, Petrif. Suec. 1827, 14.
- ovalis Pedipes, C. B. Adams, Contr. to Conch. (3) Oct. 1849, 41.
- ovalis Peltis, W. S. Macleay, Annulosa Javanica, 1825, 39.
- ovalis Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 39.
- ovalis Pentremites, G. A. Goldfuss, Petref. German. I (2) 1829, 161.
- ovalis Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 239.
- ovalis Pholadomya (J. Sow.), J. De C. Sowerby, Min. Conch. VI (94) Jan. 1827, 86.—
- ovalis Pholas, T. Say, Amer. J. Sci. II (1) Ap. 1820, 39. [Lutraria.]
- ovalis Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 371.
- ovalis Plagiostoma, J. Sowerby, Min. Conch. II. 1815, 27.
- ovalis Pleurodon, S. V. Wood, Mag. Nat. Hist., n. s. IV. May 1840, 230.
- ovalis Pleuromya (Muenst.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 234.—
- ovalis Pogonocherus, Sch.; Dejean, Catal. Coléopt. 1821, 107 [n. n.]. [Lutraria.]
- ovalis Producta, J. Phillips, Geol. Yorksh. II. 1836, 216.
- ovalis Proteinus, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [n. n.]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 335.
- ovalis Pseudoliva, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 187.
- ovalis Pullastra, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 12 [n. n.]; Syn. Carb. Lst. foss. Ireland, 1844, 55.
- ovalis Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] post May 1832, 251.

- ovalis** Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 121 (1839); II (2), 195 (1844).
ovalis Racemis, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1830], 30.
ovalis Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 17.
ovalis Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 29.
ovalis Scarabaeus, Jas. Sowerby, Brit. Miscell. (7) Aug. 1805, 69.
ovalis Scotobius, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 18.
ovalis Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 106.
ovalis Solea, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 279.
ovalis Solecurtus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 375.—Solen.
ovalis Solen, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 28. [Solen.
ovalis Soletellina (Desh.), C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 102.—
ovalis Sparnodus, J. L. R. Agassiz, Poiss. Foss. IV., 34 (1835), 10 (1838), 161 (1839).
ovalis Spatangites, J. Parkinson, Org. Rem. III. 1811, 34 [Spatangus in Index].
ovalis Sphodrus, V. v. Mochulski, Mém. prés. Ac. imp. Sci. St Pétersb. V (1-3) Nov. 1844,
ovalis Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 219. [148.
ovalis Spiroloculina, F. A. Roemer, N. Jahrb. f. Min. 1838, 392.
ovalis Statyra, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 257.
ovalis Sterope, H. D. S. Goodsir, Ann. Mag. N. H. XVI. Nov. 1845, 325.
ovalis Strophodus, C. G. Giebel, N. Jahrb. f. Min. 1848, 156.
ovalis Strophodus, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 330.
ovalis Stylorhynchus, F. Stein, Arch. Anat. Phys. 1848, 222.
ovalis Succinea, T. Say, J. Acad. Nat. Sci. Philad. I., no. 1, May 1817, 15.
ovalis Taphoxenus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 46.—Sphodrus, 1844.
ovalis Tellina, S. Woodward, Geol. Norf. 1833, 43.
ovalis Tellina (Sow.), Catlow & Reeve, Conch. Nomen. 1845, 24.—Tellinides.
ovalis Tellina, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 18.
ovalis Tellinides, G. B. Sowerby, I. (*ex* Budgin MS), Cat. Shells Tankerville, 1825, 10 &
ovalis Terebratula, Lamarck, An. s. vert. VI (1) 1819, 249. [App., iii.
ovalis Tetragonolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 9 (1834); Poiss. Foss. II
 (1), 209 (1836).
ovalis Thracia, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 17.
ovalis Tornatella, Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 270.
ovalis Tragopa, Klug in H. Burmeister, Revue Entom. IV (5) 1836, 188.
ovalis Trigonocoelia (Hehl), Nyst & Galeotti, Bull. Ac. Roy. Brux. II. 1835, 295.—Nucula.
ovalis Triloculina, F. A. Roemer, N. Jahrb. f. Min. 1838, 393.
ovale Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 170.—Megamerus.
ovalis Tropisternus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 54.
ovale Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 366.
ovalis Unio (Mont.), G. B. Sowerby, II., Gen. Shells (16) 1823.—Mya, ? Pult. 1799.
ovalis Unio, W. E. Leach (*ex* Lister), Ann. Mag. N. H. XX. Oct. 1847, 272.
ovalis Venus, J. De C. Sowerby, Min. Conch. VI. 1827, 129. [[*n. n.*].
ovalis Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 246
ovalis Zephronia, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, pl. 135; & II.
ovalis Zircon, C. L. Koch, Deutsch. Crust., heft 27, 1839, tab. 11. [1832, 796.
ovaloides Tellina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
Ovarium Grateloup, Actes Soc. Linn. Bordeaux, VIII. 1836, 182 [*syn.* of Echinus; *teste*
ovarius Bullacites, E. F. v. Schlotheim, Die Petref. 1820, 119. [F. A. B.].
ovaria Cypraea (Schl.), H. G. Bronn, Index Pal. 1848, 383.—Bullacites.
Ovata A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 192 [*non* 1825, *vernac. et fam.*
Ovatella A. Bivona-Bernardi, Effem. Sci. Lett. Sicilia, I. Feb. 1832, 58. [*non gen.*].
ovatella Rissoa, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 189.
ovato-costatus Pecten, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 437.
ovatoguttata Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 95.
ovatonotata Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 646.
ovator Alomya (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 401.—Ichneumon,
ovator Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 53. [1793.
ovatula Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 70.—Melitta.

- ovatulus** Leiosomus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 316.—Molytes, 1834.
- ovatula** Melitta, W. Kirby, Mon. Apum (2) 1802, 149. [1798.]
- ovatulus** Molytes (Clairv.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 356.—Curculio,
- ovatulus** Onthophagus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 64.
- ovatulus** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 351.
- ovata** Acomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 383.
- ovata** Acteonina, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 418.
- ovata** Actinophrys, J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. IV (8 & 9) May 1845, 141. [Pimelia, 1795.]
- ovata** Adesmia (Ol.), A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 545.—
- ovata** Aeglia (Say), W. Swainson, Treat. Malacol., May 1840, 266.—Unio.
- ovatus** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 60.—Goniatites.
- ovatus** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 56.—Hylotoma.
- ovata** Alona, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 133.
- ovatus** Alphitobius (Herbst), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 119.—
- ovata** Altica, Dejean, Catal. Coléopt. 1821, 120 [*n. n.*]. [Tenebrio, 1799.]
- ovata** Amara (Fab.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 51.—Carabus, 1792.
- ovata** Amara, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov.
- ovatum** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 228. [1844, 186.]
- ovatus** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 251. [Goniatites.]
- ovatus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 142.—
- ovatus** Amphacanthus, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 133.
- ovata** Amphidesma, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 89.
- ovatus** Amphidetus (Leske), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 12.—
- ovata** Ampullaria, A. G. Olivier, Voy. Othoman, III (1804), 67. [Spatangus, 1778.]
- ovatus** Ananchites (Gm.), Lamarck, Syst. Anim. 1801, 348.—Echinus, 1790.
- ovatus** Ananchytes (Leske), Lamarck, An. s. vert. III. 1816, 25.—Echinocorytes, 1778.
- ovatus** Anodon, W. Swainson, Exot. Conch. (second issue) Part 5, Jan. 1835, pl. 36 [*n. et f.*].
- ovata** Anodonta, I. Lea, Syn. Naiades, 1836, 52 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. VI (1)
- ovata** Anomia, G. Perry, Conchology, Ap. 1811, pl. 60. [1838, 2.]
- ovatus** Apotomus (Fab.), W. Kirby in J. Richardson, F. Bor-Amer. (4) Oct. 1837, 205.—
- ovatus** Aptychus, H. v. Meyer, Abh. Senckenb. Mus. I (1) 1833, 24. [Attelabus.]
- ovata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 49, Feb. 1844.
- ovata** Arca, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 96.
- ovata** Arcopagia, T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 9 [*n. et f.*].
- ovata** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 644.
- ovata** Astarte, W. Smith, Strat. Syst. Org. Foss. 1817, 44.
- ovata** Astarte, J. De C. Sowerby, Min. Conch. VII. 1846, pl. 645 [*n. et f.*].
- ovatus** Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 65.—Scarab. L. 1767.
- ovatus** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 426.
- ovata** Auricula, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 435.
- ovata** Auricula, J. E. Gray, Spec. Zool. 1828, 5.
- ovata** Avicula, J. De C. Sowerby, Min. Conch. VI. 1826, 18.
- ovata** Baculites, T. Say, Amer. J. Sci. II (1) Ap. 1820, 41.
- ovata** Bathyscia, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 223.
- ovatus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 88.
- ovatus** Bellerophon (Sow.), T. Brown, Ill. Foss. Conch. G. B. I (9) 1838, 39.—Ellipsolites.
- ovatus** Beroe, J. Fleming, Hist. Brit. Anim. 1828, 502.
- ovata** Blaps, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 17.
- ovatus** Brachycerus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 235.
- ovatus** Brachyrhinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 184.—Curculio, 1758.
- ovatus** Brissopsis, E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 8.—Schizaster, 1842.
- ovatum** Buccinum, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 652.
- ovata** Bulimina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 185.
- ovata** Buprestis, F. Weber, Obs. Ent. 1801, 76.

- ovata** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 245.
- ovata** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832,
- ovatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*]. [53.]
- ovata** Cardinia (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.—Corbula.
- ovata** Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—
- ovata** Cardita, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 9. [Mactra.]
- ovatum** Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 56.
- ovatus** Catops, Dejean, Catal. Coléopt. 1821, 45 [*n. n.*].
- ovatus** Caturus, G. v. Muenster, N. Jahrb. f. Min. 1839, 679.
- ovata** Cellaria, Lamouroux, Dict. Class. H. N. III. 1823, 305.
- ovatum** Cerylon, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 79 [*n. n.*].
- ovata** Chaetilia, J. D. Dana, Amer. J. Sci. (2) VIII (24) Nov. 1849, 427.
- ovata** Chalcis, T. Say in Keating, Exp. Peter River, II. 1824, 326; & ed. London, 1825 (App.), 62.
- ovata** Chetetes (Lonsd.), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 712.—
- ovata** Cidaris, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 9. [Stenopora.]
- ovatus** Cimex, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 348.
- ovata** Cistogaster (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 211.—
- ovatus** Clausilia (Strobilus), H. E. Anton, Verz. Conch. 1839, 46. [Pallasia.]
- ovata** Clepsidrina, K. E. Hammerschmidt, Isis (Oken), 1838, 356.
- ovatus** Coccus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 716.
- ovata** Colaspis (Knoch), T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 442.—
- ovata** Colobodera, F. Klug, Ber. Verh. k. pr. Ak. Wiss. 1837, 53. [Eumolpus.]
- ovatum** Condyllostoma, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. f, pl. 1,
- ovata** Conoplea, J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 103. [f. 8 (1828).]
- ovata** Copris (Fab.), Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 206.—Ateuchus.
- ovata** Corbula, E. Forbes, Malac. Monensis, 1838, 53.
- ovata** Corbula, F. A. Roemer, Verst. Harzgeb. 1843, 25.
- ovata** Corimya (Roem.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 264.—Tellina.
- ovatus** Corynetes, M. Spinola in Gay, Chili, IV (Col.) 1849, 411.
- ovatus** Cossyphus, F. de Brême, Ess. Cossyph. (2) 1846, 22.
- ovata** Crassatina, T. Brown, Edinburgh Journ. Nat. Geogr. Sci. I. Oct. 1829, 12.
- ovata** Crassina, J. Phillips, Geol. Yorksh. I. 1829, 128 [*n. et f.*].
- ovata** Cryptomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- ovata** Cryptomonas (Eucryptomonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 52.
- ovata** Cucullaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 105.
- ovata** Cucullaea, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 602.
- ovatus** Cydippe (Flem.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 106.—
- ovatus** Cydnus, Herrich-S., Wanzenart. Ins. V (6) Ap. 1840, 96. [Beroe.]
- ovata** Cymbulia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 373.
- ovata** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841,
- ovata** Cypricardites, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 405. [52.]
- ovata** Cypris (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 410.—Monoculus.
- ovata** Cytherea (Penn.), J. Fleming, Hist. Brit. Anim. 1828, 445.—Venus, 1777.
- ovata** Cytherea, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s. V (3) 1835, 340.
- ovata** Cytherella (Roem.), T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 28.—
Cytherina.
- ovata** Cytherina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 104.
- ovatus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 76.
- ovata** Diceratella, Bory de St. V., Dict. Class. H. N. V. May 1824, 468.
- ovata** Dicerratella, Bory de St. V., Ency. Méth. (Zooph.) 1824, 251.
- ovatus** Dichocrinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 61.
- ovatum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 357.—Fasciola, 1803.
- ovatus** Echinites, E. F. Schlotheim, Taschen. Min. 1813, 69.
- ovatum** Echinocardium (Leske), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 6.—
Spatangus, 1778. [192.—Galerites.]
- ovata** Echinolampas (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,

- ovatus Echinoneus, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 136.
- ovatus Echinorhynchus, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (5) Oct. 1850, 97.
- ovatus Ellipsolites, J. Sowerby, Min. Conch. I. 1813, 83 (pl. 37).
- ovata Enchelys, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 391.
- ovata Erycina, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 135.
- ovata Erycina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 13.
- ovata Erycina (Poronia), A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 218.
- ovatus Eryon, G. v. Muenster, Beitr. zur Petref. (2) 1839, 11.
- ovatus Eumerus, H. Loew, Entom. Zeitung, Stettin, IX (4) Ap. 1848, 109.
- ovatus Eumolpus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 23 [*n. n.*] & *var. smaragdulus*, F. V. M. [*n. n.*].
- ovata Fasciola, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (2) 1803, 25.
- ovata Fasciolaria, C. T. Menke, Conch.-Samml. Malsburg, 1829, 49.
- ovatus Favus, Schafhaeutl, Geogn. Unters. südbay. Alpengeb. 1850, 44.
- ovata Fibularia (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 187.—Echinoneus.
- ovata Filaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 36.
- ovata Flabellina (Fronicularia) (v. M.), A. E. Reuss, N. Jahrb. f. Min. 1849, 839.—
- ovata Formica, G. C. Reich, Mag. Thierreichs (3) 1795, 132. [Fronicularia.
- ovata Fronicularia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 96.
- ovata Fronicularia, G. v. Muenster, N. Jahrb. f. Min. 1838, 382.
- ovatus Fusus, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 491.
- ovatum Galerichium, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 27 [*n. et f.*].
- ovatus Galerites, Lamarck, An. s. vert. III. 1816, 22.
- ovatus Gamasus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 15.
- ovatus Gamasus, C. L. Koch, Deutsch. Crust., heft 39, 1844, tab. 17.
- ovata Gastrochaena, G. B. Sowerby, I., Proc. Zool. Soc. London, II (15) June 1834, 21.
- ovata Glaucea, C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 9.
- ovatus Globites (Sow.), W. de Haan, Mon. Ammon. 1825, 148.—Ellipsolites.
- ovatus Glomeris (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 44.—Julus ovalis, L. 1758.
- ovata Glycimeris, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 6.
- ovata Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 80.
- ovatus Goniatis (Sow.), G. v. Muenster, Die Planuliten, 1832, 18.—Ellipsolites.
- ovatus Gonostomus, A. Cocco, N. Ann. Sci. Nat. II. 1838, 169.
- ovatus Graptolithus, J. Barrande, Grapt. Bohême, 1850, 63.
- ovata Gregarina, L. Dufour, Ann. Sci. Nat. XIII (52) Ap. 1828, 367.
- ovata Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 208.
- ovata Gulnaria (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 114.—Limneus.
- ovatus Gyrinus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 3.
- ovatum Haliomma, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 200.
- ovata Haliotis, G. Michelotti (*ex Bonelli MS.*), Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 166.
- ovata Haltica, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 133.
- ovata Hamiltonia, W. Swainson, N. H. Fishes etc. II. July 1839, 250.
- ovatus Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 450.
- ovatus Helaeus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 260.
- ovata Helcion (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 358.—Patella.
- ovatus Helix (Bulimus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 78.
- ovata Helix (Cochlogena), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- ovatus Helops, F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*] [1821, 58.
- ovata Hemiloma, Rafinesque, Annals of Nature, 1820, 10.
- ovata Heteromita, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 298.
- ovatus Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- ovatum Heterostomum, C. M. Diesing, Syst. Helminth. I. 1850, 302. [110.
- ovata Hexaplex, G. Perry, Conchology, Ap. 1811, pl. 8.
- ovata Holothuria, A. Risso, H. N. Europe, V. 1826, 289.
- ovata Hydrachna (L.), K. Duftschmid, Fauna Austriae, I. 1805, 287.—Dytiscus, 1767.

- ovatus Hydroporus, J. Sturm, Catal. Ins. Samml. 1826, 155 [*n. n.*].
 ovatus Hydroporus, J. Sturm, Deutschl. Fauna (Insecten) IX. 1835, 40.
 ovata Hylotoma (L.), J. C. Fabricius, Syst. Piezat. 1804, 27.—Tenthredo, 1761.
 ovata Hyphydrus (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 349.—
 Hydrachna, Müll. 1776.
 ovatus Ichthyococcus (Cocco), C. L. Bonaparte, Icon. Faune Ital. (27) 1840.—Gonostomus.
 ovata Idya (Brug.), R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. May 1836, 258.—Beroe,
 ovata Iridina, W. Swainson, Phil. Mag. LXI (298) Feb. 1823, 113. [1789.
 ovata Iridina, W. Wood, Suppl. Index Test. 1828, 41.—Arca, 1828 [? = Gm. 1790].
 ovata Isocardia, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 210.
 ovata Isocardia, L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 100.
 ovatus Isotelus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 297.
 ovatus Julius, W. Turton, Linnaeus, Syst. Nat. III. 1802, 778.
 ovatus Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Miscogaster,
 1833.
 ovata Lampsilis (Say), C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
 ovata Lampyris, Dejean, Catal. Coléopt. 1821, 36 [*n. n.*]. [298.—Unio.
 ovatus Latridius, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 45.
 ovata Leda (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 236.—Nucula.
 ovata Limatula, S. V. Wood, Mag. Nat. Hist., n. s. III. May 1839, 235.
 ovatus Limneus, J. P. R. Draparnaud, H. N. Moll. France, 1805, 50.
 ovatus Limneus, Drap., *var.* auricularius; J. de Charpentier, N. D. Allg. Schweiz.
 Gesellsch. I. 1837, 20.
 ovata Lingula, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 24.
 ovata Lingula, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 152. [lina.
 ovata Lingulina (Muenst.), H. Karsten, Verz. Rostock. Mus. Verst. 1849, 6.—Frondicu-
 ovatus Listroderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 191.
 ovatus Loborhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 165.—Curculio, L. 1758.
 ovata Lucina (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 366.—
 ovatum Lunulacardium, G. v. Muenster, Beitr. zur Petref. (3) 1840, 70. [Isocardia.
 ovata Lutraria, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 41.
 ovata Lyonsia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 74.—Tellina.
 ovatum Lyrodon, G. A. Goldfuss, Petref. German. II (6) 1837, 197.
 ovata Mactra, W. Wood, Suppl. Index Test. 1828, 4 [*n. et f.*].
 ovata Mactra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 52.
 ovata Mactra (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.—Tellina.
 ovata Marginella, I. Lea, Contrib. to Geol. 1833, 179.
 ovata Melania, H. G. Bronn, Zschr. Min. 1827, II (1828), 537 [*n. n.*].
 ovata Melania, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 585.
 ovata Meleagrina, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 459.
 ovatus Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 44.
 ovatus Metonius, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 165.—Trachys, 1825.
 ovatus Micryphantes, C. L. Koch in Panzer, Ins. Germ., heft 121, 1834, tab. 19.
 ovata Miliola, E. A. Crouch, Ill. Introd. Lamarck's Conch. 1827, 44.
 ovata Millepora, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 44.
 ovata Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 462.
 ovata Modiola, P. Calcara, Mem. Conch. Altavilla, 1841, 35.
 ovata Modiolarca (Buckm.), J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 424.—Arca.
 ovatus Molytes, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 59 [*n. n.*].
 ovata Monas (Heteromita) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 34.—Hetero-
 ovatus Monoculus, L. Jurine, Hist. Monocles, 1820, 170. [mita.
 ovata Montacuta (Brown), S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247.—
 Tellimya.
 ovata Mya, Studer in Coxe, Trav. Switz. III. 1789, 392.
 ovata Mya, E. Donovan, Brit. Shells, IV. 1802, pl. cxxii.
 ovata Mya, Maton & Rackett, Trans. Linn. Soc. London, VIII. 1807, 39.
 ovatus Myacites, E. F. v. Schlotheim, Die Petref. 1820, 178.
 ovata Myadora, L. Reeve, Conch. Icon. II.—Myadora, no. 4, May 1844.

- ovata Myophoria (Goldf.), H. G. Bronn, Index Pal. 1848, 765.—Lyrodon.
- ovata Mysca (M. & R.), W. Turton, Conch. Insul. Brit. 1822, 246.—Mya.
- ovata Natica, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 194.
- ovatus Nautilus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 231.—Ellipsolites.
- ovata Nerita, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 156.
- ovata Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 13.
- ovatus Nucleolites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 106 [*n. n.*].
- ovata Nucula, G. A. Mantell, Foss. South Downs, May 1822, 94.
- ovata Nucula, S. Nilsson, Petrif. Suec. 1827, 16.
- ovata Nucula, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 230.
- ovata Nucula (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 39.—Cucullaea.
- ovata Nucula, A. E. Reuss [*non* Mant.], Verst. böhm. Kreidef. II. 1846, 8.
- ovata Nummulites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 59.
- ovata Odontopleura, H. F. Emmrich, De Trilobitis, 1839, 53.
- ovatum Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 215.
- ovatus Onthophagus (L.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 110.—
Scarabaeus, 1767.
- ovatus Onthophagus, T. Say, Boston Journ. N. H. I (2) 1835, 174.
- ovatum Opatrum, J. C. Fabricius, Syst. Eleuth. I. 1801, 120.
- ovatum Opatrum, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 249.
- ovata Orbigny, F. v. Hagenow, N. Jahrb. f. Min. 1842, 573.
- ovatus Oribates, C. L. Koch, Deutsch. Crust., heft 30, 1839, tab. 24.
- ovata Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 83.
- ovata Orthos (Pand.), L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837],
59.—Orthambonites.
- ovatus Otiorhynchus (L.), E. F. Germar, Ins. spec. novae, I. 1824, 348.—Curculio, 1758.
- ovata Ovula, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 163.
- ovata Ovulina, Schafhaeutl, Geogn. Unters. südbay. Alpengeb. 1850, 42.
- ovatus Pachygaster, Fab.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- ovatus Palaeoniscus, W. C. Redfield, Amer. J. Sci. XLI (1) July 1841, 26.
- ovata Pallasia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- ovata Paludina, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 647. [239.]
- ovata Paludina, W. Dunker, Palaeontographica, I (4) May 1848, 159.
- ovata Paludina, C. F. F. Krauss, Südafrik. Moll. 1848, 85.
- ovatum Paramaecium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830],
65 [*n. n.*]; *ibid.* 1831 (1832), 115.
- ovatus Parnus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 4.
- ovata Patella, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 567.
- ovata Patella, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 43.
- ovata Patularia, W. Swainson, Treat. Malacol., May 1840, 381.
- ovatus Pecten, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [*n. n.*]; Syn.
Carb. Lst. foss. Ireland, 1844, 97.
- ovatus Pectunculus, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (20) Aug. 1832,
- ovatus Pedinus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 59. [126.]
- ovata Pedipes (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 343.—Auricula.
- ovatum Peltarium, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- ovatus Pentamerus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 94. [107.]
- ovatus Penthaleus, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 14.
- ovata Pericera, T. Bell, Proc. Zool. Soc. London, III (35) Feb. 1836, 173.
- ovata Periploma, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 514.
- ovata Periploma, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 336.
- ovata Perna, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 282.
- ovatus Petunculus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 467.
- ovatum Phalacroma, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 44.
- ovatus Phalacrus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 160.—
Dermestes.
- ovatum Phanerotoma, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 302.
- ovata Phasianella, G. A. Goldfuss, Petref. German. III (8) 1844, 113.

- ovata Philopota, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 95.
 ovata Pholas, G. B. Sowerby, II. (*ex* Gray MS), Thes. Conch. II (10) 1849, 493.
 ovatus Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 668.
 ovata Phyllotoma (Fab.), C. F. Fallen, Mon. Tenthred. Sveciae (2) 1829, 31.—Hylotoma.
 ovatum Plagiostoma, S. Nilsson, Petrif. Suec. 1827, 25.
 ovatus Planorbis, F. v. P. Schrank, F. Boica, III (2) 1803, 284.
 ovatum Platysoma, W. F. Erichson, Jahrb. Insectenk. I. 1834, 108.
 ovata Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 92.
 ovata Pollaclasis, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 383.
 ovata Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 266.
 ovatus Porcellio, E. G. Zaddach, Syn. Crust. Pruss. 1844, 13.
 ovata Posidonia, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*].
 ovatus Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 86.
 ovata Pterinea, F. A. Roemer, Verst. Harzgeb. 1843, 22.
 ovatus [Pterocolus] (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 4.—Attelabus.
 ovata Pterodonta, A. d'Orbigny, Pal. Franc., Crét. II (Gast.) 1843, 317.
 ovatus Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 103.
 ovatus Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 90.
 ovata Pupa (Say), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Vertigo.
 ovatus Pygaulus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 159.
 ovata Pyrina, L. Agassiz, Cat. Ect. Ech. 1840; Mon. Ech. III. 1842, 27.
 ovata Quinqueloculina, F. A. Roemer, N. Jahrb. f. Min. 1838, 393.
 ovatus Rhynchites, Fab.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
 ovata Rostellaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 17.
 ovata Scacchia, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 27.
 ovatus Schizaster, E. Sismonda, Mem. R. Acc. Sci. Torino [2] IV. 1842, 27.
 ovata Scryptia, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Aug. 1838, 170 [*n. et f.*].
 ovatus Scrobodus, G. v. Muenster, N. Jahrb. f. Min. 1842, 37.
 ovata Scypha, J. E. Gray in S. F. Gray, Brit. Plants, 1821, 358.
 ovata Selandria (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo, 1761.
 ovata Skenea (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 314.—Vermicularia.
 ovata Solea, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 279.
 ovatus Solenophorus, C. M. Diesing, Syst. Helminth. I. 1850, 596.
 ovata Spinigera (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 228.—Rostellaria.
 ovatus Spirifer, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 37.
 ovata Spisula, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 251.
 ovata Spongia (Leym.), H. G. Bronn, Index Pal. 1848, 1191.—Spongus.
 ovatus Spongus, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 297 [*n. n.*]; *ibid.* V (1) 1842, 1.
 ovata Stenopora, W. Lonsdale in C. R. Darwin, Geol. Obs. "Beagle," II. 1844, 163.
 ovata Streptaxis, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (1) 1845, 8.
 ovatus Strobilus, H. E. Anton, Verz. Conch. 1839, 46.
 ovatus Strongylopterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 474.
 ovata Succinea, G. B. Sowerby, II., Gen. Shells (9) 1822.
 ovata Tellimya, T. Brown, Ill. Conch. G. B. I. 1827, pl. xiv, f. 20 [*n. et f.*].
 ovata Tellina, J. Sowerby, Min. Conch. II. 1817, 138.
 ovata Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 121.
 ovata Tellina, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 197.
 ovata Tenthredo (Allantus), L.; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 62.
 ovata Tenthredo (L.) (Selandria), A. G. Dahlbom, Conspect. Tenthred. 1835, 10.
 ovata Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1809,
 ovata Terebratula, J. Sowerby, Min. Conch. I. 1813, 46. [22.
 ovata Textularia, F. A. Roemer, N. Jahrb. f. Min. 1838, 384.
 ovata Thaleops, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 332.
 ovatus Thaleops (Illaenus), Conr.; J. Hall, N. H. New York (Pal. I.) 1847, 259.
 ovatum Theridion (Clerck), C. A. Walckenaer, Tab. Aran. 1805, 73.—Araneus, 1757.
 ovata Thracia, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 110.—Anatina ovalis, 1827.

- ovatus** Thrissops, G. v. Muenster, N. Jahrb. f. Min. 1839, 680.
- ovata** Timoclea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 11.—Venus.
- ovata** Tornatellina (Ant.), L. Pfeiffer, Mon. Helic. II. 1848, 394.—Strobilus.
- ovata** Trachys, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 252.
- ovatus** Trechus, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 410.
- ovata** Trichoda, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign f.—Condyllo-
- ovata** Trogositia, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*]. [stoma (plate, 1828).
- ovata** Trogositia, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 170 [*n. n.*].
- ovatus** Troticus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- ovatus** Trox, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 175. [509.
- ovatus** Turbo, G. v. Muenster, Beitr. zur Petref. (3) 1840, 90.
- ovatum** Tylostoma, D. Sharpe, Q. J. Geol. Soc. London, V. 1849, 379.
- ovata** Ungula, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 59.
- ovatus** Unio, T. Say, Nicholson's Brit. Ency. Arts Sci. (1, 2 & 3 Amer. eds. 1816, 1818, 1819) IV., p. —.
- ovatus** Unio, Studer, Nat. Anz. Allg. Schweiz Gesellsch. III (12) 1820, 94.
- ovata** Unio (M. & R.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xxvi, f. 4.—Mya.
- ovata** Vaginicola, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 563.
- ovata** Vermetus (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 11.—
- ovata** Vermicularia, J. Sowerby, Min. Conch. I. 1814, 126. [Vermicularia.
- ovata** [Vertigo], T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 375.
- ovata** Vulsellia, Lamarck, An. s. vert. VI (1) 1819, 222.
- ovata** Zophosis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 190.
- Oveolites** Lamarck, Syst. Anim. 1810, 402.—Plantae.
- Oveolites** Denys de Montfort, Conch. Syst. II. 1810, 363.—? Plantae [*non* 1808, *vernac.*].
- Oveolites** Link, Syst., 402.—Coel.; *sic* Scudder, Suppl. List, 1882, 240, *sed?*.
- Oveolithes** Denys de Montfort, Conch. Syst. II. 1810, 362.—? Plantae.
- Ovibos** H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 76.—M.
- ovicephalus** Sargus (Schn.), G. Cuvier, R. Anim. II. 1817, 272.—Sparus.
- ovicephalus** Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 280.—& *var.* poki *vel* porgee.
- oviceps** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 244.
- ovicula** Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 252.
- ovidius** Emesis (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 287.—Hesperia, 1793.
- ovidius** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 571.—Hesperia, 1793.
- ovidius** Papilio (Fab.), E. Donovan, Ins. India, 1801.—Hesperia, 1793.
- oviedoiana** Pupa, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 182.—[Oviedo on pl.].
- oviedoiana** Valvulina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 103.
- ovierensis** Elater, Ziegler; Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
- ovifera** Boltenia, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 88.
- ovifera** Cellepora, E. Eichwald, Nat. Lithuaen, 1830, 189.
- ovifera** Cidarid, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- ovifera** Cidarid, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 271.
- ovifera** Hemicidarid, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 338.—Cidarid, 1840.
- ovifera** Zoothamnium, Bory de St V., Ency. Méth. (Zooph.) 1827, 817.
- oviformis** Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 34.
- oviformis** Aulacosteus, E. Eichwald, Gheogn. preimus. Rossii, 1846, 399 & 409.
- oviformis** Bulla (Lam.), W. Wood, Suppl. Index Test. 1828, 46.—Ovula.
- oviformis** Catopygus, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 39.
- oviformis** Chaetodon, S. L. Mitchill, Amer. Monthly Mag. II (4) Feb. 1818, 247.
- oviformis** Clypeaster (Gm.), Lamarck, An. s. vert. III. 1816, 15.—Echinus, 1790.
- oviformis** Cucullaea, T. Brown, Ill. Foss. Conch. G. B. I. [1845–9], 193.
- oviformis** Cypraea, J. Sowerby, Min. Conch. I. 1812, 17.
- oviformis** Echinolampas (Gm.), J. E. Gray, Ann. Phil. XXVI. 1825, 429.—Echinus, 1790.
- oviformis** Helix, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 161.
- oviformis** Inoceramus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 246.
- oviformis** Natica (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 222.—Nerita.
- oviformis** Nerita, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 122.

- oviformis** Nucleolites, Lamarck, Syst. Anim. 1801, 347 [*n. n.*].
- oviformis** Ovula, Lamarck, Syst. Anim. 1801, 72.
- oviformis** Protocrinites, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 185.
- oviformis** Pupa, Michaud, Actes Soc. Linn. Bordeaux, X (52) 1838, 157.
- oviformis** Spirifera, F. M'Coy, Ann. Mag. N. H. XX. Oct. 1847, 234.
- oviformis** Tetraodon, H. Cloquet, Dict. Sci. Nat. XXXVII. 1825, 126.
- oviformis** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 262 [*n. n.*].
- oviformis** Unio, T. A. Conrad, New F. W. Shells U. S. 1834, 46.
- oviformis** Unionicola, S. S. Haldeman, Zool. Contr. 1842, 1.
- ovifrons** Scarus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 173.
- ovina** Andrena, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 74 [*n. n.*].
- ovinus** Cyprinodon (Mitch.), A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 164.—Esox.
- ovinus** Esox, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 441.
- ovina** Halysis (Goeze), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 332.—Taenia,
- ovinus** Isonychus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 103. [1782.
- ovinus** Lebias (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 215.—Esox.
- ovina** Melophagus (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 467.—Hippobosca, 1758.
- ovinum** Palaeotherium, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper), 246.
- ovinus** Polycephalus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 430.
- ovinus** Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 435.
- ovipara** Helix, D. Solander, Catal. Portland Mus. 1786, 87.
- ovipennis** Anchomenus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI.
- ovipenne** Bembidium, M. de Chaudoir, Enum. Carab. 1846, 200. [1843 (2) 1843, 196.
- ovipennis** Clivina, M. de Chaudoir, Enum. Carab. 1846, 68.
- ovipennis** Molops, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 345.
- ovipennis** Ophonus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 226. [164.
- ovipennis** Patrobus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850,
- ovipennis** Peryphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 352.
- ovipennis** Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 732.
- ovipennis** Trechus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 348.
- ovipennis** Zabrus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 427.
- oviputamen** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 36, Nov. 1844.
- ovis** Acmaeodera, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 51.
- ovis** Aegoceros, P. S. Pallas, Zoographia, I. 1811, 233.
- ovis** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 54 [*n. n.*].
- ovis** Cephalemyia (L.), Latreille, N. Dict. H. N. XXIII. 1818, 273.—Oestrus, 1758.
- ovis** Doclea (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 294.—Cancer, ? Fab. 1787.
- ovis** Maja (Fab.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 256.—Inachus, 1795.
- ovis** Phileurus, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 150 [*n. n.*].
- ovis** Phileurus, H. Burmeister (*ex* Dej. Cat.), Handb. Ent. V. 1847, 154.
- ovis** Sarcoptes, E. Hering, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 594.
- ovis** Sargus (Mitch.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 53.—Sparus.
- ovis** Sparus, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 392.
- ovis** Trichodectes (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63.—Pediculus, 1758.
- ovium** [? Taenia], Laennec, Mém. Fac. méd. Paris, 1812, 160 [*teste* S. & H.].
- oviventris** Odynerus, C. Wesmael, Bull. Ac. Roy. Brux. III. 1836, 45.
- oviventris** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 648.
- ovivorus** Coluber (Natrix), L.; B. Merrem, Tent. Syst. Amph. 1820, 134.
- ovivorus** Nisaetus, T. C. Jerdon, Madras Journ. XIII (30) Ap. 1844, 157.
- ovivora** Pimpla, C. H. Boheman, K. Vet. Ac. Handl. 1821 (2) 1822, 336.

- ovoidactylum** Spheropezium, A. T. King, Amer. J. Sci. XLVIII (2) Ap. 1845, 347.—
Thenaropus, 1844.
- ovoidactylus** Thenaropus, A. T. King, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 178.
- Ovoides** Anon., Allg. Lit. Zeit. 24 Sept. 1798, 675.—P. [teste C. W. Richmond].
- ovoides** Acteon, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 227.
- ovoides** Altica, Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- ovoides** Astarte (Buch), C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847,
- ovoides** Terebratula, J. Sowerby, Min. Conch. I. 1815, 227. [412.—Venus.
- ovoides** Terebratula, Sow., *var. minima*; H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (1) 1839, 17.
- ovoides** Typhis, A. Risso, H. N. Crust. 1816, 122.
- ovoides** Venus, L. v. Buch, N. Jahrb. f. Min. 1845, 180.
- ovoidea** Acephalocystis, T. Laennec, Mém. Vers vésic. 1805, 107.
- ovoidea** Alveolina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 306.
- ovoidea** Bulla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 348.
- ovoidea** Cellepora, J. V. F. Lamouroux, Hist. Polyp. 1816, 89.
- ovoidea** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 90.
- ovoidea** Chilostomella, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 380.
- ovoideus** Goniatites, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- ovoidea** Gyrotoma, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1845, 88. [132.
- ovoidea** Helix (Cochlostyla) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 52.—Bulimus, 1789.
- ovoideus** Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 216.
- ovoidea** Janthina (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 19.—
Pleurotomaria.
- ovoidea** Melania, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 167.
- ovoideus** Orthostylus (Brug.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 50.—
Bulimus, 1789.
- ovoideus** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 98.
- ovoidea** Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 59.
- ovoidea** Pleurotomaria, J. Phillips, Geol. Yorksh. II. 1836, 228.
- ovoidea** Turbinella, L. C. Kiener, Spec. Coquilles (Turbinella) 1841, 7.
- ovoideum** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Ovula** Lamarck, Syst. Anim. 1801, 72.—G.
- Ovula** Huebner, Epist. 1810; (Fér., Prodr. 87); Herrmannsen, Ind. gen. Malac., Suppl.
- Ovula** G. Perry, Conchology, Ap. 1811, pl. 53.—G. [1852, 99.—G.
- ovula** *v. ovulus*.
- ovulaea** Venus, Lamarck, An. s. vert. V. 1818, 601.
- ovulana** Grapholitha, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. [1848, 160.
- ovularis** Balanus, Lamarck, An. s. vert. V. 1818, 392.
- ovularis** Bulimus, A. G. Olivier, Voy. Othoman, II (1801), 14.
- ovularis** Cyclodontina (Ol.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88.—Bulimus.
- ovularis** Helix, C. T. Menke, Conch.-Samml. Malsburg, 1829, 4.
- ovularis** Melania, C. T. Menke, Syn. meth. Moll. 1828, 80.
- ovularis** Pupa (Ol.), Lamarck, An. s. vert. VI (2) 1822, 108.—Bulimus.
- ovularis** Pupa, Kurr in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa (30) 1841, 10.
- ovularis** Vertigo (Ol.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 69.—
Bulimus.
- ovulator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 275.
- ovulata** Bulla, Lamarck, Ann. Mus. H. N. (Paris) IV (21) May 1804, 221.
- ovulatus** Bullacites (Lam.), E. F. v. Schlotheim, Die Petref. 1820, 120.—Bulla.
- ovulata** Colombella, Lamarck, An. s. vert. VII. 1822, 295.
- ovulata** Corbula, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 35.
- ovulata** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 99 & 108.
- ovulata** Cyprella, J. Bosquet, Mém. Soc. R. Sci. Liège, IV., *post* Aug. 1847, 373.
- ovulata** Marginella, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 61.
- ovuleus** Echinus, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 91.
- ovuliformis** Achatina (Lowe), L. Pfeiffer, Symb. Helic. II. 1842, 136.—Helix.

- ovuliformis** Cypraea, *id. ac* ovulata, 1810; Lamarck, An. s. vert. VII. 1822, 409.
- ovuliformis** Helix Cochlicopa, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 61.
- ovuliformis** Marginella, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 101.
- Ovuliger** S. de Chiaje, Elminth. umana, ed. 4, 1844, 29.—Verm.
- ovulina** Cypraea, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Porcellaines, pl. ii.
- Ovulites** Lamarck, An. s. vert. II. 1816, 193.—? Plantae.
- ovuloides** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 126, Mar. 1845.
- ovuloides** Columbella, C. B. Adams, Contr. to Conch. (4) Jan. 1850, 53.
- ovuloides** Odostomia, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 109.
- ovulorum** Anomalon (L.), J. J. Trentepohl, Isis (Oken), 1829, 957.—Ichneumon, 1758.
- ovulorum** Cryptus (L.), J. C. Fabricius, Syst. Piezat. 1804, 91.—Ichneumon, 1758.
- ovulorum** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 165. [malus.
- ovulorum** Myina (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 432.—Ptero-
- ovulorum** Platygaster (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ichn. 1758.
- ovulorum** Polynema (L.), A. H. Haliday, Entom. Mag. I (4) July 1833, 347.—Ichneumon, 1758.
- ovulorum** Pteromalus (Geoff.), Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 303.—
- ovulorum** Telias, P. F. Bouché, Nat. Ins. 1834, 177. [Cynips, Fourc. 1785.
- Ovulum** *emend. pro* Ovulus, Denys; G. B. Sowerby, I., Zool. Journ. IV (14) Oct. 1828, 145.
- Ovulus** Denys de Montfort, Conch. Syst. II. 1810, 634.—G.
- ovulum** Aeomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 383.
- ovulus** Auricula (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Pedipes.
- ovula** Auricula, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 208; Rep. trav. Soc. stat. Marseille, VI., 280.
- ovula** Auricula (Conovulus) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 108.—Bulimus, 1789.
- ovula** Avellana, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 137.
- ovula** Bulimina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 51.
- ovulum** Bulimina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 215.
- ovulum** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 556, Aug. 1849.
- ovulum** Bursaria, C. G. Ehrenberg, Sym. Phys., Phyt. 1831, pl. ii, f. 2 (1828).
- ovulum** Catopygus (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 185.—Nucleolites.
- ovulum** Cytherina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 55.
- ovulum** Dentalium, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 208.
- ovulum** Dysaster, E. Desor in L. Agassiz, Mon. Ech. IV. 1842, 22.
- ovulum** Echinolampas, Tallavignes, Bull. Soc. géol. France (sér. 2) IV. 1847, 1141 [*n. n.*].
- ovulum** Epistemus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 402.
- ovulum** Eusoma, E. F. Germar, Mag. Entom. (Germar) II. 1817, 341 [*n. n.*].
- ovulum** Eusomatus, Germ.; Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- ovulum** Eusomus, Illiger in E. F. Germar, Ins. spec. novae, I. 1824, 459.
- ovulum** Fibularia, Lamarck, An. s. vert. III. 1816, 17.
- ovula** Glandulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 29.
- ovula** Globiconcha, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 145.
- ovulum** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 65.
- ovulum** Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 274.
- ovulum** Helix, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 218.
- ovulum** Hypocyptus, O. Heer, Coleopt. Helvet. (2) 1839, 285.
- ovulum** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 58, Aug. 1850.
- ovulum** Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 401.
- ovula** Miliola, H. D. de Blainville, Faune Française (18) Malac. 1828, 43.
- ovula** Nerita, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 241.
- ovulum** Nucleolites, Lamarck, An. s. vert. III. 1816, 37.
- ovula** Nucula, I. Lea, Contrib. to Geol. 1833, 80.
- ovulum** Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- ovulum** Pasithea, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 252.

- ovulus Pedipes, A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 113.
- ovulum Peritricha, Bory de St V., Ency. Méth. (Zooph.) 1827, 616.
- ovula Phasianella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 130.
- ovulum Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii. 1845, 119.
- ovulum Pupa, L. Pfeiffer, Symb. Helic. I. 1841, 46.
- ovulum Pyrina, L. Agassiz, Cat. Ect. Ech. 1840; Mon. Ech. III. 1842, 26.
- ovulum Pythia (Brug.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 104.—Bulimus,
- ovulum Rissoa, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 51. [1789.
- ovulum Tornatella, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 256.
- Ovum J. G. Schneider, Bloch, Syst. Ichth. 1801, 530.—P.
- ovum Acteon (Duj.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 123.—Auricula.
- ovum Alveolina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
- ovum Amblyophis (Schm.), C. M. Diesing, Syst. Helminth. I. 1850, 82.—Euglena, Ehr.
- ovum Amblypneustes (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 362.—Echinus.
- ovum Amphileptus (Ehr.), F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 487.—Trachelius.
- ovum Auricula, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 231.
- ovum Buccinum, W. Turton, Zool. Journ. II (7) Oct. 1825, 366.
- ovum Bulimus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 52.—Helix.
- ovum Conoclypeus (Grat.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 167.—Galerites.
- ovum Cydippe (Fab.), J. F. Eschscholtz, Syst. Acalephen, 1829, 25.—Beroe, 1780.
- ovum Cyphoma (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (2) 1807, 86.—Bulla,
- ovum Cypraea, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 304. [1758.
- ovum Cypris (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 413.—Monoculus.
- ovum Cytherea, S. Hanley, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 21.
- ovum Distomum, Creplin, Arch. f. Naturg. XII (1) 1846, 159 [n. n.].
- ovum Echinolampas (Grat.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- ovum Echinus, Lamarck, An. s. vert. III. 1816, 48. [198.—Galerites.
- ovum Euglena, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 200.
- ovum Galerites, Grateloup, Actes Soc. Linn. Bordeaux, VIII (46) 1836, 157.
- ovum Helix, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827), 240.
- ovum Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 58 [n. n.].
- ovum Holophrya, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 102.
- ovum Lanistes, Peters, Arch. f. Naturg. XI (1) 1845, 215.
- ovum Leda (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 252.—Nucula.
- ovum Limneus, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 374.
- ovum Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 21, May 1850.
- ovum Mertensia (Fab.), R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. Ap. 1836, 254.—Beroe,
- ovum Miliola, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 166. [1780.
- ovum Modiola, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 177; Rep. trav. Soc.
- ovum Monoculus, L. Jurine, Hist. Monocles, 1820, 179. [stat. Marseille, VI., 249.
- ovum Natica, K. T. Menke, Zeitschr. f. Malakozool., Nov. 1850 [Ap. 1851], 165.
- ovum Nucula, J. De C. Sowerby, Min. Conch. V. 1824, 118.
- ovum Ophryocerca, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 112.
- ovum Ovulum (L.), G. B. Sowerby, I., in Broderip & S., Spec. Conch. I (1) 1830, 4.—
- ovum Pholas, W. Wood, Suppl. Index Test. 1828, 2 [n. et f.]. [Bulla, 1758.
- ovum Strophoconus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 96.
- ovum Terebratula, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 299.
- ovum Testacella, Jurine, Helvet. Almanach, 1817, 37 [n. n.].
- ovum Trachelius, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 265 & 277.—Ophryocerca.
- ovum Trigonocoelia (Sow.), Nyst & Galeotti, Bull. Ac. Roy. Brux. II. 1835, 295.—Nucula.
- ovum Venus, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 152; Rep. trav. Soc. stat. Marseille, VI., 224.
- ovum reguli Helix, I. Lea, Tr. Amer. Phil. Soc., n. s. V (1) 1834, 52.

owaihiensis *v. hawaiiensis.*

- owariensis** Oryctes (Pal.), H. Burmeister, Handb. Ent. V. 1847, 203.—Scarabaeus.
- owariensis** Phaleria, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 144.
- owariensis** Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1807, 41.
- owariensis** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 28.
- owas** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 65.
- owas** Cybister, F. L. de Laporte, Etudes Entom. (2) 1835, 100.
- owenensis** Ammonites, M. Simpson, Mon. Amm. 1843, 25.
- owenii** Acanthopleura, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 68 [n. n.].
- owenii** Apteryx, J. Gould, Proc. Zool. Soc. London, XV (175) July 20, 1847, 93.
- owenii** Argonauta, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 4.
- oweni** Avicula, T. Brown, Ill. Foss. Conch. G. B. I. [1845–9], 160.
- owenii** Belemnites, S. P. Pratt, Phil. Trans. R. Soc. 1844 (1844), 66.
- oweni** Belosepia, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 193.
- owenii** Canthidomus, W. Swainson, Treat. Malacol., May 1840, 203.
- oweni** Cermatia, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 354.
- owenii** Chameleo, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 54.
- oweni** Chela, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 160.
- owenii** Chimaera (Ganodus), Buckland; J. L. R. Agassiz, Poiss. Foss. III., 347 (1843).
- owenii** Coluber, H. v. Meyer, Fauna d. Vorwelt, I. May 1845, 40.
- owenii** Coluber (Tropidonotus), H. v. Meyer, N. Jahrb. f. Min. 1844, 331 [n. n.].
- owenii** Cyllene, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 597.
- owenii** Diploglossus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 594.
- owenii** Donax, J. E. Gray in S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 81.
- owenii** Emys, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 57.
- oweni** Emys, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 115 [n. n.].
- owenii** Enoploteuthys, G. B. Verany in Descr. Genova, I. 1846, 97 & 109.
- owenii** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 279.
- owenii** Ganodus (Buckl.), J. L. R. Agassiz, Poiss. Foss. I., Tableau (1844), p. xxxix.—
- owenii** Hylaeosaurus, G. A. Mantell, Medals, II. 1844, 734. [Chimaera.]
- oweni** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 14.
- owenii** Lunulites, J. E. Gray, Spec. Zool. 1828, 8.
- owenii** Melania, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 10.
- owenii** Mocoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 272.
- owenii** Myliobates, J. L. R. Agassiz, Poiss. Foss. III., 331 (1843).
- owenii** Nerita, W. Wood, Suppl. Index Test. 1828, 26 [n. et f.].
- owenii** Neritina, W. Wood, Suppl. Index Test. 1828, 45.—Nerita, 1828.
- owenii** Orestias, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 241.
- owenii** Ourozeukthes, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XIV. Sept. 1840, 165.
- owenii** Pisodus, J. L. R. Agassiz, Poiss. Foss. II (2), 247 (1844) [n. n.].
- owenii** Platyonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 318.
- oweni** Platypodia, T. Bell in F. Dixon, Geol. Sussex, 1850, 345.
- owenii** Pleurotoma, L. Reeve (*ex* Gray MS), Conch. Icon.—Pleurotoma, no. 70, Ap. 1843.
- oweni** Ptychodus, F. Dixon, Geol. Sussex, 1850, 364.
- oweni** Pyramis, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 223.
- owenii** Scelidotherium, P. W. Lund, Afhandl. K. Danske Vid. Selsk. XII. 1846, 61.
- oweni** Scutigera (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 226.—Cermatia.
- owenii** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (141) Feb. 1845, 164.
- oweni** Trigonodon, E. Sismondain G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 352.
- owenii** Vibex, J. E. Gray, Figs. Moll. Anim. IV. 1850, 79.
- Owenia** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 31.—Verm.
- Owenia** V. Prosch, K. Danske Vidensk. Selsk. Skrifter, I. 1849, 71.—Ceph.
- oweniana** Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849, 123.
- oweniana** Nerita, W. Wood, Suppl. Index Test. 1828, 25 [n. et f.].
- oweniana** Neritina, W. Wood, Suppl. Index Test. 1828, 45.—Nerita, 1828.

- oweniana** Polystomella, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 30.
- oweniana** Sepiola, A. d'Orbigny in A. E. Férussac & A. d'O., H. N. Céph. acétab. 1840, 229.
- Oxaea** F. Klug, Ges. Nat. Fr. Berlin, Mag. I. 1807, 261.—Hym.
- oxalina** Mesogona (Huebn.), Boisduval, Gen. Index Europ. Lepid. 1840, 144.—Noctua.
- oxalina** Mythimna (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 78.—Noctua.
- oxalina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 45 (Fernaldo judice 1802) [n. et f.].
- oxalis** Hypera, Herbst; Dejean, Catal. Coléopt. 1821, 89 [n. n.].
- oxalis** Phytonomus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 375.—Curculio,
- Oxamphus** C. S. Rafinesque, Analyse, 1815, 66.—A. [n. n.]. [1795.]
- oxathres** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 299.
- oxathres** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 148.—Cirrospilus,
- Oxelytrum** J. Gistel, Nat. Thierr. 1848, 190.—Col. [1839.]
- oxfordiana** Fistulana, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 471.
- oxfordiana** Gastrochaena, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 361.—Fistulana, 1845.
- oxfordiana** Lingula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 375.
- oxfordiensis** Corbis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 366.
- oxfordiensis** Corbula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 362.
- oxiana** Agama, E. Eichwald, Zool. Spec. III. 1831, 185.
- oxiana** Tisiphone, E. Eichwald, Reise Casp. Kauk. I. 1834, 279 [n. n.].
- oxiana** Tomyris, E. Eichwald, Zool. Spec. III. 1831, 171.
- oxiana** Tomyris (Naja), E. Eichwald, Arch. f. Naturg. IV (1) 1838, 107 [n. n.].
- Oxicesta** J. Huebner, Verz. bekannt. Schmett. [1820], 144.—Lep.
- Oxiceste** Huebn. 1816; *sic* Agassiz, *sed vide* Oxicesta.
- Oxidercia** J. Huebner, Verz. bekannt. Schmett. 1826, 340.—Lep.
- Oxigrapha** J. Huebner, Verz. bekannt. Schmett. 1826, 386.—Lep.
- oxillia** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (65) 1846, pl. 17 [n. et f.].
- oxilus** Heraclides, J. Huebner, Verz. bekannt. Schmett. [1820], 83.
- Oxima** C. S. Rafinesque, Analyse, 1815, 86.—P. [n. n.].
- Oxinoe** de Blainville, Dict. Sci. Nat. XXXII. 1824, 260.—*emend. pro* Oxynoe, Raf., q.v.
- Oxiphus** C. S. Rafinesque, Analyse, 1815, 154.—Coel. [n. n.].
- Oxipterus** *id. ac* Ocypterus, G. Cuvier, R. Anim. I. 1817, 339.—A.
- Oxirhincus** C. Rondani, Sopra n. gen. ditteri, 1840, 12.—Dipt.
- Oxisma** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.—L.
- Oxitrema** Raf. 1819; *sic* Scudder, *sed* Oxytrema, q.v.
- Oxitricha** Bory de St V., Ency. Méth. (Zooph.) 1827, 593.—Inf.
- Oxiuris** Hamm. in Leuckart in Froriep, Notizen, XLVI. 1835, 88 [=Oxyuris].
- Oxiurus** *id. ac* Oxyurus, Sw.; R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. 1842, 135.
- oxiurus** *v. oxyurus*.
- Oxoides** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 147.—Col.
- oxonchus** Brachycerus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 118.
- Oxuderces** Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 181.—P.
- Oxura** W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 413.—Col.
- oxurum** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 73.
- oxura** Motacilla, G. Shaw, Nat. Misc. XXII. 1811, pl. 957.
- Oxya** J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 286.—Orth.
- oxyacanthae** Anthonomus, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 75.
- oxyacanthae** Anthophila (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 471.—Crambus,
- oxyacanthae** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 116. [1798.]
- oxyacanthae** Cecidomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [n. n.]; & Syst. Cat. Brit. Ins., Aug. 1829, 240.
- oxyacanthae** Criorhina (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 326.—
- oxyacanthae** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 263. [Milesia.]
- oxyacanthae** Cynips, F. v. P. Schrank, F. Boica, II (2) 1802, 220.
- oxiocanthae** Meganephria (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 206.—Phalaena, 1758.

- oxyacanthae Milesia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 237.
- oxyacanthae Miselia, J. Huebner, Tentamen (me judice 1806), 1 [n. n.].
- oxyacanthae Miselia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Phal. (Noctua), 1758.
- oxiacanthae Orsodacna, Sturm; Dejean, Catal. Coléopt. 1821, 114 [n. n.].
- oxyacanthae Orsodacna, Schott; J. Sturm, Catal. Ins. Samml. 1826, 180.
- oxyacanthae Tingis, J. Curtis, Guide Brit. Ins. (7) 1831, 195 [n. n.].
- oxyacanthae Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 87. [Tortrix, Huebn.]
- oxyacanthana Lozotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—
- oxyacanthana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 18 (Fernaldo judice 1797) [n. et f.].
- Oxyacanthaphis C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 478.—Hem. [non binom.].
- oxyacanthus Eusarcus, Kollar in C. L. Koch, Die Arachniden, VII (1) July 1839, 7.
- oxyacanthus Eusarcus, Kollar in C. L. Koch, Uebers. Arachnidensyst. II. 1839, 9.
- oxyacantha Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
- oxyahingus Orio, N. Prestandrea, Effem. Sci. Lett. Sicilia, VI. Ap. 1833, 11. [176.]
- Oxybeles J. Richardson, Zool. "Ereb. Terr." (Fish, 1846), 73.—P.
- Oxybelia J. Huebner, Verz. bekannt. Schmett. 1826, 407.—Lep.
- Oxybelis J. Wagler, Nat. Syst. Amph. 1830, 183.—R.
- Oxybelus Richardson, 1847; sic Marschall, sed Oxybeles est.
- Oxycara A. J. J. Solier, Ann. Soc. Ent. France, IV (2) post June 1835, 253 & 254.—Col.
- Oxycareus F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 339.—Col.
- oxycedrata Larentia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 47.
- Oxycephala F. E. Guérin in Duperry, Voy. "Coquille" (Zool.) II (2) 1, 1838, 142.—Col.
- Oxycephala J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 354.—Dipt.
- Oxycephalus H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 396.—Cr.
- oxycephalum Amphistoma, C. M. Diesing, Ann. Wiener Mus. I [2] 1836, 251.
- oxycephalus Coluber, Reinwardt in Férussac, Bull. Sci. IX. 1826, 237 [n. n.].
- oxycephalum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 98.
- oxycephala Eleotris, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 150.
- oxycephalus Gonyosoma (Reinw.), J. Wagler, Nat. Syst. Amph. 1830, 185.—Coluber.
- oxycephalus Herpetodryas, H. Schlegel, Essai phys. Serp. 1837, I., 152; II., 189.
- oxycephala Lacerta, Schlegel in Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 235.
- oxycephalum Pentastoma, C. M. Diesing, Ann. Wiener Mus. I [1] 1835, 20.
- oxycephalus Scorpaena, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Sclerop. Soenda-Moluk.), 7.
- oxycephala Tetrix, H. Burmeister, Handb. Ent. II (2) i, 1838, 659.
- oxycephalus Tropidosaura, Reinwardt in Férussac, Bull. Sci. IX. 1826, 236 [n. n.].
- oxycephalus Tropidurus, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 232.
- oxycephala Tyria (Reinw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 60.—Coluber.
- oxycephala Zootoca (Schl.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 29.—Lacerta.
- Oxycephas C. S. Rafinesque-S., Car. n. gen. 1810, 31.—P.
- Oxycera J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 265.—Dipt.
- Oxycerca G. R. Gray, List Gen. Birds, ed. 2, Appendix, 1842, 10.—A.
- oxycerca Cercibis (Spix), J. G. Wagler, Isis (Oken), 1832, 1233.—Ibis.
- oxycercus Geronticus (Spix), G. R. Gray, Gen. Birds, III. Ap. 1847, 566.—Ibis.
- oxycercus Ibis, J. B. v. Spix, Avium Brasil. II. 1825, 69.
- Oxyceste L. Agassiz, Nomen. Zool. Index Univ. 1846.—emend. pro Oxiceste, Huebn.
- Oxycheila Dejean, Spec. gén. Coléopt. I. 1825, 15.—Col.
- Oxycheilus J. C. Albers, Die Heliceen, 1850, 174.—G.
- Oxychila L. Agassiz, Nomen. Zool. Index Univ. 1846.—emend. pro Oxycheila, Dej.
- Oxychilus L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 100.—G.
- Oxycleidius Eschscholtz, Rev. Entom. (Silbermann) IV. 1836 (Tab. Classif. Elat.).—Col.
- Oxyclidius L. Agassiz, Nomen. Zool. Index Univ. 1846.—emend. pro Oxycleidius, Esch.
- Oxycnemus W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 351.—Col.

- oxyconus Belemnites, Hehl in C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 27.
- Oxycorynides C. J. Schoenherr, Gen. et Sp. Curc., Suppl.—Col. [*sic* Agassiz, *sed* fam. non
- Oxycorynus A. Chevrolat, Ann. Soc. Ent. France, I (2) c. July 1832, 212.—Col. [*gen.*].
- Oxycrepis Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 37.—Col. [*n. n.*].
- Oxycrepis L. Reiche (*ex* Dej. Cat.), Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 78.—Col.
- Oxycypha H. Burmeister, Handb. Ent. II (2) ii, 1839, 796.—Neur.
- oxydactyla Gryllotalpa, M. Perty, Del. anim. artic. Brasil. (2) 1832, 118.
- oxydactylus Leptopus, A. F. J. C. Mayer, Anal. Vergl. Anat. I. 1835, 34.
- oxydatum Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
- oxydata Larentia, F. Treitschke, Schmett. Europa, VI (2) 1828, 114.
- Oxyderces C. J. Schoenherr, Isis (Oken), 1823, 1140; Curc. disp. meth. 1826, 110.—Col.
- Oxydercia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxidercia, Huebn.
- oxydontus Trygonobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- Oxydozyga Tschudi (*ex* Kuhl MS), Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 85.—R.
- Oxygaster v. Hasselt, Alg. Konst. Letter-Bode, Aug. 1823, 132; Bull. des Sci. Nat. II.
- oxygaster Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 349. [1824, 377.—P.
- oxygene Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 486.
- oxygeneios Epinephelus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 301.
- Oxyglossus W. Swainson, Phill. Mag., n. s. I (6) June 1827, 440; Zool. Journ. III (11) Dec. 1827, 356.—A.
- Oxyglossus J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 48 & 85.—R.
- Oxyglossus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 424.—Col.
- Oxygnathus Dejean, Spec. gén. Coléopt. II. 1826, 473.—Col.
- Oxygnathus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gnathoxys, Westw.
- oxygnatha Ardistomis (Chaud.), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 639.—Dyschirius.
- oxygnathus Dyschirius, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- Oxygomphius H. v. Meyer, N. Jahrb. f. Min. 1846, 474.—M. [738.
- Oxygona Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 389.—Col.
- Oxygona W. F. Erichson in Schomburgk, Reisen Brit.-Guiana, III. 1848, 578.—Col.
- Oxygonia Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 17.—Col.
- Oxygonia L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 301.—Hem.
- Oxygonius L. Agassiz in P. B. Brodie, Hist. foss. Ins. 1845, 16.—P.
- oxygona Anthia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 475.
- oxygonus Brachinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- oxygonus Brachygnathus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 7. [714.
- oxygonus Canthon, M. Perty, Del. anim. artic. Brasil. (1) 1830, 37.
- oxygonum Cardium, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (92) May 1841, 107.
- oxygonus Chlaenius, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 753.
- oxygonus Ditomus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850,
- oxygonus Eutroctes, M. de Chaudoir, Enum. Carab. 1846, 151. [442.
- oxygona Microlestia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 45.—Anthia, 1844.
- oxygonum Pecten, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 52.
- oxygonus Trochus, F. A. Roemer, Verst. Harzgeb. 1843, 29.
- Oxygous B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 213.—M. [*n. n.*].
- oxygramma Autographa, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 37.
- Oxygrapha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxigrapha, Huebn.
- Oxygyra *err. pro* Ogygia, Brongn.; P. A. Latreille, Cours d'Entom., Ann. I. 1831, 466.
- Oxygyrus W. H. Benson, J. Asiat. Soc. Bengal, IV. 1835, 174.—Pt.
- oxygyra Helix, E. Boissier, Zeitschr. f. Malakozool., Sept. 1847, 131.
- Oxylaemus W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 282.—Col.
- Oxylides J. Huebner, Verz. bekannt. Schmett. 1818, 77.—Lep.
- Oxylopha J. D. W. Hartmann, Erd- u. Süssw. Gast., Syst. Uebers. 1840.—G. [*gen. caelebs*].
- Oxylophus W. Swainson, Mag. Zool. Bot. I (5) Feb. 1837, 436.—A.

- oxylus** Miscogaster, F. Walker, Mon. Chalcid. I. 1839, 196.
- oxylus** Panstenon, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 29.—Miscogaster, 1839.
- Oxymerus** Solier in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 50.—Col.
- Oxymycterus** G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 21.—M.
- Oxyna** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 755.—Dipt.
- oxynius** Laertias, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*].
- oxynius** Papilio (Huebner), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1846),
- Oxynodera** F. W. Hope, Coleopt. Manual, III. 1840, 160 & 184.—Col. [17.—Laertias.
- Oxynoe** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162.—G.
- Oxynopterus** F. W. Hope, Proc. Zool. Soc. London, X (113) Dec. 1842, 77.—Col.
- Oxynota** J. D. W. Hartmann, Erd- u. Süßw. Gast., Syst. Uebers. 1840 & (5, 6) 1842, 159.—
- Oxynotus** C. S. Rafinesque-S., Ind. itt. Sic. 1810, 60.—P. [G.
- Oxynotus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 483.—A.
- Oxynotus** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 74.—Hem.
- oxynotus** Ammonites, F. A. Quenstedt, Floezgeb. Wuertemb. 1843, 161.
- oxynthes** Hesperia, D. H. Schneider, Verz. Insectensamml. 1828, 91 [*n. n.*].
- oxynthes** Pteromalus, F. Walker, Ann. Mag. N. H. XI. Mar. 1843, 184.
- Oxynychus** J. L. Leconte in Agassiz, Lake Superior, 1850, 238.—Col.
- Oxyoma** Kirby, *emend. pro* Oxyomus; Kirby & Spence, Introd. Entom., ed. 5, IV. Index, 1828, p. 641.—Col. [*teste* F. J. G.].
- Oxyomus** Kirby & Spence, Introd. Entom., ed. 5, III. 1828, 597.—Col. [*teste* F. J. G.].
- Oxyomus** Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 147.—Col. [*sine typo*].
- Oxyomus** Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 7.—Col.
- Oxyomus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 309.—Col.
- oxyomus** Bradybaenus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 782.
- oxyoma** Oxycheila, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 7.
- Oxyopes** P. A. Latreille, Gen. Crust. et Ins. I., *post* July 1806, p. x.—Ar.
- Oxyophthalmus** J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 448 & 500.—Col.
- oxyophthalmus** Albunea, "Leach"; A. White, List Crustacea Coll. B. M. 1847, 57 [*n. n.*].
- Oxyops** Dalman in Schoenherr, Disp. meth. Curc. 1826, 61.—Col.
- oxyops** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 541.
- oxyops** Strophosomus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 882.—Cneorhinus.
- oxyoptycha** Rhynchonella (Fisch.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 376.—Terebratula.
- oxyoptycha** Terebratula, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (1)
- oxyothone** Velella, J. F. Brandt, Prod. anim. Mertens. I. 1835, 39. [1843, 118.
- Oxypate** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 234.—Lep.
- Oxypetes** Wagl.; *sic* Agassiz, *sed vide* Ocypetes.
- Oxyphora** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 757.—
- oxyphymus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 815. [Dipt.
- Oxypilus** J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 50.—Orth.
- Oxypleura** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 469.—Hem.
- Oxypleurus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 57.—Col.
- Oxypoda** Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 483.—Col.
- Oxypogon** J. Gould, Proc. Zool. Soc. London, XVI (180) Ap. 18, 1848, 14.—A.
- Oxyporus** J. Brookes, Cat. Mus. Brookes (2) July 1828, 95.—A. [*teste* C. W. R.].
- oxyprion** Odontaspis, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 388.
- Oxypselaphus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 415.—Col.
- Oxypteris** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 160.—Col. [*typus* Buprestis append. Fab.].
- Oxypterum** W. E. Leach (*ex* Kirby MS) in Brewster's Edinb. Ency. XII (1) 1817, 162.—Dipt.
- Oxypterum** W. E. Leach (*ex* Kirby MS), Mem. Werner. N. H. Soc. II (2) 1818, 551.—Dipt.

- Oxypterus** C. S. Rafinesque, Précis Somiol. 1814, 13; Analyse, 1815, 60.—M. [*n. n.*].
- Oxypterus** J. Fleming, Phil. Zool. II. 1822, 239.—A. [1771.]
- oxyptera** Amphicoma (Pall.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 149.—Scarab.
- oxyptera** Anas, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 121.
- oxyptera** Corvina, J. E. De Kay, N. H. New York (Fish) 1842, 77.
- oxypterus** Glaphyrus (Pall.), H. Burmeister, Handb. Ent. IV (1) 1844, 13.—Scarabaeus, 1771.
- oxypterus** Luperus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 338.
- oxyptera** Mantis, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802, 338 [*n. n.*].
- oxypterum** Ommexecha, E. Blanchard, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 622.
- oxyptera** Psychoda, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 31.
- oxyptera** Rostellaria, H. E. Anton, Verz. Conch. 1839, 84.
- oxypterus** Spirifer, A. Buvignier in Sauvage & B., Stat. min. géol. Ardennes, 1842, 534.
- oxyptera** Spiriferina (Buv.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 239.—Spirifer.
- oxyptera** Stenura, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 318.
- Oxyptilus** P. C. Zeller, Isis (Oken), 1841, 765.—Lep.
- Oxyptychus** A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 358.—Verm. [1835, 519.—A.]
- Oxypyga** E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 = Sci. Nat. I.) (5) July
- oxypygus** Julius (Julus), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan. 1841, 101.
- Oxyrachis** E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 181.—Hem.
- Oxyramphus** *err.* Bonaparte *pro* Oxyrhamphus, Strickl. 1841, *q.v.*
- Oxyrhachis** E. F. Germar, Revue Entom. I (4) *c.* Sept. 1833, 177.—Hem.
- Oxyrhamphus** H. E. Strickland, Ann. Mag. N. H. VI (39) Feb. 1841, 420.—A.
- Oxyrhin** J. J. Kaup, Skizz. Europ. Thierw. 1829, 120.—M.
- Oxyrhina** J. L. R. Agassiz, Poiss. Foss., Feuilleton, 71 (1835); III., 86 (1838).—P.
- Oxyrhina** J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 366.—Dipt. (Doryc.).
- Oxyrhina** J. W. Zetterstedt, Dipt. Scand. I. 1842, 61.—Dipt.
- Oxyrhinus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 113.—Hem.
- oxyrhinus** *v.* oxyrrhinus.
- Oxyrhopus** J. Wagler, Nat. Syst. Amph. 1830, 185.—R.
- oxyrhynchi** *v.* oxyrrhynchi.
- Oxyrhynchides** C. J. Schoenherr, Disp. meth. Curc. 1826, 76.—Col. [*teste* Agass., *sed* fam.]
- Oxyrhynchus** W. E. Leach in Tuckey, Exp. Zaire, 1818, 410.—P. [*non gen.*].
- Oxyrhynchus** C. J. Temminck in T. & Laugier, Pls. color. (21) Ap. 1822.—A. [Oxyruncus,
- Oxyrhynchus** J. B. v. Spix, Ranar. Brasil. 1824, 25.—R. [1820].
- Oxyrhynchus** C. J. Schoenherr, Isis (Oken), 1823, 1137; Curc. disp. meth. 1826, 77.—Col.
- Oxyrhynchus** C. Rondani, 1840; *sic* Agassiz, *sed* Oxirhinchus in orig. *teste* Handlirsch.
- Oxyrhynchus** L. Agassiz, Nom. Zool. (Dipt.) 1845, 28; *emend. pro* Ozirhincus, Rond. 1840.
- Oxyrhyncus** *emend. pro* Oxyruncus, Temm.; W. Swainson, Zool. Illust. (1) I (9) June 1821, pl. 49.
- Oxyrinus** C. S. Rafinesque, Analyse, 1815, 115.—Col. [*n. n.*]. = Oxystoma, Dum.
- Oxyrrhachis** L. Agassiz, Nom. Zool. (Hem.) 1845; *emend. pro* Oxyrhachis, Germ.
- Oxyrrhina** J. W. Meigen, 1838; *err.* Scudder *pro* Oxyrhina, *q.v.*
- [**oxyrrhinus**.]
- oxyrrhina** Muraena, C. U. Ekström, Fiskarne i Mörkö, 1834, —; German ed. 1835, 142.
- oxyrhina** Oxyrhina, J. L. R. Agassiz, Poiss. Foss. III., 87 (1838).
- oxyrrhinus** Rana, J. J. Steenstrup, Overs. K. Danske Vid. Selsk. Forhandl. (6) 1846, 93.
- oxyrrhinus** Rana, Steenstrup, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1846 (1847), 131.
- oxyrhinus** Sphaerodactylus, P. H. Gosse, Ann. Mag. N. H. (2) VI. Nov. 1850, 347.
- Oxyrrhis** F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 346.—Inf.
- Oxyrrhis** K. M. Diesing, Sitz. k. Ak. Wiss. (Wien) I. 1848, 572.—Inf. [*nom. caelebs*].
- Oxyrrhopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxyrhopus, Wagl.
- oxyrhynchi** Caligus, A. White, List Crustacea Coll. B. M. 1847, 118 [*n. n.*].
- Oxyrrhynchus** Schoenherr, 1826; *sic* Scudder, *sed* Oxyrhynchus *est*.
- [**oxyrrhynchus**.]
- oxyrynychus** Anguis, J. G. Schneider, Hist. Amph. II. 1801, 341.

- oxyrhynchus** Carcharias (Prionodon), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 41.
oxyrhyncus Cestraeus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 162.
oxyrhynchus Coluber, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 70.
oxyrhynchus Conger, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 203.
oxyrhinchus Coregonus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 243.—
 Salmo, 1758.
oxyrhinchus Dasybatus (L.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.—
 Raja, 1758.
oxyrhynchus Doras, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821),
oxyrhynchus Dryinus, T. Bell, Zool. Journ. II (7) Oct. 1825, 326. [184.
oxyrinchus Echelus, C. S. Rafinesque-S., Car. n. gen. 1810, 64.
oxyrhyncus Hylodes, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
oxyrinchus Isurus, C. S. Rafinesque-S., Car. n. gen. 1810, 12. [622.
oxyrhynchus Laevirajia (L.), C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 203.—Raja, 1758.
oxyrynchus Leptognathus, W. Swainson, N. H. Fishes etc. II. July 1839, 396.
oxyrhynchus Mormyrus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 619. [270.
oxyrhynchus Mormyrus, I. Geoffroy St H. in Savigny, Egypte, I (1) (Suite Poiss. Nil) 1827,
oxyrhingus Orio, N. Prestandrea in A. Cocco, Effem. Sci. Lett. Sicilia, II. 1832, 207 [*n. n.*].
oxyrhynchus Psammophis, I. T. Reinhardt, Afhandl. K. Danske Vid. Selsk. X. 1843, 244.
oxirhynchus Pseudo-Typhlops, H. Schlegel, Abb. Amph. (2) 1839, 43.
oxyrhynchus Rhinophis (Schn.), Hemprich in J. Wagler, Nat. Syst. Amph. 1830, 195.—
oxyrhynchus Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 320. [Anguis.
oxyrhynchus Sparus, G. D. Nardo, Isis (Oken), 1827, 480 & 486.
oxyrhynchus Sternarchus, J. Mueller & Troschel in R. Schomburgk, Reisen Brit.-Guiana,
 III. 1848, 640.
oxyrhynchus Terebratula, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 22.
oxyrhynchus Therapon, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1842), 16.
oxyrhynchus Trilobites, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 6.
oxyrhynchus Typhlops (Schn.), M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2,
 1818, 69.—Anguis.
Oxyruncus C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxx.—A. [*? non 1815 apud*
Oxyrus Rafin. 1810; *sic* Agassiz, *sed non comp.*; ? Oxyurus. [Agassiz].
Oxysma *emend. pro* Oxisma, Raf.; A. N. Herrmannsen, Ind. Gen. Malac. II. 1847, 184.
Oxysoma H. Nicolet in Gay, Chili, III (Arach.) 1849, 511.—Ar.
Oxystele R. A. Philippi, Zeitschr. f. Malac. 1847, 19.—G.
Oxysternon F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 82.—Col.
Oxysternum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxysternon, Lap.
Oxysternus Godet; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129.—Col.
Oxysternus P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 164.—Col.
oxysterna Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 121.
Oxystoma A. M. C. Duméril, Zool. Anal. 1806, 226.—Col.
Oxystomus G. Fischer de W., Nat. Mus. Paris, II. 1803, 353.—M.
Oxystomus C. S. Rafinesque-S., Ind. itt. Sic. 1810, 62.—P.
Oxystomus Dejean, Spec. gén. Coléopt. I. 1825, 410.—Col.
Oxystomus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 320 [*non 1825, vernac.*].
Oxystomus W. Swainson, N. H. Classif. Birds, II. June 1837, 270.—A.
oxystoma Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839,
oxystoma Helicina, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 10. [19.
oxystoma Helix, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 136.
oxystomus Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 233. [1844, 18.
oxystomus Nautilus (Discites), Phil.; F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland,
oxystoma Planorbis, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.),
Oxystyla F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—G. [80.
oxytelinus Piustus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 33.
Oxytelus J. L. C. Gravenhorst, Coleopt. micr. 1802, 102.—Col.
Oxytenis J. Huebner, Verz. bekannt. Schmett. [1820], 150.—Lep.
Oxytes C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 364.—P.
oxytes Helix, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 351.

- Oxythyrea** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 572.—Col.
- Oxythyreus** J. O. Westwood, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 27.—Hem.
- Oxytrema** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 423.—G. [*gen. caelebs*].
- Oxytricha** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 43 [*non* Bory, *apud* Agass., *q. est* Oxitricha].
- oxytropidis** Bruchus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 143.
- Oxytropis** L. Fitzinger, Syst. Rept. 1843, 22.—R.
- oxytropis** Bruchus, Gebler in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 67.
- oxytropis** Helicina, G. B. Sowerby, I., Zool. "Blossom," 1839, 146.
- oxytropis** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 57.
- oxytropis** Ochthephila (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- oxytropis** Paludina, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 745.
- oxytropis** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 135.
- oxytropis** Trochus (Euchele), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], III.
- oxytropis** Zygaena, Boisduval, Essai Zygén. 1829 [1828], 89. [1849], III.
- oxytropis** Zygaena, C. F. Freyer, Neuere Beitr. Schmett. I (3) 1831, 28.
- Oxyura** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 60.—A. [*non comp.* 1828, *apud* Agass.].
- Oxyura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxura, Kirby.
- Oxyuris** K. A. Rudolphi, Archiv Zool. (Wiedemann) III (2) 1803, 7.—Verm.
- oxyuris** Euglena, L. K. Schmarda, Kleine Beitr. Nat. Infus. 1846, 17.
- Oxyurus** C. S. Rafinesque-S., Car. n. gen. 1810, 19.—P.
- Oxyurus** *id. ac* Oxyuris, Rud.; Lamarck, An. s. vert. III. 1816, 213.
- Oxyurus** Lamarck, An. s. vert. IV. 1817, 128.—Hym.
- Oxyurus** W. Swainson, Zool. Journ. III (11) Dec. 1827, 354.—A.
- Oxyurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Oxyrus, Raf.
- Oxyurus** C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 60.—Myr.
- oxyura** Acanthylis (Vieill.), G. R. Gray, Gen. Birds, I. Feb. 1845, 55.—Hirundo.
- oxyura** Amphisbaena, J. Wagler in Spix, Serp. Brasil. 1824, 72.
- oxyura** Anas, F. J. F. Meyen (*ex* Licht. MS), N. A. Ac. Caes. Leop. Car. XVI (Suppl.)
- oxyura** Anas, B. Merrem in Ersch & Gruber, Allg. Ency. XXXV. 1841, 43. [1834, 122.
- oxyura** Ascaris, Nitzsch in Ersch & Gruber, Allg. Ency. VI. 1821, 48.
- oxyurus** Buceros, J. Wagler, Syst. Avium, I. 1827, sign. 139.
- oxyura** Cerophas, C. S. Rafinesque-S., Précis Som. 1814, 26.—Cr. [*n. n.*].
- oxyura** Chiroxiphia (Olf.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 235.—Pipra, ? Nordm.
- oxyura** Coecilia, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 280.
- oxyura** Columba, Reinw.; C. J. Temminck in T. & Laugier, Pls. color. (41) Dec. 1823.
- oxyurum** Distoma, F. C. H. Creplin, Obs. de Entozois (1) 1825, 48.
- oxyura** Drymoica (Sh.), G. R. Gray, Gen. Birds, I. Aug. 1848, 163.—Motacilla.
- oxyura** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 536.
- oxyurus** Lepisosteus, C. S. Rafinesque, Western Review, III (3) Oct. 1820, 170; Ichth. Ohiensis [Dec.] 1820, 73.
- oxyurus** Limax, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 257.
- oxyurus** Philomycus, Rafinesque, Annals of Nature, 1820, 10.
- oxyura** Pipra, A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 12. [Columba.
- oxyura** [Rhombura] (Temm.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 360.—
- oxyurus** Sipunculus (L.), de Blainville, Dict. Sci. Nat. XLIX. 1827, 312.—Lumbricus, Pall. 1774.
- oxyurus** Sphenocercus (Temm.), G. R. Gray, List Gen. Birds, 1840, 57.—Columba.
- oxyura** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 161.
- oxiura** Tettigonia, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 89 [*n. n.*].
- oxyura** Treron (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 275.—Columba.
- oxyura** Vinago (Reinw.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 98.—Columba.
- oyena** Gerres (Forsk.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 472.—Labrus, 1775.
- oyena** Smaris (Forsk.), E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (10) 1828, 11.—Labrus, 1775.

- oystea** Bodo, A. Pritchard, Hist. Infus. 1841, 105.
Ozaena A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 619.—Col.
Ozaena C. T. Menke, Syn. Meth. Moll., ed. 2, 1830, 1 [=Ozoena, Raf.].
Ozanna H. G. L. Reichenbach, Völlst. Naturg. (Rumin.) 1845, 126.—M. [*typus*? Antilope]
Ozelus Rees, Cyclop. VIII (1) 1807, sign. 3 A 8.—Cr. [nigra (Harris)].
ozines Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 230.
Ozirhincus C. Rondani, N. gen. Ins. Ditt. II. 1840, 12.—Dipt.
Ozirhincus C. Rondani, N. Ann. Sci. Nat. [2] VI. 1846 [Dec.], 375.—Dipt. [? =Oxyrhynchus, Rond. 1840].
Ozius W. E. Leach in Desmarest, Consid. Crust. 1825, 105.—Cr.
Ozocera J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. VI (34) Ap. 1835, 281.—Dipt.
Ozodecerus Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 175.—Col.
Ozodeocera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ozodicera, Macq.
Ozodeocerus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ozodecerus, Chevr.
Ozodera H. Dupont, Suppl. Mon. Trachyd. in Magasin de Zool. (2) II. 1840, text to pl. 37.
Ozodes Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 179.—Col. [*n. n.*]. [—Col.
Ozodes J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 98.—Col.
Ozodicera J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 92.—Dipt.
Ozodocerus Scudder, Suppl. List, 1882, 241; *err. pro* Ozodecerus, Chevr., *q.v.*
ozodona Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 5 [*n. et f.*].
Ozodura C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, 75.—P.
Ozoena C. S. Rafinesque-S., Précis Som. 1814, 29.—Ceph.
Ozoena de Blainville, Dict. Sci. Nat. XXXVII. 1825, 190.—Ceph.
Ozolaimus F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 145.—
Ozolictis C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 74.—M. [Verm.
Ozolictis C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841 (6) 1842, XXIX., line 6.—M. [*non* Ozolictis, p. 74].
Ozolus P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 16; IV (1802), 123.—Cr.
Ozomena Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 379.—Col. [*n. n.*].
ozomene Acraea, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 241.
Ozygotherium H. v. Meyer, Mag. Nat. Hist., n. s. II. Nov. 1838, 585.—M. [*n. n.*].
Ozyrhinchus C. Rondani, 1840; *teste* Scudder, Suppl. List, 1882, 241.—Dipt.
- pabda** Silurus, F. Hamilton, Fish. Ganges, 1822, 150.
pabescens Altica, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 6.
pabo Schilbe (Ham.), W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 163.—
pabo Silurus, F. Hamilton, Fish. Ganges, 1822, 153. [Silurus.
pabulella Coleophora, P. C. Zeller, Isis (Oken), 1847, 887.
pabulina Exorista, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 256.—Tachina,
pabulina Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 140. [1824.
pabulinus Lygaeus (Fabr.), C. F. Fallen, Mon. Cimicum Sveciae, 1807, 75.—Miris, 1794.
pabulinus Lygus (L.), C. W. Hahn, Wanzenart. Ins. I (4) Feb. 1833, 148.—Cimex, 1761.
pabulinus Otiorhynchus (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—
Curculio, 1798.
pabulina Phytocoris (Fab.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 486.—Lygaeus,
Fall. 1807.
pabulina Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 358.
pabulina Tipula, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 180. [Musca.
pabulorum Curtonevra (Fall.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 146.—
pabulorum Curtonevra (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
277.—Muscina, Rob.
pabulorum Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 252.
pabulorum Muscina (Fall.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
II. 1830, 407.—Musca.
Paca G. Fischer, Zoognosia, I. 1813, 14; 8vo ed. III. 1814, 85.—M.
paca Caelogenys, P. W. Lund, Afhandl. K. Danske Vid. Selsk. VI. 1837, 244.

- paca** Coelogenus, F. Cuvier, Dict. Sci. Nat. (ed. 1) VI. 1806, 20.
- paca** Savia (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806, 11.—Cavia, Erx. 1777.
- pacamah** Lophius, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr.
- Pacamus** C. S. Rafinesque, Analyse, 1815, 82.—P. [*n. n.*] [XXXVIII.] 1843, 202.
- pacarus** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 495.
- pacatus** Ileomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 146.
- paccatus** Phobophorus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 24 [*n. n.*].
- pacca** Hellus, J. C. Fabricius, Syst. Piezat. 1804, 247.—Sirex, 1787.
- pacca** Paramecops (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 132.—Rhyn-
- pacca** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 473. [chaenus.
[paccinianus, -a, -um.]
- paciniana** Helix, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 127.
- pacciniana** Iberus (Phil.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—Helix.
- paciniana** Pleurotoma, P. Calcara, Ricerche Malac. 1839, 7.
- paccerois** Tetracerus, B. H. Hodgson, Calcutta Journ. Nat. Hist. VIII (29) Ap. 1847 [*i.e.*
August], 90.
- Pacechia** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 212.—Hem. [*non binom.*].
- pacha** Trinella, Bory de St. V., Ency. Méth (Zooph.) 1827, 753.
- Pacherium** L. Agassiz, Nom. Zool. (Moll.) 1845, 64.—G. [*non* Charp. 1837].
- paches** Platygaster, F. Walker, Ann. Mag. N. H. X. Dec. 1842, 273.
- Pachetra** A. Guénée, Ann. Soc. Ent. France, X (2) July 1841, 241.—Lep.
- pachii** Neritina, Partsch, Ber. Mitth. Fr. Nat. Wien, III. 1847, 321 [*n. n.*].
- Pachiloma** Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 8.—Br. [*sine typo*].
- Pachiloscelis** H. Lucas, Ann. Soc. Ent. France, III (2) *post* June 1834, 361.—Ar.
- Pachiurus** W. Swainson, N. H. Fishes etc. II. July 1839, 196 & 335 [-yurus].—P.
- Pachlys** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 588 [? = Pachylis, L. & S.].
- Pachlysd** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 417 [? = Pachylis, L. & S.].
- Pachnaeus** C. J. Schoenherr, Curc. disp. meth. 1826, 121.—Col.
- Pachnephorus** A. A. Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 414.—Col.
- Pachnephorus** Hoffmannsegg in Kuester, Käfer Europas, IV. 1846, 92.—Col.
- Pachnoda** H. Burmeister, Handb. Ent. III. 1842, 511.—Col.
- Pachochoerus** C. S. Rafinesque, Analyse, 1815, 56.—M. [*dict.* Geoff., *sed non comp.*].
- Pacholenus** C. J. Schoenherr, Isis (Oken), 1823, 1146; Curc. disp. meth. 1826, 216.—Col.
[*n. n.*].
- pachostea** Obovaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
- pachostea** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
- Pachosteon** C. S. Rafinesque, Amer. Monthly Mag., Crit. Rev. IV. 1818, 107.—Moll.
- Pachotelus** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 474.—Col. [[*teste* Scudder].
- Pachrodema** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte*
1851], 168.—Col.
- Pachurus** *emend. pro* Pachochaerus, Geoff.; C. S. Rafinesque, Analyse, 1815, 56.—M.
- Pachya** J. C. Albers, Die Heliceen, 1850, 107.—G.
- Pachybdella** C. M. Diesing, Syst. Helminth. I. 1850, 435.—Verm.
- pachybrachion** Rana, Max Wied, Isis (Oken), 1824, 671.
- Pachybrachis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—Col. [*sine*
typo].
- Pachybrachis** F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 381.—Col.
- Pachybrachis** Chevrolat; C. d'Orbigny, Dict. Univ. Hist. Nat. IX. 1847, 381.—Col.
- Pachybrachius** C. W. Hahn, Icones Mon. Cimicum, 1826, fasc. 1.—Hem.
- Pachybrachys** Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 311.—Col.
- Pachybrachys** E. Suffrian, Linnaea Entom. III. Ap. 1848, 115.—Col.
- Pachycarus** A. J. J. Solier, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 666.—Col.
- pachycentron** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 295.
- Pachycephala** Vigors & Horsfield (*ex* Swainson MS), Tr. Linn. Soc. London, XIV (3) 1825,
- Pachycephala** W. Swainson, Zool. Journ. III (10) Sept. 1827, 174.—A. [444.—A.
- Pachycephalus** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 267.—A.
- Pachycephalus** C. C. A. Wiedemann, Aussereurop. Zweifl. Ins. II. 1830, 152.

- Pachycephalus** J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844).—P. [*n. n.*].
- pachycephala** Cyclopyge, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 64.
- pachycephalus** Philonthus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 82.
- pachycephalus** Sebastes, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 47.
- pachycephalus** Tetrodon, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. IV. 1840, 74.
- Pachycera** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1829, 68.—Orth. [*n. d.*, 1 nom. triv.
- Pachycera** F. Eschscholtz, Zool. Atlas, IV. 1831, 7.—Col. [append.].
- Pachyceras** J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, table facing p. 40 & 217.—Hym.
- Pachycerina** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 511.—Dipt.
- Pachycerus** C. S. Rafinesque, Analyse, 1815, 119.—Hem. [*n. n.*].
- Pachycerus** C. J. Schoenherr, Disp. meth. Curc. 1826, 57.—Col.
- Pachycerus** F. E. Guérin in Duperry, Voy. "Coquille," "1830," tab. iii., f. 8; F. L. de Laporte, H. N. Ins. 1840, 128.—Col.
- pachycerus** Dolerus, T. Hartig, Adelfl. Deutschl. I. 1837, 238.
- Pachychaeta** H. Loew, Dipt. Beitr. in Off. Prüf. Gym. Posen, 1845, 50.—Dipt. [*teste* "Pachycheilus Penny Cyclop.," *teste* T. Iredale, *sed sine cit.* [F. Barnett].
- pachycheila** Ampullina, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 178.
- pachychilus** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 48.
- Pachychila** F. Eschscholtz, Zool. Atlas, IV. 1831, 5.—Col.
- Pachychilus** Lea & Lea, 1850; *teste* Herrmannsen 1851 *est.*
- Pachychira** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiropacha, Chevr.
- Pachychira** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chiropacha, Erichs.
- Pachychira** L. Agassiz, Nom. Zool. (Col.) 1845; *err. pro* Pachychirus, Redt., *q.v.*
- Pachychirus** L. Redtenbacher, Die Gatt. Deutsch. Käfer Fauna, 1845, 134 & 156.—Col. [*typus* Necydalis adusta, Panz.].
- Pachychirus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiropachus,
- Pachycnema** H. Burmeister, Handb. Ent. IV (1) 1844, 57.—Col. [Westw.]
- pachycnema** Agra, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 97.
- Pachycnemia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Lep.
- Pachycoelia** Boisduval in Dejean, Catal. Coléopt., ed. 2 (3) 1834, 187.—Col.
- Pachycoelia** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 248.—Col.
- Pachycolus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 653.—Col.
- Pachycoris** H. Burmeister, Handb. Ent. II (1) 1835, 391.—Hem.
- Pachycormus** J. L. R. Agassiz, Poiss. Foss. II (1), 11 (1833); 110 (1844).—P.
- Pachycormus** G. v. Muenster, N. Jahrb. f. Min. 1842, 43.—P.
- Pachycranion** A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.—Col.
- Pachycrinites** E. Eichwald, Bull. Acad. Sci. Nat. St Pétersb. VII. 1840, 88.—Cr.
- Pachydactylus** A. F. A. Wiegmann, Herpet. Mex. 1834, 19.—R.
- pachydactylus** Astrocrinites, T. A. Conrad, 5 Ann. Rep. N. Y. Geol. Surv., Assembly no. 150, 1840-1, 34.
- pachydactylum** Spheropezium, A. T. King, Amer. J. Sci. XLVIII (2) Ap. 1845, 346.—Thenaropus, 1844.
- pachydactylus** Thenaropus, A. T. King, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 177.
- Pachydema** F. L. de Laporte, Magasin de Zool. II. 1832, pl. 37.—Col.
- Pachyderes** Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94.—Col. [*n. n.*].
- Pachyderes** Guérin in Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 149.—Col.
- pachyderma** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 90.
- Pachydermus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 283.—Col. [*n. n.*].
- Pachydissus** E. Newman, Entom. Mag. V (5) Oct. 1838, 494.—Col.
- Pachydomus** J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 271.—L.
- Pachygaster** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 266.—Dipt.
- Pachygaster** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col.
- Pachygaster** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 64.—Ech. [*n. n.*].
- Pachygaster** C. G. Giebel, N. Jahrb. f. Min. 1847, 667; Fauna d. Vorwelt, I (3) 1848, 22.—P.
- pachygaster** Brachinus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 6.
- pachygaster** Ephippigera, H. Lucas, Explor. Algér. (Artic. III.) 1849, 15.

- pachygaster Helix, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 68.
 pachygaster Linnaeus, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 155.
 pachygaster Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 53.
 pachygaster Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 25.
 pachygaster Pupa (Ziegl.), C. T. Menke, Syn. meth. Moll. 1828, 19.—Torquilla.
 pachygaster Sargus, C. F. Fallen, Stratiom. Sveciae, 1817, 13.
 pachygaster Tetrodon (Cheilichthys), Mueller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 677.
 pachygaster Torquilla, Ziegler in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 86.
 Pachygaster E. F. Germar, Linnaea Entom. III. Ap. 1848, 191.—Col.
 Pachygastria J. Huebner, Verz. bekannt. Schmett. [1822], 186.—Lep.
 pachygastris Clausilia, Partsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 10.
 Pachyglossa B. H. Hodgson, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 1009.—A.
 pachyglutus Heterochelus (Wied.), H. Burmeister, Handb. Ent. IV (1) 1844, 105.—Trichius.
 pachyglutus Trichius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 97.
 Pachygnatha C. J. Sundewall, Spec. gen. Aran. Suec. 1823, 16.—Ar.
 Pachygnathus A. Dugès, Ann. Sci. Nat. [2] (Zool.) II. July 1834, 54.—Ar.
 Pachygnathus L. Agassiz, Nom. Zool. (Pisc.) 1845, *emend. pro* Pachynathus, Sw.
 pachygnathus Labyrinthodon, R. Owen, Proc. Geol. Soc. London, III. 1841, 393.
 pachygnathus Rhinoceros, J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848, 355.
 Pachygrapsus J. W. Randall, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 126.—Cr.
 Pachygroncha M. Spinola, Tav. sin. Hem. 1850.—*ex* Mem. Soc. Ital. Sci. XXV (1) 1852,
 Pachygroncha E. F. Germar, Revue Entom. V (3) 1840, 152.—Hem. [81.—Hem.
 pachigyna Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 197.
 Pachygyra Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 468.—Cor.
 Pachylabra W. Swainson, Treat. Malacol., May 1840, 339.—G. [Hym.
 Pachylarthrus J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. I (2) Aug. 1832, 127.—
 pachyleurus Fusus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 33.
 Pachylis Lepeletier & Serville, Ency. Méth. X (1) 1825, 62.—Hem.
 Pachylobronchus J. Wagler, Isis (Oken), 1833, 891.—R.
 Pachylocerus F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 19.—Col.
 Pachylocerus F. W. Hope, Coleopt. Manual, III. 1840, 186.—Col.
 Pachyloma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pachiloma, Raf.
 pachyloma Helix, K. T. Menke, Zeitschr. f. Malakozool., Feb. 1847, 32.
 Pachylomera W. Kirby, Zool. Journ. III. 1828, 520.—Col. [*sic* G. & H., Lucas, Scudder *et* Auct., *sed tot. err.*, ? *in primis* Boheman, Ins. Caffr. II. 1857, 179].
 Pachylomma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Paxylomma, Bréb.
 Pachylopus W. F. Erichson, Jahrb. Insectenk. I. 1834, 86 & 196.—Col.
 Pachyloscelis H. Lucas, 1834; *sic* Agassiz, *pro* Pachi→.
 Pachylosticta F. Klug, Entom. Mon. 1824, 171.—Hym.
 Pachylota J. O. Westwood, Arcana Entom. (2) July 1841, 24.—Hym.
 Pachylotoma [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 121.—
 Pachylus Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 152.—Col. [*n. n.*] [Col.
 Pachylus Kollar in C. L. Koch, Die Arachniden, VII (1) July 1839, 20.—Ar.
 Pachylus C. L. Koch, Uebers. Arachnidensyst. II. 1839, 12.—Ar.
 Pachylus H. Burmeister (*ex* Dej. Cat.), Handb. Ent. V. 1847, 23.—Col.
 Pachymatisma G. Johnston, Hist. Brit. Sponges, 1842, 244.—Sp.
 Pachymera A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 378.—Col.
 Pachymeria J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55.—Dipt. [65.—Hem.
 Pachymeria *id. ac* Pachymerus, Lep. & Serv.; J. F. Stephens, Nom. Brit. Ins., Aug. 1829,
 Pachymeria F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 28.—Hem.
 Pachymerina J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 333.—Dipt.
 Pachymerium C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 85.—Myr.
 Pachymerus C. P. Thunberg, Goettingen gelehrte Anz. 1805, 282.—Col.
 Pachymerus Latr. 1817; *teste* Agassiz, Nom. Zool. (Col.) 1845, 118, *non est sed ? gen.*
 Thunberg, 1805, q.v.

- Pachymerus** Lepeletier & Serville, Ency. Méth. X (1) 1825, 322.—Hem.
- Pachymerus** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III. 1829, 721.—Hym.
- Pachymerus** P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 37.—Hem.
- Pachymerus** F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 281.—Col.
- pachymerus** Bracon, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 188.
- pachymerus** Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 37.
- pachymerus** Criocephalus, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 64.
- pachymerus** Decticus, H. Burmeister, Handb. Ent. II (2) i, 1838, 712.
- pachymera** Empis, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 277.
- pachymerus** Eristalis, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 17.
- pachymerus** Heterochelus (Wied.), H. Burmeister, Handb. Ent. IV (1) 1844, 106.—Trichius.
- pachymerus** Palmon (Walk.), J. O. Westwood, Ann. Mag. Nat. Hist. XVI (105) Oct. 1845, 278.—Priomerus.
- pachymerus** Plagiocephalus, F. X. Fieber, Entom. Monogr. 1844, 129.
- pachymerus** Priomerus, F. Walker, Entom. Mag. I (2) Jan. 1833, 118.
- pachymerus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 22.
- pachymerus** Trichius, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 140.
- Pachymesia** J. O. Westwood in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 1.—
- Pachymorpha** G. R. Gray, Syn. Phasmidae, 1835, 21.—Orth. [Col.]
- Pachymorpha** F. W. Hope, Coleopt. Manual, II. 1838, 51.—Col.
- Pachymorphus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 12.—Col.
- Pachymya** J. De C. Sowerby, Min. Conch. VI. 1826, 1.—L.
- Pachymyia** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 272.—Dipt.
- Pachynathus** (*sic*) W. Swainson, N. H. Fishes etc. II. July 1839, 194 & 326.—P.
- Pachyneura** J. W. Zetterstedt, Ins. Lapp. descr. 1838, 850.—Dipt.
- Pachyneuron** F. Walker, Entom. Mag. I (4) July 1833, 380.—Hym.
- pachyneuros** Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 167.
- Pachynevra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pachyneura, Zett.
- Pachynevrum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pachyneuron, Walk.
- Pachynolophus** A. Pomel, Arch. Sci. Phys. Nat. IV. 1847, 327.—M. [*? usu gen.*].
- Pachynolophus** F. L. P. Gervais, C. R. Ac. Sci. Paris, XXIX. 1849, 383.—M.
- Pachynomus** F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *e.*—Orth.
- Pachynotelus** A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 367 [*err. pro*]
- Pachynotus** L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 541.—Col. [267].—Col.
- Pachynus** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- Pachyodon** H. v. Meyer, N. Jahrb. f. Min. 1838, 414.—M.
- Pachyodon** S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 481.—L.
- Pachyodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Paxyodon, Schum.
- Pachyolenus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pacholenus, Schoenh.
- pachyomus** Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 74.
- Pachyonychus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 384.—Col. [*n. n.*].
- Pachyonychus** F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 163.—
- Pachyonyx** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 247.—Col. [Col.]
- Pachyota** J. L. R. Agassiz, Nom. Zool. (Moll.) 1845, 64.—G. [*non* Charp. 1837, MS].
- Pachyotus** J. E. Gray, Zool. Misc. 1831, 38; Mag. Zool. Bot. II (12) 1838, 498.—M. [*teste* Palmer].
- Pachyotus** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 56.—G.
- Pachypalpus** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 144.—Dipt.
- pachypes** Gamasus (Herm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 219.—Acarus pachypus.
- Pachypeza** Serville in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 349.—Col.
- Pachypeza** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 493.—Col.
- pachyphylla** Astraea, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 23.
- pachyphylla** Ctenophyllia (Ehr.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 172.—Manicina.

- pachyphylla** Leptoria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 293.
pachyphylla Manicina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 326.
pachyphylla Venus, I. H. Jonas, Arch. f. Naturg. V (1) 1839, 344.
Pachyphyllum Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxviii.—Cor.
pachypleura Scalaria, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 30.
Pachypoma J. E. Gray, Figs. Moll. Anim. IV. 1850, 88.—G.
pachyprion Hybodus, J. Morris, Cat. Brit. Foss. 1843, 196 [*n. n.*].
Pachyprotasis T. Hartig, Adelfl. Deutschl. I. 1837, 295.—Hym. [*typi* spp. Tenthredinis].
Pachypterus Solier in Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 192.—Col.
Pachypterus W. Swainson, N. H. Fishes etc. II. July 1839, 189 & 306.—P.
Pachypterus H. Lucas (*ex* Sol. in Dej.), Explor. Algér. (Artic. II.) 1846, 325.—Col.
Pachyptila C. Illiger, Prod. 1811, 274.—A.
Pachypus G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 4.—Col. [*n. d.*, 1 nom. triv.
Pachypus Dejean, Catal. Coléopt. 1821, 57.—Col. [*n. n.*] [append.].
Pachypus Feisthamel, Ann. Soc. Ent. France, VI (2) *post* June 1837, 259.—Col.
Pachypus d'Alton, Verh. Deutsch. Naturf. Aerzte, 1839 (Erlangen 1840); *teste* Bronn, Ind. Pal. 1848, 537 (line 1), *sed non comp.*—M.
pachypus Acarus, J. F. Hermann, Mém. Aptér. 1804, 74.
pachypus Astacus, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept. 1837, 365.
pachypus Bombinator, C. L. Bonaparte (*ex* Fitzinger *in litt.*), Icon. Faune Ital. (23) 1838.
pachypus Cystignathus (Wied), J. Wagler, Descr. Icon. Amph. (2) 1830, pl. 21.—Rana,
pachypus Cystignathus (Spix), J. Wagler, Nat. Syst. Amph. 1830, 203.—Rana. [Spix.
pachypus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 171.
pachypus Laelaps (Herm.), C. L. Koch, Deutsch. Crust., heft 24, 1839, tab. 8.—Acarus.
pachypus Rana, J. B. v. Spix, Ranar. Brasil. 1824, 2.
pachypus Scotophilus (Temm.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 8.—
pachypus Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 217. [Vespertilio.
Pachyra F. W. Hope, Tr. Zool. Soc. I (1) 1833, 102.—Col.
Pachyramphus G. R. Gray; J. Gould, Zool. "Beagle" (Birds, 1839), 50.—A.
Pachyramphus L. Fitzinger, Syst. Rept. 1843, 35.—R.
Pachyramphus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pachyramphus,
Pachyrhina J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 89.—Dipt. [Gray.
Pachyrrhynchus Lherminier, Mém. Soc. Linn. Paris, VI. 1827, 74.—A. [*teste* C. W. R.].
Pachyrrhinus C. J. Schoenherr, Isis (Oken), 1823, 1141; Curc. disp. meth. 1826, 140.—Col.
Pachyrrhinus J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Col.
Pachyrrhizodus L. Agassiz in F. Dixon, Geol. Sussex, 1850, 374.—P.
Pachyrrhynchus Wagler in Hahn, Vögel Asien, II (13) 1822, pl. 6 & text.—A. [*teste* C. W. R.].
Pachyrrhynchus E. F. Germar, Ins. spec. novae, I. 1824, 336.—Col.
Pachyrrhynchus J. B. v. Spix, Avium Brasil. II. 1825, 31.—A.
Pachyrrhynchus W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 203.—Col.
Pachyrrhynchus W. King, Perm. Foss. (Pal. Soc.) 1850, 70.—Br.
pachyrrhyncha Ara (Sw.), G. R. Gray, Gen. Birds, II. Nov. 1845, 412.—Macrocerus.
pachyrrhynchus Eudytes, G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 17.
pachyrrhynchus Macrocerus, W. Swainson, Phil. Mag., n. s. I (6) June 1827, 439.
pachyrrhynchus Odontophorus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 306.
pachyrrhynchus Pionus, J. G. Hartlaub, Syst. Verz. nat. Samml. Gesellsch. Mus. (1) [Bremen] 1844, 88.
pachyrrhynchus Psittacus (Sw.), H. C. Kuester in Hahn, Ornith. Atlas (16) Oct. 1840, 94.—
pachyrrhynchus Psittacus, J. G. Hartlaub, Beitr. Orn. W. Africa, 1850, 47. [Macrocerus.
pachyrrhyncha Sittace (Sw.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 667.—Macrocerus.
pachyrrinchus Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
Pachyrina J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 88.—Dipt. [142.
Pachyrisma J. Morris & J. Lycett, Q. J. Geol. Soc. London, VI. 1850, 400.—L.
Pachyrrhina Macquart, 1834; *sic* Scudder, *sed* Pachyrrhina *est*.
Pachyrrhynchus Germar, 1824; *sic* Scudder, *sed* Pachyrrhynchus, *q.v.*

- Pachys** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*]. [Wagl.]
- Pachysaurus** L. Fitzinger, Syst. Rept. 1843, 20.—R. [*typus* Polydaedalus albigularis,
- Pachyscelis** A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 54.—Col.
- Pachyscelis** F. W. Hope, Coleopt. Manual, III. 1840, 137 & 139.—Col.
- Pachyschelus** A. J. J. Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 313.—Col.
- Pachyseris** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Cor.
- Pachysoma** W. S. Macleay (*ex* Kirby MS), Horae Entom. I (2) 1821, 507.—Col. [*typus* Scarabaeus hippocrates].
- Pachysoma** I. Geoffroy, Dict. Class. N. H. XIV. 1828, 704.—M.
- Pachysoma** W. de Haan in Siebold, F. Japon. (Crust. 1835), 33.—Cr. [144.]
- pachysoma** Distoma, H. W. Eysenhardt, Ges. Nat. Fr. Berlin. Verh. I (3) [1821–1823],
- pachysomus** Echinorhynchus, F. C. H. Creplin in Ersch & Gruber, Allg. Ency. XXXII. 1839, 284 [*teste* S. & H.].
- pachysomus** Pholidophorus, P. de M. G. Egerton in Agassiz, Poiss. Foss. II (1), 305 (1844) [*n. n.*].
- pachysoma** Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan. 1841, 109.
- pachysoma** Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 245.
- Pachystethus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 201.—Col.
- Pachystola** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 342.—Col.
- Pachystola** L. Reiche (*ex* Dej. Cat.) in Ferret & Galinier, Voy. Abyssin. III. 1850, 393.—
- Pachystoma** L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.—G. [Col.]
- Pachystoma** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148.—G.
- Pachystoma** J. C. Albers, Die Heliceen, 1850, 125.—G.
- Pachystomus** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 286.—Dipt.
- Pachystomus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—P.
- pachystoma** Ampullaria, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 17.
- pachystoma** Clausilia, Kuester in L. Pfeiffer, Mon. Helic. II. 1848, 439.
- pachystoma** Helix, Hombron & Jacquinet, Ann. Sci. Nat. [2] (Zool.) XVI. July 1841, 62.
- Pachystylum** J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 132.—Dipt.
- pachystyla** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 71.
- pachystyla** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) *c.* Jan. 1851, 480.
- Pachysylvia** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 309.—A.
- Pachyta** Megerle in Dejean, Catal. Coléopt. 1821, 112.—Col.
- Pachyta** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17.—Col.
- Pachyta** C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 100.—G.
- Pachyta** J. G. Audinet-S. (*ex* Meg. in Dej. Cat.), Ann. Soc. Ent. France, IV (2) *post* June
- Pachyte** Defr.; Férussac, Bull. Sci. Nat. V. 1825, 143 [*vernac.*]. [1835, 213.—Col.]
- Pachyteles** M. Perty, Del. anim. artic. Brasil. (1) 1830, 3.—Col.
- Pachyteria** J. G. Audinet-S., Ann. Soc. Ent. France, II (4) *c.* Mar. 1834, 553.—Col.
- Pachyterium** P. W. Lund, Echo Monde Savant, VI (430) 1839, 245.—M. [*teste* Palmer].
- Pachytes** Defr. 1825; *sic* Scudder, *sed* Pachyte, *vernac.*
- Pachytes** Hoeninghaus, Jahrb. f. Min. 1830, 473.—G. [? Pachytos, Defr.].
- Pachythelia** J. O. Westwood, Proc. Entom. Soc. Lond. V (5) Aug. 1848, p. xlii.—Lep.
- Pachytherium** P. W. Lund, Ofvers. K. Danske Vid. Selsk. Forhandl. 1838, 12.—M.
- Pachytoma** W. Swainson, Treat. Malacol., May 1840, 337.—G.
- Pachytoma** A. Costa, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 296.—Hem.
- Pachytomus** J. O. Westwood, Ann. Mag. Nat. Hist. XVI (105) Oct. 1845, 279.—Hym.
- Pachytos** DeFrance, Dict. Sci. Nat. XXXVII. 1825, 207.—L.
- Pachytos** (DeFr.), Blainv., Malac., p. 522; *teste* Herrmannsen, *vernac.* Pachyte *est.*
- Pachytricha** F. W. Hope, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 303.—Col.
- Pachytrichus** C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 514.—Col.
- Pachytus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Pachytos, Defr.
- Pachyura** E. Newman (? Hope MS), Entom. Mag. V (2) Jan. 1839, 173.—Col.
- Pachyura** Selys-L., Etudes de Micromamm. 1839, 32 & 142.—M.
- Pachyurus** L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 127.—P.
- Pachyurus** W. Swainson, H. N. Fishes etc. II. July 1839, 335.—P.

- Pachyurus** L. Fitzinger, Syst. Rept. 1843, 18 & 94.—R. [*typus* Phyllodactylus lesueuri, D. & B.].
- pachyura** Amphisbaena, J. Wolf, Abb. Besch. Naturg. Gegenst. II (4) 1819, 61.
- pachyura** Anguilla, J. L. R. Agassiz, Jahrb. f. Min. 1832, 137 [*n. n.*].
- pachyura** Anguilla, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 144 (1843); V (2), 135 (1844).
- pachyurus** Caturus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 367 [*n. n.*]; Poiss. Foss. II (2), 118 (1844).—Uraeus.
- pachyura** Isothrix, J. Natterer, Arch. f. Naturg. XI (1) 1845, 146.
- pachyurus** Leporinus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 36.
- pachyurus** Proctoporus, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 161.
- pachyurus** Sorex, H. C. Kuester, Isis (Oken), 1835, 77.
- pachyurus** Uraeus, J. L. R. Agassiz, Jahrb. f. Min. 1832, 142 [*n. n.*].
- pachyurus** Uraeus, J. L. R. Agassiz, Poiss. Foss. II (1), 12 (1833).
- pacifica** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 149.
- pacifica** Anthophora (Panz.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 113.—Apis.
- pacificus** Anthrenus, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Mar. 1850, 183. [1798.
- pacifica** Arca (Sow.), S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 155.—Byssoarca.
- pacifica** Ardea, J. Latham, Index Orn., Suppl. 1801, p. lxxv.
- pacificus** Barbastellus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 38.
- pacifica** Blatta, P. A. Latreille in A. J. Coquebert, Icon. Ins. (3) 1804, 91.
- pacifica** Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 83.
- pacifica** Byssoarca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 17.
- pacifica** Calleida, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 124.
- pacificus** Canis, C. H. Smith, Dogs, II (Nat. Libr. XXVIII.) June 1840, 210.
- pacificum** Cerithium, G. B. Sowerby, II., Gen. Shells (42) 1834.
- pacifica** Chaetura (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 76.—Hirundo, 1801.
- pacifica** Chama, W. J. Broderip, Proc. Zool. Soc. London, II (24) Ap. 1835, 149.
- pacifica** Chrysomela, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 231.
- pacifica** Cleonis, Ol.; Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].
- pacificus** Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 223.—Lixus.
- pacifica** Clitellaria, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III.
- pacifica** Cobitis, J. R. Forster, Anim. mar. Aust. 1844, 235. [1822, 121.
- pacifica** Coracias, J. Latham, Index Orn., Suppl. 1801, p. xxvii.
- pacifica** Cymbiola, W. Swainson, Treat. Malacol., May 1840, 106 & 317.
- pacifica** Cymbiola (Lam.), Hanley in Swainson, Exot. Conch., ed. 2, 1841, 18.—Voluta.
- pacifica** Cymbiola (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Voluta, Lam.
- pacifica** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (7) 1832, f. 39*; Catal. (131) 1837, 15.
- pacifica** Cypraea, J. E. Gray, Proc. Zool. Soc. London, 1832, 185; Catlow & Reeve, Conch. Nomen. 1845, 312.—Trivia, 1832.
- pacificus** Cypselus (Lath.), H. E. Strickland, Ann. Mag. N. H. XI. May 1843, 337.—Hirundo.
- pacificus** Cypselus (Lath.), G. R. Gray, Gen. Birds, I. Feb. 1845, 54.—Hirundo.
- pacifica** Distoma, J. J. S. Steenstrup, Om Forplantning, 1842, 74 [*teste* S. & H.].
- pacifica** Drepanis (Gm.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvi.—Certhia, 1788.
- pacifica** Dryinus, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1829, 82.
- pacifica** Eburna, W. Swainson, App. Cat. Bligh, 1822, 6.
- pacificus** Eurystomus (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—Coracias.
- pacifica** Exorista (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Tachina.
- pacificus** Falco, J. Latham, Index Orn., Suppl. 1801, p. xiii.
- pacifica** Forficula, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 247.
- pacifica** Gehyra, J. E. Gray, Proc. Zool. Soc. London, II (20) Oct. 1834, 100.
- pacificus** Glaucus, F. Eschscholtz, Zool. Atlas, IV. 1831, 16.
- pacifica** Helix, L. Pfeiffer, Symb. Helic. III. 1846, 66.
- pacifica** Hirundo, J. Latham, Index Orn., Suppl. 1801, p. lviii.
- pacificus** Hydaticus, C. Aubé, Spec. gén. Hydroc. 1838, 177.

- pacifica** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Antho-
- pacificus** Larus, J. Latham, Index Orn., Suppl. 1801, p. lxviii. [myia, 1826.]
- pacifica** Leucosia, E. Poeppig, Arch. f. Naturg. II (1) 1835, 140.
- pacifica** Lima, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 654.
- pacifica** Linckia, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 285.
- pacificus** Lixus, A. G. Olivier, Entom. V. 1807, 268.
- pacificus** Lygaeus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 639.
- pacifica** Lymnaea, G. B. Sowerby, I. (*ex* Budgin MS), Cat. Shells Tankerville, 1825, 42.
- pacificus** Mallotus (Rich.), D. H. Storer, Mem. Amer. Acad., n. s. II. 1846, 454.—Salmo.
- pacifica** Megachile (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 140.—Apis, 1798.
- pacifica** Megistocera, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 270.
- pacificus** Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 323.—
Certhia, Gm. 1788.
- pacifica** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 272, Mar. 1845.
- pacifica** Motella, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 249.
- pacifica** Myobia (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 247.—Tachina.
- pacificus** Naultinus, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 58.
- pacifica** Nebria, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 424.
- pacificus** Nisus, R. P. Lesson, Echo Monde Savant, XII. 19 June 1845, 1086.
- pacificus** Orthorhinus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 196.
- pacifica** Oxygonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 302.
- pacificus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 501.
- pacificus** Platycercus (Lath.), N. A. Vigors, Zool. Journ. I (4) Jan. 1825, 529.—Psittacus,
- pacificus** Platycercus, E. Lear, Psittacidae (3) Jan. 1831. [Gm. 1788.]
- pacificus** Platycercus, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 524.
- pacifica** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 274.
- pacifica** Porpita, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 59.
- pacifica** Psammobia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 241.
- pacifica** Puffinus (Gm.), Cuvier, Règne Anim. I. 1817, 516.—Procellaria, 1788.
- pacifica** Pupa, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 31.
- pacificus** Salmo (Mallotus), J. Richardson, F. Bor.-Amer. (3) 1836, 226.
- pacifica** Scolopax, J. R. Forster, Anim. mar. Aust. 1844, 174.
- pacifica** Solieria (Meig.), J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849,
474.—Tachina.
- pacificus** Strombus, W. Swainson, Exot. Conch., Pt. 3, Dec. 1821 (pl. 17) [*n. et f.*];
Hanley in *ibid.*, ed. 2, 1841, 10.
- pacifica** Succinea, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 99.
- pacifica** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 342.
- pacificus** Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 133.
- pacifica** Trivia, J. E. Gray, Descr. Cat. Shells (Cypr.) 1832, 15 [Auct. *typ.*].
- pacifica** Turbinella, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 211.
- pacifica** Velella, J. F. Eschscholtz, Syst. Acalephen, 1829, 174.
- pacifica** Venus, L. W. Dillwyn, Catal. Shells, 1817, 175.
- pacifica** Voluta, D. Solander, Catal. Portland Mus. 1786, 190 [*n. n.*].
- pacifica** Voluta, G. Perry, Arcana, 1810, sign. Q 5.
- pacifica** Voluta, Lamarck (*ex* Chemn.), Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 70.
- pacilus** Anomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.–June 1850, 117.
- pacilus** Gastrancistrus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 160.
- paciniana** *v.* **pacciniana**.
- pacivorus** Canis (Lund), H. D. de Blainville, Ostéogr., Canis, 1843, 130.—Speothos.
- pacivorus** Speothos, Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 224.
- packeri** Nucula, E. Forbes, 17 Rept. Brit. Assoc. (Oxon. 1847) 1848, Trans. 72 [*n. n.*].
- packeri** Nucula (Leda), E. Forbes in R. H. Schomburgk, Hist. Barbados, 1847, 566.
- Paclites** Denys de Montfort, Conch. I. 1808, 318.—? Ceph.
- Paclites** L. Oken, Lehrb. Nat. III (1) 1815, 323.—Coel.
- Paclitus** Herrmannsen, Ind. gen. Malac. II. 1847, 188.—Ceph. [*non* Latr. *vernac.*].
- paco** Auchenia, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 108
[*n. n.*].

- paco** Auchenia (Erxl.), A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 426.—Camelus pacos, L. 1758. [pacos, L. 1758.]
- paco** Lama (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 31.—Camelus
- paco** Myletes, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 175.
- Pacobranchus** J. E. Gray, Figs. Moll. Anim. IV. 1850, 98.—? *err. pro* Placobranchus,
- pacorus** Encyrtus, F. Walker, Mon. Chalcid. II. 1839, 39. [v. Hass. 1824.]
- pacos** Llama, G. Fischer, Zoogn., ed. 3, III. 1814, 353.—Camelus, L. 1758.
- pactilis** Mitra, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 46.
- Pactolus** W. E. Leach, Zool. Miscell. II. 1815, 19.—Cr.
- pactor** Platylabus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 164.
- pacta** Catocala (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 95.—Phalaena, 1758.
- pacta** Fabricia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 251.—Tachina, 1824.
- pacta** Lamprosia (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 277.—Phalaena, 1758.
- pactus** Opius, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 212.
- pacta** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 324.
- Pacu** J. B. v. Spix, Pisc. Brasil. 1829, 63.—P.
- pacu** Myletes, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.)
- Pacuvia** J. Curtis, Proc. Linn. Soc. London (21) June 1844, 199.—Col. [1841, 236.]
- pacuvius** Cirrospilus, F. Walker, Ann. Nat. Hist. I (5) July 1838, 383.
- Pacyodon** J. E. Gray (*ex* Beck MS), Proc. Zool. Soc. London, XV (173) June 1847, 191.—L. [=Pachyodon?].
- padana** Cicindela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 1 [*n. n.*].
- padana** Coccinella, Bertè in A. Comolli, De coleopt. Novocomi, 1837, 51.
- padana** Grapholitha, Lienig, Isis (Oken), 1846, 243.
- padana** Tortrix, F. v. P. Schrank, F. Boica, II (2) 1802, 78.
- Padda** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxvi (June 1850).—A. [*n. et f.*].
- padella** Ichneumon, Goureau, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 243.
- padella** Nygmia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 412.—Phalaena, 1758.
- padella** Plutella (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 299.—Phalaena, L. 1758.
- padella** Yponomeuta (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 250.—Tinea,
- padellae** Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 166. [1775.]
- padera** Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 133.
- padi** Coccus, F. v. P. Schrank, F. Boica, II (1) 1801, 145.
- padi** Crioceris (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 226.—Chrysomela, 1758.
- padi** Cyphon (L.), L. Gyllenhal, Ins. Suecica, I. 1808, 371.—Chrysomela, 1758.
- padi** Elodes (L.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 7.—Chrysomela, 1758.
- padi** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 513.—Tinea padella, Fab. 1775.
- padi** Hyponomeuta, P. C. Zeller, Isis (Oken), 1844, 225.
- padi** Lachnus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 368.
- Padia** J. Gistel, Nat. Thierr. 1848, 190.—Col.
- Padifex** C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 477.—Hem. [*non binom.*].
- padifoliella** Argyromiges (Huebn.), H. T. Stainton, The Zoologist, VI (7) 1848, 2160.—Tinea.
- padifoliella** Elachista (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 190.—Tinea.
- padifoliella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 46 (Fernaldo judice 1811–17)
- padma** Satyrus, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 445. [[*n. et f.*].]
- padockina** Noctua, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 257.
- Padola** J. Fleming, Suppl. to 4, 5 & 6 eds. of Ency. Brit. V (2) 1822, 578.—G.
- padolida** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 18 [*n. et f.*].
- Padolla** T. E. Bowdich, Elem. Conch. 1822, 71.—G.
- Padollus** Denys de Montfort, Conch. II. 1810, 114.—G.
- padonosta** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 6 [*n. et f.*].
- Padrosia** C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [*n. n.*] [=Culicoides, Latr.].
- Paean** J. Gistel, Nat. Thierr. 1848, p. ix.—Col.
- paeba** Gerbillus, A. Smith, Rpt. Exp. C. Afr. 1836, 43.

paec→ *v. et* poec→.

Paecilaema *id. ac* Paecilima; C. L. Koch, Uebers. Arachnidensyst. II. 1839, 21.—Ar.

Paecilaspis F. W. Hope, Coleopt. Manual, III. 1840, 159 & 160.—Col.

Paecilesthus Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 207.—Col. [*sine typo*].

Paecilia J. McClelland, Asiat. Researches, XIX (2) 1839, 300.—P.

Paecilia L. Agassiz (*ex* Bloch, Schneider), Nom. Zool. (Pisc.) 1845, 46; *vide* Poecilia.

Paecilima C. L. Koch, Die Arachniden, VII (5) *post* July 1839, 104.—Ar.

Paeciloptera A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 425.—Hem. [*n. n.*].

Paecilodus L. Agassiz in J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 468.—P.

Paecilomorpha F. W. Hope, Coleopt. Manual, III. 1840, 178.—Col.

Paecilomys F. J. Pictet, Verh. Schweiz. nat. Ges. (Altdorf) 1842, 192.—M.

Paecilonitta T. C. Eyton, Mon. Anatidae, 1838, 32 & 115.—A.

Paecilonota Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 299.—Col.

Paecilus W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826],

paecil→ *v. et* poecil→.

[438.—Col.

Paectes J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 21.—Lep.

Paectes J. Huebner, Verz. bekannt. Schmett. [1825], 248.—Lep.

paedemontanus *v. pedimontanus*.

paederinus Oedichirus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 685.

Paedia Huebner, 1820; *sic* Agassiz, *sed* Paidia *est*.

paedidus Tylodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 323.

Paedisca F. Treitschke, Schmett. Europa, VIII. 1830, 188.—Lep.

paedisca Agrion, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 247.

paedulcus Mus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 120.

Paelobius C. J. Schoenherr, Syn. Insect. I (2) 1808, 27.—Col.

paena Aedon (A. Smith), G. R. Gray, Gen. Birds, I. Aug. 1848, 173.—Erythropygia.

paena Erythropygia, A. Smith, Rpt. Exp. C. Afr. 1836, 46.

paena Thamnobia (Smith), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 41.—Erythro-

paenulatus Chlaenius, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 218. [pygia.

paenulata Coccinella, E. F. Germar, Ins. spec. novae, I. 1824, 618.

paenulata Epilachna (Germ.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 823.—
Coccinella.

Paeocephalus H. Strickland, Ann. Mag. N. H. VII (41) Mar. 1841, 34; *emend. pro* Poio-
cephalus, *i.e.* Poicephalus, Sw.

paeon Papilio, T. Roger in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 356.

paeon Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 490.

paenonia Tridacophyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., *c.* Mar. 1848, 196.

Paepalosomus Schoenherr, 1847; *sic* Marschall, *sed* Paipale→, *q.v.*

paestana Clausilia, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 138.

paestana Clausilia, Philippi in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar.

Paethis J. Huebner, Verz. bekannt. Schmett. 1826, 342.—Lep. [1836, 13.

Paetrobius W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 77.—Thys.

Pagana J. Gistl, Nat. Thierr. 1848, pp. xi & 168.—G.

Pagana J. Gistl, Handb. Naturges. 1850 [1847], 551.—G.

Paganicon J. Gistl, Nat. Thierr. 1848, p. ix.—Hym.

paganorum Buprestis (Anoplis), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,

pagana Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 254. [152.

pagana Anthomyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 116.—
Musca, 1794.

pagana Aricia (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 290.—

paganus Blacus, A. H. Haliday, Entom. Mag. III (2) July 1835, 122. [Musca, 1794.

pagana Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 432.—Curculio, 1775.

pagana Callidea (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 122.—Cimex,

pagana Cantharis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 51 [*n. n.*]. [1775.

pagana Cantharis, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 20.

paganus Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 7.

pagana Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (5) June
1842, 6.

- paganus Cleonus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 117.
 paganus Clepticus (—), A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 116.—Cryptus, Jur.
 paganus Cratoparis, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 225.—Euparius, 1833.
 paganus Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 811.
 paganus Cryptus (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 51.—Hylotoma,
 paganus Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 116. [? Latr.
 paganus Dermatodes, C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 896.—Lagostomus,
 paganus Diactor, H. Burmeister, Handb. Ent. II (1) 1835, 335. [1833.
 pagana Elaenia (Licht.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 89.—Muscicapa.
 pagana Elania (Licht.), G. R. Gray, Gen. Birds, I. May 1847, 250.—Muscicapa.
 paganus Euparius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 142.
 pagana Harrisia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 260.—Tachina,
 pagana Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 83. [1824.
 pagana Hylemyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—
 Musca, 1794.
 pagana Hylotoma (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 134.—
 paganus Hypolithus, Dejean, Spec. gén. Coléopt. V. 1831, 834. [Tenthredo, 1798.
 paganus Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
 paganus Lagostomus, C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 617. [86.
 pagana Mantispa (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 293.—
 Mantis, 1775.
 pagana Muscicapa, M. H. C. Lichtenstein, Doublet. Z. M. Berlin, 1823, 54.
 pagana Musicapa, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 18.
 paganus Neritites, E. F. v. Schlotheim, Die Petref. 1820, 111.
 pagana Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 303.
 paganus Platyrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 13.
 paganus Polyphrades, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 377.
 paganus Rhinoncus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 586.
 paganus Rhizotrogus (Ol.), O. Heer, Coleopt. Helvet. (3) 1841, 538.—Melolontha, 1789.
 pagana Scutellera (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
 625.—Tetyra.
 paganus Sphaeromus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 539.
 paganus Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 571.
 paganus Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 292.
 pagana Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 362.
 pagana Tachytes, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 132.
 pagana Tegenaria, C. L. Koch, Die Arachniden, VIII (2) 1840, 31.
 paganus Tellinites, E. F. Schlotheim, Tasch. Min. 1813, 105.
 pagana Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 134.—Cimex, 1775.
 pagana Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 140.
 pagana Tipula, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 184.
 paganus Trachinus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
 117.
 pagana Trigonosoma (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 57.—Tetyra.
 pageanus Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845,
 pagei Scissirostrum, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Mar. 1845, 93. [451.
 pagei Scissirostrum, de Lafresnaye, Magasin de Zool. (2) VII. 1845, pl. 59.
 pagel Pagrus (Lac.), H. Cloquet, Dict. Sci. Nat. XXXVII. 1825, 230.—Sparus.
 pagel Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 28.
 Pagellus Cuvier & Valenc., H. N. Poiss. VI. 1830, 169.—P. [1817 & 1829 *vernac.*].
 pagellus Leuciscus, de Filippi, Atti 5 Riun. Sci. Ital. 1844, 376.
 pagellus Leucos (Fil.), C. L. Bonaparte, Cat. meth. Cipr. Eur. 1845, 7.—Leuciscus.
 pagenstecherella Antispila, J. Huebner, Verz. bekannt. Schmett. 1826, 419.
 pagenstecheri Nyctemera, J. Huebner, Exot. Schmett. III. Tab. [*n. net f.*].
 pageros *v.* pajeros.
 pagesii Otaria, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, IV. 1830, 420.
 pagetana Agrypnia, J. Curtis, Brit. Entom. XII (135) Mar. 1835, no. 540.
 Pagetodes J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 15.—P.

- Pagoda** L. Agassiz, Nom. Zool. (Moll.) 1845, 64.—G. [*non* Charp. 1837].
- pagodalis** Tectus, Denys de Montfort, Conch. II. 1810, 187.
- pagodarum** Acridotheres (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 391.—Turdus, Gm. 1788.
- pagodarum** Ciccaba (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 44.—Strix.
- pagodarum** Cossyphus (L.), C. Dumont, Dict. Sci. Nat. XXIX. 1823, 264.—Turdus, Gm. 1788.
- pagodarum** Gracula (Vaill.), Cuvier, Règne Anim. I. 1817, 361.—Turdus, Gm. 1788.
- pagodarum** Hetaerornis (Gm.), G. R. Gray, Gen. Birds, II. May 1847, 335.—Turdus, 1788.
- pagodarum** Noctua (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 65.—Strix. [1788.]
- pagodarum** Pastor (Gm.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lv.—Turdus,
- pagodarum** Strix, C. J. Temminck in T. & Laugier, Pls. color. (39) Oct. 1823. [1788.]
- pagodarum** Sturnia (L.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 363.—Turdus, Gm.
- pagodarum** Thremmaphilus, W. Macgillivray, Hist. Brit. Birds, I. 1837, 612 [*n. n.*].
- pagodarum** Ulula (Temm.), R. P. Lesson, Traité Ornith. (2) May 1830, 108.—Strix.
- Pagodella** W. Swainson, Treat. Malacol., May 1840, 207 & 351.—G.
- pagodula** Cerithium, H. E. Anton, Verz. Conch. 1839, 65.
- pagodula** Fusus, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847], Turbinelles, pl. iii.
- pagodula** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 219.
- pagodula** Pupa, C. Des Moulins, Actes Soc. Linn. Bordeaux, IV (21) 1830, 161.
- pagodula** Pupilla (Desmoulins), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 84.—Pupa.
- Pagodus** J. E. Gray in Beechey, Voy. "Blossom" (Zool.) 1839, 141.—G.
- pagodus** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 50, Dec. 1846.
- pagodus** Cortalus, Denys de Montfort, Conch. I. 1808, 115.
- pagoda** Defrancia, P. A. Millet, Mém. Soc. Linn. Paris, V. 1826, 439.
- pagodus** Fusus, R. P. Lesson, Illustr. de Zool. (14) Aug. 1834, pl. 40.
- pagoda** Gibbulina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 81.—Helix.
- pagoda** [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 63 [*n. n.*].
- pagodus** Litorina (L.), R. A. Philippi, Abb. Conch. II (5) 1846, 139.—Turbo, 1758.
- pagodus** Monodonta (L.), Lamarck, An. s. vert. VII. 1822, 32.—Turbo, 1758.
- pagoda** Natica, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 136.
- pagodus** Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—Monodonta.
- pagodus** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 242, Nov. 1845.
- pagodus** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 43.
- pagoda** Pupa, Férussac in R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 326.
- pagoda** Schizostoma, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 167.
- pagoda** Streptaxis (Fér.), J. E. Gray, Mag. Nat. Hist., n. s. I. Sept. 1837, 486.—Helix.
- pagodus** Triphoris, R. B. Hinds, Proc. Zool. Soc. London, XI (121) July 1843, 22.
- pagodus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 97, Aug. 1844.
- pagodus** Trochus (Lam.), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 269.—Monodonta.
- pagoda** Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 60, June 1849.
- Pagonetta** J. J. Kaup, Skizz. Europ. Thierw. 1829, 66.—A. [*typus* Anas glacialis].
- Pagonotarsus** H. Burmeister (*ex* Blanchard MS), Handb. Ent. III. 1842, 548.—Col.
- Pagophila** J. J. Kaup, Skizz. Europ. Thierw. 1829, 69.—A. [*typus* Larus eburneus].
- Pagophilus** J. E. Gray, Voy. "Ereb. Terr." (Zool.) 1844, 3; Cat. Mamm. Coll. B. M. II. 1850, 25.—M.
- pagorum** Cecropis, C. L. Brehm, Isis, 1828, 1272 [*n. n.*]; Handb. Nat. Vogel Deutschl. [1831, 138.]
- pagorum** Galerida, C. L. Brehm, Isis (Oken), 1841, 123.
- pagorum** Pyrgita, C. L. Brehm, Isis, 1828, 1276 [*n. n.*]; Handb. Nat. Vogel Deutschl. 1831, 265.
- Pagrus** G. Cuvier, R. Anim. II. 1817, 272.—P.
- Pagrus** de Blainville (*ex* Defrance MS), Dict. Sci. Nat. XXXVII. 1825, 231; LX. 1830,
- pagrus** Pagrus (Bl.), G. Cuvier, R. Anim. II. 1817, 272.—Sparus, L. 1758. [380.—Polyz.]
- Paguma** J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 17.—M.

- paguri** Peltogaster, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 245.
- paguri** Phryxus, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 57.
- paguroides** Cancer, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 497.
- pagurus** Isothrix, J. Natterer, Arch. f. Naturg. XI (1) 1845, 146.
- pagurus** Olios, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 564.—Thomisus, 1805.
- pagurus** Platycarcinus (L.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 413.—Cancer, 1758.
- pagurus** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 36 [*n. n.*].
- pagyris** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 491.
- pahariah** Chryseus, C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 184.
- paiafa** Carabus (Procrasticus), A. White, Ann. Mag. N. H. XV. Feb. 1845, 111.
- Paidaria** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Paidia** J. Huebner, Verz. bekannt. Schmett. [1820], 159.—Lep.
- Paidium** K. L. Koch in A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840,
- paikeeli** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 259. [356.—Thys.
- pailletteanus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 339.
- pailletteana** Chemnitzia, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 69.
- pailletteana** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 88.
- pailletteana** Pleurocora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 204.
- pailletteana** Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 241.
- pailletteana** Radiolites, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 184.
- pailletteana** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 310.
- paillettei** Bellerophon, A. d'Orbigny in A. E. Férussac & d'O., H. N. Céph. acétab. 1840, 215.
- pailletei** Clymenia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Bellerophon, 1840.
- pailletti** Pentremites, de Verneuil, Bull. Soc. géol. France (sér. 2) I. 1844, 213.
- paillettei** Pentremitidea (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 102.—Pentremites.
- paillettii** Spirifer, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 177.
- Paipalesomus** C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 119.—Col.
- pairatolis** Chaetodon, F. Hamilton, Fish. Ganges, 1822, 122.
- paurodoa** Murex, *v.* payraudeaui.
- Païs** J. Huebner, Index exot. Lepid. 1821, 4.—Lep.
- Païs** J. Huebner, Verz. bekannt. Schmett. 1825, 279.—Lep.
- païs** Helicopis, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 34.
- païs** Helicopis, J. Huebner, Exot. Schmett. II. Tab. [16] [*n. et f.*].
- pais** Limnas (Huebn.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 17.—Helicopis.
- paitensis** Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 438.
- pajeros** Felis, Desmarest, N. Dict. H. N., ed. 2, VI. 1816, 114.
- pageros** Felis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 170.
- pageros** Lynx (Desm.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 427.—Felis.
- pala** Chanos (Cuv.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1260.—
- pala** Cyprinus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 276. [Cyprinus.
- pala** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 380.
- pala** Terebratula, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 134.
- pala** Textularia, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 148.
- palaceum** Rhynchobothrium (Rud.), de Blainville, Dict. Sci. Nat. LVII. 1828, 595.—Bothriocephalus.
- Palacomeryx** *err. pro* Palaeomeryx, H. v. Meyer, Mag. Nat. Hist., n. s. II. Nov. 1838, 585.
- Palacotherium** *err. pro* Palaeotherium; H. v. Meyer, Mag. Nat. Hist., n. s. II. Nov. 1838, 584.
- palaea** Coregonus, Cuvier in J. L. R. Agassiz, H. N. Poiss. d'eau douce, 1839, pl. C [*n. et f.*].
- Palaeanatina** J. Hall, N. H. New York (Pal. V (1)) 1835, 489.—L.
- Palaeastacus** T. Bell in F. Dixon, Geol. Sussex, 1850, 344.—Cr.
- Palaechinus** F. M'Coy, Syn. Carb. Lst. foss. Ireland, 1844, 172.—Ech. [Pale→, 1842].
- palaeformis** Trichocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 16.
- palaeindicus** Hippopotamus (Tetraprotodon), Falconer & Cautley, F. Antiq. Sival. (7) 1848, pl. 57 [*n. et f.*].

- palaeindicus** Rhinoceros, Falconer & Cautley, F. Antiq. Sival. (8) 1848, pl. 73 [*n. et f.*].
- palaemon** Cerithium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- palemon** Hyreus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 70.—Papilio, 1777.
- palemon** Lycaena (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 40.—Papilio, 1777.
- palaemon** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 238. [1777.]
- palemon** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 267.
- palaemon** Polyblastus, G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 140.
- palemonis** Bopyrus, A. Risso, H. N. Crust. 1816, 148.
- palaemonis** Donacia, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 200.
- palaenitus** Scomber, C. S. Rafinesque-S., Car. n. gen. 1810, 44.
- Palaeno** J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 129.—Cr.
- palaeno** Colias (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Papilio, 1761.
- palaeno** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 87 (Fernaldo judice 1799) [*n. et f.*].
- palaeno** Phanaeus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 176.
- palaeno** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 169.—Papilio, 1761.
- palaeno** Zerene (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 97 —Papilio, 1761.
- Palaeobalistum** de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 338.—P.
- Palaeobassar** de Blainv. 1818; *err.* Scudder, Suppl. List, 1882, 244, *pro* Palaeobalistum, *teste* Palmer, Ind. Gen. Mamm. 1904, 498.
- Palaeobassar** Paul von Württemberg in Bronn, Ind. Pal. 1848, 892.—M.
- Palaeobates** H. v. Meyer, Palaeontographica, I (5) Dec. 1849, 233.—P.
- Palaeobatrachus** J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 42 & 81.—R.
- Palaeobdella** de Blainville, Dict. Sci. Nat. LVII. 1828, 562.—Verm.
- Palaeoceros** O. G. Costa, Atti Accad. Pontan. V (5) 1850, 245.—M.
- Palaeochaeres** A. Pomel, Arch. Sci. Phys. Nat. V. 1847, 392.—M.
- Palaeochelys** H. v. Meyer, N. Jahrb. f. Min. 1847, 456 [*n. n.*]; Jahresh. Ver. vat. Naturk. Württ. III (2) *post* May 1847, 167.—R.
- Palaeocherus** A. Pomel, Bull. Soc. géol. France (sér. 2) IV. 1847, 381.—M.
- Palaeochoerus** A. Pomel, 1847; *sic* Palmer, *sed* Palaeochaeres, *q.v.*
- palaechoerus** Sus, Kaup & Scholl, Catal. plâtres, 1832, 11; Descr. Oss. Foss. (2) 1833, 11.
- Palaeochorda** F. M'Coy, Q. J. Geol. Soc. London, IV. 1848, 224.—? Plantae.
- palaechroma** Nerita, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 241.
- Palaeocidar** Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 340.—Ech.
- Palaeocoma** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 240.—Ast.
- Palaeocyclus** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.—Cor.
- Palaeocyon** H. D. de Blainville, Ostéogr., Subursus, 1841, 73.—M.
- Palaeocyon** P. W. Lund, Overs. K. Danske Vid. Selsk. Forhandl. (6) 1842, 78.—M.
- palaedama** Cervus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 447.
- paleodoma** Cervus (Dama), W. Jardine, Deer (Nat. Libr. XI.) Nov. 1835, 153.
- Palaeodon** H. D. de Blainville, Ostéogr. IV (21) 1846, 173, f.n.—M. [*non* Wood; *err.*, *test*]
- Palaeogale** H. v. Meyer, N. Jahrb. f. Min. 1846, 474.—M. [Palmer].
- paleoliferus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 88.
- Palaeomephitis** G. F. Jaeger, Isis (Oken), 1837, 436 [*n. n.*]; Foss. Säug. Würt. (2) 1839, 78.—M.
- Palaeomeryx** H. v. Meyer, Abh. Senckenb. Mus. I (Suppl.) 1834, 92.—M. [78.—M.]
- Palaeomys** J. Kaup, Isis (Oken), 1832, 992; K. & Scholl, Catal. plâtres, 1832, 6.—M.
- Palaeomys** Laizer & Parieu, Echo Monde Savant, 30 Jan. 1839, 67; C. R. Ac. Sci. (Paris) VIII. 1839, 206.—M.
- Palaeonictis** H. D. de Blainville, Ostéogr., Viverra, 1842, 76 & 79.—M.
- Palaeoniscum** de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 320.—P.
- Palaeoniscus** (*emend.* Palaeoniscum, Bl.); J. L. R. Agassiz, Poiss. Foss. II (1), 4 (1833).—P.
- Palaeoniscus** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XX. Dec. 1843, 329.—Cr.
- palaeonus** Equus, Falconer & Cautley, F. Antiq. Sival. (9) 1849, pl. 82 [*n. et f.*].
- Palaeophis** R. Owen, Proc. Geol. Soc. London, III. 1840, 165.—R.
- Palaeophrynos** J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 52 & 89.—R.

- Palaeophrynus** L. Agassiz, Nom. Zool. (Rept.) 1844; *emend. pro* P—phrynos, Tsch., *q.v.*
- Palaeophyllum** E. Billings, 1850; *teste* Scudder, 1858 *est.*
- Palaeopithecus** F. S. Voigt, N. Jahrb. f. Min. 1835, 324 [=Cheirotherium, *teste* Bronn].
- Palaeopora** F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 129.—Col.
- Palaeorhynchum** de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 314.—P.
- Palaeornis** N. A. Vigors, Zool. Journ. II (5) Ap. 1825, 46.—A.
- Palaeornis** G. A. Mantell, Medals, II. 1844, 806.—R.
- Palaeosaurus** *emend. pro* Palaesaurus, E. Geoffroy; Mém. Ac. Roy. Sci. Inst. France, XII. 1833, 55 & 61.
- Palaeosaurus** H. Riley & S. Stutchbury, Proc. Geol. Soc. London, II. 1836, 398.—R.
- Palaeosaurus** L. J. Fitzinger, Ann. Wiener Mus. II [1] 1839, 171.—R.
- Palaeosepia** C. Theodori, N. Jahrb. f. Min. 1844, 673.—Ceph.
- Palaeosmilia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 467.—Cor.
- Palaeospalax** R. Owen, B. Foss. Mamm. (1844), 25.—M.
- Palaeospongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Sp.
- Palaeoteuthis** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 327.—Ceph.
- Palaeotherium** G. Cuvier, Ann. Mus. H. N. (Paris) III (16) ? Feb. 1804, 275.—M.
- Palaeothrissum** de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 320.—P.
- Palaeotriton** L. Fitzinger, Syst. Rept. 1843, 34.—R.
- Palaeotrogos** G. J. Jaeger, Foss. Säug. Würt. (2) 1839, 204.—M.
- Palaeotrogus** L. Agassiz, Nom. Zool. (Mamm.) 1842, *emend. pro* Palaiotr→, Jaeger, *q.v.*
- Palaesaurus** E. Geoffroy St H., Mém. Ac. Sci. Inst. France, XII. 1833, 49.—R.
- Palaestes** M. Perty, Del. anim. artic. Brasil. (2) 1832, 83.—Col.
- Palaestra** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 251.—Col.
- Palaestra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Palestre, Less.
- palaestrica** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 135.
- palaestrica** Aricia (Meig.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1428.—Anthomyia.
- palaestrica** Hydrotaea, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 324.—Anthomyia, 1826.
- Palaestrída** A. White in J. L. Stokes, Discov. in Australia, I. 1846, 509.—Col.
- Palaestrinus** W. F. Erichson, Gen. Spec. Staph. (1) 1839, 343.—Col.
- paleatellus** Crambina, P. C. Zeller, Isis (Oken), 1847, 754.
- paleazureus** Alcemerops, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 262.
- Palaiomephitis** G. J. Jaeger, Foss. Säug. Würt. (2) 1839, 201.—M.
- Palaiotrogos** G. F. Jaeger, Foss. Säug. Würt. (2) 1839, 79.—M.
- palalaca** Chrysocolaptes (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 121.—Picus, ? Daud.
- palalaca** Picus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- palamedes** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 68. [210.
- Palamedus** C. S. Rafinesque, Analyse, 1815, 154.—Coel. [*n. n.*].
- Palaminus** W. F. Erichson, Gen. Spec. Staph. (1) 1839, 29 & 181 (1840).—Col.
- Palamita** C. L. Bonaparte, Giorn. Arcad. LII. 1831, 173.—P.
- Palamopus** E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 217.—R.
- palanga** Gibbulina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 81.—Helix.
- palanga** [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 63 [*n. n.*].
- palanga** Pupa, Férussac in R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 328.
- palangula** Gibbulina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 81.—Helix.
- palangula** [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 63 [*n. n.*].
- palangula** Pupa, de Boissy, Mém. Soc. géol. France (2) III (1) 1848, 276.
- palangula** Pyramidella, A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 110
- Palapteryx** R. Owen, Proc. Zool. Soc. London, XIV (158) July 1846, 46.—A. [[*n. n.*].
- Palarus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 336.—Hym.
- palasah** Alausa, Cuvier & Valenc., H. N. Poiss. XX. 1847, 432.
- palasah** Alosa, G. Cuvier, R. Anim., ed. 2, II. 1829, 320.
- palasah** Clupea, G. Cuvier, Règne Anim., ed. 2, II. 1829, 320.
- palatinus** Athis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 101.—Papilio, 1777.

- palatinus** Castnia (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 799.—Papilio, 1777.
- palatina** Scolia, F. v. P. Schrank, F. Boica, II (2) 1802, 360.
- palatonica** Dreissena (Bart.), P. H. Nyst, Mém. cour. Acad. Belg. XVII. 1845, 263.—
Congeria balatonica, Partsch.
- palatonicus** Mytilus (Partsch), G. A. Goldfuss, Petref. German. II (6) 1837, 173.—Con-
geria balatonica.
- palawa** Meleagris, B. S. Barton, Philad. Med. Phys. Journ. II (1) 1805, 163.
- palea** Anuraea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 48.
- palea** Brachionus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 48
[n.n.]; *ibid.* 1831 (1832), 146.
- palea** Enchelis, F. v. P. Schrank, F. Boica, III (2) 1803, 43.
- paleaceus** Bothriocephalus, C. A. Rudolphi, Entoz. II (2) 1810, 65. [[n. n.].
- paleacea** Crioceris, F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [n. n.] & *var.* pallida, Knoch
- palleacea** Enargia (Esp.), J. Huebner, Verz. bekannt. Schmett. [1822], 235.—Noctua,
- paleacea** Loncheres, C. Illiger, Prod. 1811, 90 [n. n.]. [1791.
- paleacea** Pileopsis, C. T. Menke, Syn. meth. Moll. 1828, 89.
- paleaceus** Rhynchobothrius (Rüd.), F. Dujardin (Roret's Suite à Buffon), Helminthes,
1845 [Nov. 1844], 546.—Bothriocephalus.
- paleaceus** Sciocoris, E. F. Germar, Revue Entom. V (4) 1840, 184.
- palealis** Botys (D. & S.), F. Treitschke, Schmett. Europa, VI (2) 1828, 315.—Pyrallis, 1775.
- palealis** Margaritia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena,
? Vill. 1789.
- palealis** Sitochroa (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyrallis,
- palearis** Ardea, J. R. Forster, Anim. mar. Aust. 1844, 47. [1775.
- palearia** [Felis], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. IV (65)
Jan. 1832, Panthère male, p. 3.
- paleatus** Callichthys, L. Jenyns, Zool. "Beagle" (Fish, 1842), 113.
- paleata** Myrmica, A. W. Lund, Ann. Sci. Nat. XXIII (90) June 1831, 116.
- paleata** Syncalpyta, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 470.
- Palechinus** R. Griffith (*ex* Scouler MS), Journ. Geol. Soc. Dublin, II. 1840, 99.—Ech. [*teste*
F. A. B.].
- Palechtnus** G. Fischer v. W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848, 247 [*err. pro*
Palaechinus, *q.v.*; *teste* F. A. B.]. [1796.
- paleea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 485.—Tinea paleella, Huebn.
- paleellus** Crambus (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Tinea, 1796.
- palegon** Oenomaus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Papilio, 1780.
- pelagon** (*sic*) Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 629.—
Papilio palegon, 1780.
- palemo** Ateuchus (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 65.—Scarab. 1789.
- palemo** Oxysternon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 82.
- Palemon** C. S. Rafinesque, Précis Som. 1814, 24 [= Palaemon].
- palemon** *v.* palaemon. [palaeno, 1761.
- paleno** Colias (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. I.) July 1827, 11.—Papilio
- paleuse** Cerithium, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 479.
- palensis** Cordieria, M. Rouault, Bull. Soc. géol. France (2) V. 1848, 207; Mém. Soc. géol.
France (2) III (2) 1850, 488.
- palensis** Eschara, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 463.
- palensis** Pleurotoma, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 482.
- palensis** Spondylus, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 472.
- paleola** Eilema, J. Huebner, Verz. bekannt. Schmett. [1822], 165.
- Paleomys** Laizer & Parieu, L'Institut, VII. 1839, 34.—M.
- palephrates** Papilio, J. O. Westwood (*ex* Boisd. MS), Arcana Entom. II (20) July 1844, 127.
- palermitana** Clymene, A. E. Grube, Actin. Adriat. 1840, 66.
- Paleryx** R. Owen, Rept. London Clay (Pal. Soc. III.) Aug. 1850, 67.—R.
- Pales** J. B. Robineau-D., Mém. présentes Ac. Roy. Sci. Inst. France, II. 1830, 154.—
Dipt. [? Meigen].
- Pales** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 408.—Col.
- Pales** C. L. Koch, Uebers. Arachnidensyst. V. 1850, 64.—Ar.

- pales** Agarista, Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 782.
- pales** Agarista, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 218.
- pales** Argynnis (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 72.—Papilio, D. & S. 1775.
- pales** Hylobius (Herbst), J. Sturm, Catal. Ins. Samml. 1826, 156.—Curculio, 1797.
- pales** Noctua (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 43.—Phalaena, 1770.
- pales** Nymphalis (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 94.—Papilio, D. & S. 1775. [[*n. et f.*].]
- pales** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 7 (Fernaldo judice 1799)
- pales** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 121 (Fernaldo judice 1805) [*n. et f.*].
- pales** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 195 (Fernaldo judice 1823-33)
- pales** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 69. [[*n. et f.*].]
- palesioidea** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- Palestre** R. P. Lesson, Compl. de Buffon, VIII. 1847, 490.—A. [1830, 160.]
- Palethrocoris** F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 48.—Hem.
- paliatus** *v.* palliatus.
- palicari** Brachinus, F. L. de Laporte, Etudes Entom. (1) 1834, 59.
- Palicus** R. A. Philippi, 2 Jahresb. Ver. Nat. Cassel, 1838, 11.—Cr.
- Palidostoma** *err. pro* Psalidostoma; J. Minding, Lehrb. Naturg. Fische, 1832, 121.
- palifera** Astrea, Lamarck, An. s. vert. II. 1816, 262.
- palifera** Astreopora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 349.—Astrea.
- palifer** Bronteus, H. E. Beyrich, Böhm. Trilobiten, 1845, 38.
- palikour** Formicivorus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 93.
- palikour** Myioturdus, F. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 = Sci. Nat. I.) (5) July 1835, 470.
- Palimphytes** J. L. R. Agassiz, N. Jahrb. f. Min. 1834, 304; Poiss. Foss., Feuilleton, 36 (1835); V (1), 46 (1844).—P.
- Palimpsestis** J. Huebner, Verz. bekannt. Schmett. [1822], 237.—Lep.
- Palingenestes** J. Gistl, Nat. Thierr. 1848, 188.—Prot.
- Palingenestes** J. Gistl, Handb. Naturges. 1850 [1847], 618.—Prot.
- Palingenia** H. Burmeister, Handb. Ent. II (2) ii, 1839, 802.—Neur.
- palinii** Acanthophorus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 366.
- palinii** Lamia (Sternotomis), J. O. Westwood, Arcana Entom. II (18) Mar. 1844, 84.
- palinii** Passalus, Hope in Percheron, Mon. Passalus in Magasin de Zool. (2) VI. 1844,
- palinii** Sternodonta, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 368. [pl. 135.]
- palinuri** Gymnolepas, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 400.
- Palinurina** G. v. Muenster, Beitr. zur Petref. (2) 1839, 36.—Cr.
- Palinurus** J. E. De Kay, N. H. New York (Fish) 1842, 118.—P.
- palinurus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 342.
- palinurus** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.
- palinurus** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 248.
- paliola** Chlamiphora, J. Huebner, Tentamen (me judice 1806), 2 [*n. n.*].
- Paliornis** Gould in Gen. Birds, 1845; *sic* Marschall, Nom. Zool. 1873, *sed non comp.*
- Palla** J. Huebner, Verz. bekannt. Schmett. 1818, 47.—Lep. [append.].
- Palla** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 90.—Lep. [*n. d.*, 26 nom. triv.]
- pallans** Conus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 39.
- pallasana** *v.* pallasianus, -a, -um.
- pallasii** Acerina, A. Andrzejewski, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 21 [*n. n.*].
- pallasii** Actinina, A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 310.
- pallasii** Aegoceros, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, 1840 (4) 1841, 910.
- pallasii** Anthrax, C. R. W. Wiedemann, Zoologisches Magazin. I (2) 1818, 10.
- pallasii** Armadillidium, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 185.
- pallasii** Aucella, A. Keyserling, Wiss. Beob. Petschora, 1846, 299.
- pallasii** Avicula (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.—Aucella.
- pallasii** Bipes (Dum.), H. Cloquet, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 105.—Hysteropus [*non comp.*].

- pallasii** Buchia (Keys.), Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 273.—Mytilus.
- pallasii** Capra (Rouill.), Roulin, Dict. Univ. Hist. Nat. III. 1843, 512.—Aegoceros.
- pallas** Cassiopea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 357.
- pallasii** Cephalotes, E. Geoffroy, Ann. Mus. H. N. (Paris) XV (86) *inter* Ap.—Sept. 1810, [107.
- pallasii** Cephea, L. Oken, Lehrb. Nat. III (1) 1815, 119.
- pallasii** Chiton, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VI (7) Ap. 1847, 117.
- pallasii** Chiton (Symmetrogephyrus), A. T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (1 & 2) Feb. 1848, 162.
- pallasii** Cicindela, G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 13.
- pallasii** Cinclus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, pp. lvi & 177.
- pallasii** Cistena, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 452.
- pallasii** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 30.
- pallasii** Clupea, Cuvier & Valenc., H. N. Poiss. XX. 1847, 253.
- pallasii** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 109.
- pallasii** Conops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 128.
- pallasii** Coregonus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 483.
- pallasii** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 403.
- pallasii** Distoma, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 73.
- pallasii** Echiurus, F. E. Guérin-M., Iconographie, 1844, Zooph., 9.
- pallas** Erycina, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 389.
- pallasi** Gerbillus, C. S. Rafinesque-S., Précis Som. 1814, 14 [*n. n.*].
- pallasii** Glareola, Bruch in Schlegel, Revue crit. 1844, p. lxxxi.
- pallasii** Glycimeris, de Blainville, Dict. Sci. Nat. XIX. 1821, 101.
- pallasii** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
- pallasii** Halyzia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1025.
- pallassii** Hydriophora, G. Fischer de W., Not. foss. Gouv. Moscou, II. 1810, 10.
- pallasii** Hydrobata, G. R. Gray, Gen. Birds, I. Dec. 1846, 215.
- pallasii** Leptogaster, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 37.
- pallasii** Ligia, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 172.
- pallasii** Lumbrineris, de Blainville, Dict. Sci. Nat. LVII. 1828, 486.
- pallasii** Lytta, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 141.
- pallasi** Modiola (Vern.), H. G. Bronn, Index Pal. 1848, 737.—Mytilus (M.).
- pallasii** Molacanthus, W. Swainson, N. H. Fishes etc. II. July 1839, 329.
- pallasii** Mylabris, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 170.
- pallasi** Myoconcha (V. M. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 165.—Mytilus.
- pallasi** Mytilus (Modiola), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 316.
- pallasii** Notopterus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 130.
- pallasii** Odontoscelis, F. A. Kolenati, Melet. Entom. (4) May 1846, 7.
- pallasii** Ommatostergus, H. R. Schinz, Europ. Fauna, II. 1840, 514.
- pallasii** Paradoxurus, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 67.
- pallasii** Phascolosoma, J. E. Gray, List Brit. Anim. B. M. (Centr.) 1846, 14.
- pallasii** Planaria, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ann.) 1826, 76.
- pallasii** Platyschista, A. W. Otto, N. A. Ac. Caes. Leop. Car. XVII. 1835, 1102.
- pallasii** Polycladodes (P. & L.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Cassiopea.
- pallasii** Porcellio, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 179.
- pallasii** Pratincola (Bruch), C. D. Degland, Orn. Europ. II. 1849, 110.—Glareola.
- pallasii** Prionus, E. F. Germar, Ins. spec. novae, I. 1824, 469.
- pallasii** Proctopus, G. Fischer, Mém. Soc. Imp. Nat. Moscou, IV. ed. 2, 1830, 241.
- pallasii** Pterocheilus, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 150.
- pallasii** Rhinoceros, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 402.
- pallas** Scalaria, G. Perry, Conchology, Ap. 1811, pl. 28.
- pallasii** Scalaria, L. C. Kiener, Spec. Coquilles (Scalaria) 1838-9, 4.
- pallasii** Schilus, J. Krynicki, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 443.

- pallasii* Sertularia, G. Fischer, Mus. Démid. III. 1807, 318.
- pallasii* Sipunculus, W. Thompson, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 280 [*n. n.*].
- pallasii* Spalax, A. v. Nordmann, Bull. Sci. Ac. Imp. Sci. St Pétersb. V (13) Mar. 1839, 200.
- pallasii* Sypterus, E. Eichwald, Zool. Spec. III. 1831, 69.
- pallasii* Syrrhaptēs, C. J. Temminck, Fig. et Gallin. III. 1815, 282.
- pallasii* Tarsier, G. Fischer, Zoogn., ed. 3, II. 1813, 554.
- pallasii* Thymalus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 448.
- pallasii* Trematodes, F. Faldermann, Mém. présentés Ac. Imp. Sci. St. Pétersb. II (4 & 5)
- pallasii* Trichopus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 392. [Mar. 1835, 373.]
- pallasii* Turdus, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 205.
- Pallasia* J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 239.—
- Pallasia* G. D. Nardo, Ann. Sci. Lomb.-Veneto, X. 1840, 112.—P. [Dipt.]
- Pallasia* A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 23.—Verm.
- pallasianus* Ammonites, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 427.
- pallassianum* Cardium, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 83.
- pallasianus* Cephalus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 440.
- pallasiana* Eschara, J. P. C. Moll, Esch. Zooph. 1803, 57 & no. x; Die Seerinde, 1803, 64.
- pallasiana* Escharina (Moll.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 231.—Eschara.
- pallasiana* Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 67.
- pallasana* Tortrix, C. H. G. Sodovski, Bull. Soc. Imp. Nat. Moseou, II (1) 1830, 72.
- Pallasius* W. E. Leach, Edinb. Ency. VII. 1814, 436.—Cr.
- pallasia* Buprestis, C. J. Schoenherr, Syn. Insect. I (3) 1817, 264.
- pallasia* Castnia, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 217.
- pallax* Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 574.
- palleacea* *v.* *paleacea*.
- palleago* Mellinia, J. Huebner, Verz. bekannt. Schmett. [1822], 235.
- palleago* Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 40 (Fernaldo judice 1802) [*n. et f.*]. [[*n. et f.*].]
- palleago* Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 94 (Fernaldo judice 1808)
- palleago* Xanthia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Noctua.
- palleana* Tortrix, F. Treitschke, Schmett. Europa, VIII. 1830, 99.
- palleana* Tortrix, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 494.
- palleatum* Adorium, J. C. Fabricius, Syst. Eleuth. I. 1801, 410.
- pallei* Venus, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 25.
- Pallene* Megerle in Dahl, Col. u. Lep. 1823, 56.—Col.
- Pallene* G. Johnston, Mag. Zool. Bot. I (4) Dec. 1836, 380.—Cr.
- Pallène* R. P. Lesson, Compl. de Buffon, VIII. 1837, 493.—A. [*? vernac.*].
- Pallene* J. Gistel, Nat. Thierr. 1848, pp. xi & 130.—Col.
- Pallene* J. Gistel, Handb. Naturges. 1850 [1847], 428.—Col.
- Pallene* E. Doubleday in D. & Westwood, Gen. diurn. Lepid. II. 1850, 289.—Lep.
- Pallenis* Laporte, Revue Entom. IV (1) 1836, 39.—Col.
- Pallenis* H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxxvii (Aug. 1850).—A. [*n. et f.*].
- pallens* Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 233.
- pallens* Adrastus (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 124.—Elater, 1792.
- pallens* Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 689.—Galleruca, 1792.
- pallens* Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 20.
- pallens* Ampullaria, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 17.
- pallens* Andraena, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 357.
- pallens* Anisotoma, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 39.
- pallens* Antherophagus (Fab.), Dejean, Catal. Coléopt. 1821, 45.—Tenebrio, 1758.
- pallens* Anthicus, J. L. Leconte in Agassiz, Lake Superior, 1850, 231.
- pallens* Arianta, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 41 [*n. n.*].
- pallens* Asilus, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 32.

- pallens** Ateuchus (Ol.), J. C. Fabricius, Syst. Eleuth. I. 1801, 63.—Scarab. 1789.
- pallens** Basipta, Klug; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 374.
- pallens** Bengalia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- pallens** Blatta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]. [426.]
- pallens** Bolboceras, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 50.—Odontaeus, 1835.
- pallens** Bombylius, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1826,
- pallens** Brontes, J. C. Fabricius, Syst. Eleuth. II. 1801, 98.—Cucujus, 1792. [214.]
- pallens** Bulimus, Jonas in R. A. Philippi, Abb. Conch. I (3) 1843, 53.
- pallens** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 337.
- pallens** Chariodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 118.
- pallens** Chauliognathus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 102.
- pallens** Chironomus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 12.
- pallens** Cicada, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 522.
- pallens** Cimbex, Le Peletier, Mon. Tenthred. 1823, 28.
- pallens** Clubiona, C. W. Hahn, Die Arachniden, II (1) Dec. 1833, 10.
- pallens** Clubiona, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 449.
- pallens** Corticaria, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 58.
- pallens** Coryzoplatus, M. Spinola, Ess. Ins. Hémipt. 1837, 149.
- pallens** Cryptocerus, F. Klug, Entom. Mon. 1824, 206.
- pallens** Cryptophagus (L.), L. Gyllenhal, Ins. Suecica, I. 1808, 177.—Tenebrio, 1758.
- pallens** Cryptops, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 174.
- pallens** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 251.
- pallens** Cyclocephala (Fab.), Dejean, Catal. Coléopt. 1821, 57.—Melolontha, 1798.
- pallens** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 111.
- pallens** Doris, Rapp, N. A. Ac. Caes. Leop. Car. XIII (2) 1827, 522.
- pallens** Ectobius, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) June 1835, 46.—Blatta, 1829.
- pallens** Empis, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 163.
- pallens** Enhydrus, W. S. Macleay, Annulosa Javanica, 1825, 35.
- pallens** Euagoras, Herrich-S., Wanzenart. Ins. VIII (2) Oct. 1845, 46.
- pallens** Eucorysses, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 31.
- pallens** Euglossa, J. C. Fabricius, Syst. Piezat. 1804, 364.—Apis, 1798.
- pallens** Eurymetopum, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 93.
- pallens** Flata, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 101.
- pallens** Formica, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 324.
- pallens** Formica, W. Nylander, Acta Soc. Sci. Fennicae, III (1) 1849, 36.
- pallens** Gematis (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 144.—Melolontha, 1798.
- pallens** Gonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 346.
- pallens** Goniodoris (Rapp), E. Forbes, Ann. Nat. Hist. V. Ap. 1840, 105.—Doris.
- pallens** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 237.
- pallens** Gypona, Germar in H. Burmeister, Gen. Ins. (4) 1838, no. 4.
- pallens** Halictus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 350.
- pallens** Hallomenus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 51; & App. 1817, 20.
- pallens** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca, 1792.
- pallens** Heliophila, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*].
- pallens** Hemerobius, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 425.
- pallens** Homalota, Ferrari in L. Redtenbacher, F. Austr., Käfer, 1849, 662.
- pallens** Hoplionota, C. H. Boheman, Mon. Cassid. I. 1850, 32.
- pallens** Hydroporus, Mannerheim in C. Aubé, Spec. gén. Hydroc. 1838, 559.
- pallens** Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 356.
- pallens** Leiodes (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 172.—Anisotoma.
- pallens** Leptura, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 264.
- pallens** Leucania (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 81.—Phalaena, 1758.
- pallens** Leucothyreus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 563.

#725





